

Paola Dazzan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6428069/publications.pdf>

Version: 2024-02-01

268
papers

18,056
citations

9786

73
h-index

16183

124
g-index

286
all docs

286
docs citations

286
times ranked

15376
citing authors

#	ARTICLE	IF	CITATIONS
1	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMISE study. <i>Psychological Medicine</i> , 2023, 53, 3471-3479.	4.5	6
2	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2022, 52, 2641-2650.	4.5	11
3	Effects of copy number variations on brain structure and risk for psychiatric illness: Large-scale studies from the ENIGMA working groups on CNVs. <i>Human Brain Mapping</i> , 2022, 43, 300-328.	3.6	30
4	Neurocognitive Measures of Self-blame and Risk Prediction Models of Recurrence in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 256-264.	1.5	3
5	Multi-scale semi-supervised clustering of brain images: Deriving disease subtypes. <i>Medical Image Analysis</i> , 2022, 75, 102304.	11.6	28
6	Antipsychotic medication for women with schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2022, 52, 649-663.	4.5	30
7	Dynamic and Static Cognitive Deficits in Schizophrenia and Bipolar Disorder After the First Episode. <i>Schizophrenia Bulletin</i> , 2022, 48, 590-598.	4.3	12
8	Is our mistake trying to identify a "homogeneous" schizophrenia construct?. <i>Schizophrenia Research</i> , 2022, 242, 20-21.	2.0	3
9	Study protocol: randomised controlled hybrid type 2 trial evaluating the scale-up of two arts interventions for postnatal depression and Parkinson's disease. <i>BMJ Open</i> , 2022, 12, e055691.	1.9	3
10	Charting brain growth and aging at high spatial precision. <i>ELife</i> , 2022, 11, .	6.0	61
11	Cognitive function in early-phase schizophrenia-spectrum disorder: IQ subtypes, brain volume and immune markers. <i>Psychological Medicine</i> , 2022, , 1-10.	4.5	3
12	Inflammation and Brain Structure in Schizophrenia and Other Neuropsychiatric Disorders. <i>JAMA Psychiatry</i> , 2022, 79, 498.	11.0	99
13	Genetic variants associated with longitudinal changes in brain structure across the lifespan. <i>Nature Neuroscience</i> , 2022, 25, 421-432.	14.8	75
14	Towards better care for women with schizophrenia-spectrum disorders. <i>Lancet Psychiatry</i> , 2022, 9, 330-336.	7.4	24
15	Study protocol for the development and internal validation of Schizophrenia Prediction of Resistance to Treatment (SPIRIT): a clinical tool for predicting risk of treatment resistance to antipsychotics in first-episode schizophrenia. <i>BMJ Open</i> , 2022, 12, e056420.	1.9	1
16	Scalability of the Positive and Negative Syndrome Scale in first-episode schizophrenia assessed by Rasch models. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 21-35.	4.5	4
17	Mental health interventions for suicide prevention among indigenous adolescents: a systematic review. <i>Sao Paulo Medical Journal</i> , 2022, 140, 486-498.	0.9	2
18	Neurocognitive correlates of working memory and emotional processing in postpartum psychosis: an fMRI study. <i>Psychological Medicine</i> , 2021, 51, 1724-1732.	4.5	10

#	ARTICLE	IF	CITATIONS
19	Deconstructing depression and negative symptoms of schizophrenia; differential and longitudinal immune correlates, and response to minocycline treatment. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 498-504.	4.1	28
20	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 118-127.	4.3	20
21	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021, 30, 104-112.	1.9	9
22	Integrated metastate functional connectivity networks predict change in symptom severity in clinical high risk for psychosis. <i>Human Brain Mapping</i> , 2021, 42, 439-451.	3.6	2
23	Relationship Between Serum NMDA Receptor Antibodies and Response to Antipsychotic Treatment in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2021, 90, 9-15.	1.3	14
24	Are attenuated positive symptoms and cortisol levels associated?. <i>Schizophrenia Research</i> , 2021, 228, 621-623.	2.0	0
25	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 444-455.	4.3	9
26	Neuroanatomical abnormalities in first-episode psychosis across independent samples: a multi-centre mega-analysis. <i>Psychological Medicine</i> , 2021, 51, 340-350.	4.5	23
27	The Complement C4 Genetic Diversity in First Episode Psychosis of the OPTiMiSE Cohort. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	1.7	5
28	Cerebellar hypoactivation is associated with impaired sensory integration in schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 102-111.	1.9	11
29	Schizophrenia during pregnancy. <i>Current Opinion in Psychiatry</i> , 2021, 34, 238-244.	6.3	7
30	The Role of Peripheral Inflammation in Clinical Outcome and Brain Imaging Abnormalities in Psychosis: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 612471.	2.6	19
31	1q21.1 distal copy number variants are associated with cerebral and cognitive alterations in humans. <i>Translational Psychiatry</i> , 2021, 11, 182.	4.8	24
32	Structural Covariance of Cortical Gyrfication at Illness Onset in Treatment Resistance: A Longitudinal Study of First-Episode Psychoses. <i>Schizophrenia Bulletin</i> , 2021, 47, 1729-1739.	4.3	16
33	Motherâ€™infant interaction in women with depression in pregnancy and in women with a history of depression: the Psychiatry Research and Motherhood â€™ Depression (PRAM-D) study. <i>BJPsych Open</i> , 2021, 7, e100.	0.7	18
34	Altered dynamics of the prefrontal networks are associated with the risk for postpartum psychosis: a functional magnetic resonance imaging study. <i>Translational Psychiatry</i> , 2021, 11, 238.	4.8	6
35	Childhood and Adulthood Severe Stressful Experiences and Biomarkers Related to Glucose Metabolism: A Possible Association?. <i>Frontiers in Psychiatry</i> , 2021, 12, 629137.	2.6	5
36	Risk factors for postpartum relapse in women at risk of postpartum psychosis: The role of psychosocial stress and the biological stress system. <i>Psychoneuroendocrinology</i> , 2021, 128, 105218.	2.7	22

#	ARTICLE	IF	CITATIONS
37	Sex hormones and immune system: A possible interplay in affective disorders? A systematic review. <i>Journal of Affective Disorders</i> , 2021, 290, 1-14.	4.1	16
38	Self-guided Cognitive Behavioral Therapy Apps for Depression: Systematic Assessment of Features, Functionality, and Congruence With Evidence. <i>Journal of Medical Internet Research</i> , 2021, 23, e27619.	4.3	27
39	Announcing the Lancet Psychiatry Commission on Psychoses in Global Context. <i>Lancet Psychiatry</i> , the, 2021, 8, 743-744.	7.4	5
40	Maternal perceived bonding towards the infant and parenting stress in women at risk of postpartum psychosis with and without a postpartum relapse. <i>Journal of Affective Disorders</i> , 2021, 294, 210-219.	4.1	9
41	Scaling-up Health-Arts Programmes: the largest study in the world bringing arts-based mental health interventions into a national health service. <i>BJPsych Bulletin</i> , 2021, 45, 32-39.	1.1	18
42	Using quantitative MRI to study brain responses to immune challenge with interferon- β . <i>Brain, Behavior, & Immunity - Health</i> , 2021, 18, 100376.	2.5	0
43	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	7.9	49
44	Using Machine Learning and Structural Neuroimaging to Detect First Episode Psychosis: Reconsidering the Evidence. <i>Schizophrenia Bulletin</i> , 2020, 46, 17-26.	4.3	76
45	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studiesâ€”PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	4.3	56
46	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020, 50, 1452-1462.	4.5	16
47	Association of Copy Number Variation of the 15q11.2 BP1-BP2 Region With Cortical and Subcortical Morphology and Cognition. <i>JAMA Psychiatry</i> , 2020, 77, 420.	11.0	54
48	Biological stress response in women at risk of postpartum psychosis: The role of life events and inflammation. <i>Psychoneuroendocrinology</i> , 2020, 113, 104558.	2.7	22
49	Normalizing the Abnormal: Do Antipsychotic Drugs Push the Cortex Into an Unsustainable Metabolic Envelope?. <i>Schizophrenia Bulletin</i> , 2020, 46, 484-495.	4.3	17
50	M167. MACHINE LEARNING CLASSIFICATION OF FIRST-EPISEODE PSYCHOSIS USING CORTICAL THICKNESS IN A LARGE MULTICENTER MRI STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S200-S200.	4.3	0
51	S186. THE EFFECTS OF CHILDHOOD TRAUMA ON HIPPOCAMPAL VOLUME IN FIRST EPISODE PSYCHOSIS: DOES CORTISOL PLAY A ROLE?. <i>Schizophrenia Bulletin</i> , 2020, 46, S109-S109.	4.3	0
52	T183. LOW LEVELS OF VITAMIN D ARE ASSOCIATED WITH REDUCED CORTICAL THICKNESS AND SURFACE AREA IN FRONTAL, TEMPORAL AND OCCIPITAL REGIONS IN FIRST-EPISEODE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2020, 46, S301-S302.	4.3	0
53	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020, 46, 814-822.	4.3	13
54	A GABA Interneuron Deficit Model of the Art of Vincent van Gogh. <i>Frontiers in Psychiatry</i> , 2020, 11, 685.	2.6	3

#	ARTICLE	IF	CITATIONS
55	Predicting onset of early- and late-treatment resistance in first-episode schizophrenia patients using advanced shrinkage statistical methods in a small sample. <i>Psychiatry Research</i> , 2020, 294, 113527.	3.3	11
56	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020, 217, 575-582.	2.8	30
57	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia - data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020, 289, 112970.	3.3	11
58	T143. RESTING STATE FMRI BASED MULTILAYER NETWORK CONFIGURATION IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020, 46, S285-S285.	4.3	0
59	Two distinct neuroanatomical subtypes of schizophrenia revealed using machine learning. <i>Brain</i> , 2020, 143, 1027-1038.	7.6	158
60	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020, 123, 145-150.	3.1	27
61	Baseline high levels of complement component 4 predict worse clinical outcome at 1-year follow-up in first-episode psychosis. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 913-915.	4.1	25
62	Resting state fMRI based multilayer network configuration in patients with schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 25, 102169.	2.7	46
63	Prenatal and perinatal risk and protective factors for psychosis: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2020, 7, 399-410.	7.4	182
64	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020, 34, 76-86.	0.7	30
65	COVID-19 experience among Brazil's indigenous people. <i>Revista Da Associação Médica Brasileira</i> , 2020, 66, 861-863.	0.7	10
66	Childhood Trauma Associated White Matter Abnormalities in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 369-376.	4.3	22
67	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. <i>Schizophrenia Research</i> , 2019, 205, 38-44.	2.0	17
68	Remission from antipsychotic treatment in first episode psychosis related to longitudinal changes in brain glutamate. <i>NPJ Schizophrenia</i> , 2019, 5, 12.	3.6	28
69	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2019, 176, 811-819.	7.2	123
70	T1. ABNORMAL CORTISOL LEVELS DURING THE DAY AND CORTISOL AWAKENING RESPONSE IN WOMEN AT RISK OF POSTPARTUM PSYCHOSIS: THE ROLE OF STRESSFUL LIFE EVENTS AND INFLAMMATION. <i>Schizophrenia Bulletin</i> , 2019, 45, S204-S204.	4.3	0
71	Association of Antidepressant Use With Adverse Health Outcomes. <i>JAMA Psychiatry</i> , 2019, 76, 1241.	11.0	143
72	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019, 9, 20.	4.8	52

#	ARTICLE	IF	CITATIONS
73	Differential gene expression analysis in blood of first episode psychosis patients. <i>Schizophrenia Research</i> , 2019, 209, 88-97.	2.0	27
74	O5.6. REMISSION FROM ANTIPSYCHOTIC TREATMENT IN FIRST EPISODE PSYCHOSIS RELATED TO LONGITUDINAL CHANGES IN BRAIN GLUTAMATE LEVELS. <i>Schizophrenia Bulletin</i> , 2019, 45, S175-S175.	4.3	0
75	Childhood trauma and psychosis: Moving the field forward. <i>Schizophrenia Research</i> , 2019, 205, 1-3.	2.0	9
76	Metabolic-inflammatory status as predictor of clinical outcome at 1-year follow-up in patients with first episode psychosis. <i>Psychoneuroendocrinology</i> , 2019, 99, 145-153.	2.7	36
77	Jumping to conclusions at first onset of psychosis predicts longer admissions, more compulsory admissions and police involvement over the next 4 years: the GAP study. <i>Psychological Medicine</i> , 2019, 49, 2256-2266.	4.5	14
78	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the A†SOP-10 study. <i>Psychological Medicine</i> , 2019, 49, 2100-2110.	4.5	22
79	Neuroinflammation in schizophrenia: meta-analysis of <i>in vivo</i> microglial imaging studies. <i>Psychological Medicine</i> , 2019, 49, 2186-2196.	4.5	151
80	Aiding the diagnosis of dissociative identity disorder: pattern recognition study of brain biomarkers. <i>British Journal of Psychiatry</i> , 2019, 215, 536-544.	2.8	35
81	Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019, 204, 80-89.	2.0	28
82	Intergenerational transmission of depression: clinical observations and molecular mechanisms. <i>Molecular Psychiatry</i> , 2019, 24, 1157-1177.	7.9	63
83	Interaction between childhood adversity and functional polymorphisms in the dopamine pathway on first-episode psychosis. <i>Schizophrenia Research</i> , 2019, 205, 51-57.	2.0	12
84	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019, 6, 1-66.	0.7	2
85	T130. ASSOCIATIONS BETWEEN DIFFERENT TYPES OF CHILDHOOD ADVERSITY AND 5-YEAR OUTCOMES IN FIRST-EPISODE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S166.	4.3	0
86	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , 2018, 92, 72-80.	2.7	26
87	Neural mechanism and heritability of complex motor sequence and audiovisual integration: A healthy twin study. <i>Human Brain Mapping</i> , 2018, 39, 1438-1448.	3.6	13
88	FoxO1, A2M, and TGF-Î²1: three novel genes predicting depression in gene X environment interactions are identified using cross-species and cross-tissues transcriptomic and miRNomic analyses. <i>Molecular Psychiatry</i> , 2018, 23, 2192-2208.	7.9	73
89	30.1 IMMUNE PATHOGENESIS OF PSYCHOSIS: THE CHALLENGE OF CO-MORBIDITY. <i>Schizophrenia Bulletin</i> , 2018, 44, S48-S48.	4.3	0
90	Utilising symptom dimensions with diagnostic categories improves prediction of time to first remission in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 193, 391-398.	2.0	7

#	ARTICLE	IF	CITATIONS
91	Not just risk: there is also resilience and we should understand its neurobiological basis. Schizophrenia Research, 2018, 193, 293-294.	2.0	3
92	S108. ASSOCIATIONS BETWEEN GLOBAL BRAIN MEASURES AND STATE- AND TRAIT- RELATED SYMPTOM EXPRESSION OF SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S367-S367.	4.3	0
93	F68. PREMORBID IQ, EDUCATIONAL LEVEL AND JUMPING TO CONCLUSIONS AS PREDICTORS OF CLINICAL OUTCOME AT FIRST ONSET OF PSYCHOSIS OVER THE NEXT 4 YEARS: THE GAP STUDY. Schizophrenia Bulletin, 2018, 44, S246-S246.	4.3	0
94	O6.7. COMMON NEUROANATOMICAL ABNORMALITIES IN FIRST EPISODE PSYCHOSIS ACROSS SEVERAL INDEPENDENT SAMPLES. Schizophrenia Bulletin, 2018, 44, S92-S92.	4.3	0
95	T86. COGNITIVE SUBTYPES IN FIRST-EPISODE PSYCHOSIS: AN EMPIRICAL LONGITUDINAL STUDY OF RELATIONSHIP TO COGNITIVE, SYMPTOM AND FUNCTIONAL OUTCOMES. Schizophrenia Bulletin, 2018, 44, S148-S148.	4.3	0
96	Do Defective Immune System-Mediated Myelination Processes Increase Postpartum Psychosis Risk?. Trends in Molecular Medicine, 2018, 24, 942-949.	6.7	15
97	The benefit of minocycline on negative symptoms of schizophrenia in patients with recent-onset psychosis (BeneMin): a randomised, double-blind, placebo-controlled trial. Lancet Psychiatry, the, 2018, 5, 885-894.	7.4	133
98	O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. Schizophrenia Bulletin, 2018, 44, S77-S77.	4.3	0
99	Cortical thickness correlates of minor neurological signs in patients with first episode psychosis. Schizophrenia Research, 2018, 200, 104-111.	2.0	13
100	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. Biological Psychiatry, 2018, 84, 644-654.	1.3	627
101	O8.7. COGNITIVE SUBTYPES IN FIRST-EPISODE PSYCHOSIS AND ASSOCIATION TO TREATMENT RESPONSE. Schizophrenia Bulletin, 2018, 44, S98-S99.	4.3	0
102	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. Lancet Psychiatry, the, 2018, 5, 797-807.	7.4	141
103	5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. Schizophrenia Bulletin, 2018, 44, S6-S6.	4.3	0
104	31.3 CLINICAL UTILITY OF MRI SCANNING IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S50-S51.	4.3	2
105	Different types of childhood adversity and 5-year outcomes in a longitudinal cohort of first-episode psychosis patients. Psychiatry Research, 2018, 269, 199-206.	3.3	34
106	T46. TARGETING THE IMMUNE SYSTEM TO TREAT DEPRESSION AND NEGATIVE SYMPTOMS IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S131-S131.	4.3	1
107	T14. ASSESSING DIFFERENCES IN INFLAMMATORY MARKERS BETWEEN FIRST EPISODE PSYCHOSIS PATIENTS AND HEALTHY CONTROLS: THE IMPORTANCE OF CONTROLLING FOR CONFOUNDING FACTORS. Schizophrenia Bulletin, 2018, 44, S118-S118.	4.3	0
108	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. Schizophrenia Research, 2018, 195, 306-317.	2.0	17

#	ARTICLE	IF	CITATIONS
109	Neural correlates of audiovisual sensory integration.. Neuropsychology, 2018, 32, 329-336.	1.3	5
110	Neurological soft signs in first-episode schizophrenia: State- and trait-related relationships to psychopathology, cognition and antipsychotic medication effects. Schizophrenia Research, 2017, 188, 144-150.	2.0	22
111	Does neuroimaging have a role in predicting outcomes in psychosis?. World Psychiatry, 2017, 16, 209-210.	10.4	17
112	Brain microglia in psychiatric disorders. Lancet Psychiatry,the, 2017, 4, 563-572.	7.4	208
113	Connectomic correlates of response to treatment in first-episode psychosis. Brain, 2017, 140, 487-496.	7.6	47
114	Effects of aripiprazole and haloperidol on neural activation during a simple motor task in healthy individuals: A functional MRI study. Human Brain Mapping, 2017, 38, 1833-1845.	3.6	1
115	Patterns of illness and care over the 5Âyears following onset of psychosis in different ethnic groups; the GAP-5 study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1101-1111.	3.1	26
116	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The Å†SOP-10 study. British Journal of Psychiatry, 2017, 211, 88-94.	2.8	71
117	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. Biological Psychiatry, 2017, 81, 470-477.	1.3	176
118	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. NeuroImage, 2017, 145, 246-253.	4.2	43
119	Clinical utility of magnetic resonance imaging in first-episode psychosis. British Journal of Psychiatry, 2017, 211, 231-237.	2.8	30
120	Brain structure in women at risk of postpartum psychosis: an MRI study. Translational Psychiatry, 2017, 7, 1286.	4.8	26
121	Authors' reply. British Journal of Psychiatry, 2017, 211, 250-250.	2.8	0
122	Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. BMC Psychiatry, 2017, 17, 308.	2.6	53
123	Globally Efficient Brain Organization and Treatment Response in Psychosis: A Connectomic Study of Gyrfication. Schizophrenia Bulletin, 2016, 42, 1446-1456.	4.3	47
124	Effects of antipsychotics on cortisol, interleukin-6 and hippocampal perfusion in healthy volunteers. Schizophrenia Research, 2016, 174, 99-105.	2.0	34
125	Outcomes following first-episode psychosis â€“ Why we should intervene early in all ages, not only in youth. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1055-1063.	2.3	25
126	Effects of aripiprazole and haloperidol on neural activation during the n-back in healthy individuals: A functional MRI study. Schizophrenia Research, 2016, 173, 174-181.	2.0	20

#	ARTICLE	IF	CITATIONS
127	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	4.3	225
128	Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 464-475.	4.3	38
129	Altering the course of schizophrenia: progress and perspectives. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 485-515.	46.4	410
130	Substance use, medication adherence and outcome one year following a first episode of psychosis. <i>Schizophrenia Research</i> , 2016, 170, 311-317.	2.0	55
131	Prefrontal cortex connectivity dysfunction in performing the "Edge" Palm task in patients with first-episode schizophrenia and non-psychotic first-degree relatives. <i>NeuroImage: Clinical</i> , 2015, 9, 411-417.	2.7	20
132	Estimating multivariate similarity between neuroimaging datasets with sparse canonical correlation analysis: an application to perfusion imaging. <i>Frontiers in Neuroscience</i> , 2015, 9, 366.	2.8	10
133	Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , 2015, 1, 6-13.	0.7	21
134	Ten-Year Outcomes of First-Episode Psychoses in the MRC A+SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.	1.0	90
135	Abnormal hippocampal morphology in dissociative identity disorder and post-traumatic stress disorder correlates with childhood trauma and dissociative symptoms. <i>Human Brain Mapping</i> , 2015, 36, 1692-1704.	3.6	65
136	Inflammation and metabolic changes in first episode psychosis: Preliminary results from a longitudinal study. <i>Brain, Behavior, and Immunity</i> , 2015, 49, 25-29.	4.1	30
137	Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015, 227, 213-218.	3.3	18
138	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , 2015, 2, 233-238.	7.4	429
139	Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1162-1170.	4.3	223
140	The benefit of minocycline on negative symptoms in early-phase psychosis in addition to standard care - extent and mechanism (BeneMin): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 71.	1.6	8
141	Immune abnormalities across psychiatric disorders: clinical relevance. <i>BJ Psych Advances</i> , 2015, 21, 150-156.	0.7	7
142	Magnetic Resonance Imaging and the Prediction of Outcome in First-Episode Schizophrenia: A Review of Current Evidence and Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2015, 41, 574-583.	4.3	94
143	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1489-1500.	3.1	41
144	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015, 230, 742-743.	3.3	2

#	ARTICLE	IF	CITATIONS
145	A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , 2015, 41, 1266-1275.	4.3	26
146	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó”SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.	4.3	128
147	A Systematic Review of Cognitive Function in First-Episode Psychosis, Including a Discussion on Childhood Trauma, Stress, and Inflammation. <i>Frontiers in Psychiatry</i> , 2014, 4, 182.	2.6	168
148	White matter integrity as a predictor of response to treatment in first episode psychosis. <i>Brain</i> , 2014, 137, 172-182.	7.6	130
149	Association Between Symptom Dimensions and Categorical Diagnoses of Psychosis: A Cross-sectional and Longitudinal Investigation. <i>Schizophrenia Bulletin</i> , 2014, 40, 111-119.	4.3	60
150	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1443-1451.	4.3	41
151	Caregiving in first-episode psychosis: social characteristics associated with perceived “burden” and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014, 8, 122-129.	1.7	46
152	Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2014, 5, 84.	2.6	17
153	Cannabis use, gender and age of onset of schizophrenia: Data from the Å†SOP study. <i>Psychiatry Research</i> , 2014, 215, 528-532.	3.3	80
154	Pre-morbid fertility in psychosis: Findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014, 156, 168-173.	2.0	4
155	Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. <i>Schizophrenia Bulletin</i> , 2014, 40, 1509-1517.	4.3	364
156	Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. <i>Lancet, The</i> , 2014, 384, 1789-1799.	13.7	467
157	Neurological Soft Signs Are Not “Soft” in Brain Structure and Functional Networks: Evidence From ALE Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2014, 40, 626-641.	4.3	117
158	Brain derived neurotropic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 56-61.	2.0	40
159	HPA axis response to social stress is attenuated in schizophrenia but normal in depression: Evidence from a meta-analysis of existing studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 47, 359-368.	6.1	99
160	A Genome-wide Association Analysis of a Broad Psychosis Phenotype Identifies Three Loci for Further Investigation. <i>Biological Psychiatry</i> , 2014, 75, 386-397.	1.3	44
161	A systematic review and meta-analysis of the effects of antipsychotic medications on regional cerebral blood flow (rCBF) in schizophrenia: Association with response to treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 43, 118-136.	6.1	53
162	Neuroimaging biomarkers to predict treatment response in schizophrenia: the end of 30 years of solitude?. <i>Dialogues in Clinical Neuroscience</i> , 2014, 16, 491-503.	3.7	31

#	ARTICLE	IF	CITATIONS
163	Acute effects of single-dose aripiprazole and haloperidol on resting cerebral blood flow (rCBF) in the human brain. <i>Human Brain Mapping</i> , 2013, 34, 272-282.	3.6	97
164	The promise of neuroanatomical markers in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, n/a-n/a.	4.5	2
165	The dietary pattern of patients with schizophrenia: A systematic review. <i>Journal of Psychiatric Research</i> , 2013, 47, 197-207.	3.1	293
166	Neurological soft signs discriminate schizophrenia from major depression but not bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 43, 72-78.	4.8	63
167	Serum and gene expression profile of cytokines in first-episode psychosis. <i>Brain, Behavior, and Immunity</i> , 2013, 31, 90-95.	4.1	174
168	Cannabis users have higher premorbid IQ than other patients with first onset psychosis. <i>Schizophrenia Research</i> , 2013, 150, 129-135.	2.0	50
169	Prevalence of bullying victimisation amongst first-episode psychosis patients and unaffected controls. <i>Schizophrenia Research</i> , 2013, 150, 169-175.	2.0	67
170	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 2394-2404.	2.7	62
171	COMT, neuropsychological function and brain structure in schizophrenia: a systematic review and neurobiological interpretation. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 366-380.	2.4	71
172	Social Disadvantage: Cause or Consequence of Impending Psychosis?. <i>Schizophrenia Bulletin</i> , 2013, 39, 1288-1295.	4.3	114
173	Cortical Folding Defects as Markers of Poor Treatment Response in First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 1031.	11.0	104
174	Gender Differences in Neuropsychological Performance across Psychotic Disorders – a Multi-Centre Population Based Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e77318.	2.5	19
175	Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: A report from the UK Å†SOP study. <i>International Journal of Social Psychiatry</i> , 2012, 58, 98-105.	3.1	21
176	Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1083-1091.	4.3	88
177	Is Neuregulin 1 Involved in Determining Cerebral Volumes in Schizophrenia Preliminary Results Showing a Decrease in Superior Temporal Gyrus Volume. <i>Neuropsychobiology</i> , 2012, 65, 119-125.	1.9	26
178	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012, 142, 159-164.	2.0	8
179	Confirmation that the AKT1 (rs2494732) Genotype Influences the Risk of Psychosis in Cannabis Users. <i>Biological Psychiatry</i> , 2012, 72, 811-816.	1.3	212
180	Neurological soft signs in obsessive-compulsive disorder: The effect of co-morbid psychosis and evidence for familiarity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 200-205.	4.8	25

#	ARTICLE	IF	CITATIONS
181	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , 2012, 137, 73-79.	2.0	96
182	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012, 140, 221-231.	2.0	24
183	Hypothalamic-pituitary-adrenal axis and clinical symptoms in first-episode psychosis. <i>Psychoneuroendocrinology</i> , 2012, 37, 629-644.	2.7	79
184	The neuro/PsyGRID calibration experiment. <i>Human Brain Mapping</i> , 2012, 33, 373-386.	3.6	30
185	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , 2011, 129, 12-19.	2.0	103
186	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011, 495, 17-21.	2.1	31
187	Assessment of Posttraumatic Symptoms in Patients With First-Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 896-898.	1.0	9
188	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 15-23.	1.7	49
189	Assessment of the impact of the scanner-related factors on brain morphometry analysis with Brainvisa. <i>BMC Medical Imaging</i> , 2011, 11, 23.	2.7	17
190	Which neurological abnormalities and neuropsychological impairments share the same substrate in psychosis?. <i>Science Bulletin</i> , 2011, 56, 3372-3375.	1.7	2
191	Neurological abnormalities and neurocognitive functions in healthy elder people: A structural equation modeling analysis. <i>Behavioral and Brain Functions</i> , 2011, 7, 32.	3.3	15
192	Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. <i>Psychological Medicine</i> , 2011, 41, 463-476.	4.5	102
193	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553.	4.3	361
194	The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011, 23, 55-60.	2.8	3
195	Stress and Inflammation Reduce Brain-Derived Neurotrophic Factor Expression in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1677-1684.	2.2	245
196	Letter to the Editor: Are antipsychotics good or bad for the brain? A comment on Moncrieff & Leo (). <i>Psychological Medicine</i> , 2010, 40, 2107-2108.	4.5	3
197	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 141-148.	2.8	87
198	Power calculations for multicenter imaging studies controlled by the false discovery rate. <i>Human Brain Mapping</i> , 2010, 31, 1183-1195.	3.6	43

#	ARTICLE	IF	CITATIONS
199	Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 351-358.	4.5	56
200	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010, 40, 1967-1978.	4.5	163
201	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010, 9, 4-14.	1.1	40
202	Specific and Generalized Neuropsychological Deficits: A Comparison of Patients With Various First-Episode Psychosis Presentations. <i>American Journal of Psychiatry</i> , 2010, 167, 78-85.	7.2	175
203	THE RELATIONSHIP BETWEEN NEUROPSYCHOLOGICAL FUNCTIONING AND SYMPTOM DIMENSIONS IN FIRST-EPISODE PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 175-176.	2.0	2
204	THE EFFECTS OF HALOPERIDOL AND ARIPIPRAZOLE ON RESTING STATE BRAIN PERFUSION IN HEALTHY VOLUNTEERS. <i>Schizophrenia Research</i> , 2010, 117, 238-239.	2.0	0
205	LONGITUDINAL CHANGES OF STRUCTURAL BRAIN ASYMMETRY IN PSYCHOSIS AND HEALTHY CONTROLS. <i>Schizophrenia Research</i> , 2010, 117, 341-342.	2.0	0
206	DOES STRESS CONTRIBUTE TO INFLAMMATORY AND METABOLIC ABNORMALITIES IN FIRST EPISODE PSYCHOSIS?. <i>Schizophrenia Research</i> , 2010, 117, 369-370.	2.0	0
207	GENDER DIFFERENCES IN NEUROPSYCHOLOGICAL PERFORMANCE IN PATIENTS WITH FIRST EPISODE OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 448.	2.0	0
208	CHILDHOOD ADVERSITY, OFFENDING AND VIOLENCE IN A FIRST EPISODE SAMPLE: FINDINGS FROM THE AESOP FIRST ONSET PSYCHOSIS STUDY. <i>Schizophrenia Research</i> , 2010, 117, 504-505.	2.0	1
209	Ethnic identity, perceptions of disadvantage, and psychosis. <i>Schizophrenia Research</i> , 2010, 124, 43-48.	2.0	38
210	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: The role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , 2010, 116, 234-242.	2.0	253
211	Higher cortisol levels are associated with smaller left hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2010, 119, 75-78.	2.0	112
212	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 336-345.	2.8	38
213	Clinical significance of neurological abnormalities in psychosis. <i>Advances in Psychiatric Treatment</i> , 2009, 15, 419-427.	0.5	7
214	Spontaneous movement disorders in antipsychotic-naive patients with first-episode psychoses: a systematic review. <i>Psychological Medicine</i> , 2009, 39, 1065.	4.5	175
215	Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , 2009, 39, 1943-1955.	4.5	90
216	Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 319-325.	2.8	180

#	ARTICLE	IF	CITATIONS
217	Do antipsychotic drugs affect brain structure? A systematic and critical review of MRI findings. <i>Psychological Medicine</i> , 2009, 39, 1763-1777.	4.5	307
218	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 226-235.	4.5	110
219	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009, 11, 323-329.	1.9	14
220	High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2009, 195, 488-491.	2.8	465
221	The Prevalence, Diagnostic Significance and Demographic Characteristics of Schneiderian First-Rank Symptoms in an Epidemiological Sample of First-Episode Psychoses. <i>Psychopathology</i> , 2009, 42, 81-91.	1.5	40
222	Unemployment, social isolation, achievement-expectation mismatch and psychosis: findings from the Å†SOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 743-751.	3.1	84
223	Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2008, 42, 913-919.	3.1	5
224	Pituitary volume in unaffected relatives of patients with schizophrenia and bipolar disorder. <i>Psychoneuroendocrinology</i> , 2008, 33, 1004-1012.	2.7	65
225	Is early intervention in psychosis effective?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 227-235.	0.9	18
226	Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008, 38, 71-77.	4.5	38
227	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008, 38, 1701-1715.	4.5	176
228	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008, 38, 1083-1094.	4.5	125
229	Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 178-184.	2.8	88
230	Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008, 192, 185-190.	2.8	75
231	Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 197-202.	2.8	57
232	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s123-s127.	2.8	30
233	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007, 37, 1413-1425.	4.5	189
234	Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s111-s116.	2.8	46

#	ARTICLE	IF	CITATIONS
235	Structural brain abnormalities in individuals with an at-risk mental state who later develop psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s69-s75.	2.8	128
236	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007, 37, 495.	4.5	201
237	Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , 2007, 37, 547-557.	4.5	80
238	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 103-110.	2.0	58
239	Regional Gray Matter Volume Abnormalities in the At Risk Mental State. <i>Biological Psychiatry</i> , 2007, 61, 1148-1156.	1.3	295
240	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 647-659.	1.7	45
241	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 438-445.	3.1	89
242	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006, 83, 145-153.	2.0	89
243	Duration of untreated psychosis and ethnicity in the Å†SOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006, 36, 239-247.	4.5	64
244	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550.	4.5	433
245	Reply: Atypical Antipsychotics and Pituitary Size. <i>Neuropsychopharmacology</i> , 2006, 31, 244-245.	5.4	1
246	The Structural Brain Correlates of Neurological Soft Signs in Healthy Individuals. <i>Cerebral Cortex</i> , 2006, 16, 1225-1231.	2.9	90
247	Heterogeneity in Incidence Rates of Schizophrenia and Other Psychotic Syndromes. <i>Archives of General Psychiatry</i> , 2006, 63, 250.	12.3	440
248	Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006, 189, 446-452.	2.8	168
249	First episode psychosis and ethnicity: initial findings from the AESOP study. <i>World Psychiatry</i> , 2006, 5, 40-6.	10.4	87
250	The psychopathology of schizophrenia and the presence of neurological soft signs: a review. <i>Current Opinion in Psychiatry</i> , 2005, 18, 285-288.	6.3	48
251	Incidence of bipolar affective disorder in three UK cities. <i>British Journal of Psychiatry</i> , 2005, 186, 126-131.	2.8	69
252	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. <i>British Journal of Psychiatry</i> , 2005, 186, 281-289.	2.8	152

#	ARTICLE	IF	CITATIONS
253	Pathways to care and ethnicity. 2: Source of referral and help-seeking. <i>British Journal of Psychiatry</i> , 2005, 186, 290-296.	2.8	133
254	Different Effects of Typical and Atypical Antipsychotics on Grey Matter in First Episode Psychosis: the Å†SOP Study. <i>Neuropsychopharmacology</i> , 2005, 30, 765-774.	5.4	243
255	Increased Pituitary Volume in Antipsychotic-Free and Antipsychotic-Treated Patients of the Å†sop First-Onset Psychosis Study. <i>Neuropsychopharmacology</i> , 2005, 30, 1923-1931.	5.4	148
256	Association Between the Neuregulin 1 Gene and Schizophrenia: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2005, 31, 613-617.	4.3	104
257	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. <i>Biological Psychiatry</i> , 2005, 58, 417-423.	1.3	202
258	The structural brain correlates of neurological soft signs in AeSOP first-episode psychoses study. <i>Brain</i> , 2004, 127, 143-153.	7.6	211
259	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 5-10.	2.8	168
260	Can one identify preschizophrenia children?. , 2004, , 415-431.		0
261	Hemispheric Surface Area: Sex, Laterality and Age Effects. <i>Cerebral Cortex</i> , 2003, 13, 364-370.	2.9	21
262	Neurological soft signs in first-episode psychosis: A systematic review. <i>British Journal of Psychiatry</i> , 2002, 181, s50-s57.	2.8	190
263	Use of the Mental Health Act Criteria in the Decision-Making Process for Compulsory Admissions: A Study of Psychiatrists in South London. <i>Medicine, Science and the Law</i> , 2000, 40, 336-344.	1.0	2
264	Psychiatric inpatients' satisfaction with services: A pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000, 4, 327-332.	2.4	13
265	Evidence-Based Prevention Strategies of Suicide Behavior in the World and Possibilities of their Implementation in Slovenia. <i>Crisis</i> , 2000, 21, 193-194.	1.2	0
266	Schizophrenia is (not simply) a neurodevelopmental disorder. <i>Epidemiology and Psychiatric Sciences</i> , 1999, 8, 235-241.	3.9	8
267	Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	2
268	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 0, , 1-9.	4.5	10