

Tore K. Kvien

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6434838/publications.pdf>

Version: 2024-02-01

101
papers

20,819
citations

87888

38
h-index

38395

95
g-index

102
all docs

102
docs citations

102
times ranked

17404
citing authors

#	ARTICLE	IF	CITATIONS
1	2010 Rheumatoid arthritis classification criteria: An American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010, 62, 2569-2581.	6.7	6,781
2	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1580-1588.	0.9	2,994
3	2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 978-991.	0.9	1,220
4	Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 3-15.	0.9	1,114
5	American College of Rheumatology/European League Against Rheumatism provisional definition of remission in rheumatoid arthritis for clinical trials. <i>Arthritis and Rheumatism</i> , 2011, 63, 573-586.	6.7	864
6	Switching from originator infliximab to biosimilar CT-P13 compared with maintained treatment with originator infliximab (NOR-SWITCH): a 52-week, randomised, double-blind, non-inferiority trial. <i>Lancet, The</i> , 2017, 389, 2304-2316.	13.7	666
7	American College of Rheumatology/European League Against Rheumatism Provisional Definition of Remission in Rheumatoid Arthritis for Clinical Trials. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 404-413.	0.9	657
8	Bone mineral density and frequency of osteoporosis in female patients with rheumatoid arthritis: Results from 394 patients in the Oslo County rheumatoid arthritis register. <i>Arthritis and Rheumatism</i> , 2000, 43, 522.	6.7	616
9	Ankylosing Spondylitis Disease Activity Score (ASDAS): defining cut-off values for disease activity states and improvement scores. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 47-53.	0.9	589
10	Treating axial spondyloarthritis and peripheral spondyloarthritis, especially psoriatic arthritis, to target: 2017 update of recommendations by an international task force. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 3-17.	0.9	484
11	Prevalence, incidence and progression of hand osteoarthritis in the general population: the Framingham Osteoarthritis Study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1581-1586.	0.9	371
12	A patient-derived and patient-reported outcome measure for assessing psoriatic arthritis: elaboration and preliminary validation of the Psoriatic Arthritis Impact of Disease (PsAID) questionnaire, a 13-country EULAR initiative. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1012-1019.	0.9	314
13	Inequities in access to biologic and synthetic DMARDs across 46 European countries. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 198-206.	0.9	289
14	Epidemiological Aspects of Rheumatoid Arthritis: The Sex Ratio. <i>Annals of the New York Academy of Sciences</i> , 2006, 1069, 212-222.	3.8	248
15	Preferences for improved health examined in 1,024 patients with rheumatoid arthritis: Pain has highest priority. <i>Arthritis and Rheumatism</i> , 2002, 47, 391-397.	6.7	231
16	Minimal clinically important improvement/difference (MCII/MCID) and patient acceptable symptom state (PASS): what do these concepts mean?. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, iii40-iii41.	0.9	200
17	Ultrasound in management of rheumatoid arthritis: ARCTIC randomised controlled strategy trial. <i>BMJ, The</i> , 2016, 354, i4205.	6.0	200
18	Points to consider for reporting, screening for and preventing selected comorbidities in chronic inflammatory rheumatic diseases in daily practice: a EULAR initiative. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 965-973.	0.9	179

#	ARTICLE	IF	CITATIONS
19	Consensus-based recommendations for the use of biosimilars to treat rheumatological diseases. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 165-174.	0.9	173
20	The Prevalence and Severity of Rheumatoid Arthritis in Oslo. <i>Scandinavian Journal of Rheumatology</i> , 1997, 26, 412-418.	1.1	155
21	Remission and radiographic outcome in rheumatoid arthritis: application of the 2011 ACR/EULAR remission criteria in an observational cohort. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 681-686.	0.9	150
22	Time trends in disease activity, response and remission rates in rheumatoid arthritis during the past decade: results from the NOR-DMARD study 2000-2010. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 381-388.	0.9	142
23	Vertebral Deformities in Rheumatoid Arthritis. <i>Archives of Internal Medicine</i> , 2004, 164, 420.	3.8	129
24	MRI in early rheumatoid arthritis: synovitis and bone marrow oedema are independent predictors of subsequent radiographic progression. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 428-433.	0.9	124
25	Humoral and cellular immune responses to two and three doses of SARS-CoV-2 vaccines in rituximab-treated patients with rheumatoid arthritis: a prospective, cohort study. <i>Lancet Rheumatology</i> , The, 2022, 4, e177-e187.	3.9	122
26	Reduced bone mineral density in male rheumatoid arthritis patients: Frequencies and associations with demographic and disease variables in ninety-four patients in the Oslo county rheumatoid arthritis register. <i>Arthritis and Rheumatism</i> , 2000, 43, 2776-2784.	6.7	101
27	EULAR points to consider when establishing, analysing and reporting safety data of biologics registers in rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1596-1602.	0.9	87
28	Measuring disability and quality of life in established rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 827-840.	3.3	79
29	Drivers of patient global assessment in patients with rheumatoid arthritis who are close to remission: an analysis of 1588 patients. <i>Rheumatology</i> , 2017, 56, 1573-1578.	1.9	71
30	Cross-sectional and longitudinal associations between radiographic features and measures of pain and physical function in hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1191-1198.	1.3	67
31	Synovitis and radiographic progression in non-erosive and erosive hand osteoarthritis: is erosive hand osteoarthritis a separate inflammatory phenotype?. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 647-654.	1.3	60
32	The Impact of Coping Strategies on Mental and Physical Well-Being in Patients with Rheumatoid Arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 545-555.	3.4	58
33	Treatment to lipid targets in patients with inflammatory joint diseases in a preventive cardio-rheuma clinic. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1968-1974.	0.9	57
34	Circulating levels of inflammatory cytokines and cytokine receptors in patients with ankylosing spondylitis: a cross-sectional comparative study. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 118-124.	1.1	54
35	Predictive Value of Arterial Stiffness and Subclinical Carotid Atherosclerosis for Cardiovascular Disease in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2016, 43, 1622-1630.	2.0	49
36	Effectiveness of TNF-inhibitors, abatacept, IL6-inhibitors and JAK-inhibitors in 31 846 patients with rheumatoid arthritis in 19 registers from the "JAK-pot" collaboration. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1358-1366.	0.9	48

#	ARTICLE	IF	CITATIONS
37	Performance of the Norwegian version of AUSCAN – a disease-specific measure of hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2005, 13, 561-567.	1.3	43
38	The cost savings of biosimilars can help increase patient access and lift the financial burden of health care systems. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 52, 151939.	3.4	41
39	Increasing synovitis and bone marrow lesions are associated with incident joint tenderness in hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 702-708.	0.9	40
40	Performance of the Rheumatoid Arthritis Impact of Disease (RAID) score in relation to other patient-reported outcomes in a register of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1080-1082.	0.9	39
41	Health status and perception of pain: a comparative study between female patients with hand osteoarthritis and rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 342-348.	1.1	38
42	Swollen, but not tender joints, are independently associated with ultrasound synovitis: results from a longitudinal observational study of patients with established rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1179-1185.	0.9	38
43	Effectiveness of two different doses of rituximab for the treatment of rheumatoid arthritis in an international cohort: data from the CERERRA collaboration. <i>Arthritis Research and Therapy</i> , 2016, 18, 50.	3.5	37
44	Frequency of temporomandibular joint osteoarthritis and related symptoms in a hand osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 654-657.	1.3	37
45	Disease Activity in Ankylosing Spondylitis and Associations to Markers of Vascular Pathology and Traditional Cardiovascular Disease Risk Factors: A Cross-sectional Study. <i>Journal of Rheumatology</i> , 2015, 42, 645-653.	2.0	33
46	Ultrasound shows rapid reduction of crystal depositions during a treat-to-target approach in gout patients: 12-month results from the NOR-Gout study. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1500-1505.	0.9	33
47	Drug retention, inactive disease and response rates in 1860 patients with axial spondyloarthritis initiating secukinumab treatment: routine care data from 13 registries in the EuroSpA collaboration. <i>RMD Open</i> , 2020, 6, e001280.	3.8	33
48	Less educated and older patients have reduced access to biologic DMARDs even in a country with highly developed social welfare (Norway): results from Norwegian cohort study NOR-DMARD. <i>Rheumatology</i> , 2016, 55, 1217-1224.	1.9	31
49	Immunogenicity and Safety of Standard and Third Dose SARS-CoV-2 Vaccination in Patients Receiving Immunosuppressive Therapy. <i>Arthritis and Rheumatology</i> , 2022, 74, 1321-1332.	5.6	31
50	Sleep problems are of higher priority for improvement for patients with ankylosing spondylitis than for patients with other inflammatory arthropathies. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 872-873.	0.9	30
51	Rosuvastatin improves endothelial function in patients with inflammatory joint diseases, longitudinal associations with atherosclerosis and arteriosclerosis: results from the RORA-AS statin intervention study. <i>Arthritis Research and Therapy</i> , 2015, 17, 279.	3.5	29
52	Peripheral and Central Sensitization of Pain in Individuals With Hand Osteoarthritis and Associations With Self-Reported Pain Severity. <i>Arthritis and Rheumatology</i> , 2019, 71, 1070-1077.	5.6	29
53	Should Anti-citrullinated Protein Antibody and Rheumatoid Factor Status Be Reassessed During the First Year of Followup in Recent-Onset Arthritis? A Longitudinal Study. <i>Journal of Rheumatology</i> , 2011, 38, 2336-2341.	2.0	24
54	Cost-effectiveness of TNF inhibitors vs synthetic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: a Markov model study based on two longitudinal observational studies. <i>Rheumatology</i> , 2015, 54, 1226-1235.	1.9	24

#	ARTICLE	IF	CITATIONS
55	Biological treatment in ankylosing spondylitis in the Nordic countries during 2010â€“2016: a collaboration between five biological registries. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 465-474.	1.1	22
56	Realâ€“World Sixâ€“and Twelveâ€“Month Drug Retention, Remission, and Response Rates of Secukinumab in 2,017 Patients With Psoriatic Arthritis in Thirteen European Countries. <i>Arthritis Care and Research</i> , 2022, 74, 1205-1218.	3.4	20
57	Body mass index and progressive hand osteoarthritis: data from the Oslo hand osteoarthritis cohort. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 331-336.	1.1	19
58	A hospital-based observational cohort study exploring pain and biomarkers in patients with hand osteoarthritis in Norway: The Nor-Hand protocol. <i>BMJ Open</i> , 2017, 7, e016938.	1.9	19
59	Predictors of sustained remission in patients with early rheumatoid arthritis treated according to an aggressive treat-to-target protocol. <i>Rheumatology</i> , 2018, 57, 2022-2031.	1.9	19
60	New-generation JAK inhibitors: how selective can they be?. <i>Lancet, The</i> , 2018, 391, 2477-2478.	13.7	18
61	Associations between certolizumab pegol serum levels, anti-drug antibodies and treatment response in patients with inflammatory joint diseases: data from the NOR-DMARD study. <i>Arthritis Research and Therapy</i> , 2019, 21, 256.	3.5	18
62	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatmentâ€“results from 12 countries in EuroSpA. <i>Rheumatology</i> , 2020, 59, 1640-1650.	1.9	18
63	Effectiveness of an Integrated Multidisciplinary Osteoarthritis Outpatient Program versus Outpatient Clinic as Usual: A Randomized Controlled Trial. <i>Journal of Rheumatology</i> , 2016, 43, 411-418.	2.0	17
64	Considerations for improving quality of care of patients with rheumatoid arthritis and associated comorbidities. <i>RMD Open</i> , 2020, 6, e001211.	3.8	17
65	Two-year reduction of dual-energy CT urate depositions during a treat-to-target strategy in gout in the NOR-Gout longitudinal study. <i>Rheumatology</i> , 2022, 61, S181-S185.	1.9	17
66	First-time prescriptions of biological disease-modifying antirheumatic drugs in rheumatoid arthritis, psoriatic arthritis and axial spondyloarthritis 2002â€“2011: data from the NOR-DMARD register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1905-1906.	0.9	16
67	Value of MRI and ultrasound for prediction of therapeutic response and erosive progression in patients with early rheumatoid arthritis managed by an aggressive treat-to-target strategy. <i>RMD Open</i> , 2021, 7, e001525.	3.8	16
68	12-month results from the real-life observational treat-to-target and tight-control therapy NOR-Gout study: achievements of the urate target levels and predictors of obtaining this target. <i>RMD Open</i> , 2021, 7, e001628.	3.8	16
69	Rheumatoid factor and falsely elevated results in commercial immunoassays: data from an early arthritis cohort. <i>Rheumatology International</i> , 2021, 41, 1657-1665.	3.0	15
70	Associations of Body Mass Index With Pain and the Mediating Role of Inflammatory Biomarkers in People With Hand Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2022, 74, 810-817.	5.6	15
71	The confidence of rheumatologists about switching to biosimilars for their patients. <i>Joint Bone Spine</i> , 2018, 85, 507-509.	1.6	14
72	Conventional versus ultrasound treat to target: no difference in magnetic resonance imaging inflammation or joint damage over 2 years in early rheumatoid arthritis. <i>Rheumatology</i> , 2020, 59, 2550-2555.	1.9	14

#	ARTICLE	IF	CITATIONS
73	Get a Grip on Factors Related to Grip Strength in Persons With Hand Osteoarthritis: Results From an Observational Cohort Study. <i>Arthritis Care and Research</i> , 2021, 73, 794-800.	3.4	14
74	Phrasing of the patient global assessment in the rheumatoid arthritis ACR/EULAR remission criteria: an analysis of 967 patients from two databases of early and established rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2018, 37, 1503-1510.	2.2	13
75	One- and 2-year flare rates after treat-to-target and tight-control therapy of gout: results from the NOR-Gout study. <i>Arthritis Research and Therapy</i> , 2022, 24, 88.	3.5	12
76	Do COX-2 inhibitors provide additional pain relief and anti-inflammatory effects in patients with rheumatoid arthritis who are on biological disease-modifying anti-rheumatic drugs and/or corticosteroids? Post-hoc analyses from a randomized clinical trial with etoricoxib. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 26.	1.9	11
77	Associations Between Radiographic and Ultrasound-Detected Features in Hand Osteoarthritis and Local Pressure Pain Thresholds. <i>Arthritis and Rheumatology</i> , 2020, 72, 966-971.	5.6	11
78	Psoriatic arthritis, axial spondyloarthritis and rheumatoid arthritis in Norway: nationwide prevalence and use of biologic agents. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 42-50.	1.1	11
79	Secukinumab and Sustained Reduction in Fatigue in Patients With Ankylosing Spondylitis: Results of Two Phase III Randomized Controlled Trials. <i>Arthritis Care and Research</i> , 2022, 74, 759-767.	3.4	10
80	Validity and reliability of the EULAR instrument RAID.7 as a tool to assess individual domains of impact of disease in rheumatoid arthritis: a cross-sectional study of 671 patients. <i>RMD Open</i> , 2021, 7, e001539.	3.8	10
81	Juvenile Ankylosing Spondylitis and HLA B27 Homozygosity. <i>Scandinavian Journal of Rheumatology</i> , 1985, 14, 47-50.	1.1	9
82	Serum golimumab concentration and anti-drug antibodies are associated with treatment response and drug survival in patients with inflammatory joint diseases: data from the NOR-DMARD study. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 445-454.	1.1	8
83	Psychometric performance of the PAncreatic CAncer disease impact (PACADI) score. <i>Pancreatology</i> , 2019, 19, 971-978.	1.1	7
84	Impact of discordance between patient's and evaluator's global assessment on treatment outcomes in 14868 patients with spondyloarthritis. <i>Rheumatology</i> , 2020, 59, 2455-2461.	1.9	7
85	Diagnostic spectrum and 2-year outcome in a cohort of patients with very early arthritis. <i>RMD Open</i> , 2017, 3, e000573.	3.8	6
86	An Opportunity Missed: Biosimilars in the United States. <i>Arthritis and Rheumatology</i> , 2020, 72, 1046-1048.	5.6	5
87	What Next after Biologic Therapy Fails in Rheumatoid Arthritis?. <i>New England Journal of Medicine</i> , 2020, 383, 1588-1589.	27.0	4
88	Inflammation and biologic therapy in patients with rheumatoid arthritis achieving versus not achieving ACR/EULAR Boolean remission in a treat-to-target study. <i>RMD Open</i> , 2022, 8, e002013.	3.8	4
89	EULAR 75-year anniversary: commentaries on key ARD papers from 1947. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 751-752.	0.9	4
90	Joint tenderness and ultrasound inflammation in DMARD-naïve patients with early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1493-1494.	0.9	2

#	ARTICLE	IF	CITATIONS
91	Associations between joint pathologies and central sensitization in persons with hand osteoarthritis: results from the Nor-Hand study. <i>Rheumatology</i> , 2022, 61, 2316-2324.	1.9	2
92	Study protocol for the follow-up examination of the Nor-Hand study: A hospital-based observational cohort study exploring pain and biomarkers in people with hand osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100198.	2.0	2
93	EXXELERATE: a negative trial with importance for clinical practice. <i>Lancet, The</i> , 2016, 388, 2718-2719.	13.7	1
94	Efficacy of infliximab biosimilars in patients with Crohn's disease – Authors' reply. <i>Lancet, The</i> , 2017, 390, 2436.	13.7	1
95	Associations of pain sensitisation with tender and painful joint counts in people with hand osteoarthritis: results from the Nor-Hand study. <i>RMD Open</i> , 2022, 8, e001774.	3.8	1
96	Patient Experienced Symptom State in rheumatoid arthritis: sensitivity to change in disease activity and impact. <i>Rheumatology</i> , 2022, 62, 98-107.	1.9	1
97	Carotid artery plaques are associated with coronary atherosclerosis in patients with inflammatory joint diseases independent of several cardiovascular risk calculators. <i>European Heart Journal</i> , 2013, 34, P2485-P2485.	2.2	0
98	SAT0119 – Asymptomatic Carotid Plaques in RA Patients is Associated with Increased HDL Function. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 633.3-633.	0.9	0
99	Reply. <i>Arthritis and Rheumatology</i> , 2020, 72, 1407-1408.	5.6	0
100	<i>Rheumatology and Autoimmunity</i> – A new major development in Chinese rheumatology. Greetings from Norway!. <i>Rheumatology & Autoimmunity</i> , 2021, 1, 6-7.	0.8	0
101	AB0795 – Cardiovascular Preventive Medication and Treatment Targets in Patients with Osteoarthritis: Results from the Must-Heart Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1067.1-1067.	0.9	0