

Naoya Yoshida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6437878/publications.pdf>

Version: 2024-02-01

204
papers

5,937
citations

94433

37
h-index

98798

67
g-index

205
all docs

205
docs citations

205
times ranked

7628
citing authors

#	ARTICLE	IF	CITATIONS
1	Human Microbiome <i>Fusobacterium Nucleatum</i> in Esophageal Cancer Tissue Is Associated with Prognosis. <i>Clinical Cancer Research</i> , 2016, 22, 5574-5581.	7.0	322
2	Sarcopenia is a Negative Prognostic Factor After Curative Resection of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 2663-2668.	1.5	290
3	Prognostic Nutritional Index, Tumor-infiltrating Lymphocytes, and Prognosis in Patients with Esophageal Cancer. <i>Annals of Surgery</i> , 2020, 271, 693-700.	4.2	220
4	Controlling Nutritional Status (CONUT) score is a prognostic marker for gastric cancer patients after curative resection. <i>Gastric Cancer</i> , 2018, 21, 204-212.	5.3	214
5	Biological heterogeneity and versatility of cancer-associated fibroblasts in the tumor microenvironment. <i>Oncogene</i> , 2019, 38, 4887-4901.	5.9	205
6	Sarcopenia is a Predictor of Postoperative Respiratory Complications in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 4432-4437.	1.5	159
7	Prognostic Impact of Postoperative Complications in 502 Patients With Surgically Resected Esophageal Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2016, 264, 305-311.	4.2	157
8	Tumor immune microenvironment and immune checkpoint inhibitors in esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2020, 111, 3132-3141.	3.9	149
9	CXCL12/CXCR4 activation by cancer-associated fibroblasts promotes integrin β 1 clustering and invasiveness in gastric cancer. <i>International Journal of Cancer</i> , 2016, 138, 1207-1219.	5.1	144
10	PD-L1 Expression, Tumor-infiltrating Lymphocytes, and Clinical Outcome in Patients With Surgically Resected Esophageal Cancer. <i>Annals of Surgery</i> , 2019, 269, 471-478.	4.2	135
11	Preoperative Nutritional Assessment by Controlling Nutritional Status (CONUT) is Useful to estimate Postoperative Morbidity After Esophagectomy for Esophageal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 1910-1917.	1.6	113
12	Negative Impact of Skeletal Muscle Loss after Systemic Chemotherapy in Patients with Unresectable Colorectal Cancer. <i>PLoS ONE</i> , 2015, 10, e0129742.	2.5	108
13	CONUT: a novel independent predictive score for colorectal cancer patients undergoing potentially curative resection. <i>International Journal of Colorectal Disease</i> , 2017, 32, 99-106.	2.2	108
14	The microbiome and hepatobiliary-pancreatic cancers. <i>Cancer Letters</i> , 2017, 402, 9-15.	7.2	105
15	Intratumoral <i>Fusobacterium Nucleatum</i> Levels Predict Therapeutic Response to Neoadjuvant Chemotherapy in Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2019, 25, 6170-6179.	7.0	104
16	Risk factors for pulmonary complications after esophagectomy for esophageal cancer. <i>Surgery Today</i> , 2014, 44, 526-532.	1.5	102
17	Can Minimally Invasive Esophagectomy Replace Open Esophagectomy for Esophageal Cancer? Latest Analysis of 24,233 Esophagectomies From the Japanese National Clinical Database. <i>Annals of Surgery</i> , 2020, 272, 118-124.	4.2	100
18	Review of the gut microbiome and esophageal cancer: Pathogenesis and potential clinical implications. <i>Annals of Gastroenterological Surgery</i> , 2017, 1, 99-104.	2.4	94

#	ARTICLE	IF	CITATIONS
19	Extracellular Vesicles from Cancer-Associated Fibroblasts Containing Annexin A6 Induces FAK-YAP Activation by Stabilizing β 1 Integrin, Enhancing Drug Resistance. <i>Cancer Research</i> , 2020, 80, 3222-3235.	0.9	94
20	Tumour-associated macrophages are associated with poor prognosis and programmed death ligand 1 expression in oesophageal cancer. <i>European Journal of Cancer</i> , 2019, 111, 38-49.	2.8	89
21	Clinical and Prognostic Features of Patients With Esophageal Cancer and Multiple Primary Cancers. <i>Annals of Surgery</i> , 2018, 267, 478-483.	4.2	78
22	Prognostic impacts of the combined positive score and the tumor proportion score for programmed death ligand-1 expression by double immunohistochemical staining in patients with advanced gastric cancer. <i>Gastric Cancer</i> , 2020, 23, 95-104.	5.3	78
23	The role of intestinal bacteria in the development and progression of gastrointestinal tract neoplasms. <i>Surgical Oncology</i> , 2017, 26, 368-376.	1.6	67
24	IDO1 Expression Is Associated With Immune Tolerance and Poor Prognosis in Patients With Surgically Resected Esophageal Cancer. <i>Annals of Surgery</i> , 2019, 269, 1101-1108.	4.2	67
25	Inflammation-driven senescence-associated secretory phenotype in cancer-associated fibroblasts enhances peritoneal dissemination. <i>Cell Reports</i> , 2021, 34, 108779.	6.4	64
26	Preoperative controlling nutritional status (CONUT) is useful to estimate the prognosis after esophagectomy for esophageal cancer. <i>Langenbeck's Archives of Surgery</i> , 2017, 402, 333-341.	1.9	61
27	The role of microRNA in esophageal squamous cell carcinoma. <i>Journal of Gastroenterology</i> , 2016, 51, 520-530.	5.1	60
28	Epigenetic field cancerization in gastrointestinal cancers. <i>Cancer Letters</i> , 2016, 375, 360-366.	7.2	56
29	Duration of Smoking Cessation and Postoperative Morbidity After Esophagectomy for Esophageal Cancer: How Long Should Patients Stop Smoking Before Surgery?. <i>World Journal of Surgery</i> , 2016, 40, 142-147.	1.6	56
30	Low Visceral Fat Content is Associated with Poor Prognosis in a Database of 507 Upper Gastrointestinal Cancers. <i>Annals of Surgical Oncology</i> , 2015, 22, 3946-3953.	1.5	52
31	<i>Fusobacterium nucleatum</i> confers chemoresistance by modulating autophagy in oesophageal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2021, 124, 963-974.	6.4	52
32	Neoadjuvant treatment for esophageal squamous cell carcinoma. <i>World Journal of Gastrointestinal Oncology</i> , 2014, 6, 121.	2.0	52
33	TET family proteins and 5-hydroxymethylcytosine in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 23372-23382.	1.8	49
34	Glucose transporter 1 regulates the proliferation and cisplatin sensitivity of esophageal cancer. <i>Cancer Science</i> , 2019, 110, 1705-1714.	3.9	47
35	Noncoding RNA Expression Aberration Is Associated with Cancer Progression and Is a Potential Biomarker in Esophageal Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2015, 16, 27824-27834.	4.1	45
36	Comparison of systemic inflammatory and nutritional scores in colorectal cancer patients who underwent potentially curative resection. <i>International Journal of Clinical Oncology</i> , 2017, 22, 740-748.	2.2	44

#	ARTICLE	IF	CITATIONS
37	Neutrophil/lymphocyte ratio predicts the prognosis in esophageal squamous cell carcinoma patients. <i>Surgery Today</i> , 2016, 46, 405-413.	1.5	43
38	The Prognostic Significance of Histone Lysine Demethylase JMJD3/KDM6B in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 678-685.	1.5	42
39	Colorectal Cancer Stem Cells Acquire Chemoresistance Through the Upregulation of F-Box/WD Repeat-Containing Protein 7 and the Consequent Degradation of c-Myc. <i>Stem Cells</i> , 2017, 35, 2027-2036.	3.2	41
40	Prognostic and clinical impact of PIK3CA mutation in gastric cancer: pyrosequencing technology and literature review. <i>BMC Cancer</i> , 2016, 16, 400.	2.6	40
41	<i>Fusobacterium nucleatum</i> in gastroenterological cancer: Evaluation of measurement methods using quantitative polymerase chain reaction and a literature review. <i>Oncology Letters</i> , 2017, 14, 6373-6378.	1.8	40
42	<i>Fusobacterium nucleatum</i> promotes esophageal squamous cell carcinoma progression via the NOD1/RIPK2/NF- κ B pathway. <i>Cancer Letters</i> , 2022, 530, 59-67.	7.2	40
43	Impact of loss-of-function mutations at the <i>RNF43</i> locus on colorectal cancer development and progression. <i>Journal of Pathology</i> , 2018, 245, 445-455.	4.5	39
44	Progress in characterizing the linkage between <i>Fusobacterium nucleatum</i> and gastrointestinal cancer. <i>Journal of Gastroenterology</i> , 2019, 54, 33-41.	5.1	39
45	12-chemokine signature, a predictor of tumor recurrence in colorectal cancer. <i>International Journal of Cancer</i> , 2020, 147, 532-541.	5.1	39
46	Prognostic and clinical impact of PD-L2 and PD-L1 expression in a cohort of 437 oesophageal cancers. <i>British Journal of Cancer</i> , 2020, 122, 1535-1543.	6.4	37
47	Clinical Importance of Mean Corpuscular Volume as a Prognostic Marker After Esophagectomy for Esophageal Cancer. <i>Annals of Surgery</i> , 2020, 271, 494-501.	4.2	35
48	Fibroblast growth factor receptor 2 expression, but not its genetic amplification, is associated with tumor growth and worse survival in esophagogastric junction adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 19748-19761.	1.8	34
49	PLOD2 as a potential regulator of peritoneal dissemination in gastric cancer. <i>International Journal of Cancer</i> , 2018, 143, 1202-1211.	5.1	33
50	Postoperative complications are associated with poor survival outcome after curative resection for colorectal cancer: A propensity score analysis. <i>Journal of Surgical Oncology</i> , 2020, 122, 344-349.	1.7	33
51	Recent Incidence Trend of Surgically Resected Esophagogastric Junction Adenocarcinoma and Microsatellite Instability Status in Japanese Patients. <i>Digestion</i> , 2019, 99, 6-13.	2.3	32
52	Clinical impact of the Warburg effect in gastrointestinal cancer (Review). <i>International Journal of Oncology</i> , 2014, 45, 1345-1354.	3.3	31
53	Preoperative High Maximum Standardized Uptake Value in Association with Glucose Transporter 1 Predicts Poor Prognosis in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 2040-2046.	1.5	30
54	Nrf2 promotes oesophageal cancer cell proliferation via metabolic reprogramming and detoxification of reactive oxygen species. <i>Journal of Pathology</i> , 2018, 244, 346-357.	4.5	30

#	ARTICLE	IF	CITATIONS
55	Investigation of colorectal cancer in accordance with consensus molecular subtype classification. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 528-539.	2.4	30
56	Spleen Doseâ€Volume Parameters as a Predictor of Treatment-related Lymphopenia During Definitive Chemoradiotherapy for Esophageal Cancer. <i>In Vivo</i> , 2018, 32, 1519-1525.	1.3	29
57	Prognostic Factors of Salvage Esophagectomy for Residual or Recurrent Esophageal Squamous Cell Carcinoma After Definitive Chemoradiotherapy. <i>World Journal of Surgery</i> , 2018, 42, 2887-2893.	1.6	28
58	Neoadjuvant and adjuvant therapy for gastrointestinal stromal tumors. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 43-49.	2.4	28
59	CT-guided percutaneous radiofrequency ablation for lung metastases from colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2019, 24, 288-295.	2.2	27
60	Carbohydrate antigen 19â€9 is a useful prognostic marker in esophagogastric junction adenocarcinoma. <i>Cancer Medicine</i> , 2015, 4, 1659-1666.	2.8	26
61	Surgical Apgar Score Predicted Postoperative Morbidity After Esophagectomy for Esophageal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 1145-1151.	1.6	26
62	Risk factors for pulmonary morbidities after minimally invasive esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2852-2858.	2.4	26
63	Triangulating Stapling Technique Covered with the Pedicled Omental Flap for Esophagogastric Anastomosis: A Safe Anastomosis with Fewer Complications. <i>Journal of the American College of Surgeons</i> , 2015, 220, e13-e16.	0.5	25
64	Predictors of long-term survival in patients with stage IV colorectal cancer with multi-organ metastases: a single-center retrospective analysis. <i>International Journal of Clinical Oncology</i> , 2015, 20, 1140-1146.	2.2	25
65	Controlling Nutritional Status (CONUT) Score Is a Prognostic Marker in Metastatic Colorectal Cancer Patients Receiving First-line Chemotherapy. <i>Anticancer Research</i> , 2018, 38, 4883-4888.	1.1	25
66	Relationship between <i>Fusobacterium nucleatum</i> and antitumor immunity in colorectal cancer liver metastasis. <i>Cancer Science</i> , 2021, 112, 4470-4477.	3.9	25
67	Post-chemotherapeutic CEA and CA19-9 are prognostic factors in patients with colorectal liver metastases treated with hepatic resection after oxaliplatin-based chemotherapy. <i>Anticancer Research</i> , 2015, 35, 2359-68.	1.1	25
68	Trastuzumab upregulates programmed death ligand-1 expression through interaction with NK cells in gastric cancer. <i>British Journal of Cancer</i> , 2021, 124, 595-603.	6.4	24
69	UHRF1 regulates global DNA hypomethylation and is associated with poor prognosis in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 57821-57831.	1.8	24
70	Lysineâ€specific demethylaseâ€1 contributes to malignant behavior by regulation of invasive activity and metabolic shift in esophageal cancer. <i>International Journal of Cancer</i> , 2016, 138, 428-439.	5.1	23
71	Risk factors of early recurrence within 6 months after esophagectomy following neoadjuvant chemotherapy for resectable advanced esophageal squamous cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2016, 21, 1071-1078.	2.2	22
72	The utility of tumor marker combination, including serum P53 antibody, in colorectal cancer treatment. <i>Surgery Today</i> , 2017, 47, 636-642.	1.5	22

#	ARTICLE	IF	CITATIONS
73	Preoperative Smoking Cessation is Integral to the Prevention of Postoperative Morbidities in Minimally Invasive Esophagectomy. <i>World Journal of Surgery</i> , 2018, 42, 2902-2909.	1.6	22
74	Can PD-L1 expression evaluated by biopsy sample accurately reflect its expression in the whole tumour in gastric cancer?. <i>British Journal of Cancer</i> , 2019, 121, 278-280.	6.4	22
75	Effect of Resection of the Thoracic Duct and Surrounding Lymph Nodes on Short- and Long-Term and Nutritional Outcomes After Esophagectomy for Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 1893-1900.	1.5	21
76	Molecular Characteristics of Basaloid Squamous Cell Carcinoma of the Esophagus: Analysis of KRAS, BRAF, and PIK3CA Mutations and LINE-1 Methylation. <i>Annals of Surgical Oncology</i> , 2015, 22, 3659-3665.	1.5	20
77	APOBEC3B is an enzymatic source of molecular alterations in esophageal squamous cell carcinoma. <i>Medical Oncology</i> , 2016, 33, 26.	2.5	20
78	Elevated preoperative neutrophil-to-lymphocytes ratio predicts poor prognosis after esophagectomy in T1 esophageal cancer. <i>International Journal of Clinical Oncology</i> , 2017, 22, 469-475.	2.2	20
79	High CD169 expression in lymph node macrophages predicts a favorable clinical course in patients with esophageal cancer. <i>Pathology International</i> , 2018, 68, 685-693.	1.3	19
80	Precautions for avoiding pulmonary morbidity after esophagectomy. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 480-484.	2.4	19
81	Tumor/normal esophagus ratio in 18F-fluorodeoxyglucose positron emission tomography/computed tomography for response and prognosis stratification after neoadjuvant chemotherapy for esophageal squamous cell carcinoma. <i>Journal of Gastroenterology</i> , 2016, 51, 788-795.	5.1	18
82	Suppressor microRNA-145 Is Epigenetically Regulated by Promoter Hypermethylation in Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2015, 35, 4617-24.	1.1	18
83	Omental flap after pelvic exenteration for pelvic cancer. <i>Surgery Today</i> , 2016, 46, 1471-1475.	1.5	17
84	The effect of an elemental diet on oral mucositis of esophageal cancer patients treated with DCF chemotherapy: a multi-center prospective feasibility study (EPOC study). <i>Esophagus</i> , 2018, 15, 239-248.	1.9	17
85	Total iron-binding capacity is a novel prognostic marker after curative gastrectomy for gastric cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 671-680.	2.2	16
86	Increased EZH2 expression during the adenoma→carcinoma sequence in colorectal cancer. <i>Oncology Letters</i> , 2018, 16, 5275-5281.	1.8	16
87	The association of the lymph node ratio and serum carbohydrate antigen 19-9 with early recurrence after curative gastrectomy for gastric cancer. <i>Surgery Today</i> , 2018, 48, 994-1003.	1.5	16
88	Preservation of physiological passage through the remnant stomach prevents postoperative malnutrition after proximal gastrectomy with double tract reconstruction. <i>Surgery Today</i> , 2019, 49, 748-754.	1.5	16
89	A case of thoroscopically resected benign esophageal schwannoma with high uptake on FDG-PET. <i>Esophagus</i> , 2008, 5, 167-170.	1.9	15
90	Radiofrequency Ablation for Pulmonary Metastases from Gastrointestinal Cancers. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014, 20, 99-105.	0.8	14

#	ARTICLE	IF	CITATIONS
91	An original scoring system for predicting postoperative morbidity after esophagectomy for esophageal cancer. <i>Surgery Today</i> , 2015, 45, 346-354.	1.5	14
92	Late Recurrence After Radical Resection of Esophageal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 913-920.	1.6	14
93	Mucosal cancer-associated microbes and anastomotic leakage after resection of colorectal carcinoma. <i>Surgical Oncology</i> , 2020, 32, 63-68.	1.6	14
94	The advanced lung cancer inflammation index is a novel independent prognosticator in colorectal cancer patients after curative resection. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 83-91.	2.4	14
95	Comprehensive Analysis of Multiple Primary Cancers in Patients With Esophageal Squamous Cell Carcinoma Undergoing Esophagectomy. <i>Annals of Surgery</i> , 2022, 276, 305-311.	4.2	14
96	Primary colonic well-differentiated/undifferentiated liposarcoma of the ascending colon: a case report. <i>Surgical Case Reports</i> , 2017, 3, 96.	0.6	13
97	Laparoscopic surgery for colorectal cancer with persistent descending mesocolon. <i>World Journal of Surgical Oncology</i> , 2019, 17, 190.	1.9	13
98	Risk factors and prognostic significance of lateral pelvic lymph node metastasis in advanced rectal cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 110-117.	2.2	13
99	Surgical treatment for gastrointestinal neuroendocrine tumors. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 652-659.	2.4	13
100	Effect of Esophagus Position on Surgical Difficulty and Postoperative Morbidities After Thoracoscopic Esophagectomy. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016, 28, 172-179.	0.6	12
101	PD-L1 and PD-L2 expression status in relation to chemotherapy in primary and metastatic esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2022, 113, 399-410.	3.9	12
102	Clinicopathological characteristics and prognosis of poorly cohesive cell subtype of gastric cancer. <i>International Journal of Clinical Oncology</i> , 2022, 27, 512-519.	2.2	12
103	Estimation of Physiologic Ability and Surgical Stress (E-PASS) versus modified E-PASS for prediction of postoperative complications in elderly patients who undergo gastrectomy for gastric cancer. <i>International Journal of Clinical Oncology</i> , 2017, 22, 80-87.	2.2	11
104	Indoleamine 2, 3-dioxygenase 1 promoter hypomethylation is associated with poor prognosis in patients with esophageal cancer. <i>Cancer Science</i> , 2019, 110, 1863-1871.	3.9	10
105	Clinical significance of evaluating endoscopic response to neoadjuvant chemotherapy in esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2020, 32, 39-48.	2.3	10
106	Preoperative C-reactive protein-to-albumin ratio and clinical outcomes after resection of colorectal liver metastases. <i>Surgical Oncology</i> , 2020, 35, 243-248.	1.6	10
107	Evaluation of HLA-E Expression Combined with Natural Killer Cell Status as a Prognostic Factor for Advanced Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 4951-4960.	1.5	10
108	Multiple skeletal muscle metastases from poorly differentiated gastric adenocarcinoma. <i>Surgical Case Reports</i> , 2015, 1, 105.	0.6	9

#	ARTICLE	IF	CITATIONS
109	Early gastric cancer metastasizing to the rectum, possibly via a hematogenous route: a case report and review of literature. <i>Surgical Case Reports</i> , 2016, 2, 58.	0.6	9
110	Prophylaxis of Postoperative Venous Thromboembolism Using Enoxaparin After Esophagectomy: A Prospective Observational Study of Effectiveness and Safety. <i>Annals of Surgical Oncology</i> , 2018, 25, 2434-2440.	1.5	9
111	Lysyl oxidase impacts disease outcomes and correlates with global DNA hypomethylation in esophageal cancer. <i>Cancer Science</i> , 2019, 110, 3727-3737.	3.9	9
112	Tumor Long-interspersed Nucleotide Element-1 Methylation Level and Immune Response to Esophageal Cancer. <i>Annals of Surgery</i> , 2020, 272, 1025-1034.	4.2	9
113	Preoperative transferrin level is a novel prognostic marker for colorectal cancer. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 243-251.	2.4	9
114	Retroileal colorectal anastomosis after extended left colectomy: application for laparoscopic surgery. <i>Surgery Today</i> , 2016, 46, 1476-1478.	1.5	8
115	The Presence of Serum p53 Antibody Predicts the Pathological Tumor Response to Neoadjuvant Chemotherapy with Docetaxel, Cisplatin and Fluorouracil (DCF) in Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2017, 41, 480-486.	1.6	8
116	The role of FBXW7, a cell-cycle regulator, as a predictive marker of recurrence of gastrointestinal stromal tumors. <i>Gastric Cancer</i> , 2019, 22, 1100-1108.	5.3	8
117	Prognostic Impact of PD-1 on Tumor-Infiltrating Lymphocytes in 433 Resected Esophageal Cancers. <i>Annals of Thoracic Surgery</i> , 2021, , .	1.3	8
118	Adapted systemic inflammation score as a novel prognostic marker for esophageal squamous cell carcinoma patients. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 669-676.	2.4	8
119	Overall survival after recurrence in stage III colorectal cancer patients in accordance with the recurrence organ site and pattern. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 813-822.	2.4	8
120	Transnasal inner drainage: an option for managing anastomotic leakage after esophagectomy. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 903-908.	1.9	7
121	Clinical Importance of Sputum in the Respiratory Tract as a Predictive Marker of Postoperative Morbidity After Esophagectomy for Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 2580-2586.	1.5	7
122	Response to Comment on "Can Minimally Invasive Esophagectomy Replace Open Esophagectomy for Esophageal Cancer? Latest Analysis of 24,233 Esophagectomies From the Japanese National Clinical Database". <i>Annals of Surgery</i> , 2019, 270, e110-e111.	4.2	7
123	Fibrosis-4 Index, a Noninvasive Fibrosis Marker, Predicts Survival Outcomes After Hepatectomy for Colorectal Cancer Liver Metastases. <i>Annals of Surgical Oncology</i> , 2020, 27, 3534-3541.	1.5	7
124	Total Lesion Glycolysis Ratio in Positron Emission Tomography/Computed Tomography Images During Neoadjuvant Chemotherapy Can Predict Pathological Tumor Regression Grade and Prognosis in Patients with Locally Advanced Squamous Cell Carcinoma of the Esophagus. <i>Annals of Surgical Oncology</i> , 2021, 28, 167-174.	1.5	7
125	Oligometastatic recurrence as a prognostic factor after curative resection of esophageal squamous cell carcinoma. <i>Surgery Today</i> , 2021, 51, 798-806.	1.5	7
126	Preoperative iron status is a prognosis factor for stage II and III colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 2037-2045.	2.2	7

#	ARTICLE	IF	CITATIONS
127	Evaluating the effect of Neoadjuvant chemotherapy for esophageal Cancer using the RECIST system with shorter-axis measurements: a retrospective multicenter study. <i>BMC Cancer</i> , 2021, 21, 1008.	2.6	7
128	Reconstruction Using a Pedunculated Gastric Tube with Duodenal Transection After Esophagectomy and Pharyngolaryngectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 4352-4352.	1.5	6
129	Esophageal Bypass Using a Y-Shaped Gastric Tube for Advanced Esophageal Cancer: Transabdominal Placement of the Decompression Tube. <i>Journal of the American College of Surgeons</i> , 2015, 221, e87-e90.	0.5	6
130	Incidence and risk factors of synchronous colorectal cancer in patients with esophageal cancer: an analysis of 480 consecutive colonoscopies before surgery. <i>International Journal of Clinical Oncology</i> , 2016, 21, 1079-1084.	2.2	6
131	Long-term outcomes of colorectal cancer surgery for elderly patients: a propensity score-matched analysis. <i>Surgery Today</i> , 2020, 50, 597-603.	1.5	6
132	Time trial of dry box laparoscopic surgical training improves laparoscopic surgical skills and surgical outcomes. <i>Asian Journal of Endoscopic Surgery</i> , 2021, 14, 373-378.	0.9	6
133	Two Asian families with gastric adenocarcinoma and proximal polyposis of the stomach successfully treated via laparoscopic total gastrectomy. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 92-97.	0.8	6
134	Clinical Significance of Pretreatment Red Blood Cell Distribution Width as a Predictive Marker for Postoperative Morbidity After Esophagectomy for Esophageal Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2022, 29, 606-613.	1.5	6
135	IgG4-related disease presenting as a submucosal tumor of the stomach resected with laparoscopic endoscopic cooperative surgery: a case report. <i>Surgical Case Reports</i> , 2020, 6, 93.	0.6	6
136	Preoperative skeletal muscle status is associated with tumor-infiltrating lymphocytes and prognosis in patients with colorectal cancer. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 658-666.	2.4	6
137	Evaluation of clinical outcomes with propensity score matching for colorectal cancer presenting as an oncologic emergency. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 523-530.	2.4	6
138	Estimation of Physiologic Ability and Surgical Stress (E-PASS system) in patients with esophageal squamous cell carcinoma undergoing resection. <i>Esophagus</i> , 2008, 5, 81-86.	1.9	5
139	Is Oral Mucositis Occurring During Chemotherapy for Esophageal Cancer Patients Correctly Judged? EPOC Observational Cohort Study. <i>Anticancer Research</i> , 2019, 39, 4441-4448.	1.1	5
140	Risk factors for chylothorax after esophagectomy. <i>Journal of Thoracic Disease</i> , 2019, 11, S196-S197.	1.4	5
141	Influence of Neoadjuvant Chemotherapy on Short-term Outcomes After Minimally Invasive Esophagectomy for Esophageal Cancer. <i>Anticancer Research</i> , 2019, 39, 471-475.	1.1	5
142	Outcomes of esophageal bypass surgery and self-expanding metallic stent insertion in esophageal cancer: reevaluation of bypass surgery as an alternative treatment. <i>Langenbeck's Archives of Surgery</i> , 2020, 405, 1111-1118.	1.9	5
143	Prophylactic laparoscopic total gastrectomy for gastric adenocarcinoma and proximal polyposis of the stomach (GAPPS): the first report in Asia. <i>Gastric Cancer</i> , 2022, 25, 473-478.	5.3	5
144	Orbital Apex Syndrome Caused by Invasive Aspergillosis as an Adverse Effect of Systemic Chemotherapy for Metastatic Colorectal Cancer: a Case Report. <i>Anticancer Research</i> , 2016, 36, 821-3.	1.1	5

#	ARTICLE	IF	CITATIONS
145	Estimation of physiologic ability and surgical stress (E-PASS) can assess short-term outcome after esophagectomy for esophageal cancer. <i>Esophagus</i> , 2013, 10, 86-94.	1.9	4
146	Cancer-related multiple brain infarctions caused by Trousseau syndrome in a patient with metastatic colon cancer: a case report. <i>Surgical Case Reports</i> , 2016, 2, 91.	0.6	4
147	Preoperative malnutrition and prognosis after neoadjuvant chemotherapy followed by subsequent esophagectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, 3437-3439.	1.4	4
148	Severe Encephalopathy, Lactic Acidosis and Hyperammonaemia With FOLFIRI Plus Aflibercept After Two-stage Hepatectomy: A Case Report. <i>In Vivo</i> , 2019, 33, 563-565.	1.3	4
149	Isocitrate dehydrogenase gene mutations and 2-hydroxyglutarate accumulation in esophageal squamous cell carcinoma. <i>Medical Oncology</i> , 2019, 36, 11.	2.5	4
150	Laparoscopic and Endoscopic Cooperative Surgery for Rectal GI Stromal Tumor. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 116-116.	1.3	4
151	Prognostic significance of serum p53 antibody according to KRAS status in metastatic colorectal cancer patients. <i>International Journal of Clinical Oncology</i> , 2020, 25, 651-659.	2.2	4
152	Immunogenic characteristics of microsatellite instability-low esophagogastric junction adenocarcinoma based on clinicopathological, molecular, immunological and survival analyses. <i>International Journal of Cancer</i> , 2021, 148, 1260-1275.	5.1	4
153	Preoperative transferrin level is a novel indicator of short- and long-term outcomes after esophageal cancer surgery. <i>International Journal of Clinical Oncology</i> , 2022, 27, 131-140.	2.2	4
154	Prognostic impact of carcinoembryonic antigen in 1822 surgically treated esophageal squamous cell carcinoma: multi-institutional study of the Japan Esophageal Society. <i>Ecological Management and Restoration</i> , 2022, 35, .	0.4	4
155	Para-sacral approach for large gastrointestinal stromal tumor of the lower rectum. <i>International Cancer Conference Journal</i> , 2018, 7, 40-42.	0.5	3
156	Low Skeletal Muscle Mass before Salvage-Line Chemotherapy Is a Poor Prognostic Factor in Patients with Refractory Metastatic Colorectal Cancer. <i>Digestion</i> , 2019, 99, 79-85.	2.3	3
157	Esophageal Position Affects Short-term Outcomes After Minimally Invasive Esophagectomy: A Retrospective Multicenter Study. <i>World Journal of Surgery</i> , 2020, 44, 831-837.	1.6	3
158	Wives as Key Persons Positively Impacting Prognosis for Male Patients Undergoing Esophagectomy for Esophageal Cancer: A Retrospective Study from a Single Japanese Institute. <i>Annals of Surgical Oncology</i> , 2020, 27, 2402-2411.	1.5	3
159	Relapse of Rectal Cancer in an Anal Fistula: A Rare Case. <i>In Vivo</i> , 2021, 35, 2937-2940.	1.3	3
160	Novel Criterion Using Esophageal Major and Minor Axes is Useful to Evaluate the Therapeutic Effect and Prognosis After Neoadjuvant Chemotherapy Followed by Surgery in Locally Advanced Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 8474-8482.	1.5	3
161	Minimally invasive esophagectomy may contribute to low incidence of postoperative surgical site infection in patients with poor glycemic control. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 579-585.	1.9	3
162	Impact of Type of Gastrectomy on Death from Pneumonia in Elderly Patients with Gastric Cancer Over the Long Term. <i>World Journal of Surgery</i> , 2022, 46, 425-432.	1.6	3

#	ARTICLE	IF	CITATIONS
163	Maximum standardized uptake value change rate before and after neoadjuvant chemotherapy can predict early recurrence in patients with locally advanced esophageal cancer: a multi-institutional cohort study of 220 patients in Japan. <i>Esophagus</i> , 2022, 19, 205-213.	1.9	3
164	Activin β promotes cell proliferation, invasion and migration and predicts poor prognosis in patients with colorectal cancer. <i>Oncology Reports</i> , 2022, 47, .	2.6	3
165	Pleural dissemination of gastric gastrointestinal stromal tumor (GIST): a rare type of recurrence found 11 years after curative resection. <i>International Cancer Conference Journal</i> , 2013, 2, 243-246.	0.5	2
166	Feasibility of hepatic resection for liver metastasis of head-and-neck carcinoma or esophageal carcinoma: a multi-center experience. <i>Surgery Today</i> , 2021, 51, 1932-1937.	1.5	2
167	Essential updates 2020/2021: Colorectal diseases (benign) Current topics in the surgical and medical treatment of benign colorectal diseases. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 321-335.	2.4	2
168	Granulocyte-colony-stimulating factor producing esophageal squamous cell carcinoma: a report of 3 cases. <i>International Cancer Conference Journal</i> , 2013, 2, 149-153.	0.5	1
169	Breast cancer recurrence in esophagus, stomach, and liver, 15 years following primary surgery: report of a case. <i>International Cancer Conference Journal</i> , 2015, 4, 172-175.	0.5	1
170	Acquired factor V deficiency following transcatheter arterial chemoembolization for hepatocellular carcinoma: a case report. <i>International Cancer Conference Journal</i> , 2017, 6, 126-130.	0.5	1
171	Percutaneous transluminal plasty: a novel approach for refractory anastomotic stricture after esophagectomy. <i>Esophagus</i> , 2018, 15, 301-303.	1.9	1
172	Salvage treatment for superficial local failure after definitive chemoradiotherapy for esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2020, 32, 146-146.	2.3	1
173	ASO Author Reflections: Total Lesion Glycolysis Ratio in Positron Emission Tomography and Computed Tomography Images During Neoadjuvant Chemotherapy: Usefulness and Perspectives as an Evaluation Tool for the Effect of Neoadjuvant Treatment on Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 806-807.	1.5	1
174	Human Epidermal Growth Factor Receptor 2-positive Primary Adenocarcinoma in the Cervical Oesophagus: A Case Report. <i>In Vivo</i> , 2021, 35, 2297-2303.	1.3	1
175	ASO Visual Abstract: A Novel Criterion Using Esophageal Major and Minor Axes is Useful to Evaluate the Therapeutic Effect and Prognosis after Neoadjuvant Chemotherapy Followed by Surgery in Locally Advanced Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 613-614.	1.5	1
176	ASO Visual Abstract: Clinical Significance of Pretreatment Red Blood Cell Distribution Width as a Predictive Marker for Postoperative Morbidity After Esophagectomy for Esophageal Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 754-755.	1.5	1
177	Port site recurrence of esophageal adenocarcinoma after minimally invasive esophagectomy: a case report. <i>Surgical Case Reports</i> , 2020, 6, 98.	0.6	1
178	Ongoing 5-year+ survival after multiple metastasectomies, followed by CAPOX plus bevacizumab, for metastatic colorectal cancer. <i>Surgical Case Reports</i> , 2020, 6, 149.	0.6	1
179	Synchronous NET and colorectal cancer development: a case report. <i>Surgical Case Reports</i> , 2020, 6, 10.	0.6	1
180	Rectal cancer diagnosed after resection of isolated brain metastasis. <i>Surgical Case Reports</i> , 2022, 8, 52.	0.6	1

#	ARTICLE	IF	CITATIONS
181	High Pretreatment Mean Corpuscular Volume Can Predict Worse Prognosis in Patients With Esophageal Squamous Cell Carcinoma who Have Undergone Curative Esophagectomy. <i>Annals of Surgery Open</i> , 2022, 3, e165.	1.4	1
182	Index of estimated benefit from lymph node dissection for stage Iâ€“III transverse colon cancer: an analysis of the JSCCR database. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2011-2019.	1.9	1
183	Gastric volvulus after laparoscopic fundoplication: a rare complication after Heller-Dor operation for achalasia. <i>Esophagus</i> , 2013, 10, 153-156.	1.9	0
184	Anorectal malignant melanoma with extensive intraepithelial extension: report of a case. <i>International Cancer Conference Journal</i> , 2015, 4, 245-248.	0.5	0
185	Cryptogenic repetitive severe colitis after ileostomy closure. <i>International Cancer Conference Journal</i> , 2016, 5, 104-106.	0.5	0
186	Additional lymph node dissection for primary colorectal cancer invading another colon region. <i>Surgery Today</i> , 2018, 48, 667-672.	1.5	0
187	ASO Author Reflections: Venous Thromboembolism After Esophagectomyâ€”The Importance of an Optimal Strategy for Thromboprophylaxis. <i>Annals of Surgical Oncology</i> , 2018, 25, 952-953.	1.5	0
188	Disseminated carcinomatosis of the bone marrow from gastric cancer during pregnancy. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 447-452.	0.8	0
189	Challenge for establishment of international benchmarks for complications associated with esophagectomy. <i>Journal of Thoracic Disease</i> , 2019, 11, S1894-S1896.	1.4	0
190	Laparoscopic dissection for pelvic lymph node recurrence of thymic carcinoma: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 107-110.	0.9	0
191	ASO Author Reflections: Wives as Key Persons Positively Impact Prognosis for Male Patients Undergoing Esophagectomy for Esophageal Cancer: A Retrospective Study from a Single Japanese Institute. <i>Annals of Surgical Oncology</i> , 2020, 27, 2412-2413.	1.5	0
192	Long-term survival after multidisciplinary treatments for advanced esophagogastric junction cancer. <i>International Cancer Conference Journal</i> , 2021, 10, 207-211.	0.5	0
193	Further Consideration of Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Robot-Assisted Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 5811-5812.	1.5	0
194	ASO Author Reflections: Establishment of an Ideal Criterion for Evaluating the Therapeutic Effect on Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 8483-8484.	1.5	0
195	111 CLINICAL IMPORTANCE OF MEAN CORPUSCULAR VOLUME AS A PROGNOSTIC MARKER AFTER ESOPHAGECTOMY FOR ESOPHAGEAL CANCER. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.4	0
196	ASO Author Reflections: Development of Useful Predictive Markers for Postoperative Morbidity Aiming to Improve Short-Term and Long-Term Outcomes After Esophageal Cancer Surgery. <i>Annals of Surgical Oncology</i> , 2022, 29, 614-615.	1.5	0
197	Impact of perioperative blood transfusion on survival in patients with the upper gastrointestinal cancers.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15010-e15010.	1.6	0
198	Effect of Thrombocytopenia on Short-term and Long-term Outcomes after Esophagectomy for Esophageal Cancer. <i>Nihon Kikan Shokudoka Gakkai Kaiho</i> , 2018, 69, 327-334.	0.0	0

#	ARTICLE	IF	CITATIONS
199	Thyroid metastasis from esophageal adenocarcinoma: a case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 137.	0.6	0
200	Needlescopic and Endoscopic Cooperative Surgery for Colonic Tumors. <i>Diseases of the Colon and Rectum</i> , 2021, 64, e52-e53.	1.3	0
201	Multiple heterochronic gastrointestinal stromal tumors in the stomach detected 6 years after resection: a case report. <i>Surgical Case Reports</i> , 2020, 6, 48.	0.6	0
202	Presacral lymph node recurrence of rectal intramucosal adenocarcinoma after endoscopic mucosal resection: a case report. <i>Surgical Case Reports</i> , 2020, 6, 78.	0.6	0
203	Clinical impact of perirenal thickness on short- and long-term outcomes of gastric cancer after curative surgery. <i>Annals of Gastroenterological Surgery</i> , 0, .	2.4	0
204	A case of clinical stage I gastric cancer with a schwannoma on the left supraclavicular fossa suspected as Virchow's node metastasis. <i>Surgical Case Reports</i> , 2022, 8, 95.	0.6	0