

Hexing Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6442454/publications.pdf>

Version: 2024-02-01

28
papers

1,519
citations

394421

19
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

2175
citing authors

#	ARTICLE	IF	CITATIONS
1	Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. <i>Environmental Science & Technology</i> , 2016, 50, 2692-2699.	10.0	203
2	Antibiotic residues in meat, milk and aquatic products in Shanghai and human exposure assessment. <i>Food Control</i> , 2017, 80, 217-225.	5.5	185
3	Antibiotics detected in urines and adipogenesis in school children. <i>Environment International</i> , 2016, 89-90, 204-211.	10.0	132
4	Antibiotic Body Burden of Chinese School Children: A Multisite Biomonitoring-based Study. <i>Environmental Science & Technology</i> , 2015, 49, 5070-5079.	10.0	111
5	Urinary Phthalate Metabolites Are Associated with Body Mass Index and Waist Circumference in Chinese School Children. <i>PLoS ONE</i> , 2013, 8, e56800.	2.5	95
6	Urinary Excretion of Phthalate Metabolites in School Children of China: Implication for Cumulative Risk Assessment of Phthalate Exposure. <i>Environmental Science & Technology</i> , 2015, 49, 1120-1129.	10.0	94
7	Urinary Antibiotics of Pregnant Women in Eastern China and Cumulative Health Risk Assessment. <i>Environmental Science & Technology</i> , 2017, 51, 3518-3525.	10.0	86
8	Changes in gut microbiota and plasma inflammatory factors across the stages of colorectal tumorigenesis: a case-control study. <i>BMC Microbiology</i> , 2018, 18, 92.	3.3	64
9	Exposure of Adults to Antibiotics in a Shanghai Suburban Area and Health Risk Assessment: A Biomonitoring-Based Study. <i>Environmental Science & Technology</i> , 2018, 52, 13942-13950.	10.0	57
10	Perfluoroalkyl substances, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: A repeat measurement-based prospective study. <i>Environment International</i> , 2018, 114, 12-20.	10.0	50
11	PFOS, PFOA, estrogen homeostasis, and birth size in Chinese infants. <i>Chemosphere</i> , 2019, 221, 349-355.	8.2	48
12	Effects of oral florfenicol and azithromycin on gut microbiota and adipogenesis in mice. <i>PLoS ONE</i> , 2017, 12, e0181690.	2.5	47
13	Predictors, sources, and health risk of exposure to neonicotinoids in Chinese school children: A biomonitoring-based study. <i>Environment International</i> , 2020, 143, 105918.	10.0	46
14	Predictors of urinary antibiotics in children of Shanghai and health risk assessment. <i>Environment International</i> , 2018, 121, 507-514.	10.0	44
15	Antimicrobial Use in COVID-19 Patients in the First Phase of the SARS-CoV-2 Pandemic: A Scoping Review. <i>Antibiotics</i> , 2021, 10, 745.	3.7	39
16	Influence of Bisphenol A on Thyroid Volume and Structure Independent of Iodine in School Children. <i>PLoS ONE</i> , 2015, 10, e0141248.	2.5	38
17	Exposure to bisphenol A among school children in eastern China: A multicenter cross-sectional study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014, 24, 657-664.	3.9	26
18	Enriched taxa were found among the gut microbiota of centenarians in East China. <i>PLoS ONE</i> , 2019, 14, e0222763.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Influence of body mass index status on urinary creatinine and specific gravity for epidemiological study of children. <i>European Journal of Pediatrics</i> , 2015, 174, 1481-1489.	2.7	21
20	Serum Bisphenol A, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: a prospective study. <i>Environmental Science and Pollution Research</i> , 2021, 28, 12546-12554.	5.3	19
21	Association of triclosan and triclocarban in urine with obesity risk in Chinese school children. <i>Environment International</i> , 2021, 157, 106846.	10.0	19
22	Factors associated with exposure of pregnant women to perfluoroalkyl acids in North China and health risk assessment. <i>Science of the Total Environment</i> , 2019, 655, 356-362.	8.0	16
23	Environmental and food contamination with plasticisers in China. <i>Lancet, The</i> , 2011, 378, e4.	13.7	15
24	Serum perfluoroalkyl substances in relation to lipid metabolism in Chinese pregnant women. <i>Chemosphere</i> , 2021, 273, 128566.	8.2	10
25	Urinary antibiotic level of school children in Shanghai, East China, 2017â€“2020. <i>Environmental Pollution</i> , 2021, 291, 118167.	7.5	9
26	Exposure to perfluoroalkyl substances was associated with estrogen homeostasis in pregnant women. <i>Science of the Total Environment</i> , 2022, 805, 150360.	8.0	8
27	Impacts of Antibiotic Residues in the Environment on Bacterial Resistance and Human Health in Eastern China: An Interdisciplinary Mixed-Methods Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8145.	2.6	8
28	278Sources and health risk of exposure to neonicotinoids in Chinese children: A biomonitoring-based stud. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0