

Hexing Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6442454/publications.pdf>

Version: 2024-02-01

28
papers

1,519
citations

394421

19
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

2175
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to perfluoroalkyl substances was associated with estrogen homeostasis in pregnant women. <i>Science of the Total Environment</i> , 2022, 805, 150360.	8.0	8
2	Impacts of Antibiotic Residues in the Environment on Bacterial Resistance and Human Health in Eastern China: An Interdisciplinary Mixed-Methods Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8145.	2.6	8
3	Serum Bisphenol A, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: a prospective study. <i>Environmental Science and Pollution Research</i> , 2021, 28, 12546-12554.	5.3	19
4	Serum perfluoroalkyl substances in relation to lipid metabolism in Chinese pregnant women. <i>Chemosphere</i> , 2021, 273, 128566.	8.2	10
5	Antimicrobial Use in COVID-19 Patients in the First Phase of the SARS-CoV-2 Pandemic: A Scoping Review. <i>Antibiotics</i> , 2021, 10, 745.	3.7	39
6	278Sources and health risk of exposure to neonicotinoids in Chinese children: A biomonitoring-based stud. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
7	Urinary antibiotic level of school children in Shanghai, East China, 2017â€“2020. <i>Environmental Pollution</i> , 2021, 291, 118167.	7.5	9
8	Association of triclosan and triclocarban in urine with obesity risk in Chinese school children. <i>Environment International</i> , 2021, 157, 106846.	10.0	19
9	Predictors, sources, and health risk of exposure to neonicotinoids in Chinese school children: A biomonitoring-based study. <i>Environment International</i> , 2020, 143, 105918.	10.0	46
10	Enriched taxa were found among the gut microbiota of centenarians in East China. <i>PLoS ONE</i> , 2019, 14, e0222763.	2.5	26
11	Factors associated with exposure of pregnant women to perfluoroalkyl acids in North China and health risk assessment. <i>Science of the Total Environment</i> , 2019, 655, 356-362.	8.0	16
12	PFOS, PFOA, estrogen homeostasis, and birth size in Chinese infants. <i>Chemosphere</i> , 2019, 221, 349-355.	8.2	48
13	Perfluoroalkyl substances, glucose homeostasis, and gestational diabetes mellitus in Chinese pregnant women: A repeat measurement-based prospective study. <i>Environment International</i> , 2018, 114, 12-20.	10.0	50
14	Predictors of urinary antibiotics in children of Shanghai and health risk assessment. <i>Environment International</i> , 2018, 121, 507-514.	10.0	44
15	Exposure of Adults to Antibiotics in a Shanghai Suburban Area and Health Risk Assessment: A Biomonitoring-Based Study. <i>Environmental Science & Technology</i> , 2018, 52, 13942-13950.	10.0	57
16	Changes in gut microbiota and plasma inflammatory factors across the stages of colorectal tumorigenesis: a case-control study. <i>BMC Microbiology</i> , 2018, 18, 92.	3.3	64
17	Urinary Antibiotics of Pregnant Women in Eastern China and Cumulative Health Risk Assessment. <i>Environmental Science & Technology</i> , 2017, 51, 3518-3525.	10.0	86
18	Antibiotic residues in meat, milk and aquatic products in Shanghai and human exposure assessment. <i>Food Control</i> , 2017, 80, 217-225.	5.5	185

#	ARTICLE	IF	CITATIONS
19	Effects of oral florfenicol and azithromycin on gut microbiota and adipogenesis in mice. PLoS ONE, 2017, 12, e0181690.	2.5	47
20	Antibiotics detected in urines and adipogenesis in school children. Environment International, 2016, 89-90, 204-211.	10.0	132
21	Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. Environmental Science & Technology, 2016, 50, 2692-2699.	10.0	203
22	Influence of Bisphenol A on Thyroid Volume and Structure Independent of Iodine in School Children. PLoS ONE, 2015, 10, e0141248.	2.5	38
23	Urinary Excretion of Phthalate Metabolites in School Children of China: Implication for Cumulative Risk Assessment of Phthalate Exposure. Environmental Science & Technology, 2015, 49, 1120-1129.	10.0	94
24	Antibiotic Body Burden of Chinese School Children: A Multisite Biomonitoring-based Study. Environmental Science & Technology, 2015, 49, 5070-5079.	10.0	111
25	Influence of body mass index status on urinary creatinine and specific gravity for epidemiological study of children. European Journal of Pediatrics, 2015, 174, 1481-1489.	2.7	21
26	Exposure to bisphenol A among school children in eastern China: A multicenter cross-sectional study. Journal of Exposure Science and Environmental Epidemiology, 2014, 24, 657-664.	3.9	26
27	Urinary Phthalate Metabolites Are Associated with Body Mass Index and Waist Circumference in Chinese School Children. PLoS ONE, 2013, 8, e56800.	2.5	95
28	Environmental and food contamination with plasticisers in China. Lancet, The, 2011, 378, e4.	13.7	15