

# Lena Q

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6445760/publications.pdf>

Version: 2024-02-01

325  
papers

27,951  
citations

8755

77  
h-index

8627

151  
g-index

328  
all docs

328  
docs citations

328  
times ranked

20528  
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of diffusive gradients in thin-films technique for speciation, bioavailability, modeling and mapping of nutrients and contaminants in soils. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 3035-3079.	6.6	27
2	Cadmium oral bioavailability is affected by calcium and phytate contents in food: Evidence from leafy vegetables in mice. <i>Journal of Hazardous Materials</i> , 2022, 424, 127373.	6.5	8
3	Novel phytase PvPHY1 from the As-hyperaccumulator <i>Pteris vittata</i> enhances P uptake and phytate hydrolysis, and inhibits As translocation in Plant. <i>Journal of Hazardous Materials</i> , 2022, 423, 127106.	6.5	8
4	Geographical distribution of As-hyperaccumulator <i>Pteris vittata</i> in China: Environmental factors and climate changes. <i>Science of the Total Environment</i> , 2022, 803, 149864.	3.9	28
5	Nanotoxicological effects and transcriptome mechanisms of wheat ( <i>Triticum aestivum</i> L.) under stress of polystyrene nanoplastics. <i>Journal of Hazardous Materials</i> , 2022, 423, 127241.	6.5	69
6	Selenate increased plant growth and arsenic uptake in As-hyperaccumulator <i>Pteris vittata</i> via glutathione-enhanced arsenic reduction and translocation. <i>Journal of Hazardous Materials</i> , 2022, 424, 127581.	6.5	19
7	Coupling in vitro assays with sequential extraction to investigate cadmium bioaccessibility in contaminated soils. <i>Chemosphere</i> , 2022, 288, 132655.	4.2	12
8	Amine- and thiol-bifunctionalized mesoporous silica material for immobilization of Pb and Cd: Characterization, efficiency, and mechanism. <i>Chemosphere</i> , 2022, 291, 132771.	4.2	16
9	Arsenic and selenium in the plant-soil-human ecosystem: CREST publications during 2018â€“2021. <i>Critical Reviews in Environmental Science and Technology</i> , 2022, 52, 3567-3572.	6.6	6
10	Prenatal and postnatal exposure to emerging and legacy per-/polyfluoroalkyl substances: Levels and transfer in maternal serum, cord serum, and breast milk. <i>Science of the Total Environment</i> , 2022, 812, 152446.	3.9	52
11	Effects of soil-extractable metals Cd and Ni from an e-waste dismantling site on human colonic epithelial cells Caco-2: Mechanisms and implications. <i>Chemosphere</i> , 2022, 292, 133361.	4.2	9
12	Pollution characteristics and source analysis of microplastics in the Qiantang River in southeastern China. <i>Chemosphere</i> , 2022, 293, 133576.	4.2	63
13	Nrf2/Keap1 pathway in countering arsenic-induced oxidative stress in mice after chronic exposure at environmentally-relevant concentrations. <i>Chemosphere</i> , 2022, 303, 135256.	4.2	11
14	Enhancing Phytate Availability in Soils and Phytate-P Acquisition by Plants: A Review. <i>Environmental Science &amp; Technology</i> , 2022, 56, 9196-9219.	4.6	36
15	Progresses and emerging trends of arsenic research in the past 120 years. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 1306-1353.	6.6	37
16	Impacts of metallic nanoparticles and transformed products on soil health. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 973-1002.	6.6	26
17	Sequential fractionation and plant uptake of As, Cu, and Zn in a contaminated riparian wetland. <i>Environmental Pollution</i> , 2021, 268, 115734.	3.7	9
18	Methyl jasmonate mitigates high selenium damage of rice via altering antioxidant capacity, selenium transportation and gene expression. <i>Science of the Total Environment</i> , 2021, 756, 143848.	3.9	13

#	ARTICLE	IF	CITATIONS
19	Mechanisms of Cd and Cu induced toxicity in human gastric epithelial cells: Oxidative stress, cell cycle arrest and apoptosis. <i>Science of the Total Environment</i> , 2021, 756, 143951.	3.9	58
20	Expressing Phosphate Transporter PvPht2;1 Enhances P Transport to the Chloroplasts and Increases Arsenic Tolerance in <i>Arabidopsis thaliana</i> . <i>Environmental Science &amp; Technology</i> , 2021, 55, 2276-2284.	4.6	13
21	Long-Term Manure Application Changes Bacterial Communities in Rice Rhizosphere and Arsenic Speciation in Rice Grains. <i>Environmental Science &amp; Technology</i> , 2021, 55, 1555-1565.	4.6	54
22	Attapulgite and processed oyster shell powder effectively reduce cadmium accumulation in grains of rice growing in a contaminated acidic paddy field. <i>Ecotoxicology and Environmental Safety</i> , 2021, 209, 111840.	2.9	21
23	Key soil parameters affecting the survival of <i>Panax notoginseng</i> under continuous cropping. <i>Scientific Reports</i> , 2021, 11, 5656.	1.6	7
24	Warming facilitates microbial reduction and release of arsenic in flooded paddy soil and arsenic accumulation in rice grains. <i>Journal of Hazardous Materials</i> , 2021, 408, 124913.	6.5	22
25	New measures in 2021 to increase the quality and reputation of the Critical Review in Environmental Science and Technology (CREST) journal. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 1303-1305.	6.6	3
26	An interlaboratory evaluation of the variability in arsenic and lead relative bioavailability when assessed using a mouse bioassay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2021, 84, 593-607.	1.1	6
27	Increase in arsenic methylation and volatilization during manure composting with biochar amendment in an aeration bioreactor. <i>Journal of Hazardous Materials</i> , 2021, 411, 125123.	6.5	11
28	Antibiotic exposure decreases soil arsenic oral bioavailability in mice by disrupting ileal microbiota and metabolic profile. <i>Environment International</i> , 2021, 151, 106444.	4.8	26
29	Arsenic bioaccessibility in rice grains via modified physiologically-based extraction test (MPBET): Correlation with mineral elements and comparison with As relative bioavailability. <i>Environmental Research</i> , 2021, 198, 111198.	3.7	14
30	Enhancing phytoremediation of hazardous metal(loid)s using genome engineering CRISPR-Cas9 technology. <i>Journal of Hazardous Materials</i> , 2021, 414, 125493.	6.5	74
31	Novel PvACR3;2 and PvACR3;3 genes from arsenic-hyperaccumulator <i>Pteris vittata</i> and their roles in manipulating plant arsenic accumulation. <i>Journal of Hazardous Materials</i> , 2021, 415, 125647.	6.5	25
32	Total and bioaccessible heavy metals in cabbage from major producing cities in Southwest China: health risk assessment and cytotoxicity. <i>RSC Advances</i> , 2021, 11, 12306-12314.	1.7	21
33	Organoarsenical compounds: Occurrence, toxicology and biotransformation. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 217-243.	6.6	39
34	Aquaporins mediated arsenite transport in plants: Molecular mechanisms and applications in crop improvement. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 1613-1639.	6.6	28
35	Novel in situ method based on diffusive gradients in thin-films with lanthanum oxide nanoparticles for measuring As, Sb, and V and in waters. <i>Journal of Hazardous Materials</i> , 2020, 383, 121196.	6.5	14
36	Arsanilic acid contributes more to total arsenic than roxarsone in chicken meat from Chinese markets. <i>Journal of Hazardous Materials</i> , 2020, 383, 121178.	6.5	28

#	ARTICLE	IF	CITATIONS
37	Arsenic, lead, and cadmium bioaccessibility in contaminated soils: Measurements and validations. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 1303-1338.	6.6	82
38	Expression of New <i>Pteris vittata</i> Phosphate Transporter PvPht1;4 Reduces Arsenic Translocation from the Roots to Shoots in Tobacco Plants. <i>Environmental Science &amp; Technology</i> , 2020, 54, 1045-1053.	4.6	46
39	Comparison of in vitro models in a mice model and investigation of the changes in Pb speciation during Pb bioavailability assessments. <i>Journal of Hazardous Materials</i> , 2020, 388, 121744.	6.5	13
40	Arsenic accumulation and distribution in <i>Pteris vittata</i> fronds of different maturity: Impacts of soil As concentrations. <i>Science of the Total Environment</i> , 2020, 715, 135298.	3.9	19
41	Response to comment on "Closely-related species of hyperaccumulating plants and their ability in accumulation of As, Cd, Cu, Mn, Ni, Pb and Zn". <i>Chemosphere</i> , 2020, 260, 128037.	4.2	1
42	Organophosphorus flame retardant TDCPP-induced cytotoxicity and associated mechanisms in normal human skin keratinocytes. <i>Science of the Total Environment</i> , 2020, 726, 138526.	3.9	14
43	Efficient arsenate reduction in As-hyperaccumulator <i>Pteris vittata</i> are mediated by novel arsenate reductases PvHAC1 and PvHAC2. <i>Journal of Hazardous Materials</i> , 2020, 399, 122895.	6.5	26
44	Background concentrations of trace metals As, Ba, Cd, Co, Cu, Ni, Pb, Se, and Zn in 214 Florida urban soils: Different cities and land uses. <i>Environmental Pollution</i> , 2020, 264, 114737.	3.7	54
45	Lead bioavailability in different fractions of mining- and smelting-contaminated soils based on a sequential extraction and mouse kidney model. <i>Environmental Pollution</i> , 2020, 262, 114253.	3.7	18
46	Using rice as a remediating plant to deplete bioavailable arsenic from paddy soils. <i>Environment International</i> , 2020, 141, 105799.	4.8	26
47	Polycyclic aromatic hydrocarbons in processed yard trash. <i>Waste Management and Research</i> , 2020, 38, 825-830.	2.2	5
48	Geogenic nickel exposure from food consumption and soil ingestion: A bioavailability based assessment. <i>Environmental Pollution</i> , 2020, 265, 114873.	3.7	11
49	The Influence of Food on the <i>In Vivo</i> Bioavailability of DDT and Its Metabolites in Soil. <i>Environmental Science &amp; Technology</i> , 2020, 54, 5003-5010.	4.6	20
50	Policy adjustment impacts Cd, Cu, Ni, Pb and Zn contamination in soils around e-waste area: Concentrations, sources and health risks. <i>Science of the Total Environment</i> , 2020, 741, 140442.	3.9	40
51	Closely-related species of hyperaccumulating plants and their ability in accumulation of As, Cd, Cu, Mn, Ni, Pb and Zn. <i>Chemosphere</i> , 2020, 251, 126334.	4.2	24
52	Linking elevated blood lead level in urban school-aged children with bioaccessible lead in neighborhood soil. <i>Environmental Pollution</i> , 2020, 261, 114093.	3.7	25
53	Effects of Food Constituents on Absorption and Bioaccessibility of Dietary Synthetic Phenolic Antioxidant by Caco-2 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 4670-4677.	2.4	10
54	<i>Pteris vittata</i> coupled with phosphate rock effectively reduced As and Cd uptake by water spinach from contaminated soil. <i>Chemosphere</i> , 2020, 247, 125916.	4.2	13

#	ARTICLE	IF	CITATIONS
55	Localized Intensification of Arsenic Release within the Emergent Rice Rhizosphere. <i>Environmental Science &amp; Technology</i> , 2020, 54, 3138-3147.	4.6	34
56	Comparing CaCl <sub>2</sub> , EDTA and DGT methods to predict Cd and Ni accumulation in rice grains from contaminated soils. <i>Environmental Pollution</i> , 2020, 260, 114042.	3.7	46
57	Organic extract of indoor dust induces estrogen-like effects in human breast cancer cells. <i>Science of the Total Environment</i> , 2020, 726, 138505.	3.9	10
58	Effects of novel brominated flame retardants and metabolites on cytotoxicity in human umbilical vein endothelial cells. <i>Chemosphere</i> , 2020, 253, 126653.	4.2	7
59	Organic adsorbents modified with citric acid and Fe <sub>3</sub> O <sub>4</sub> enhance the removal of Cd and Pb in contaminated solutions. <i>Chemical Engineering Journal</i> , 2020, 395, 125108.	6.6	65
60	Chemical compositions and source apportionment of PM <sub>2.5</sub> during clear and hazy days: Seasonal changes and impacts of Youth Olympic Games. <i>Chemosphere</i> , 2020, 256, 127163.	4.2	20
61	Eugenol protects cells against oxidative stress via Nrf2. <i>Experimental and Therapeutic Medicine</i> , 2020, 21, 107.	0.8	17
62	Heterologous Expression of <i>Pteris vittata</i> Phosphate Transporter PvPht1;3 Enhances Arsenic Translocation to and Accumulation in Tobacco Shoots. <i>Environmental Science &amp; Technology</i> , 2019, 53, 10636-10644.	4.6	45
63	Expressing Arsenite Antiporter PvACR3;1 in Rice ( <i>Oryza sativa</i> L.) Decreases Inorganic Arsenic Content in Rice Grains. <i>Environmental Science &amp; Technology</i> , 2019, 53, 10062-10069.	4.6	42
64	Arsenic-resistance mechanisms in bacterium <i>Leclercia adecarboxylata</i> strain As3-1: Biochemical and genomic analyses. <i>Science of the Total Environment</i> , 2019, 690, 1178-1189.	3.9	23
65	Oral Bioavailability of As, Pb, and Cd in Contaminated Soils, Dust, and Foods based on Animal Bioassays: A Review. <i>Environmental Science &amp; Technology</i> , 2019, 53, 10545-10559.	4.6	67
66	Development and Application of the Diffusive Gradients in Thin-Films Technique for Measuring Psychiatric Pharmaceuticals in Natural Waters. <i>Environmental Science &amp; Technology</i> , 2019, 53, 11223-11231.	4.6	23
67	Metal tolerance of arsenic-resistant bacteria and their ability to promote plant growth of <i>Pteris vittata</i> in Pb-contaminated soil. <i>Science of the Total Environment</i> , 2019, 660, 18-24.	3.9	54
68	Emerging and legacy PAHs in urban soils of four small cities: Concentrations, distribution, and sources. <i>Science of the Total Environment</i> , 2019, 685, 463-470.	3.9	38
69	As, Cd, and Pb relative bioavailability in contaminated soils: Coupling mouse bioassay with UBM assay. <i>Environment International</i> , 2019, 130, 104875.	4.8	24
70	Investigating Lead Species and Bioavailability in Contaminated Soils: Coupling DGT Technique with Artificial Gastrointestinal Extraction and in Vivo Bioassay. <i>Environmental Science &amp; Technology</i> , 2019, 53, 5717-5724.	4.6	19
71	Contribution of Asphalt Products to Total and Bioaccessible Polycyclic Aromatic Hydrocarbons. <i>International Journal of Environmental Research</i> , 2019, 13, 499-509.	1.1	16
72	Emerging PAHs in urban soils: Concentrations, bioaccessibility, and spatial distribution. <i>Science of the Total Environment</i> , 2019, 670, 800-805.	3.9	36

#	ARTICLE	IF	CITATIONS
73	Anaerobic digestion to reduce biomass and remove arsenic from As-hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2019, 250, 23-28.	3.7	22
74	Arsenic removal and biomass reduction of As-hyperaccumulator <i>Pteris vittata</i> : Coupling ethanol extraction with anaerobic digestion. <i>Science of the Total Environment</i> , 2019, 666, 205-211.	3.9	18
75	Interactive effects of As, Cd and Zn on their uptake and oxidative stress in As-hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2019, 248, 756-762.	3.7	27
76	Antagonistic Interactions between Arsenic, Lead, and Cadmium in the Mouse Gastrointestinal Tract and Their Influences on Metal Relative Bioavailability in Contaminated Soils. <i>Environmental Science &amp; Technology</i> , 2019, 53, 14264-14272.	4.6	18
77	PAHs in urban soils of two Florida cities: Background concentrations, distribution, and sources. <i>Chemosphere</i> , 2019, 214, 220-227.	4.2	79
78	Inhalation bioaccessibility of PAHs in PM2.5: Implications for risk assessment and toxicity prediction. <i>Science of the Total Environment</i> , 2019, 650, 56-64.	3.9	58
79	In Situ Measurement of Thallium in Natural Waters by a Technique Based on Diffusive Gradients in Thin Films Containing a $\text{Ti-MnO}_2$ Gel Layer. <i>Analytical Chemistry</i> , 2019, 91, 1344-1352.	3.2	13
80	Synthetic phenolic antioxidants and their major metabolites in human fingernail. <i>Environmental Research</i> , 2019, 169, 308-314.	3.7	43
81	An interventional study of rice for reducing cadmium exposure in a Chinese industrial town. <i>Environment International</i> , 2019, 122, 301-309.	4.8	22
82	Spatial and temporal changes of P and Ca distribution and fractionation in soil and sediment in a karst farmland-wetland system. <i>Chemosphere</i> , 2019, 220, 644-650.	4.2	41
83	Efficient arsenate reduction by As-resistant bacterium <i>Bacillus</i> sp. strain PVR-YHB1-1: Characterization and genome analysis. <i>Chemosphere</i> , 2019, 218, 1061-1070.	4.2	32
84	Arsenic Concentrations, Speciation, and Localization in 141 Cultivated Market Mushrooms: Implications for Arsenic Exposure to Humans. <i>Environmental Science &amp; Technology</i> , 2019, 53, 503-511.	4.6	30
85	Arsenic relative bioavailability in contaminated soils: comparison of animal models, dosing schemes, and biological endpoints. , 2019, , 171-172.		1
86	Metal contamination in a riparian wetland: Distribution, fractionation and plant uptake. <i>Chemosphere</i> , 2018, 200, 587-593.	4.2	23
87	Speciation, bioaccessibility and potential risk of chromium in Amazon forest soils. <i>Environmental Pollution</i> , 2018, 239, 384-391.	3.7	50
88	Interactions of Gaseous 2-Chlorophenol with Fe <sup>3+</sup> -Saturated Montmorillonite and Their Toxicity to Human Lung Cells. <i>Environmental Science &amp; Technology</i> , 2018, 52, 5208-5217.	4.6	22
89	Arsenic-induced nutrient uptake in As-hyperaccumulator <i>Pteris vittata</i> and their potential role to enhance plant growth. <i>Chemosphere</i> , 2018, 198, 425-431.	4.2	30
90	Straw enhanced CO <sub>2</sub> and CH <sub>4</sub> but decreased N <sub>2</sub> O emissions from flooded paddy soils: Changes in microbial community compositions. <i>Atmospheric Environment</i> , 2018, 174, 171-179.	1.9	65

#	ARTICLE	IF	CITATIONS
91	Cellular responses of normal (HL-7702) and cancerous (HepG2) hepatic cells to dust extract exposure. <i>Chemosphere</i> , 2018, 193, 1189-1197.	4.2	25
92	Determination of 2,6-di-tert-butyl-hydroxytoluene and its transformation products in indoor dust and sediment by gas chromatography- <sup>13</sup> C-mass spectrometry coupled with precolumn derivatization. <i>Science of the Total Environment</i> , 2018, 619-620, 552-558.	3.9	38
93	Impact of particle size on distribution and human exposure of flame retardants in indoor dust. <i>Environmental Research</i> , 2018, 162, 166-172.	3.7	54
94	Phosphate Transporter <i>PvPht1;2</i> Enhances Phosphorus Accumulation and Plant Growth without Impacting Arsenic Uptake in Plants. <i>Environmental Science &amp; Technology</i> , 2018, 52, 3975-3981.	4.6	42
95	Metal concentrations in traditional and herbal teas and their potential risks to human health. <i>Science of the Total Environment</i> , 2018, 633, 649-657.	3.9	82
96	In situ sampling and speciation method for measuring dissolved phosphite at ultratrace concentrations in the natural environment. <i>Water Research</i> , 2018, 137, 281-289.	5.3	22
97	Metal leachability from coal combustion residuals under different pHs and liquid/solid ratios. <i>Journal of Hazardous Materials</i> , 2018, 341, 66-74.	6.5	48
98	Arsenic removal from As-hyperaccumulator <i>Pteris vittata</i> biomass: Coupling extraction with precipitation. <i>Chemosphere</i> , 2018, 193, 288-294.	4.2	23
99	The in vitro and in vivo biocompatibility evaluation of electrospun recombinant spider silk protein/PCL/gelatin for small caliber vascular tissue engineering scaffolds. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 163, 19-28.	2.5	58
100	Interactive effects of chromate and arsenate on their uptake and speciation in <i>Pteris ensiformis</i> . <i>Plant and Soil</i> , 2018, 422, 515-526.	1.8	14
101	In Situ Selective Measurement of Se <sup>IV</sup> in Waters and Soils: Diffusive Gradients in Thin-Films with Bi-Functionalized Silica Nanoparticles. <i>Environmental Science &amp; Technology</i> , 2018, 52, 14140-14148.	4.6	18
102	Field-Scale Heterogeneity and Geochemical Regulation of Arsenic, Iron, Lead, and Sulfur Bioavailability in Paddy Soil. <i>Environmental Science &amp; Technology</i> , 2018, 52, 12098-12107.	4.6	22
103	Source identification of PAHs in soils based on stable carbon isotopic signatures. <i>Critical Reviews in Environmental Science and Technology</i> , 2018, 48, 923-948.	6.6	31
104	Coupling bioavailability and stable isotope ratio to discern dietary and non-dietary contribution of metal exposure to residents in mining-impacted areas. <i>Environment International</i> , 2018, 120, 563-571.	4.8	40
105	Water extract of indoor dust induces tight junction disruption in normal human corneal epithelial cells. <i>Environmental Pollution</i> , 2018, 243, 301-307.	3.7	24
106	Phytate promoted arsenic uptake and growth in arsenic-hyperaccumulator <i>Pteris vittata</i> by upregulating phosphorus transporters. <i>Environmental Pollution</i> , 2018, 241, 240-246.	3.7	24
107	Impact of particle size on distribution, bioaccessibility, and cytotoxicity of polycyclic aromatic hydrocarbons in indoor dust. <i>Journal of Hazardous Materials</i> , 2018, 357, 341-347.	6.5	42
108	Temporal and spatial distribution of <i>Microcystis</i> biomass and genotype in bloom areas of Lake Taihu. <i>Chemosphere</i> , 2018, 209, 730-738.	4.2	20

#	ARTICLE	IF	CITATIONS
109	Metals in paints on chopsticks: Solubilization in simulated saliva, gastric, and food solutions and implication for human health. <i>Environmental Research</i> , 2018, 167, 299-306.	3.7	8
110	Phosphate-Solubilizing Pseudomonads for Improving Crop Plant Nutrition and Agricultural Productivity. , 2018, , 363-372.		4
111	Novel Method for <i>in Situ</i> Monitoring of Organophosphorus Flame Retardants in Waters. <i>Analytical Chemistry</i> , 2018, 90, 10016-10023.	3.2	40
112	Food influence on lead relative bioavailability in contaminated soils: Mechanisms and health implications. <i>Journal of Hazardous Materials</i> , 2018, 358, 427-433.	6.5	23
113	In situ measurement of perfluoroalkyl substances in aquatic systems using diffusive gradients in thin-films technique. <i>Water Research</i> , 2018, 144, 162-171.	5.3	59
114	Human exposure to polycyclic aromatic hydrocarbons: Metabolomics perspective. <i>Environment International</i> , 2018, 119, 466-477.	4.8	164
115	Arsenic removal by As-hyperaccumulator <i>Pteris vittata</i> from two contaminated soils: A 5-year study. <i>Chemosphere</i> , 2018, 206, 736-741.	4.2	47
116	Assessment of trace metals in five most-consumed vegetables in the US: Conventional vs. organic. <i>Environmental Pollution</i> , 2018, 243, 292-300.	3.7	42
117	Arsenic-hyperaccumulator <i>Pteris vittata</i> efficiently solubilized phosphate rock to sustain plant growth and As uptake. <i>Journal of Hazardous Materials</i> , 2017, 330, 68-75.	6.5	59
118	Arsenic uptake by lettuce from As-contaminated soil remediated with <i>Pteris vittata</i> and organic amendment. <i>Chemosphere</i> , 2017, 176, 249-254.	4.2	36
119	Microbial siderophores and root exudates enhanced goethite dissolution and Fe/As uptake by As-hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2017, 223, 230-237.	3.7	48
120	A diffusive gradients in thin-films technique for the assessment of bisphenols desorption from soils. <i>Journal of Hazardous Materials</i> , 2017, 331, 321-328.	6.5	41
121	Phytate induced arsenic uptake and plant growth in arsenic-hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2017, 226, 212-218.	3.7	26
122	Arsenate and fluoride enhanced each other's uptake in As-sensitive plant <i>Pteris ensiformis</i> . <i>Chemosphere</i> , 2017, 180, 448-454.	4.2	12
123	Applying Cadmium Relative Bioavailability to Assess Dietary Intake from Rice to Predict Cadmium Urinary Excretion in Nonsmokers. <i>Environmental Science &amp; Technology</i> , 2017, 51, 6756-6764.	4.6	60
124	Mechanisms of efficient As solubilization in soils and As accumulation by As-hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2017, 227, 569-577.	3.7	62
125	Effects of organophosphorus flame retardant TDCPP on normal human corneal epithelial cells: Implications for human health. <i>Environmental Pollution</i> , 2017, 230, 22-30.	3.7	51
126	Bioaccessibility of PAHs in contaminated soils: Comparison of five in vitro methods with Tenax as a sorption sink. <i>Science of the Total Environment</i> , 2017, 601-602, 968-974.	3.9	25



#	ARTICLE	IF	CITATIONS
127	Mechanisms of metal sorption by biochars: Biochar characteristics and modifications. <i>Chemosphere</i> , 2017, 178, 466-478.	4.2	1,180
128	Effects of novel brominated flame retardant TBPH and its metabolite TBMEHP on human vascular endothelial cells: Implication for human health risks. <i>Environmental Research</i> , 2017, 156, 834-842.	3.7	26
129	Arsenic Relative Bioavailability in Rice Using a Mouse Arsenic Urinary Excretion Bioassay and Its Application to Assess Human Health Risk. <i>Environmental Science &amp; Technology</i> , 2017, 51, 4689-4696.	4.6	56
130	Lead relative bioavailability in soils based on different endpoints of a mouse model. <i>Journal of Hazardous Materials</i> , 2017, 326, 94-100.	6.5	23
131	Mineral Dietary Supplement To Decrease Cadmium Relative Bioavailability in Rice Based on a Mouse Bioassay. <i>Environmental Science &amp; Technology</i> , 2017, 51, 12123-12130.	4.6	39
132	Knocking Out <i>OsPT4</i> Gene Decreases Arsenate Uptake by Rice Plants and Inorganic Arsenic Accumulation in Rice Grains. <i>Environmental Science &amp; Technology</i> , 2017, 51, 12131-12138.	4.6	133
133	Heterologous Expression of <i>Pteris vittata</i> Arsenite Antiporter PvACR3;1 Reduces Arsenic Accumulation in Plant Shoots. <i>Environmental Science &amp; Technology</i> , 2017, 51, 10387-10395.	4.6	70
134	Molecular Mechanisms of Perfluorooctanoate-Induced Hepatocyte Apoptosis in Mice Using Proteomic Techniques. <i>Environmental Science &amp; Technology</i> , 2017, 51, 11380-11389.	4.6	24
135	Fluoride concentrations in traditional and herbal teas: Health risk assessment. <i>Environmental Pollution</i> , 2017, 231, 779-784.	3.7	46
136	Effect of biochar and Fe-biochar on Cd and As mobility and transfer in soil-rice system. <i>Chemosphere</i> , 2017, 186, 928-937.	4.2	194
137	Relative bioavailability and bioaccessibility of PCBs in soils based on a mouse model and Tenax-improved physiologically-based extraction test. <i>Chemosphere</i> , 2017, 186, 709-715.	4.2	22
138	Thyrototoxicity of arsenate and arsenite on juvenile mice at organism, subcellular, and gene levels under low exposure. <i>Chemosphere</i> , 2017, 186, 580-587.	4.2	17
139	Extending the functionality of the slurry ferrihydrite-DGT method: Performance evaluation for the measurement of vanadate, arsenate, antimonate and molybdate in water. <i>Chemosphere</i> , 2017, 184, 812-819.	4.2	18
140	Bacteria from the rhizosphere and tissues of As-hyperaccumulator <i>Pteris vittata</i> and their role in arsenic transformation. <i>Chemosphere</i> , 2017, 186, 599-606.	4.2	19
141	Remediation of Polluted Soil in China: Policy and Technology Bottlenecks. <i>Environmental Science &amp; Technology</i> , 2017, 51, 14027-14029.	4.6	24
142	Effect of phosphate amendment on relative bioavailability and bioaccessibility of lead and arsenic in contaminated soils. <i>Journal of Hazardous Materials</i> , 2017, 339, 256-263.	6.5	50
143	Coupling biological assays with diffusive gradients in thin-films technique to study the biological responses of <i>Eisenia fetida</i> to cadmium in soil. <i>Journal of Hazardous Materials</i> , 2017, 339, 340-346.	6.5	21
144	Molecular mechanisms of PFOA-induced toxicity in animals and humans: Implications for health risks. <i>Environment International</i> , 2017, 99, 43-54.	4.8	168

#	ARTICLE	IF	CITATIONS
145	Arsenic and phosphate rock impacted the abundance and diversity of bacterial arsenic oxidase and reductase genes in rhizosphere of As-hyperaccumulator <i>Pteris vittata</i> . <i>Journal of Hazardous Materials</i> , 2017, 321, 146-153.	6.5	39
146	Arsenic Transport in Rice and Biological Solutions to Reduce Arsenic Risk from Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 268.	1.7	126
147	Lead Relative Bioavailability in Lip Products and Their Potential Health Risk to Women. <i>Environmental Science &amp; Technology</i> , 2016, 50, 6036-6043.	4.6	27
148	Influence of pollution control on lead inhalation bioaccessibility in PM <sub>2.5</sub> : A case study of 2014 Youth Olympic Games in Nanjing. <i>Environment International</i> , 2016, 94, 69-75.	4.8	56
149	Advances in inÂvitro methods to evaluate oral bioaccessibility of PAHs and PBDEs in environmental matrices. <i>Chemosphere</i> , 2016, 150, 378-389.	4.2	56
150	Using the SBRC Assay to Predict Lead Relative Bioavailability in Urban Soils: Contaminant Source and Correlation Model. <i>Environmental Science &amp; Technology</i> , 2016, 50, 4989-4996.	4.6	34
151	Molecular mechanisms of dust-induced toxicity in human corneal epithelial cells: Water and organic extract of office and house dust. <i>Environment International</i> , 2016, 92-93, 348-356.	4.8	54
152	High-resolution measurement and mapping of tungstate in waters, soils and sediments using the low-disturbance DGT sampling technique. <i>Journal of Hazardous Materials</i> , 2016, 316, 69-76.	6.5	48
153	Assessment of cadmium bioaccessibility to predict its bioavailability in contaminated soils. <i>Environment International</i> , 2016, 94, 600-606.	4.8	71
154	Mechanisms of arsenic disruption on gonadal, adrenal and thyroid endocrine systems in humans: A review. <i>Environment International</i> , 2016, 95, 61-68.	4.8	78
155	Arsenic Induced Phytate Exudation, and Promoted FeAsO <sub>4</sub> Dissolution and Plant Growth in As-Hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Science &amp; Technology</i> , 2016, 50, 9070-9077.	4.6	71
156	Novel DGT method with tri-metal oxide adsorbent for in situ spatiotemporal flux measurement of fluoride in waters and sediments. <i>Water Research</i> , 2016, 99, 200-208.	5.3	25
157	A label-free and portable graphene FET aptasensor for children blood lead detection. <i>Scientific Reports</i> , 2016, 6, 21711.	1.6	88
158	Effect of aging on bioaccessibility of arsenic and lead in soils. <i>Chemosphere</i> , 2016, 151, 94-100.	4.2	43
159	Potential arsenic exposures in 25 species of zoo animals living in CCA-wood enclosures. <i>Science of the Total Environment</i> , 2016, 551-552, 614-621.	3.9	13
160	Mechanisms of housedust-induced toxicity in primary human corneal epithelial cells: Oxidative stress, proinflammatory response and mitochondrial dysfunction. <i>Environment International</i> , 2016, 89-90, 30-37.	4.8	49
161	Sulfate and chromate increased each other's uptake and translocation in As-hyperaccumulator <i>Pteris vittata</i> . <i>Chemosphere</i> , 2016, 147, 36-43.	4.2	63
162	Arsenic-induced plant growth of arsenic-hyperaccumulator <i>Pteris vittata</i> : Impact of arsenic and phosphate rock. <i>Chemosphere</i> , 2016, 149, 366-372.	4.2	32

#	ARTICLE	IF	CITATIONS
163	Photosynthetic electron-transfer reactions in the gametophyte of <i>Pteris multifida</i> reveal the presence of allelopathic interference from the invasive plant species <i>Bidens pilosa</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 158, 81-88.	1.7	23
164	Predicting the Relative Bioavailability of DDT and Its Metabolites in Historically Contaminated Soils Using a Tenax-Improved Physiologically Based Extraction Test (TI-PBET). <i>Environmental Science &amp; Technology</i> , 2016, 50, 1118-1125.	4.6	46
165	Arsenic uptake, arsenite efflux and plant growth in hyperaccumulator <i>Pteris vittata</i> : Role of arsenic-resistant bacteria. <i>Chemosphere</i> , 2016, 144, 1937-1942.	4.2	48
166	Arsenic impacted the development, thyroid hormone and gene transcription of thyroid hormone receptors in bighead carp larvae ( <i>Hypophthalmichthys nobilis</i> ). <i>Journal of Hazardous Materials</i> , 2016, 303, 76-82.	6.5	26
167	High As exposure induced substantial arsenite efflux in As-hyperaccumulator <i>Pteris vittata</i> . <i>Chemosphere</i> , 2016, 144, 2189-2194.	4.2	61
168	Arsenic Relative Bioavailability in Contaminated Soils: Comparison of Animal Models, Dosing Schemes, and Biological End Points. <i>Environmental Science &amp; Technology</i> , 2016, 50, 453-461.	4.6	55
169	Organophosphorus flame retardants and phthalate esters in indoor dust from different microenvironments: Bioaccessibility and risk assessment. <i>Chemosphere</i> , 2016, 150, 528-535.	4.2	128
170	Arsenic transformation and plant growth promotion characteristics of As-resistant endophytic bacteria from As-hyperaccumulator <i>Pteris vittata</i> . <i>Chemosphere</i> , 2016, 144, 1233-1240.	4.2	53
171	Cleaning-induced arsenic mobilization and chromium oxidation from CCA-wood deck: Potential risk to children. <i>Environment International</i> , 2015, 82, 35-40.	4.8	29
172	Physicochemical and sorptive properties of biochars derived from woody and herbaceous biomass. <i>Chemosphere</i> , 2015, 134, 257-262.	4.2	198
173	Chromate and phosphate inhibited each other's uptake and translocation in arsenic hyperaccumulator <i>Pteris vittata</i> L.. <i>Environmental Pollution</i> , 2015, 197, 240-246.	3.7	23
174	Bacterial ability in As(III) oxidation and As(V) reduction: Relation to arsenic tolerance, P uptake, and siderophore production. <i>Chemosphere</i> , 2015, 138, 995-1000.	4.2	66
175	Toxic metals in children's toys and jewelry: Coupling bioaccessibility with risk assessment. <i>Environmental Pollution</i> , 2015, 200, 77-84.	3.7	57
176	Novel Precipitated Zirconia-Based DGT Technique for High-Resolution Imaging of Oxyanions in Waters and Sediments. <i>Environmental Science &amp; Technology</i> , 2015, 49, 3653-3661.	4.6	105
177	Recent advances in arsenic bioavailability, transport, and speciation in rice. <i>Environmental Science and Pollution Research</i> , 2015, 22, 5742-5750.	2.7	71
178	Uptake of antimonite and antimonate by arsenic hyperaccumulator <i>Pteris vittata</i> : Effects of chemical analogs and transporter inhibitor. <i>Environmental Pollution</i> , 2015, 206, 49-55.	3.7	27
179	A new method for antimony speciation in plant biomass and nutrient media using anion exchange cartridge. <i>Talanta</i> , 2015, 144, 1171-1175.	2.9	8
180	In vitro bioaccessibility and in vivo relative bioavailability in 12 contaminated soils: Method comparison and method development. <i>Science of the Total Environment</i> , 2015, 532, 812-820.	3.9	53

#	ARTICLE	IF	CITATIONS
181	Comparison of arsenic bioaccessibility in housedust and contaminated soils based on four in vitro assays. <i>Science of the Total Environment</i> , 2015, 532, 803-811.	3.9	36
182	Naming and functions of ACR2, arsenate reductase, and ACR3 arsenite efflux transporter in plants (correspondence on: Kumar, S., Dubey, R.S., Tripathi, R.D., Chakrabarty, D., Trivedi, P.K., 2015. <i>Omics and</i> ) Tj ETQq0,0,0 rgBT (Overlock 1	4.8	5
183	Short-term exposure of arsenite disrupted thyroid endocrine system and altered gene transcription in the HPT axis in zebrafish. <i>Environmental Pollution</i> , 2015, 205, 145-152.	3.7	28
184	Arsenic extraction and speciation in plants: Method comparison and development. <i>Science of the Total Environment</i> , 2015, 523, 138-145.	3.9	33
185	Transfer of arsenic and phosphorus from soils to the fronds and spores of arsenic hyperaccumulator <i>Pteris vittata</i> and three non-hyperaccumulators. <i>Plant and Soil</i> , 2015, 390, 49-60.	1.8	14
186	Phosphorus solubilization and plant growth enhancement by arsenic-resistant bacteria. <i>Chemosphere</i> , 2015, 134, 1-6.	4.2	76
187	Arsenic bioaccessibility in contaminated soils: Coupling in vitro assays with sequential and HNO <sub>3</sub> extraction. <i>Journal of Hazardous Materials</i> , 2015, 295, 145-152.	6.5	61
188	Lead bioaccessibility in 12 contaminated soils from China: Correlation to lead relative bioavailability and lead in different fractions. <i>Journal of Hazardous Materials</i> , 2015, 295, 55-62.	6.5	114
189	Catecholate-siderophore produced by As-resistant bacterium effectively dissolved FeAsO <sub>4</sub> and promoted <i>Pteris vittata</i> growth. <i>Environmental Pollution</i> , 2015, 206, 376-381.	3.7	26
190	Novel Speciation Method Based on Diffusive Gradients in Thin-Films for in Situ Measurement of Cr <sup>VI</sup> in Aquatic Systems. <i>Environmental Science &amp; Technology</i> , 2015, 49, 14267-14273.	4.6	52
191	Montmorillonite enhanced ciprofloxacin transport in saturated porous media with sorbed ciprofloxacin showing antibiotic activity. <i>Journal of Contaminant Hydrology</i> , 2015, 173, 1-7.	1.6	30
192	Activated Charcoal Based Diffusive Gradients in Thin Films for in Situ Monitoring of Bisphenols in Waters. <i>Analytical Chemistry</i> , 2015, 87, 801-807.	3.2	106
193	Pyrolytic temperatures impact lead sorption mechanisms by bagasse biochars. <i>Chemosphere</i> , 2014, 105, 68-74.	4.2	299
194	Raspberry derived mesoporous carbon-tubules and fixed-bed adsorption of pharmaceutical drugs. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 1126-1132.	2.9	56
195	Source, distribution, and health risk assessment of polycyclic aromatic hydrocarbons in urban street dust from Tianjin, China. <i>Environmental Science and Pollution Research</i> , 2014, 21, 2817-2825.	2.7	98
196	Effect of aging on arsenic and lead fractionation and availability in soils: Coupling sequential extractions with diffusive gradients in thin-films technique. <i>Journal of Hazardous Materials</i> , 2014, 273, 272-279.	6.5	83
197	Arsenic and selenium toxicity and their interactive effects in humans. <i>Environment International</i> , 2014, 69, 148-158.	4.8	322
198	Characterization of arsenic-resistant endophytic bacteria from hyperaccumulators <i>Pteris vittata</i> and <i>Pteris multifida</i> . <i>Chemosphere</i> , 2014, 113, 9-16.	4.2	83

#	ARTICLE	IF	CITATIONS
199	Antimony uptake, translocation and speciation in rice plants exposed to antimonite and antimonate. <i>Science of the Total Environment</i> , 2014, 475, 83-89.	3.9	120
200	Biocatalytic Synthesis Pathways, Transformation, and Toxicity of Nanoparticles in the Environment. <i>Critical Reviews in Environmental Science and Technology</i> , 2014, 44, 1679-1739.	6.6	34
201	<i>Pteris vittata</i> continuously removed arsenic from non-labile fraction in three contaminated-soils during 3.5 years of phytoextraction. <i>Journal of Hazardous Materials</i> , 2014, 279, 485-492.	6.5	54
202	Arsenic enhanced plant growth and altered rhizosphere characteristics of hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2014, 194, 105-111.	3.7	54
203	Assessment of <i>in Vitro</i> Lead Bioaccessibility in House Dust and Its Relationship to <i>in Vivo</i> Lead Relative Bioavailability. <i>Environmental Science &amp; Technology</i> , 2014, 48, 8548-8555.	4.6	97
204	Assessment of children's exposure to arsenic from CCA-wood staircases at apartment complexes in Florida. <i>Science of the Total Environment</i> , 2014, 476-477, 440-446.	3.9	14
205	Antimony uptake, efflux and speciation in arsenic hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Pollution</i> , 2014, 186, 110-114.	3.7	49
206	Ionic strength reduction and flow interruption enhanced colloid-facilitated Hg transport in contaminated soils. <i>Journal of Hazardous Materials</i> , 2014, 264, 286-292.	6.5	34
207	Effects of storage temperature and duration on release of antimony and bisphenol A from polyethylene terephthalate drinking water bottles of China. <i>Environmental Pollution</i> , 2014, 192, 113-120.	3.7	81
208	Enhanced Cr(VI) reduction and As(III) oxidation in ice phase: Important role of dissolved organic matter from biochar. <i>Journal of Hazardous Materials</i> , 2014, 267, 62-70.	6.5	191
209	Impacts of two best management practices on Pb weathering and leachability in shooting range soils. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 6477-6484.	1.3	7
210	Sparingly-Soluble Phosphate Rock Induced Significant Plant Growth and Arsenic Uptake by <i>Pteris vittata</i> from Three Contaminated Soils. <i>Environmental Science &amp; Technology</i> , 2013, 47, 5311-5318.	4.6	60
211	Effects of Cu and Ca cations and Fe/Al coating on ciprofloxacin sorption onto sand media. <i>Journal of Hazardous Materials</i> , 2013, 252-253, 375-381.	6.5	31
212	Mechanistic Investigation of Mercury Sorption by Brazilian Pepper Biochars of Different Pyrolytic Temperatures Based on X-ray Photoelectron Spectroscopy and Flow Calorimetry. <i>Environmental Science &amp; Technology</i> , 2013, 47, 12156-12164.	4.6	203
213	Bacteria-Mediated Arsenic Oxidation and Reduction in the Growth Media of Arsenic Hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Science &amp; Technology</i> , 2012, 46, 11259-11266.	4.6	51
214	Transport and interactions of kaolinite and mercury in saturated sand media. <i>Journal of Hazardous Materials</i> , 2012, 213-214, 93-99.	6.5	26
215	Mechanisms of Efficient Arsenite Uptake by Arsenic Hyperaccumulator <i>Pteris vittata</i> . <i>Environmental Science &amp; Technology</i> , 2011, 45, 9719-9725.	4.6	56
216	Simultaneous Immobilization of Lead and Atrazine in Contaminated Soils Using Dairy-Manure Biochar. <i>Environmental Science &amp; Technology</i> , 2011, 45, 4884-4889.	4.6	503

#	ARTICLE	IF	CITATIONS
217	Chemical and physical characterization of lead in three shooting range soils in Florida. <i>Chemical Speciation and Bioavailability</i> , 2011, 23, 163-169.	2.0	21
218	Effects of pH and ionic strength on sulfamethoxazole and ciprofloxacin transport in saturated porous media. <i>Journal of Contaminant Hydrology</i> , 2011, 126, 29-36.	1.6	118
219	Effects of Zn on plant tolerance and non-protein thiol accumulation in Zn hyperaccumulator <i>Arabis paniculata</i> Franch. <i>Environmental and Experimental Botany</i> , 2011, 70, 227-232.	2.0	28
220	Uptake and translocation of arsenite by <i>Pteris vittata</i> L.: Effects of glycerol, antimonite and silver. <i>Environmental Pollution</i> , 2011, 159, 3490-3495.	3.7	36
221	Arsenic-resistant bacteria solubilized arsenic in the growth media and increased growth of arsenic hyperaccumulator <i>Pteris vittata</i> L.. <i>Bioresource Technology</i> , 2011, 102, 8756-8761.	4.8	97
222	Accumulation and availability of copper in citrus grove soils as affected by fungicide application. <i>Journal of Soils and Sediments</i> , 2011, 11, 639-648.	1.5	72
223	Characteristics and mechanisms of hexavalent chromium removal by biochar from sugar beet tailing. <i>Journal of Hazardous Materials</i> , 2011, 190, 909-915.	6.5	461
224	Colloid Deposition and Release in Soils and Their Association With Heavy Metals. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 336-372.	6.6	98
225	Biomass reduction and arsenic transformation during composting of arsenic-rich hyperaccumulator <i>Pteris vittata</i> L.. <i>Environmental Science and Pollution Research</i> , 2010, 17, 586-594.	2.7	33
226	Bioremediation of oily sludge-contaminated soil by stimulating indigenous microbes. <i>Environmental Geochemistry and Health</i> , 2010, 32, 23-29.	1.8	144
227	Temporal and spatial trends of total petroleum hydrocarbons in the seawater of Bohai Bay, China from 1996 to 2005. <i>Marine Pollution Bulletin</i> , 2010, 60, 238-243.	2.3	59
228	Uptake and translocation of arsenite and arsenate by <i>Pteris vittata</i> L.: Effects of silicon, boron and mercury. <i>Environmental and Experimental Botany</i> , 2010, 68, 222-229.	2.0	63
229	Sulfate and glutathione enhanced arsenic accumulation by arsenic hyperaccumulator <i>Pteris vittata</i> L.. <i>Environmental Pollution</i> , 2010, 158, 1530-1535.	3.7	48
230	Colloid-facilitated Pb transport in two shooting-range soils in Florida. <i>Journal of Hazardous Materials</i> , 2010, 177, 620-625.	6.5	86
231	Optimum P levels for arsenic removal from contaminated groundwater by <i>Pteris vittata</i> L. of different ages. <i>Journal of Hazardous Materials</i> , 2010, 180, 662-667.	6.5	18
232	Comparison of arsenic accumulation in 18 fern species and four <i>Pteris vittata</i> accessions. <i>Bioresource Technology</i> , 2010, 101, 2691-2699.	4.8	25
233	Arsenic transformation in the growth media and biomass of hyperaccumulator <i>Pteris vittata</i> L.. <i>Bioresource Technology</i> , 2010, 101, 8024-8030.	4.8	76
234	Polycyclic Aromatic Hydrocarbons in Urban Soils of Different Land Uses in Miami, Florida. <i>Soil and Sediment Contamination</i> , 2010, 19, 231-243.	1.1	98

#	ARTICLE	IF	CITATIONS
235	Characterization of arsenic-resistant bacteria from the rhizosphere of arsenic hyperaccumulator <i>Pteris vittata</i> . Canadian Journal of Microbiology, 2010, 56, 236-246.	0.8	71
236	Rhizosphere characteristics of two arsenic hyperaccumulating <i>Pteris</i> ferns. Science of the Total Environment, 2009, 407, 4711-4716.	3.9	70
237	Arsenic reduced scale-insect infestation on arsenic hyperaccumulator <i>Pteris vittata</i> L.. Environmental and Experimental Botany, 2009, 65, 282-286.	2.0	19
238	Responses of non-protein thiols to Cd exposure in Cd hyperaccumulator <i>Arabis paniculata</i> Franch. Environmental and Experimental Botany, 2009, 66, 242-248.	2.0	61
239	Expression of a <i>Pteris vittata</i> glutaredoxin PvGRX5 in transgenic <i>Arabidopsis thaliana</i> increases plant arsenic tolerance and decreases arsenic accumulation in the leaves. Plant, Cell and Environment, 2009, 32, 851-858.	2.8	69
240	Immobilization of Zn, Cu, and Pb in contaminated soils using phosphate rock and phosphoric acid. Journal of Hazardous Materials, 2009, 164, 555-564.	6.5	326
241	Characterization of glutathione reductase and catalase in the fronds of two <i>Pteris</i> ferns upon arsenic exposure. Plant Physiology and Biochemistry, 2009, 47, 960-965.	2.8	36
242	Effects of arsenic on nitrate metabolism in arsenic hyperaccumulating and non-hyperaccumulating ferns. Environmental Pollution, 2009, 157, 2300-2305.	3.7	58
243	Dairy-Manure Derived Biochar Effectively Sorbs Lead and Atrazine. Environmental Science & Technology, 2009, 43, 3285-3291.	4.6	1,025
244	Identification and Chemical Enhancement of Two Ornamental Plants for Phytoremediation. Bulletin of Environmental Contamination and Toxicology, 2008, 80, 260-265.	1.3	41
245	Growth responses of three ornamental plants to Cd and Cd+Pb stress and their metal accumulation characteristics. Journal of Hazardous Materials, 2008, 151, 261-267.	6.5	121
246	Effects of nutrients on arsenic accumulation by arsenic hyperaccumulator <i>Pteris vittata</i> L.. Environmental and Experimental Botany, 2008, 62, 231-237.	2.0	41
247	An Arsenate-activated Glutaredoxin from the Arsenic Hyperaccumulator Fern <i>Pteris vittata</i> L. Regulates Intracellular Arsenite. Journal of Biological Chemistry, 2008, 283, 6095-6101.	1.6	80
248	Phosphate-Induced Lead Immobilization in Contaminated Soils: Mechanisms, Assessment, and Field Applications. , 2007, , 607-629.		2
249	Application Methods Affect Phosphorus-Induced Lead Immobilization from a Contaminated Soil. Journal of Environmental Quality, 2007, 36, 373-378.	1.0	33
250	Arsenic hyperaccumulation in the Chinese brake fern ( <i>Pteris vittata</i> ) deters grasshopper ( <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tt,50 142 Td</i> )	3.5	57
251	Effects of Soil Property and Soil Amendment on Weathering of Abraded Metallic Pb in Shooting Ranges. Water, Air, and Soil Pollution, 2007, 178, 297-307.	1.1	62
252	Effects of Plant Age on Arsenic Hyperaccumulation by <i>Pteris vittata</i> L.. Water, Air, and Soil Pollution, 2007, 186, 289-295.	1.1	27

#	ARTICLE	IF	CITATIONS
253	Metabolic adaptations to arsenic-induced oxidative stress in <i>Pteris vittata</i> L and <i>Pteris ensiformis</i> L. <i>Plant Science</i> , 2006, 170, 274-282.	1.7	365
254	Arsenic phytoextraction and hyperaccumulation by fern species. <i>Scientia Agricola</i> , 2006, 63, 90-101.	0.6	117
255	Characterization of aqueous lead removal by phosphatic clay: Equilibrium and kinetic studies. <i>Journal of Hazardous Materials</i> , 2006, 136, 654-662.	6.5	83
256	Arsenic resistance in <i>Pteris vittata</i> L.: identification of a cytosolic triosephosphate isomerase based on cDNA expression cloning in <i>Escherichia coli</i> . <i>Plant Molecular Biology</i> , 2006, 62, 845-857.	2.0	53
257	Availability and Assessment of Fixing Additives for The in Situ Remediation of Heavy Metal Contaminated Soils: A Review. <i>Environmental Monitoring and Assessment</i> , 2006, 116, 513-528.	1.3	275
258	Using phosphate rock to immobilize metals in soil and increase arsenic uptake by hyperaccumulator <i>Pteris vittata</i> . <i>Science of the Total Environment</i> , 2006, 359, 17-25.	3.9	152
259	Three new arsenic hyperaccumulating ferns. <i>Science of the Total Environment</i> , 2006, 364, 24-31.	3.9	179
260	Accumulation of Pb, Cu, and Zn in native plants growing on a contaminated Florida site. <i>Science of the Total Environment</i> , 2006, 368, 456-464.	3.9	1,290
261	Phytoremediation of an Arsenic-Contaminated Site Using <i>Pteris vittata</i> L.: A Two-Year Study. <i>International Journal of Phytoremediation</i> , 2006, 8, 311-322.	1.7	115
262	Mycorrhizae Increase Arsenic Uptake by the Hyperaccumulator Chinese Brake Fern ( <i>Pteris vittata</i> L.). <i>Journal of Environmental Quality</i> , 2005, 34, 2181-2186.	1.0	108
263	Arsenic speciation and transport in <i>Pteris vittata</i> L. and the effects on phosphorus in the xylem sap. <i>Environmental and Experimental Botany</i> , 2005, 54, 239-247.	2.0	73
264	Arsenic Uptake by Two Hyperaccumulator Ferns from Four Arsenic Contaminated Soils. <i>Water, Air, and Soil Pollution</i> , 2005, 168, 71-89.	1.1	23
265	Relation of Relative Colloid Stability Ratio and Colloid Release in Two Lead-Contaminated Soils. <i>Water, Air, and Soil Pollution</i> , 2005, 160, 343-355.	1.1	6
266	Characteristics of Arsenic Accumulation by <i>Pteris</i> and non- <i>Pteris</i> Ferns. <i>Plant and Soil</i> , 2005, 277, 117-126.	1.8	52
267	UPTAKE AND DISTRIBUTION OF SELENIUM IN DIFFERENT FERN SPECIES. <i>International Journal of Phytoremediation</i> , 2005, 7, 33-42.	1.7	30
268	Effects of Arsenic Species and Concentrations on Arsenic Accumulation by Different Fern Species in a Hydroponic System. <i>International Journal of Phytoremediation</i> , 2005, 7, 231-240.	1.7	34
269	Antioxidant responses of hyper-accumulator and sensitive fern species to arsenic. <i>Journal of Experimental Botany</i> , 2005, 56, 1335-1342.	2.4	293
270	Comparison of Arsenic and Phosphate Uptake and Distribution in Arsenic Hyperaccumulating and Nonhyperaccumulating Fern. <i>Journal of Plant Nutrition</i> , 2005, 27, 1227-1242.	0.9	48



#	ARTICLE	IF	CITATIONS
271	Effects of arsenic on concentration and distribution of nutrients in the fronds of the arsenic hyperaccumulator <i>Pteris vittata</i> L. <i>Environmental Pollution</i> , 2005, 135, 333-340.	3.7	124
272	Lead contamination in shooting range soils from abrasion of lead bullets and subsequent weathering. <i>Science of the Total Environment</i> , 2004, 328, 175-183.	3.9	112
273	Absorption of foliar-applied arsenic by the arsenic hyperaccumulating fern ( <i>Pteris vittata</i> L.). <i>Science of the Total Environment</i> , 2004, 332, 61-70.	3.9	57
274	Effects of arsenic species and phosphorus on arsenic absorption, arsenate reduction and thiol formation in excised parts of <i>Pteris vittata</i> L.. <i>Environmental and Experimental Botany</i> , 2004, 51, 121-131.	2.0	88
275	Root exudates and arsenic accumulation in arsenic hyperaccumulating <i>Pteris vittata</i> and non-hyperaccumulating <i>Nephrolepis exaltata</i> . <i>Plant and Soil</i> , 2004, 258, 9-19.	1.8	156
276	Arsenic complexes in the arsenic hyperaccumulator <i>Pteris vittata</i> (Chinese brake fern). <i>Journal of Chromatography A</i> , 2004, 1043, 249-254.	1.8	39
277	Arsenic speciation in Chinese brake fern by ion-pair high-performance liquid chromatographyâ€“inductively coupled plasma mass spectroscopy. <i>Analytica Chimica Acta</i> , 2004, 504, 199-207.	2.6	55
278	Phytoremediation of Arsenic-Contaminated Groundwater by the Arsenic Hyperaccumulating Fern <i>Pteris vittata</i> L.. <i>International Journal of Phytoremediation</i> , 2004, 6, 35-47.	1.7	84
279	Influence of compost on soil organic matter quality under tropical conditions. <i>Geoderma</i> , 2004, 123, 355-361.	2.3	118
280	Effects of incubation on solubility and mobility of trace metals in two contaminated soils. <i>Environmental Pollution</i> , 2004, 130, 301-307.	3.7	32
281	Lead distribution in near-surface soils of two Florida cities: Gainesville and Miami. <i>Geoderma</i> , 2004, 119, 113-120.	2.3	42
282	Title is missing!. <i>Plant and Soil</i> , 2003, 249, 373-382.	1.8	170
283	Field assessment of lead immobilization in a contaminated soil after phosphate application. <i>Science of the Total Environment</i> , 2003, 305, 117-127.	3.9	163
284	Lead transformation and distribution in the soils of shooting ranges in Florida, USA. <i>Science of the Total Environment</i> , 2003, 307, 179-189.	3.9	133
285	Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator <i>Pteris vittata</i> L. under hydroponic conditions. <i>Environmental and Experimental Botany</i> , 2003, 50, 243-251.	2.0	168
286	XAS Speciation of Arsenic in a Hyper-Accumulating Fern. <i>Environmental Science &amp; Technology</i> , 2003, 37, 754-760.	4.6	168
287	Point of zero charge determination in soils and minerals via traditional methods and detection of electroacoustic mobility. <i>Geoderma</i> , 2003, 113, 77-93.	2.3	249
288	Cu, Cr and As distribution in soils adjacent to pressure-treated decks, fences and poles. <i>Environmental Pollution</i> , 2003, 124, 407-417.	3.7	83

#	ARTICLE	IF	CITATIONS
289	Effects of compost and phosphate amendments on arsenic mobility in soils and arsenic uptake by the hyperaccumulator, <i>Pteris vittata</i> L.. <i>Environmental Pollution</i> , 2003, 126, 157-167.	3.7	257
290	Rhizosphere Characteristics of the Arsenic Hyperaccumulator <i>Pteris vittata</i> L. and Monitoring of Phytoremoval Efficiency. <i>Environmental Science &amp; Technology</i> , 2003, 37, 5008-5014.	4.6	200
291	Weathering of Lead Bullets and Their Environmental Effects at Outdoor Shooting Ranges. <i>Journal of Environmental Quality</i> , 2003, 32, 526-534.	1.0	146
292	Arsenic Distribution in Florida Urban Soils. <i>Journal of Environmental Quality</i> , 2003, 32, 109-119.	1.0	21
293	Weathering of Lead Bullets and Their Environmental Effects at Outdoor Shooting Ranges. <i>Journal of Environmental Quality</i> , 2003, 32, 526.	1.0	62
294	Impact of high-volume wood-fired boiler ash amendment on soil properties and nutrients. <i>Communications in Soil Science and Plant Analysis</i> , 2002, 33, 1-17.	0.6	23
295	Arsenic Accumulation in the Hyperaccumulator Chinese Brake and Its Utilization Potential for Phytoremediation. <i>Journal of Environmental Quality</i> , 2002, 31, 1671-1675.	1.0	207
296	Impacts of Phosphate Amendments on Lead Biogeochemistry at a Contaminated Site. <i>Environmental Science &amp; Technology</i> , 2002, 36, 5296-5304.	4.6	241
297	Characterization of Lead in Soils of a Rifle/Pistol Shooting Range in Central Florida, USA. <i>Soil and Sediment Contamination</i> , 2002, 11, 1-17.	1.1	59
298	Leachability of Cu and Ni in wood ash-amended soil as impacted by humic and fulvic acid. <i>Geoderma</i> , 2002, 108, 31-47.	2.3	46
299	Effects of Arsenic Concentrations and Forms on Arsenic Uptake by the Hyperaccumulator Ladder Brake. <i>Journal of Environmental Quality</i> , 2002, 31, 641.	1.0	125
300	Relationship between Compost Stability and Extractable Organic Carbon. <i>Journal of Environmental Quality</i> , 2002, 31, 1323-1328.	1.0	56
301	Arsenic speciation and distribution in an arsenic hyperaccumulating plant. <i>Science of the Total Environment</i> , 2002, 300, 167-177.	3.9	356
302	Arsenic distribution and speciation in the fronds of the hyperaccumulator <i>Pteris vittata</i> . <i>New Phytologist</i> , 2002, 156, 195-203.	3.5	285
303	Arsenic Background Concentrations in Florida, U.S.A. Surface Soils: Determination and Interpretation. <i>Environmental Forensics</i> , 2001, 2, 117-126.	1.3	92
304	Comparison of Three Aqua Regia Digestion Methods for Twenty Florida Soils. <i>Soil Science Society of America Journal</i> , 2001, 65, 491-499.	1.2	372
305	Effects of Sample Storage on Biosolids Compost Stability and Maturity Evaluation. <i>Journal of Environmental Quality</i> , 2001, 30, 222-228.	1.0	47
306	Heavy Metal Interactions with Phosphatic Clay: Sorption and Desorption Behavior. <i>Journal of Environmental Quality</i> , 2001, 30, 1961-1968.	1.0	139

#	ARTICLE	IF	CITATIONS
307	A fern that hyperaccumulates arsenic. <i>Nature</i> , 2001, 409, 579-579.	13.7	1,538
308	Trace Metal Leachability of Land-Disposed Dredged Sediments. <i>Journal of Environmental Quality</i> , 2000, 29, 1124-1132.	1.0	46
309	Comparison of Methods for Evaluating Stability and Maturity of Biosolids Compost. <i>Journal of Environmental Quality</i> , 2000, 29, 424-429.	1.0	197
310	Relation of enhanced Pb solubility to Fe partitioning in soils. <i>Environmental Pollution</i> , 2000, 110, 515-522.	3.7	23
311	Effects of Acidification on Metal Mobility in a Papermill-Ash Amended Soil. <i>Journal of Environmental Quality</i> , 1999, 28, 760-766.	1.0	37
312	Baseline Concentrations of 15 Trace Elements in Florida Surface Soils. <i>Journal of Environmental Quality</i> , 1999, 28, 1173-1181.	1.0	253
313	Effects of Soil on Trace Metal Leachability from Papermill Ashes and Sludge. <i>Journal of Environmental Quality</i> , 1999, 28, 321-333.	1.0	27
314	Aqueous Pb Reduction in Pb-Contaminated Soils by Florida Phosphate Rocks. <i>Water, Air, and Soil Pollution</i> , 1999, 110, 1-16.	1.1	66
315	Comparison of Four USEPA Digestion Methods for Trace Metal Analysis Using Certified and Florida Soils. <i>Journal of Environmental Quality</i> , 1998, 27, 1294-1300.	1.0	152
316	Effects of Incubation and Phosphate Rock on Lead Extractability and Speciation in Contaminated Soils. <i>Journal of Environmental Quality</i> , 1997, 26, 801-807.	1.0	35
317	Effects of Phosphate Rock on Sequential Chemical Extraction of Lead in Contaminated Soils. <i>Journal of Environmental Quality</i> , 1997, 26, 788-794.	1.0	97
318	Chemical Fractionation of Cadmium, Copper, Nickel, and Zinc in Contaminated Soils. <i>Journal of Environmental Quality</i> , 1997, 26, 259-264.	1.0	547
319	Concentrations and Distributions of Eleven Metals in Florida Soils. <i>Journal of Environmental Quality</i> , 1997, 26, 769-775.	1.0	108
320	Factors Influencing the Effectiveness and Stability of Aqueous Lead Immobilization by Hydroxyapatite. <i>Journal of Environmental Quality</i> , 1996, 25, 1420-1429.	1.0	51
321	Lead Immobilization from Aqueous Solutions and Contaminated Soils Using Phosphate Rocks. <i>Environmental Science &amp; Technology</i> , 1995, 29, 1118-1126.	4.6	439
322	Effects of Aqueous Al, Cd, Cu, Fe(II), Ni, and Zn on Pb Immobilization by Hydroxyapatite. <i>Environmental Science &amp; Technology</i> , 1994, 28, 1219-1228.	4.6	342
323	Effects of NO <sub>3</sub> <sup>-</sup> , Cl <sup>-</sup> , F <sup>-</sup> , SO <sub>4</sub> <sup>2-</sup> , and CO <sub>3</sub> <sup>2-</sup> on Pb <sup>2+</sup> Immobilization by Hydroxyapatite. <i>Environmental Science &amp; Technology</i> , 1994, 28, 408-418.	4.6	156
324	In situ lead immobilization by apatite. <i>Environmental Science &amp; Technology</i> , 1993, 27, 1803-1810.	4.6	617

#	ARTICLE	IF	CITATIONS
325	Measurements of Free Zinc <sup>2+</sup> Activity in Uncontaminated and Contaminated Soils Using Chelation. Soil Science Society of America Journal, 1993, 57, 963-967.	1.2	27