

Gabriel Frampton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6447430/publications.pdf>

Version: 2024-02-01

19
papers

654
citations

759233

12
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

886
citing authors

#	ARTICLE	IF	CITATIONS
1	Leptin Enhances Hepatic Fibrosis and Inflammation in a Mouse Model of Cholestasis. American Journal of Pathology, 2022, 192, 484-502.	3.8	12
2	Characterization of Hepatic Injury During the Azoxymethane Model of Acute Liver Failure. FASEB Journal, 2022, 36, .	0.5	0
3	LPS-induced endotoxemia promotes blood-brain barrier permeability via TSP1-dependent TGF β 1 activation. FASEB Journal, 2022, 36, .	0.5	0
4	Ghrelin reverses ductular reaction and hepatic fibrosis in a rodent model of cholestasis. Scientific Reports, 2020, 10, 16024.	3.3	7
5	Coordinated Targeting of Galanin Receptors on Cholangiocytes and Hepatic Stellate Cells Ameliorates Liver Fibrosis in Multidrug Resistance Protein 2 Knockout Mice. American Journal of Pathology, 2020, 190, 586-601.	3.8	8
6	The TGF β 1 Receptor Antagonist GW788388 Reduces JNK Activation and Protects Against Acetaminophen Hepatotoxicity in Mice. Toxicological Sciences, 2019, 170, 549-561.	3.1	12
7	Elevated circulating TGF β 1 during acute liver failure activates TGF β 2R2 on cortical neurons and exacerbates neuroinflammation and hepatic encephalopathy in mice. Journal of Neuroinflammation, 2019, 16, 69.	7.2	19
8	Direct Comparison of the Thioacetamide and Azoxymethane Models of Type A Hepatic Encephalopathy in Mice. Gene Expression, 2018, 18, 171-185.	1.2	29
9	The Neuropeptide Galanin Is Up-Regulated during Cholestasis and Contributes to Cholangiocyte Proliferation. American Journal of Pathology, 2017, 187, 819-830.	3.8	16
10	Glucocorticoids Cause Gender-Dependent Reversal of Hepatic Fibrosis in the MDR2-Knockout Mouse Model. International Journal of Molecular Sciences, 2017, 18, 2389.	4.1	15
11	Fractalkine suppression during hepatic encephalopathy promotes neuroinflammation in mice. Journal of Neuroinflammation, 2016, 13, 198.	7.2	25
12	Bile Acid Signaling Is Involved in the Neurological Decline in a Murine Model of Acute Liver Failure. American Journal of Pathology, 2016, 186, 312-323.	3.8	76
13	Suppression of the HPA Axis During Cholestasis Can Be Attributed to Hypothalamic Bile Acid Signaling. Molecular Endocrinology, 2015, 29, 1720-1730.	3.7	65
14	Gli1 activation and protection against hepatic encephalopathy is suppressed by circulating transforming growth factor β 1 in mice. Journal of Hepatology, 2014, 61, 1260-1266.	3.7	47
15	Bile acids permeabilize the blood brain barrier after bile duct ligation in rats via Rac1-dependent mechanisms. Digestive and Liver Disease, 2014, 46, 527-534.	0.9	167
16	The novel growth factor, progranulin, stimulates mouse cholangiocyte proliferation via sirtuin-1-mediated inactivation of FOXO1. American Journal of Physiology - Renal Physiology, 2012, 303, G1202-G1211.	3.4	17
17	Interleukin-6-driven progranulin expression increases cholangiocarcinoma growth by an Akt-dependent mechanism. Gut, 2012, 61, 268-277.	12.1	101
18	Increased serum bile acids after extrahepatic biliary obstruction causes leakiness to the blood brain barrier via the disruption of tight junctions. FASEB Journal, 2012, 26, 1110.7.	0.5	2

#	ARTICLE	IF	CITATIONS
19	Opposing actions of endocannabinoids on cholangiocarcinoma growth is via the differential activation of Notch signaling. <i>Experimental Cell Research</i> , 2010, 316, 1465-1478.	2.6	36