

Damià Barcelà³

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6453347/publications.pdf>

Version: 2024-02-01

630
papers

52,266
citations

872

117
h-index

3323

184
g-index

649
all docs

649
docs citations

649
times ranked

34289
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Occurrence of antibiotics and antibiotic resistance genes in hospital and urban wastewaters and their impact on the receiving river. <i>Water Research</i> , 2015, 69, 234-242. | 11.3 | 1,187 |
| 2 | Fate and distribution of pharmaceuticals in wastewater and sewage sludge of the conventional activated sludge (CAS) and advanced membrane bioreactor (MBR) treatment. <i>Water Research</i> , 2009, 43, 831-841. | 11.3 | 979 |
| 3 | Occurrence, partition and removal of pharmaceuticals in sewage water and sludge during wastewater treatment. <i>Water Research</i> , 2011, 45, 1165-1176. | 11.3 | 802 |
| 4 | Development of a multi-residue analytical methodology based on liquid chromatography-tandem mass spectrometry (LC-MS/MS) for screening and trace level determination of pharmaceuticals in surface and wastewaters. <i>Talanta</i> , 2006, 70, 678-690. | 5.5 | 633 |
| 5 | Increased plastic pollution due to COVID-19 pandemic: Challenges and recommendations. <i>Chemical Engineering Journal</i> , 2021, 405, 126683. | 12.7 | 552 |
| 6 | Liquid chromatography-tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review. <i>Journal of Chromatography A</i> , 2005, 1067, 1-14. | 3.7 | 535 |
| 7 | Contribution of hospital effluents to the load of pharmaceuticals in urban wastewaters: Identification of ecologically relevant pharmaceuticals. <i>Science of the Total Environment</i> , 2013, 461-462, 302-316. | 8.0 | 469 |
| 8 | Fast and comprehensive multi-residue analysis of a broad range of human and veterinary pharmaceuticals and some of their metabolites in surface and treated waters by ultra-high-performance liquid chromatography coupled to quadrupole-linear ion trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1248, 104-121. | 3.7 | 457 |
| 9 | Analysis of pharmaceuticals in wastewater and removal using a membrane bioreactor. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1365-1377. | 3.7 | 444 |
| 10 | Human exposure to endocrine disrupting compounds: Their role in reproductive systems, metabolic syndrome and breast cancer. A review. <i>Environmental Research</i> , 2016, 151, 251-264. | 7.5 | 438 |
| 11 | Determination of pharmaceuticals of various therapeutic classes by solid-phase extraction and liquid chromatography-tandem mass spectrometry analysis in hospital effluent wastewaters. <i>Journal of Chromatography A</i> , 2006, 1114, 224-233. | 3.7 | 424 |
| 12 | Accumulation of perfluoroalkyl substances in human tissues. <i>Environment International</i> , 2013, 59, 354-362. | 10.0 | 401 |
| 13 | Response of soil enzyme activities and bacterial communities to the accumulation of microplastics in an acid cropped soil. <i>Science of the Total Environment</i> , 2020, 707, 135634. | 8.0 | 396 |
| 14 | Microplastics in agricultural soils on the coastal plain of Hangzhou Bay, east China: Multiple sources other than plastic mulching film. <i>Journal of Hazardous Materials</i> , 2020, 388, 121814. | 12.4 | 378 |
| 15 | Biosensors as useful tools for environmental analysis and monitoring. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 1025-1041. | 3.7 | 374 |
| 16 | Polar Pollutants Entry into the Water Cycle by Municipal Wastewater: A European Perspective. <i>Environmental Science & Technology</i> , 2006, 40, 5451-5458. | 10.0 | 373 |
| 17 | Environmental risk assessment of pharmaceuticals in rivers: Relationships between hazard indexes and aquatic macroinvertebrate diversity indexes in the Llobregat River (NE Spain). <i>Environment International</i> , 2010, 36, 153-162. | 10.0 | 350 |
| 18 | Occurrence of 95 pharmaceuticals and transformation products in urban groundwaters underlying the metropolis of Barcelona, Spain. <i>Environmental Pollution</i> , 2013, 174, 305-315. | 7.5 | 347 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Antibiotic residues in final effluents of European wastewater treatment plants and their impact on the aquatic environment. <i>Environment International</i> , 2020, 140, 105733. | 10.0 | 338 |
| 20 | Illicit drug consumption estimations derived from wastewater analysis: A critical review. <i>Science of the Total Environment</i> , 2011, 409, 3564-3577. | 8.0 | 335 |
| 21 | Rethinking and optimising plastic waste management under COVID-19 pandemic: Policy solutions based on redesign and reduction of single-use plastics and personal protective equipment. <i>Science of the Total Environment</i> , 2020, 742, 140565. | 8.0 | 331 |
| 22 | Rapid analysis of multiclass antibiotic residues and some of their metabolites in hospital, urban wastewater and river water by ultra-high-performance liquid chromatography coupled to quadrupole-linear ion trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1292, 173-188. | 3.7 | 322 |
| 23 | Emerging organic contaminants in groundwater in Spain: A review of sources, recent occurrence and fate in a European context. <i>Science of the Total Environment</i> , 2012, 440, 82-94. | 8.0 | 321 |
| 24 | Occurrence and distribution of pharmaceuticals in surface water, suspended solids and sediments of the Ebro river basin, Spain. <i>Chemosphere</i> , 2011, 85, 1331-1339. | 8.2 | 320 |
| 25 | Wastewater treatment plants as a pathway for aquatic contamination by pharmaceuticals in the Ebro river basin (Northeast Spain). <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 1553-1562. | 4.3 | 318 |
| 26 | Analysis and occurrence of pharmaceuticals, estrogens, progestogens and polar pesticides in sewage treatment plant effluents, river water and drinking water in the Llobregat river basin (Barcelona). <i>Trends in Analytical Chemistry</i> , 2010, 29, 100-104. | 10.0 | 310 |
| 27 | Tracing Pharmaceutical Residues of Different Therapeutic Classes in Environmental Waters by Using Liquid Chromatography/Quadrupole-Linear Ion Trap Mass Spectrometry and Automated Library Searching. <i>Analytical Chemistry</i> , 2009, 81, 898-912. | 6.5 | 297 |
| 28 | Estrogenicity Determination in Sewage Treatment Plants and Surface Waters from the Catalanian Area (NE Spain). <i>Environmental Science & Technology</i> , 2000, 34, 5076-5083. | 10.0 | 296 |
| 29 | Identification and determination of metabolites and degradation products of sulfonamide antibiotics. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 1008-1022. | 11.4 | 293 |
| 30 | Exploring the links between antibiotic occurrence, antibiotic resistance, and bacterial communities in water supply reservoirs. <i>Science of the Total Environment</i> , 2013, 456-457, 161-170. | 8.0 | 288 |
| 31 | Advantages and limitations of on-line solid phase extraction coupled to liquid chromatography-mass spectrometry technologies versus biosensors for monitoring of emerging contaminants in water. <i>Journal of Chromatography A</i> , 2007, 1152, 97-115. | 3.7 | 287 |
| 32 | Drugs of abuse and their metabolites in the Ebro River basin: Occurrence in sewage and surface water, sewage treatment plants removal efficiency, and collective drug usage estimation. <i>Environment International</i> , 2010, 36, 75-84. | 10.0 | 282 |
| 33 | Occurrence and behavior of pesticides in wastewater treatment plants and their environmental impact. <i>Science of the Total Environment</i> , 2013, 458-460, 466-476. | 8.0 | 282 |
| 34 | Pesticides in the Ebro River basin: Occurrence and risk assessment. <i>Environmental Pollution</i> , 2016, 211, 414-424. | 7.5 | 279 |
| 35 | Impact of pesticides used in agriculture and vineyards to surface and groundwater quality (North). <i>Trends in Analytical Chemistry</i> , 2014, 31, 107-114. | 11.3 | 277 |
| 36 | Multi-residue analysis of pharmaceuticals in wastewater by ultra-performance liquid chromatography-quadrupole-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1124, 68-81. | 3.7 | 261 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Strengths and limitations of immunoassays for effective and efficient use for pesticide analysis in water samples: A review. <i>Analytica Chimica Acta</i> , 1998, 362, 3-34. | 5.4 | 249 |
| 38 | Occurrence and fate of emerging wastewater contaminants in Western Balkan Region. <i>Science of the Total Environment</i> , 2008, 399, 66-77. | 8.0 | 247 |
| 39 | Determination of 81 pharmaceutical drugs by high performance liquid chromatography coupled to mass spectrometry with hybrid triple quadrupole-linear ion trap in different types of water in Serbia. <i>Science of the Total Environment</i> , 2014, 468-469, 415-428. | 8.0 | 221 |
| 40 | Multivariate curve resolution applied to liquid chromatography-diode array detection. <i>TrAC - Trends in Analytical Chemistry</i> , 1993, 12, 319-327. | 11.4 | 220 |
| 41 | Adsorption of perfluoroalkyl substances on microplastics under environmental conditions. <i>Environmental Pollution</i> , 2018, 235, 680-691. | 7.5 | 220 |
| 42 | Recent trends in the liquid chromatography-mass spectrometry analysis of organic contaminants in environmental samples. <i>Journal of Chromatography A</i> , 2010, 1217, 4004-4017. | 3.7 | 216 |
| 43 | Occurrence and Bioavailability of Polybrominated Diphenyl Ethers and Hexabromocyclododecane in Sediment and Fish from the Cinca River, a Tributary of the Ebro River (Spain). <i>Environmental Science & Technology</i> , 2004, 38, 2603-2608. | 10.0 | 213 |
| 44 | Occurrence of sulfonamide residues along the Ebro river basin Removal in wastewater treatment plants and environmental impact assessment. <i>Environment International</i> , 2011, 37, 462-473. | 10.0 | 210 |
| 45 | Multi-residue method for trace level determination of pharmaceuticals in solid samples using pressurized liquid extraction followed by liquid chromatography/quadrupole-linear ion trap mass spectrometry. <i>Talanta</i> , 2009, 80, 363-371. | 5.5 | 208 |
| 46 | Analysis and Prevention of Microplastics Pollution in Water: Current Perspectives and Future Directions. <i>ACS Omega</i> , 2019, 4, 6709-6719. | 3.5 | 208 |
| 47 | Choosing between Atmospheric Pressure Chemical Ionization and Electrospray Ionization Interfaces for the HPLC/MS Analysis of Pesticides. <i>Analytical Chemistry</i> , 2001, 73, 5441-5449. | 6.5 | 203 |
| 48 | Organic UV filters and their photodegradates, metabolites and disinfection by-products in the aquatic environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 873-887. | 11.4 | 203 |
| 49 | Analysis and assessment of the occurrence, the fate and the behavior of nanomaterials in the environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 517-527. | 11.4 | 203 |
| 50 | Liquid chromatography-(tandem) mass spectrometry of selected emerging pollutants (steroid sex) <i>Journal of Chromatography A</i> , 2003, 1000, 503-526. | 3.7 | 200 |
| 51 | Fully Automated Determination in the Low Nanogram per Liter Level of Different Classes of Drugs of Abuse in Sewage Water by On-Line Solid-Phase Extraction-Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2008, 80, 3123-3134. | 6.5 | 199 |
| 52 | Multi-residue analytical methods using LC-tandem MS for the determination of pharmaceuticals in environmental and wastewater samples: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 941-952. | 3.7 | 198 |
| 53 | Analysis and environmental levels of endocrine-disrupting compounds in freshwater sediments. <i>TrAC - Trends in Analytical Chemistry</i> , 2001, 20, 637-648. | 11.4 | 192 |
| 54 | Hospital wastewater treatment by fungal bioreactor: Removal efficiency for pharmaceuticals and endocrine disruptor compounds. <i>Science of the Total Environment</i> , 2014, 493, 365-376. | 8.0 | 192 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Degradation of pharmaceuticals in non-sterile urban wastewater by <i>Trametes versicolor</i> in a fluidized bed bioreactor. <i>Water Research</i> , 2013, 47, 5200-5210. | 11.3 | 190 |
| 56 | Highly sensitive simultaneous determination of sulfonamide antibiotics and one metabolite in environmental waters by liquid chromatography–quadrupole linear ion trap–mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1193, 50-59. | 3.7 | 184 |
| 57 | Occurrence of halogenated and organophosphate flame retardants in sediment and fish samples from three European river basins. <i>Science of the Total Environment</i> , 2017, 586, 782-791. | 8.0 | 180 |
| 58 | Degradation of carbamazepine by <i>Trametes versicolor</i> in an air pulsed fluidized bed bioreactor and identification of intermediates. <i>Water Research</i> , 2012, 46, 955-964. | 11.3 | 178 |
| 59 | Synthetic organic compounds and their transformation products in groundwater: Occurrence, fate and mitigation. <i>Science of the Total Environment</i> , 2015, 503-504, 32-47. | 8.0 | 176 |
| 60 | Anthropogenic contaminants of high concern: Existence in water resources and their adverse effects. <i>Science of the Total Environment</i> , 2019, 690, 1068-1088. | 8.0 | 176 |
| 61 | Persistence of pesticides-based contaminants in the environment and their effective degradation using laccase-assisted biocatalytic systems. <i>Science of the Total Environment</i> , 2019, 695, 133896. | 8.0 | 175 |
| 62 | An environmental and health perspective for COVID-19 outbreak: Meteorology and air quality influence, sewage epidemiology indicator, hospitals disinfection, drug therapies and recommendations. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104006. | 6.7 | 171 |
| 63 | Determination of 19 sulfonamides in environmental water samples by automated on-line solid-phase extraction-liquid chromatography–tandem mass spectrometry (SPE-LC–MS/MS). <i>Talanta</i> , 2010, 81, 355-366. | 5.5 | 169 |
| 64 | Trace organic chemicals contamination in ground water recharge. <i>Chemosphere</i> , 2008, 72, 333-342. | 8.2 | 166 |
| 65 | Bridging levels of pharmaceuticals in river water with biological community structure in the llobregat river basin (northeast Spain). <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 2706-2714. | 4.3 | 166 |
| 66 | First determination of C60 and C70 fullerenes and N-methylfulleropyrrolidine C60 on the suspended material of wastewater effluents by liquid chromatography hybrid quadrupole linear ion trap tandem mass spectrometry. <i>Journal of Hydrology</i> , 2010, 383, 44-51. | 5.4 | 166 |
| 67 | Nano- and microplastic analysis: Focus on their occurrence in freshwater ecosystems and remediation technologies. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 113, 409-425. | 11.4 | 165 |
| 68 | The SOLUTIONS project: Challenges and responses for present and future emerging pollutants in land and water resources management. <i>Science of the Total Environment</i> , 2015, 503-504, 22-31. | 8.0 | 163 |
| 69 | Picogram per Liter Level Determination of Estrogens in Natural Waters and Waterworks by a Fully Automated On-Line Solid-Phase Extraction-Liquid Chromatography-Electrospray Tandem Mass Spectrometry Method. <i>Analytical Chemistry</i> , 2004, 76, 6998-7006. | 6.5 | 161 |
| 70 | Comprehensive study of ibuprofen and its metabolites in activated sludge batch experiments and aquatic environment. <i>Science of the Total Environment</i> , 2012, 438, 404-413. | 8.0 | 161 |
| 71 | Managing the effects of multiple stressors on aquatic ecosystems under water scarcity. The GLOBAQUA project. <i>Science of the Total Environment</i> , 2015, 503-504, 3-9. | 8.0 | 161 |
| 72 | Self-reduction bimetallic nanoparticles on ultrathin MXene nanosheets as functional platform for pesticide sensing. <i>Journal of Hazardous Materials</i> , 2020, 384, 121358. | 12.4 | 160 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Municipal Solid Waste Landfills: An Underestimated Source of Pharmaceutical and Personal Care Products in the Water Environment. <i>Environmental Science & Technology</i> , 2020, 54, 9757-9768. | 10.0 | 157 |
| 74 | Ecotoxicological effects of carbon based nanomaterials in aquatic organisms. <i>Science of the Total Environment</i> , 2018, 619-620, 328-337. | 8.0 | 154 |
| 75 | Analytical chemistry of metallic nanoparticles in natural environments. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 528-540. | 11.4 | 152 |
| 76 | Occurrence of pharmaceutical, recreational and psychotropic drug residues in surface water on the northern Antarctic Peninsula region. <i>Environmental Pollution</i> , 2017, 229, 241-254. | 7.5 | 151 |
| 77 | Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water. <i>Journal of Chromatography A</i> , 2001, 938, 145-153. | 3.7 | 150 |
| 78 | Occurrence of polybrominated diphenylethers, polychlorinated dibenzo-p-dioxins, dibenzofurans and biphenyls in coastal sediments from Spain. <i>Environmental Pollution</i> , 2005, 136, 493-501. | 7.5 | 150 |
| 79 | Biocatalytic degradation/redefining "removal" fate of pharmaceutically active compounds and antibiotics in the aquatic environment. <i>Science of the Total Environment</i> , 2019, 691, 1190-1211. | 8.0 | 150 |
| 80 | Triclosan persistence through wastewater treatment plants and its potential toxic effects on river biofilms. <i>Aquatic Toxicology</i> , 2010, 100, 346-353. | 4.0 | 149 |
| 81 | Pesticide monitoring in the basin of Llobregat River (Catalonia, Spain) and comparison with historical data. <i>Science of the Total Environment</i> , 2015, 503-504, 58-68. | 8.0 | 149 |
| 82 | UV filters bioaccumulation in fish from Iberian river basins. <i>Science of the Total Environment</i> , 2015, 518-519, 518-525. | 8.0 | 148 |
| 83 | Distribution of endocrine disruptors in the Llobregat River basin (Catalonia, NE Spain). <i>Chemosphere</i> , 2005, 61, 1710-1719. | 8.2 | 146 |
| 84 | Solar photocatalytic degradation of persistent pharmaceuticals at pilot-scale: Kinetics and characterization of major intermediate products. <i>Applied Catalysis B: Environmental</i> , 2009, 89, 255-264. | 20.2 | 145 |
| 85 | Performance of a microalgal photobioreactor treating toilet wastewater: Pharmaceutically active compound removal and biomass harvesting. <i>Science of the Total Environment</i> , 2017, 592, 1-11. | 8.0 | 143 |
| 86 | Analysis and distribution of estrogens and progestogens in sewage sludge, soils and sediments. <i>TrAC - Trends in Analytical Chemistry</i> , 2004, 23, 790-798. | 11.4 | 142 |
| 87 | Biosensors for environmental monitoring of endocrine disruptors: a review article. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 588-598. | 3.7 | 141 |
| 88 | Review of analytical methods for the determination of estrogens and progestogens in waste waters. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 371, 437-447. | 1.5 | 139 |
| 89 | Effect-Directed Analysis of Key Toxicants in European River Basins. A Review (9 pp). <i>Environmental Science and Pollution Research</i> , 2007, 14, 30-38. | 5.3 | 139 |
| 90 | Effect of sewage sludges contaminated with polybrominated diphenylethers on agricultural soils. <i>Chemosphere</i> , 2008, 71, 1079-1086. | 8.2 | 139 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Simultaneous occurrence of nitrates and sulfonamide antibiotics in two ground water bodies of Catalonia (Spain). <i>Journal of Hydrology</i> , 2010, 383, 93-101. | 5.4 | 138 |
| 92 | Primary and complex stressors in polluted mediterranean rivers: Pesticide effects on biological communities. <i>Journal of Hydrology</i> , 2010, 383, 52-61. | 5.4 | 138 |
| 93 | Floating macrolitter leaked from Europe into the ocean. <i>Nature Sustainability</i> , 2021, 4, 474-483. | 23.7 | 137 |
| 94 | Determination of 39 polybrominated diphenyl ether congeners in sediment samples using fast selective pressurized liquid extraction and purification. <i>Journal of Chromatography A</i> , 2003, 1021, 165-173. | 3.7 | 135 |
| 95 | Evaluation of drugs of abuse use and trends in a prison through wastewater analysis. <i>Environment International</i> , 2011, 37, 49-55. | 10.0 | 135 |
| 96 | First report of pyrethroid bioaccumulation in wild river fish: A case study in Iberian river basins (Spain). <i>Environment International</i> , 2015, 75, 110-116. | 10.0 | 134 |
| 97 | Occurrence, distribution and partitioning of nonionic surfactants and pharmaceuticals in the urbanized Long Island Sound Estuary (NY). <i>Marine Pollution Bulletin</i> , 2014, 85, 710-719. | 5.0 | 133 |
| 98 | Effects of low concentrations of the phenylurea herbicide diuron on biofilm algae and bacteria. <i>Chemosphere</i> , 2009, 76, 1392-1401. | 8.2 | 131 |
| 99 | Risk assessment based prioritization of 200 organic micropollutants in 4 Iberian rivers. <i>Science of the Total Environment</i> , 2015, 503-504, 289-299. | 8.0 | 131 |
| 100 | Pharmaceuticals, pesticides, personal care products and microplastics contamination assessment of Al-Hassa irrigation network (Saudi Arabia) and its shallow lakes. <i>Science of the Total Environment</i> , 2020, 701, 135021. | 8.0 | 131 |
| 101 | Emerging food contaminants: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2413-2427. | 3.7 | 130 |
| 102 | Fully automated determination of nine ultraviolet filters and transformation products in natural waters and wastewaters by on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1294, 106-116. | 3.7 | 130 |
| 103 | Microalgae cultivation on wastewater digestate: 17 β -estradiol and 17 α -ethynylestradiol degradation and transformation products identification. <i>Journal of Environmental Management</i> , 2015, 155, 106-113. | 7.8 | 130 |
| 104 | Early SARS-CoV-2 outbreak detection by sewage-based epidemiology. <i>Science of the Total Environment</i> , 2020, 732, 139298. | 8.0 | 130 |
| 105 | Competitive flow immunoassay with fluorescence detection for determination of 4-nitrophenol. <i>Analytica Chimica Acta</i> , 2001, 426, 185-195. | 5.4 | 128 |
| 106 | Pilot survey of a broad range of priority pollutants in sediment and fish from the Ebro river basin (NE Tj ETQq0 0 0 pgBT /Overlock 10 Tf | 7.5 | 127 |
| 107 | Biodegradation of sulfamethazine by <i>Trametes versicolor</i> : Removal from sewage sludge and identification of intermediate products by UPLC-QTOF-MS. <i>Science of the Total Environment</i> , 2011, 409, 5505-5512. | 8.0 | 127 |
| 108 | Achievements and future trends in the analysis of emerging organic contaminants in environmental samples by mass spectrometry and bioanalytical techniques. <i>Journal of Chromatography A</i> , 2012, 1259, 86-99. | 3.7 | 127 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Occurrence and analysis of estrogens and progestogens in river sediments by liquid chromatography-electrospray-mass spectrometry. <i>Analyst, The</i> , 2002, 127, 1299-1304. | 3.5 | 126 |
| 110 | Cytostatic drugs and metabolites in municipal and hospital wastewaters in Spain: Filtration, occurrence, and environmental risk. <i>Science of the Total Environment</i> , 2014, 497-498, 68-77. | 8.0 | 126 |
| 111 | Analysis of perfluoroalkyl substances in waters from Germany and Spain. <i>Science of the Total Environment</i> , 2012, 431, 139-150. | 8.0 | 125 |
| 112 | Chemical and toxicological characterisation of anticancer drugs in hospital and municipal wastewaters from Slovenia and Spain. <i>Environmental Pollution</i> , 2016, 219, 275-287. | 7.5 | 125 |
| 113 | Comparative study of an estradiol enzyme-linked immunosorbent assay kit, liquid chromatography-tandem mass spectrometry, and ultra performance liquid chromatography-quadrupole time of flight mass spectrometry for part-per-trillion analysis of estrogens in water samples. <i>Journal of Chromatography A</i> , 2007, 1160, 166-175. | 3.7 | 124 |
| 114 | Occurrence and modeling of pharmaceuticals on a sewage-impacted Mediterranean river and their dynamics under different hydrological conditions. <i>Science of the Total Environment</i> , 2012, 440, 3-13. | 8.0 | 124 |
| 115 | Analysis of UV filters in tap water and other clean waters in Spain. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2325-2333. | 3.7 | 123 |
| 116 | Removal of a broad range of surfactants from municipal wastewater – Comparison between membrane bioreactor and conventional activated sludge treatment. <i>Chemosphere</i> , 2007, 67, 335-343. | 8.2 | 121 |
| 117 | Pharmaceuticals as chemical markers of wastewater contamination in the vulnerable area of the Ebro Delta (Spain). <i>Science of the Total Environment</i> , 2019, 652, 952-963. | 8.0 | 121 |
| 118 | Environmental applications of analytical biosensors. <i>Measurement Science and Technology</i> , 1996, 7, 1547-1562. | 2.6 | 120 |
| 119 | Analysis of drugs of abuse and their human metabolites in water by LC-MS2: A non-intrusive tool for drug abuse estimation at the community level. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 1053-1069. | 11.4 | 120 |
| 120 | Combining chemical analysis and ecotoxicity to determine environmental exposure and to assess risk from sulfonamides. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 804-819. | 11.4 | 120 |
| 121 | Green analytical chemistry in the determination of organic pollutants in the aquatic environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 1347-1362. | 11.4 | 118 |
| 122 | Occurrence of multiclass UV filters in treated sewage sludge from wastewater treatment plants. <i>Chemosphere</i> , 2011, 84, 1158-1165. | 8.2 | 118 |
| 123 | Pyrolysis gas chromatography-mass spectrometry in environmental analysis: Focus on organic matter and microplastics. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 130, 115964. | 11.4 | 118 |
| 124 | Occurrence and fate of alkylphenols and alkylphenol ethoxylates in sewage treatment plants and impact on receiving waters along the Ter River (Catalonia, NE Spain). <i>Environmental Pollution</i> , 2008, 153, 384-392. | 7.5 | 116 |
| 125 | Infant exposure of perfluorinated compounds: Levels in breast milk and commercial baby food. <i>Environment International</i> , 2010, 36, 584-592. | 10.0 | 115 |
| 126 | Multi-residue analytical method for the determination of endocrine disruptors and related compounds in river and waste water using dual column liquid chromatography switching system coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1295, 57-66. | 3.7 | 115 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Contamination sources and distribution patterns of pharmaceuticals and personal care products in Alpine rivers strongly affected by tourism. <i>Science of the Total Environment</i> , 2017, 590-591, 484-494. | 8.0 | 115 |
| 128 | Assessment of full-scale tertiary wastewater treatment by UV-C based-AOPs: Removal or persistence of antibiotics and antibiotic resistance genes?. <i>Science of the Total Environment</i> , 2019, 652, 1051-1061. | 8.0 | 115 |
| 129 | Monitoring Long-Chain Intermediate Products from the Degradation of Linear Alkylbenzene Sulfonates in the Marine Environment by Solid-Phase Extraction Followed by Liquid Chromatography/Ionspray Mass Spectrometry. <i>Environmental Science & Technology</i> , 1997, 31, 504-510. | 10.0 | 114 |
| 130 | Comparison of sulfonated and other micropollutants removal in membrane bioreactor and conventional wastewater treatment. <i>Water Research</i> , 2007, 41, 935-945. | 11.3 | 113 |
| 131 | Hexabromocyclododecane in Human Breast Milk: Levels and Enantiomeric Patterns. <i>Environmental Science & Technology</i> , 2009, 43, 1940-1946. | 10.0 | 112 |
| 132 | Advanced monitoring of pharmaceuticals and estrogens in the Llobregat River basin (Spain) by liquid chromatographyâ€“triple quadrupole-tandem mass spectrometry in combination with ultra performance liquid chromatographyâ€“time of flight-mass spectrometry. <i>Chemosphere</i> , 2010, 80, 1337-1344. | 8.2 | 112 |
| 133 | Development of a liquid chromatographyâ€“tandem mass spectrometry procedure for determination of endocrine disrupting compounds in fish from Mediterranean rivers. <i>Journal of Chromatography A</i> , 2013, 1306, 44-58. | 3.7 | 112 |
| 134 | Chemical and biological analysis of endocrineâ€“disrupting hormones and estrogenic activity in an advanced sewage treatment plant. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1649-1658. | 4.3 | 111 |
| 135 | Pharmaceuticals and pesticides in reclaimed water: Efficiency assessment of a microfiltrationâ€“reverse osmosis (MFâ€“RO) pilot plant. <i>Journal of Hazardous Materials</i> , 2015, 282, 165-173. | 12.4 | 110 |
| 136 | Urban groundwater contamination by residues of UV filters. <i>Journal of Hazardous Materials</i> , 2014, 271, 141-149. | 12.4 | 109 |
| 137 | The expanding role of LC-MS in analyzing metabolites and degradation products of food contaminants. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 821-835. | 11.4 | 108 |
| 138 | Polybromodiphenyl Ether Flame Retardants in Fish from Lakes in European High Mountains and Greenland. <i>Environmental Science & Technology</i> , 2004, 38, 2338-2344. | 10.0 | 107 |
| 139 | Environmental analysis of fluorinated alkyl substances by liquid chromatographyâ€“(tandem) mass spectrometry: a review. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 953-972. | 3.7 | 107 |
| 140 | On-line solid phase extractionâ€“liquid chromatographyâ€“tandem mass spectrometry for the determination of 17 cytostatics and metabolites in waste, surface and ground water samples. <i>Journal of Chromatography A</i> , 2013, 1280, 64-74. | 3.7 | 107 |
| 141 | COMBINED USE OF BIOMARKERS AND IN SITU BIOASSAYS IN DAPHNIA MAGNA TO MONITOR ENVIRONMENTAL HAZARDS OF PESTICIDES IN THE FIELD. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 370. | 4.3 | 106 |
| 142 | LCâ€“MS2 trace analysis of antimicrobials in water, sediment and soil. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 645-657. | 11.4 | 105 |
| 143 | Determination of antimicrobial residues and metabolites in the aquatic environment by liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 973-985. | 3.7 | 105 |
| 144 | Determination of mono- and disulphonated azo dyes by liquid chromatographyâ€“atmospheric pressure ionization mass spectrometry. <i>Journal of Chromatography A</i> , 1997, 777, 177-192. | 3.7 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Analysis of 17 polar to semi-polar pesticides in the Ebro river delta during the main growing season of rice by automated on-line solid-phase extraction-liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2008, 75, 390-401. | 5.5 | 104 |
| 146 | Effects of human-driven water stress on river ecosystems: a meta-analysis. <i>Scientific Reports</i> , 2018, 8, 11462. | 3.3 | 104 |
| 147 | Mitigation of bisphenol A using an array of laccase-based robust bio-catalytic cues - A review. <i>Science of the Total Environment</i> , 2019, 689, 160-177. | 8.0 | 103 |
| 148 | Occurrence of linear and cyclic volatile methylsiloxanes in wastewater, surface water and sediments from Catalonia. <i>Science of the Total Environment</i> , 2013, 443, 530-538. | 8.0 | 102 |
| 149 | Survey of organotin compounds in rivers and coastal environments in Portugal 1999-2000. <i>Environmental Pollution</i> , 2005, 136, 525-536. | 7.5 | 101 |
| 150 | Liquid chromatography-tandem mass spectrometric analysis and regulatory issues of polar pesticides in natural and treated waters. <i>Journal of Chromatography A</i> , 2009, 1216, 520-529. | 3.7 | 101 |
| 151 | Photodegradation of azithromycin in various aqueous systems under simulated and natural solar radiation: Kinetics and identification of photoproducts. <i>Chemosphere</i> , 2011, 83, 340-348. | 8.2 | 101 |
| 152 | Dechlorane Plus and Related Compounds in Peregrine Falcon (<i>Falco peregrinus</i>) Eggs from Canada and Spain. <i>Environmental Science & Technology</i> , 2011, 45, 1284-1290. | 10.0 | 100 |
| 153 | Pressurized liquid extraction followed by liquid chromatography-mass spectrometry for the determination of alkylphenolic compounds in river sediment. <i>Journal of Chromatography A</i> , 2002, 959, 15-23. | 3.7 | 99 |
| 154 | Removal of estrogens through water disinfection processes and formation of by-products. <i>Chemosphere</i> , 2011, 82, 789-799. | 8.2 | 99 |
| 155 | Ecotoxicity evaluation and removal of sulfonamides and their acetylated metabolites during conventional wastewater treatment. <i>Science of the Total Environment</i> , 2012, 437, 403-412. | 8.0 | 99 |
| 156 | Occurrence of hydrophobic organic pollutants (BFRs and UV-filters) in sediments from South America. <i>Chemosphere</i> , 2013, 92, 309-316. | 8.2 | 99 |
| 157 | A survey of emerging contaminants in the estuarine receiving environment around Auckland, New Zealand. <i>Science of the Total Environment</i> , 2014, 468-469, 202-210. | 8.0 | 99 |
| 158 | Broad Spectrum Analysis of 109 Priority Compounds Listed in the 76/464/CEE Council Directive Using Solid-Phase Extraction and GC/EI/MS. <i>Analytical Chemistry</i> , 2000, 72, 1430-1440. | 6.5 | 98 |
| 159 | Analysis and occurrence of selected medium to highly polar pesticides in groundwater of Catalonia (NE Spain): An approach based on on-line solid phase extraction-liquid chromatography-electrospray-tandem mass spectrometry detection. <i>Journal of Hydrology</i> , 2010, 383, 83-92. | 5.4 | 98 |
| 160 | Advanced mass spectrometric methods applied to the study of fate and removal of pharmaceuticals in wastewater treatment. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 1132-1144. | 11.4 | 97 |
| 161 | Multiresidue trace analysis of sulfonamide antibiotics and their metabolites in soils and sewage sludge by pressurized liquid extraction followed by liquid chromatography-electrospray-quadrupole linear ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1275, 32-40. | 3.7 | 96 |
| 162 | Micro/nanoplastics effects on organisms: A review focusing on "dose". <i>Journal of Hazardous Materials</i> , 2021, 417, 126084. | 12.4 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Fast pressurized liquid extraction with in-cell purification and analysis by liquid chromatography tandem mass spectrometry for the determination of UV filters and their degradation products in sediments. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2195-2204. | 3.7 | 95 |
| 164 | Biodegradation of the X-ray contrast agent iopromide and the fluoroquinolone antibiotic ofloxacin by the white rot fungus <i>Trametes versicolor</i> in hospital wastewaters and identification of degradation products. <i>Water Research</i> , 2014, 60, 228-241. | 11.3 | 95 |
| 165 | Oxidation of atenolol, propranolol, carbamazepine and clofibrac acid by a biological Fenton-like system mediated by the white-rot fungus <i>Trametes versicolor</i> . <i>Water Research</i> , 2010, 44, 521-532. | 11.3 | 94 |
| 166 | Distribution and fate of perfluoroalkyl substances in Mediterranean Spanish sewage treatment plants. <i>Science of the Total Environment</i> , 2014, 472, 912-922. | 8.0 | 94 |
| 167 | Screening of organophosphorus pesticides in environmental matrices by various gas chromatographic techniques. <i>Analytica Chimica Acta</i> , 1993, 281, 71-84. | 5.4 | 92 |
| 168 | Assessment of multi-chemical pollution in aquatic ecosystems using toxic units: Compound prioritization, mixture characterization and relationships with biological descriptors. <i>Science of the Total Environment</i> , 2014, 468-469, 715-723. | 8.0 | 92 |
| 169 | Analysis of the presence of perfluoroalkyl substances in water, sediment and biota of the Jucar River (E Spain). Sources, partitioning and relationships with water physical characteristics. <i>Environmental Research</i> , 2016, 147, 503-512. | 7.5 | 92 |
| 170 | Algal-based removal strategies for hazardous contaminants from the environment – A review. <i>Science of the Total Environment</i> , 2019, 665, 358-366. | 8.0 | 92 |
| 171 | Analysis of 52 pesticides in fresh fish muscle by QuEChERS extraction followed by LC-MS/MS determination. <i>Science of the Total Environment</i> , 2019, 653, 958-967. | 8.0 | 92 |
| 172 | Occurrence and Specific Congener Profile of 40 Polybrominated Diphenyl Ethers in River and Coastal Sediments from Portugal. <i>Environmental Science & Technology</i> , 2003, 37, 892-898. | 10.0 | 91 |
| 173 | How to confirm identified toxicants in effect-directed analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 390, 1959-1973. | 3.7 | 91 |
| 174 | Integrated ecotoxicological and chemical approach for the assessment of pesticide pollution in the Ebro River delta (Spain). <i>Journal of Hydrology</i> , 2010, 383, 73-82. | 5.4 | 91 |
| 175 | Trace analysis of polystyrene microplastics in natural waters. <i>Chemosphere</i> , 2019, 236, 124321. | 8.2 | 91 |
| 176 | Development of a highly sensitive enzyme-linked immunosorbent assay for atrazine Performance evaluation by flow injection immunoassay. <i>Analytica Chimica Acta</i> , 1997, 347, 149-162. | 5.4 | 90 |
| 177 | Occurrence and Removal of Estrogenic Short-Chain Ethoxy Nonylphenolic Compounds and Their Halogenated Derivatives during Drinking Water Production. <i>Environmental Science & Technology</i> , 2003, 37, 4442-4448. | 10.0 | 90 |
| 178 | Automated Water Analyser Computer Supported System (AWACSS). <i>Biosensors and Bioelectronics</i> , 2005, 20, 1509-1519. | 10.1 | 90 |
| 179 | Simultaneous extraction and fate of linear alkylbenzene sulfonates, coconut diethanol amides, nonylphenol ethoxylates and their degradation products in wastewater treatment plants, receiving coastal waters and sediments in the Catalanian area (NE Spain). <i>Journal of Chromatography A</i> , 2004, 1052, 111-120. | 3.7 | 89 |
| 180 | Analysis of polycyclic aromatic hydrocarbons in pine needles by gas chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1114, 198-204. | 3.7 | 89 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | Uptake and accumulation of emerging contaminants in soil and plant treated with wastewater under real-world environmental conditions in the Al Hayer area (Saudi Arabia). <i>Science of the Total Environment</i> , 2019, 652, 562-572. | 8.0 | 88 |
| 182 | Trace level determination of \hat{I}^2 -blockers in waste waters by highly selective molecularly imprinted polymers extraction followed by liquid chromatography-quadrupole-linear ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1189, 374-384. | 3.7 | 87 |
| 183 | Emerging and historical brominated flame retardants in peregrine falcon (<i>Falco peregrinus</i>) eggs from Canada and Spain. <i>Environment International</i> , 2012, 40, 179-186. | 10.0 | 87 |
| 184 | Analysis of emerging contaminants in food. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 43, 240-253. | 11.4 | 87 |
| 185 | Automated Water Analyser Computer Supported System (AWACSS) Part I: Project objectives, basic technology, immunoassay development, software design and networking. <i>Biosensors and Bioelectronics</i> , 2005, 20, 1499-1508. | 10.1 | 86 |
| 186 | Four-year advanced monitoring program of polar pesticides in groundwater of Catalonia (NE-Spain). <i>Science of the Total Environment</i> , 2014, 470-471, 1087-1098. | 8.0 | 86 |
| 187 | Determination of pesticides in drinking water by on-line solid-phase disk extraction followed by various liquid chromatographic systems. <i>Journal of Chromatography A</i> , 1993, 645, 125-134. | 3.7 | 85 |
| 188 | Continuous degradation of a mixture of sulfonamides by <i>Trametes versicolor</i> and identification of metabolites from sulfapyridine and sulfathiazole. <i>Journal of Hazardous Materials</i> , 2012, 213-214, 347-354. | 12.4 | 85 |
| 189 | Characterization of ciprofloxacin-resistant isolates from a wastewater treatment plant and its receiving river. <i>Water Research</i> , 2014, 61, 67-76. | 11.3 | 85 |
| 190 | Identification of some factors affecting pharmaceutical active compounds (PhACs) removal in real wastewater. Case study of fungal treatment of reverse osmosis concentrate. <i>Journal of Hazardous Materials</i> , 2015, 283, 663-671. | 12.4 | 85 |
| 191 | Comparative measurement and quantitative risk assessment of alcohol consumption through wastewater-based epidemiology: An international study in 20 cities. <i>Science of the Total Environment</i> , 2016, 565, 977-983. | 8.0 | 85 |
| 192 | Confirmation of chlorotriazine pesticides, their degradation products and organophosphorus pesticides in soil samples using gas chromatography-mass spectrometry with electron impact and positive- and negative-ion chemical ionization. <i>Analytica Chimica Acta</i> , 1991, 243, 259-271. | 5.4 | 84 |
| 193 | Tracing pharmaceuticals in a municipal plant for integrated wastewater and organic solid waste treatment. <i>Science of the Total Environment</i> , 2012, 433, 352-361. | 8.0 | 84 |
| 194 | Ecological risk assessment associated to the removal of endocrine-disrupting parabens and benzophenone-4 in wastewater treatment. <i>Journal of Hazardous Materials</i> , 2016, 310, 143-151. | 12.4 | 84 |
| 195 | Five-year monitoring of 19 illicit and legal substances of abuse at the inlet of a wastewater treatment plant in Barcelona (NE Spain) and estimation of drug consumption patterns and trends. <i>Science of the Total Environment</i> , 2017, 609, 916-926. | 8.0 | 84 |
| 196 | Determination of carbamate residues in crop samples by cholinesterase-based biosensors and chromatographic techniques. <i>Analytica Chimica Acta</i> , 1998, 362, 59-68. | 5.4 | 83 |
| 197 | Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic-mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment. <i>Journal of Chromatography A</i> , 2002, 971, 37-45. | 3.7 | 83 |
| 198 | Identification of unknown pesticides in fruits using ultra-performance liquid chromatography-quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1176, 123-134. | 3.7 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Presence of pharmaceuticals in fish collected from urban rivers in the U.S. EPA 2008-2009 National Rivers and Streams Assessment. <i>Science of the Total Environment</i> , 2018, 634, 542-549. | 8.0 | 82 |
| 200 | Occurrence and transport of pesticides and alkylphenols in water samples along the Ebro River Basin. <i>Journal of Hydrology</i> , 2010, 383, 18-29. | 5.4 | 81 |
| 201 | Assessment of toxicity and genotoxicity of low doses of 5-fluorouracil in zebrafish (<i>Danio rerio</i>) two-generation study. <i>Water Research</i> , 2015, 77, 201-212. | 11.3 | 81 |
| 202 | Perfluoroalkyl substance contamination of the Llobregat River ecosystem (Mediterranean area, NE) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 8.0 | 81 |
| 203 | Multicomponent analysis of volatile organic compounds in water by automated purge and trap coupled to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2002, 959, 181-190. | 3.7 | 80 |
| 204 | First Evidence for Occurrence of Hydroxylated Human Metabolites of Diclofenac and Aceclofenac in Wastewater Using QqLIT-MS and QqTOF-MS. <i>Analytical Chemistry</i> , 2008, 80, 8135-8145. | 6.5 | 80 |
| 205 | Wastewater reuse in Mediterranean semi-arid areas: The impact of discharges of tertiary treated sewage on the load of polar micro pollutants in the Llobregat river (NE Spain). <i>Chemosphere</i> , 2011, 82, 670-678. | 8.2 | 80 |
| 206 | Pollution-induced community tolerance to non-steroidal anti-inflammatory drugs (NSAIDs) in fluvial biofilm communities affected by WWTP effluents. <i>Chemosphere</i> , 2014, 112, 185-193. | 8.2 | 80 |
| 207 | Variations in ¹³ C/ ¹² C and D/H Enrichment Factors of Aerobic Bacterial Fuel Oxygenate Degradation. <i>Environmental Science & Technology</i> , 2007, 41, 2036-2043. | 10.0 | 79 |
| 208 | Application of fully automated online solid phase extraction-liquid chromatography-electrospray-tandem mass spectrometry for the determination of sulfonamides and their acetylated metabolites in groundwater. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 795-806. | 3.7 | 79 |
| 209 | Identification of Ionic Chloroacetanilide-Herbicide Metabolites in Surface Water and Groundwater by HPLC/MS Using Negative Ion Spray. <i>Analytical Chemistry</i> , 1997, 69, 4547-4553. | 6.5 | 78 |
| 210 | Analysis of industrial effluents to determine endocrine-disrupting chemicals. <i>TrAC - Trends in Analytical Chemistry</i> , 1997, 16, 574-583. | 11.4 | 78 |
| 211 | Decabrominated diphenyl ether in river fish and sediment samples collected downstream an industrial park. <i>Chemosphere</i> , 2007, 69, 1278-1286. | 8.2 | 78 |
| 212 | Identification of new transformation products during enzymatic treatment of tetracycline and erythromycin antibiotics at laboratory scale by an on-line turbulent flow liquid-chromatography coupled to a high resolution mass spectrometer LTQ-Orbitrap. <i>Chemosphere</i> , 2015, 119, 90-98. | 8.2 | 78 |
| 213 | Antidepressant drugs as emerging contaminants: Occurrence in urban and non-urban waters and analytical methods for their detection. <i>Science of the Total Environment</i> , 2021, 757, 143722. | 8.0 | 78 |
| 214 | Analysis of pesticides in water by liquid chromatography-tandem mass spectrometric techniques. <i>Mass Spectrometry Reviews</i> , 2006, 25, 900-916. | 5.4 | 77 |
| 215 | Occurrence and transport of PAHs, pesticides and alkylphenols in sediment samples along the Ebro River Basin. <i>Journal of Hydrology</i> , 2010, 383, 5-17. | 5.4 | 77 |
| 216 | Analysis of the occurrence and risk assessment of polar pesticides in the Llobregat River Basin (NE) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 8.2 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Occurrence of organic UV filters and metabolites in lebranche mullet (<i>Mugil liza</i>) from Brazil. <i>Science of the Total Environment</i> , 2018, 618, 451-459. | 8.0 | 77 |
| 218 | Determination of trace levels of herbicides in estuarine waters by gas and liquid chromatographic techniques. <i>Journal of Chromatography A</i> , 1992, 607, 319-327. | 3.7 | 76 |
| 219 | Advanced liquid chromatography-mass spectrometry (LC-MS) methods applied to wastewater removal and the fate of surfactants in the environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 116-124. | 11.4 | 76 |
| 220 | Natural and anthropogenically-produced brominated compounds in endemic dolphins from Western South Atlantic: Another risk to a vulnerable species. <i>Environmental Pollution</i> , 2012, 170, 152-160. | 7.5 | 76 |
| 221 | Multi-residue enantiomeric analysis of pharmaceuticals and their active metabolites in the Guadalquivir River basin (South Spain) by chiral liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5859-5873. | 3.7 | 76 |
| 222 | Anthropogenic (PBDE) and naturally-produced (MeO-PBDE) brominated compounds in cetaceans – A review. <i>Science of the Total Environment</i> , 2014, 481, 619-634. | 8.0 | 76 |
| 223 | Effects of flow intermittency and pharmaceutical exposure on the structure and metabolism of stream biofilms. <i>Science of the Total Environment</i> , 2015, 503-504, 159-170. | 8.0 | 76 |
| 224 | Fully automated multianalyte determination of different classes of pesticides, at picogram per litre levels in water, by on-line solid-phase extraction – liquid chromatography – electrospray – tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1815-1825. | 3.7 | 75 |
| 225 | Occurrence of Aerosol-Bound Fullerenes in the Mediterranean Sea Atmosphere. <i>Environmental Science & Technology</i> , 2012, 46, 1335-1343. | 10.0 | 75 |
| 226 | Direct Peel Monitoring of Xenobiotics in Fruit by Direct Analysis in Real Time Coupled to a Linear Quadrupole Ion Trap – Orbitrap Mass Spectrometer. <i>Analytical Chemistry</i> , 2013, 85, 2638-2644. | 6.5 | 75 |
| 227 | Single and joint ecotoxicity data estimation of organic UV filters and nanomaterials toward selected aquatic organisms. <i>Urban groundwater risk assessment. Environmental Research</i> , 2016, 145, 126-134. | 7.5 | 75 |
| 228 | A new digestion approach for the extraction of microplastics from gastrointestinal tracts (GITs) of the common dolphinfish (<i>Coryphaena hippurus</i>) from the western Mediterranean Sea. <i>Journal of Hazardous Materials</i> , 2020, 397, 122794. | 12.4 | 75 |
| 229 | Congener distribution of polybrominated diphenyl ethers in feral carp (<i>Cyprinus carpio</i>) from the Llobregat River, Spain. <i>Environmental Pollution</i> , 2007, 146, 188-195. | 7.5 | 74 |
| 230 | Simultaneous determination of hexabromocyclododecane, tetrabromobisphenol A, and related compounds in sewage sludge and sediment samples from Ebro River basin (Spain). <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 2817-2824. | 3.7 | 74 |
| 231 | Pyrethroid use-malaria control and individual applications by households for other pests and home garden use. <i>Environment International</i> , 2012, 38, 67-72. | 10.0 | 74 |
| 232 | How recent innovations in gas chromatography-mass spectrometry have improved pesticide residue determination: An alternative technique to be in your radar. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 122, 115720. | 11.4 | 74 |
| 233 | Highly hazardous pesticides and related pollutants: Toxicological, regulatory, and analytical aspects. <i>Science of the Total Environment</i> , 2022, 807, 151879. | 8.0 | 74 |
| 234 | Seasonal variation of plasmatic and hepatic vitellogenin and EROD activity in carp, <i>Cyprinus carpio</i> , in relation to sewage treatment plants. <i>Aquatic Toxicology</i> , 2002, 60, 233-248. | 4.0 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Brominated flame retardants in <i>Alburnus alburnus</i> from Cinca River Basin (Spain). <i>Environmental Pollution</i> , 2005, 133, 501-508. | 7.5 | 73 |
| 236 | Automated trace determination of earthy-musty odorous compounds in water samples by on-line purge-and-trap gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1136, 170-175. | 3.7 | 73 |
| 237 | Chemical monitoring and occurrence of alkylphenols, alkylphenol ethoxylates, alcohol ethoxylates, phthalates and benzothiazoles in sewage treatment plants and receiving waters along the Ter River basin (Catalonia, N. E. Spain). <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 992-1000. | 3.7 | 73 |
| 238 | Quantitative trace analysis of fullerenes in river sediment from Spain and soils from Saudi Arabia. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5915-5923. | 3.7 | 73 |
| 239 | Seasonal variations in the occurrence of perfluoroalkyl substances in water, sediment and fish samples from Ebro Delta (Catalonia, Spain). <i>Science of the Total Environment</i> , 2017, 607-608, 933-943. | 8.0 | 73 |
| 240 | Risks of Covid-19 face masks to wildlife: Present and future research needs. <i>Science of the Total Environment</i> , 2021, 792, 148505. | 8.0 | 73 |
| 241 | Validation of an automated precolumn exchange system (PROSPEKT) coupled to liquid chromatography with diode array detection. Application to the determination of pesticides in natural waters. <i>Analytica Chimica Acta</i> , 1994, 296, 223-234. | 5.4 | 72 |
| 242 | Microwave-assisted extraction and ultrasonic extraction to determine polycyclic aromatic hydrocarbons in needles and bark of <i>Pinus pinaster</i> Ait. and <i>Pinus pinea</i> L. by GC-MS. <i>Talanta</i> , 2009, 77, 1120-1128. | 5.5 | 72 |
| 243 | Multi-residue method for trace level determination of UV filters in fish based on pressurized liquid extraction and liquid chromatography-quadrupole-linear ion trap-mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1286, 93-101. | 3.7 | 72 |
| 244 | Degradation of selected agrochemicals by the white rot fungus <i>Trametes versicolor</i> . <i>Science of the Total Environment</i> , 2014, 500-501, 235-242. | 8.0 | 72 |
| 245 | Non conventional biological treatment based on <i>Trametes versicolor</i> for the elimination of recalcitrant anticancer drugs in hospital wastewater. <i>Chemosphere</i> , 2015, 136, 9-19. | 8.2 | 72 |
| 246 | Investigating the formation and toxicity of nitrogen transformation products of diclofenac and sulfamethoxazole in wastewater treatment plants. <i>Journal of Hazardous Materials</i> , 2016, 309, 157-164. | 12.4 | 72 |
| 247 | Effects of water warming and acidification on bioconcentration, metabolization and depuration of pharmaceuticals and endocrine disrupting compounds in marine mussels (<i>Mytilus galloprovincialis</i>). <i>Environmental Pollution</i> , 2018, 236, 824-834. | 7.5 | 72 |
| 248 | Synergistic activation of peroxymonosulfate and persulfate by ferrous ion and molybdenum disulfide for pollutant degradation: Theoretical and experimental studies. <i>Chemosphere</i> , 2020, 240, 124979. | 8.2 | 72 |
| 249 | Fate of priority pharmaceuticals and their main metabolites and transformation products in microalgae-based wastewater treatment systems. <i>Journal of Hazardous Materials</i> , 2020, 390, 121771. | 12.4 | 72 |
| 250 | Influence of zinc hyperaccumulation on glucosinolates in <i>Thlaspi caerulescens</i> . <i>New Phytologist</i> , 2001, 151, 621-626. | 7.3 | 71 |
| 251 | DETECTION AND EVALUATION OF ENDOCRINE-DISRUPTION ACTIVITY IN WATER SAMPLES FROM PORTUGUESE RIVERS. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 389. | 4.3 | 71 |
| 252 | Identification and distribution of contamination sources in the Ebro river basin by chemometrics modelling coupled to geographical information systems. <i>Talanta</i> , 2006, 70, 691-704. | 5.5 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Ecotoxicological risk assessment of chemical pollution in four Iberian river basins and its relationship with the aquatic macroinvertebrate community status. <i>Science of the Total Environment</i> , 2016, 540, 324-333. | 8.0 | 71 |
| 254 | Assessment of priority pesticides, degradation products, and pesticide adjuvants in groundwaters and top soils from agricultural areas of the Ebro river basin. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1459-1468. | 3.7 | 70 |
| 255 | Removal of pharmaceuticals, polybrominated flame retardants and UV-filters from sludge by the fungus <i>Trametes versicolor</i> in bioslurry reactor. <i>Journal of Hazardous Materials</i> , 2012, 233-234, 235-243. | 12.4 | 70 |
| 256 | Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1130, 72-82. | 3.7 | 69 |
| 257 | Solid-phase treatment with the fungus <i>Trametes versicolor</i> substantially reduces pharmaceutical concentrations and toxicity from sewage sludge. <i>Bioresource Technology</i> , 2011, 102, 5602-5608. | 9.6 | 69 |
| 258 | Analytical quality assurance in veterinary drug residue analysis methods: Matrix effects determination and monitoring for sulfonamides analysis. <i>Talanta</i> , 2015, 132, 443-450. | 5.5 | 69 |
| 259 | Does the presence of caffeine in the marine environment represent an environmental risk? A regional and global study. <i>Science of the Total Environment</i> , 2018, 615, 632-642. | 8.0 | 69 |
| 260 | Riverine anthropogenic litter load to the Mediterranean Sea near the metropolitan area of Barcelona, Spain. <i>Science of the Total Environment</i> , 2020, 714, 136807. | 8.0 | 69 |
| 261 | Simultaneous determination of methyl tert.-butyl ether and its degradation products, other gasoline oxygenates and benzene, toluene, ethylbenzene and xylenes in Catalanian groundwater by purge-and-trap-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2003, 995, 171-184. | 3.7 | 68 |
| 262 | Spatial and temporal occurrence of pharmaceuticals in UK estuaries. <i>Science of the Total Environment</i> , 2019, 678, 74-84. | 8.0 | 68 |
| 263 | Ecological risks in a "plastic" world: A threat to biological diversity?. <i>Journal of Hazardous Materials</i> , 2021, 417, 126035. | 12.4 | 68 |
| 264 | Mercury levels and liver pathology in feral fish living in the vicinity of a mercury cell chlor-alkali factory. <i>Chemosphere</i> , 2007, 66, 1217-1225. | 8.2 | 66 |
| 265 | Direct analysis of pharmaceuticals, their metabolites and transformation products in environmental waters using on-line TurboFlow-µC chromatography-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1252, 115-129. | 3.7 | 66 |
| 266 | Removal of sulfonamide antibiotics upon conventional activated sludge and advanced membrane bioreactor treatment. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 1505-1515. | 3.7 | 66 |
| 267 | Drugs of abuse in urban groundwater. A case study: Barcelona. <i>Science of the Total Environment</i> , 2012, 424, 280-288. | 8.0 | 66 |
| 268 | Analysis of anthelmintics in surface water by ultra high performance liquid chromatography coupled to quadrupole linear ion trap tandem mass spectrometry. <i>Chemosphere</i> , 2014, 99, 224-232. | 8.2 | 66 |
| 269 | Determination of metals and pharmaceutical compounds released in hospital wastewater from Toluca, Mexico, and evaluation of their toxic impact. <i>Environmental Pollution</i> , 2018, 240, 330-341. | 7.5 | 66 |
| 270 | Determination of Drugs of Abuse in Airborne Particles by Pressurized Liquid Extraction and Liquid Chromatography-Electrospray-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 4382-4388. | 6.5 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Analysis and occurrence of alkylphenolic compounds and estrogens in a European river basin and an evaluation of their importance as priority pollutants. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 1301-1309. | 3.7 | 65 |
| 272 | Levels and fate of perfluoroalkyl substances in beached plastic pellets and sediments collected from Greece. <i>Marine Pollution Bulletin</i> , 2014, 87, 286-291. | 5.0 | 65 |
| 273 | Application of solid-phase disk extraction followed by gas and liquid chromatography for the simultaneous determination of the fungicides: captan, captafol, carbendazim, chlorothalonil, ethirimol, folpet, metalaxyl and vinclozolin in environmental waters. <i>Analytica Chimica Acta</i> , 1994, 293, 109-117. | 5.4 | 64 |
| 274 | Simplified procedures for the analysis of polycyclic aromatic hydrocarbons in water, sediments and mussels. <i>Journal of Chromatography A</i> , 2004, 1047, 181-188. | 3.7 | 64 |
| 275 | Determination of decabromodiphenyl ether in sediments using selective pressurized liquid extraction followed by GC-NCI-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 610-614. | 3.7 | 64 |
| 276 | Recent advances in LC-MS residue analysis of veterinary medicines in the terrestrial environment. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 637-646. | 11.4 | 64 |
| 277 | Automated analysis of perfluorinated compounds in human hair and urine samples by turbulent flow chromatography coupled to tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2369-2378. | 3.7 | 64 |
| 278 | New insights on the combined removal of antibiotics and ARGs in urban wastewater through the use of two configurations of vertical subsurface flow constructed wetlands. <i>Science of the Total Environment</i> , 2021, 755, 142554. | 8.0 | 64 |
| 279 | Influence of the Hapten Design on the Development of a Competitive ELISA for the Determination of the Antifouling Agent Irgarol 1051 at Trace Levels. <i>Analytical Chemistry</i> , 1998, 70, 4004-4014. | 6.5 | 63 |
| 280 | Psychoactive pharmaceuticals and illicit drugs in coastal waters of North-Western Spain: Environmental exposure and risk assessment. <i>Chemosphere</i> , 2019, 224, 379-389. | 8.2 | 63 |
| 281 | Thermochemical liquefaction of agricultural and forestry wastes into biofuels and chemicals from circular economy perspectives. <i>Science of the Total Environment</i> , 2020, 749, 141972. | 8.0 | 63 |
| 282 | Determination of non-ionic surfactants and polar degradation products in influent and effluent water samples and sludges of sewage treatment plants by a generic solid-phase extraction protocol. <i>Analyst</i> , 2000, 125, 1733-1739. | 3.5 | 62 |
| 283 | Analysis, occurrence and fate of MTBE in the aquatic environment over the past decade. <i>TrAC - Trends in Analytical Chemistry</i> , 2006, 25, 1016-1029. | 11.4 | 62 |
| 284 | Determination of sulfonamide antibiotics and metabolites in liver, muscle and kidney samples by pressurized liquid extraction or ultrasound-assisted extraction followed by liquid chromatography-quadrupole linear ion trap-tandem mass spectrometry (HPLC-QqLIT-MS/MS). <i>Talanta</i> , 2015, 134, 768-778. | 5.5 | 62 |
| 285 | Bioremediation potential of <i>Sargassum</i> sp. biomass to tackle pollution in coastal ecosystems: Circular economy approach. <i>Science of the Total Environment</i> , 2020, 715, 136978. | 8.0 | 62 |
| 286 | Challenges and strategies of matrix effects using chromatography-mass spectrometry: An overview from research versus regulatory viewpoints. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 134, 116068. | 11.4 | 62 |
| 287 | Multianalyte determination of 24 cytostatics and metabolites by liquid chromatography-electrospray-tandem mass spectrometry and study of their stability and optimum storage conditions in aqueous solution. <i>Talanta</i> , 2013, 116, 290-299. | 5.5 | 61 |
| 288 | Environmental stressors as a driver of the trait composition of benthic macroinvertebrate assemblages in polluted Iberian rivers. <i>Environmental Research</i> , 2017, 156, 485-493. | 7.5 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 289 | Environmental monitoring by gene expression biomarkers in <i>Barbus graellsii</i> : Laboratory and field studies. <i>Chemosphere</i> , 2007, 67, 1144-1154. | 8.2 | 60 |
| 290 | Development and validation of a pressurised liquid extraction liquid chromatography–electrospray–tandem mass spectrometry method for β -lactams and sulfonamides in animal feed. <i>Journal of Chromatography A</i> , 2010, 1217, 4247-4254. | 3.7 | 60 |
| 291 | Ozonation and peroxone oxidation of benzophenone-3 in water: Effect of operational parameters and identification of intermediate products. <i>Science of the Total Environment</i> , 2013, 443, 209-217. | 8.0 | 60 |
| 292 | Personal care products reconnaissance in EVROTAS river (Greece): Water-sediment partition and bioaccumulation in fish. <i>Science of the Total Environment</i> , 2019, 651, 3079-3089. | 8.0 | 60 |
| 293 | Photodegradation and stability of chlorothalonil in water studied by solid-phase disk extraction, followed by gas chromatographic techniques. <i>Journal of Chromatography A</i> , 1998, 823, 81-90. | 3.7 | 59 |
| 294 | Simultaneous determination of diclofenac, its human metabolites and microbial nitration/nitrosation transformation products in wastewaters by liquid chromatography/quadrupole-linear ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1347, 63-71. | 3.7 | 59 |
| 295 | Occurrence, fate and risk assessment of personal care products in river–groundwater interface. <i>Science of the Total Environment</i> , 2016, 568, 829-837. | 8.0 | 59 |
| 296 | Perfluoroalkyl substances in the Ebro and Guadalquivir river basins (Spain). <i>Science of the Total Environment</i> , 2016, 540, 191-199. | 8.0 | 59 |
| 297 | Abundance of antibiotic resistance genes and bacterial community composition in wild freshwater fish species. <i>Chemosphere</i> , 2018, 196, 115-119. | 8.2 | 59 |
| 298 | Influencing factors on the removal of pharmaceuticals from water with micro-grain activated carbon. <i>Water Research</i> , 2018, 144, 402-412. | 11.3 | 59 |
| 299 | Combined effects of moderate hypoxia, pesticides and PCBs upon crucian carp fish, <i>Carassius carassius</i> , from a freshwater lake- in situ ecophysiological approach. <i>Aquatic Toxicology</i> , 2020, 228, 105644. | 4.0 | 59 |
| 300 | Preparation of antisera and development of a direct enzyme-linked immunosorbent assay for the determination of the antifouling agent Irgarol 1051. <i>Analytica Chimica Acta</i> , 1997, 347, 139-147. | 5.4 | 58 |
| 301 | Isolation of Priority Polycyclic Aromatic Hydrocarbons from Natural Sediments and Sludge Reference Materials by an Anti-Fluorene Immunosorbent Followed by Liquid Chromatography and Diode Array Detection. <i>Analytical Chemistry</i> , 1998, 70, 4996-5001. | 6.5 | 58 |
| 302 | Potential chlorinated and brominated interferences on the polybrominated diphenyl ether determinations by gas chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2003, 1008, 181-192. | 3.7 | 58 |
| 303 | LC-QqLIT MS analysis of nine sulfonamides and one of their acetylated metabolites in the Llobregat River basin. Quantitative determination and qualitative evaluation by IDA experiments. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1325-1334. | 3.7 | 58 |
| 304 | Distribution of antibiotics in water, sediments and biofilm in an urban river (Córdoba, Argentina, LA). <i>Environmental Pollution</i> , 2021, 269, 116133. | 7.5 | 58 |
| 305 | Complementary mass spectrometry and bioassays for evaluating pharmaceutical-transformation products in treatment of drinking water and wastewater. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 562-580. | 11.4 | 57 |
| 306 | Analysis of 18 perfluorinated compounds in river waters: Comparison of high performance liquid chromatography–tandem mass spectrometry, ultra-high-performance liquid chromatography–tandem mass spectrometry and capillary liquid chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1244, 88-97. | 3.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Differential behavioural responses to venlafaxine exposure route, warming and acidification in juvenile fish (<i>Argyrosomus regius</i>). <i>Science of the Total Environment</i> , 2018, 634, 1136-1147. | 8.0 | 57 |
| 308 | Triclosan and methyl-triclosan monitoring study in the northeast of Spain using a magnetic particle enzyme immunoassay and confirmatory analysis by gas chromatography-mass spectrometry. <i>Journal of Hydrology</i> , 2008, 361, 1-9. | 5.4 | 56 |
| 309 | Identifying major pesticides affecting bivalve species exposed to agricultural pollution using multi-biomarker and multivariate methods. <i>Ecotoxicology</i> , 2010, 19, 1084-1094. | 2.4 | 56 |
| 310 | Fate of selected pesticides, estrogens, progestogens and volatile organic compounds during artificial aquifer recharge using surface waters. <i>Chemosphere</i> , 2010, 79, 880-886. | 8.2 | 56 |
| 311 | Analysis of organophosphorus flame retardants in environmental and biotic matrices using on-line turbulent flow chromatography-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1474, 71-78. | 3.7 | 56 |
| 312 | Study of the effect of the bacterial and fungal communities present in real wastewater effluents on the performance of fungal treatments. <i>Science of the Total Environment</i> , 2017, 579, 366-377. | 8.0 | 56 |
| 313 | Exploring current tendencies in techniques and materials for immobilization of laccases – A review. <i>International Journal of Biological Macromolecules</i> , 2021, 181, 683-696. | 7.5 | 56 |
| 314 | Factors Affecting Linear Alkylbenzene Sulfonates Removal in Subsurface Flow Constructed Wetlands. <i>Environmental Science & Technology</i> , 2004, 38, 2657-2663. | 10.0 | 55 |
| 315 | Evaluating the interactions of vertebrate receptors with persistent pollutants and antifouling pesticides using recombinant yeast assays. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 1012-1019. | 3.7 | 55 |
| 316 | LC-based analysis of drugs of abuse and their metabolites in urine. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 609-624. | 11.4 | 55 |
| 317 | Chemical characterization and relative toxicity assessment of disinfection byproduct mixtures in a large drinking water supply network. <i>Journal of Hazardous Materials</i> , 2018, 359, 166-173. | 12.4 | 55 |
| 318 | Use of vitellogenin mRNA as a biomarker for endocrine disruption in feral and cultured fish. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 670-675. | 3.7 | 54 |
| 319 | Microcosm experiments to control anaerobic redox conditions when studying the fate of organic micropollutants in aquifer material. <i>Journal of Contaminant Hydrology</i> , 2011, 126, 330-345. | 3.3 | 54 |
| 320 | Benzoxazinoid Allelochemicals in Wheat: Distribution among Foliage, Roots, and Seeds. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 1009-1015. | 5.2 | 53 |
| 321 | Occurrence of perfluorinated compounds in water and sediment of L'Albufera Natural Park (València). <i>Tj ETQq</i> 1, 1 0.784314 53 53 rgBT | 5.3 | 53 |
| 322 | Analysis of ethyl sulfate in raw wastewater for estimation of alcohol consumption and its correlation with drugs of abuse in the city of Barcelona. <i>Journal of Chromatography A</i> , 2014, 1360, 93-99. | 3.7 | 53 |
| 323 | Transformation of tamoxifen and its major metabolites during water chlorination: Identification and in silico toxicity assessment of their disinfection byproducts. <i>Water Research</i> , 2015, 85, 199-207. | 11.3 | 53 |
| 324 | Preliminary assessment on the bioaccessibility of contaminants of emerging concern in raw and cooked seafood. <i>Food and Chemical Toxicology</i> , 2017, 104, 69-78. | 3.6 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Target vs non-target analysis to determine pesticide residues in fruits from Saudi Arabia and influence in potential risk associated with exposure. <i>Food and Chemical Toxicology</i> , 2018, 111, 53-63. | 3.6 | 53 |
| 326 | Phyco-remediation of swine wastewater as a sustainable model based on circular economy. <i>Journal of Environmental Management</i> , 2021, 278, 111534. | 7.8 | 53 |
| 327 | Comparative degradation kinetics of alachlor in water by photocatalysis with FeCl ₃ , TiO ₂ and photolysis, studied by solid-phase disk extraction followed by gas chromatographic techniques. <i>Journal of Chromatography A</i> , 1996, 754, 187-195. | 3.7 | 52 |
| 328 | Trace analysis of antidepressants in environmental waters by molecularly imprinted polymer-based solid-phase extraction followed by ultra-performance liquid chromatography coupled to triple quadrupole mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 825-837. | 3.7 | 52 |
| 329 | Multi-residue method for the determination of antibiotics and some of their metabolites in seafood. <i>Food and Chemical Toxicology</i> , 2017, 104, 3-13. | 3.6 | 52 |
| 330 | Multiple stressor effects on biodiversity and ecosystem functioning in a Mediterranean temporary river. <i>Science of the Total Environment</i> , 2019, 647, 1179-1187. | 8.0 | 52 |
| 331 | Microplastics in the global aquatic environment: Analysis, effects, remediation and policy solutions. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103421. | 6.7 | 52 |
| 332 | Fungal treatment of metoprolol and its recalcitrant metabolite metoprolol acid in hospital wastewater: Biotransformation, sorption and ecotoxicological impact. <i>Water Research</i> , 2019, 152, 171-180. | 11.3 | 52 |
| 333 | Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples. <i>Journal of Chromatography A</i> , 2001, 926, 221-228. | 3.7 | 51 |
| 334 | Analytical method for the determination of halogenated norbornene flame retardants in environmental and biota matrices by gas chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1248, 154-160. | 3.7 | 51 |
| 335 | Halogenated and organophosphorus flame retardants in cetaceans from the southwestern Indian Ocean. <i>Chemosphere</i> , 2019, 226, 791-799. | 8.2 | 51 |
| 336 | Multianalyte determination of different classes of pesticides (acidic, triazines, phenyl ureas, anilines,) by tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 940-954. | 3.7 | 50 |
| 337 | Fast and simultaneous monitoring of organic pollutants in a drinking water treatment plant by a multi-analyte biosensor followed by LC-MS validation. <i>Talanta</i> , 2006, 69, 377-384. | 5.5 | 50 |
| 338 | Bioaugmentation of Sewage Sludge with <i>Trametes versicolor</i> in Solid-Phase Biopiles Produces Degradation of Pharmaceuticals and Affects Microbial Communities. <i>Environmental Science & Technology</i> , 2012, 46, 12012-12020. | 10.0 | 50 |
| 339 | Occurrence of classic and emerging halogenated flame retardants in sediment and sludge from Ebro and Llobregat river basins (Spain). <i>Journal of Hazardous Materials</i> , 2014, 265, 288-295. | 12.4 | 50 |
| 340 | Use of chemometric and geostatistical methods to evaluate pesticide pollution in the irrigation and drainage channels of the Ebro river delta during the rice-growing season. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1479-1488. | 3.7 | 49 |
| 341 | Enantiomeric specific determination of hexabromocyclododecane by liquid chromatography-quadrupole linear ion trap mass spectrometry in sediment samples. <i>Journal of Chromatography A</i> , 2008, 1203, 81-87. | 3.7 | 49 |
| 342 | Sorption of alkylphenols on Ebro River sediments: Comparing isotherms with field observations in river water and sediments. <i>Environmental Pollution</i> , 2009, 157, 698-703. | 7.5 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 343 | Occurrence and fate of alkylphenol polyethoxylate degradation products and linear alkylbenzene sulfonate surfactants in urban ground water: Barcelona case study. <i>Journal of Hydrology</i> , 2010, 383, 102-110. | 5.4 | 49 |
| 344 | Rapid residue analysis of fluoroquinolones in raw bovine milk by online solid phase extraction followed by liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 9019-9027. | 3.7 | 49 |
| 345 | Fate of a broad spectrum of perfluorinated compounds in soils and biota from Tierra del Fuego and Antarctica. <i>Environmental Pollution</i> , 2012, 163, 158-166. | 7.5 | 49 |
| 346 | Illicit and abused drugs in sewage sludge: Method optimization and occurrence. <i>Journal of Chromatography A</i> , 2013, 1322, 29-37. | 3.7 | 49 |
| 347 | Medium to highly polar pesticides in seawater: Analysis and fate in coastal areas of Catalonia (NE Tj ETQq1 1 0.784314 rgBT /Overlock | 8.2 | 49 |
| 348 | Wastewater-Based Epidemiology to monitor COVID-19 outbreak: Present and future diagnostic methods to be in your radar. <i>Case Studies in Chemical and Environmental Engineering</i> , 2020, 2, 100042. | 6.1 | 49 |
| 349 | Determination of pentachlorophenol in certified waste waters, soil samples and industrial effluents using ELISA and liquid solid extraction followed by liquid chromatography. <i>Analytica Chimica Acta</i> , 1997, 346, 49-59. | 5.4 | 48 |
| 350 | Concentration of polychlorinated biphenyls and organochlorine pesticides in mullet (<i>Mugil</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 T | 8.2 | 48 |
| 351 | 2013, 90, 2372-2380. | | |
| 351 | Organochlorine and organobromine compounds in a benthic fish (<i>Solea solea</i>) from Bizerte Lagoon (northern Tunisia): Implications for human exposure. <i>Ecotoxicology and Environmental Safety</i> , 2013, 88, 55-64. | 6.0 | 48 |
| 352 | Liquid chromatography-tandem mass spectrometry for the multi-residue analysis of organic UV filters and their transformation products in the aquatic environment. <i>Analytical Methods</i> , 2013, 5, 355-366. | 2.7 | 48 |
| 353 | <i>Stropharia rugosoannulata</i> and <i>Gymnopilus luteofolius</i> : Promising fungal species for pharmaceutical biodegradation in contaminated water. <i>Journal of Environmental Management</i> , 2018, 207, 396-404. | 7.8 | 48 |
| 354 | Analysis of multiclass antibiotic residues in urban wastewater in Tunisia. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2018, 10, 163-170. | 2.9 | 48 |
| 355 | Soil and water threats in a changing environment. <i>Environmental Research</i> , 2020, 186, 109501. | 7.5 | 48 |
| 356 | Improvements in the determination of organophosphorus pesticides in ground- and wastewater samples from interlaboratory studies by automated on-line liquid-solid extraction followed by liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 1996, 725, 85-92. | 3.7 | 47 |
| 357 | Determination of glucosinolates in rapeseed and <i>Thlaspi caerulescens</i> plants by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2000, 889, 75-81. | 3.7 | 47 |
| 358 | Effects of BDE-209 contaminated sediments on zebrafish development and potential implications to human health. <i>Environment International</i> , 2014, 63, 216-223. | 10.0 | 47 |
| 359 | Highly selective sample preparation and gas chromatographic-mass spectrometric analysis of chlorpyrifos, diazinon and their major metabolites in sludge and sludge-fertilized agricultural soils. <i>Journal of Chromatography A</i> , 2006, 1132, 21-27. | 3.7 | 46 |
| 360 | Rapid and sensitive ultra-high-pressure liquid chromatography-quadrupole time-of-flight mass spectrometry for the quantification of amitraz and identification of its degradation products in fruits. <i>Journal of Chromatography A</i> , 2008, 1203, 36-46. | 3.7 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | Analysis and occurrence of emerging brominated flame retardants in the Llobregat River basin. <i>Journal of Hydrology</i> , 2010, 383, 39-43. | 5.4 | 46 |
| 362 | Are pharmaceuticals more harmful than other pollutants to aquatic invertebrate species: A hypothesis tested using multi-biomarker and multi-species responses in field collected and transplanted organisms. <i>Chemosphere</i> , 2011, 85, 1548-1554. | 8.2 | 46 |
| 363 | Continuous fungal treatment of non-sterile veterinary hospital effluent: pharmaceuticals removal and microbial community assessment. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 2401-2415. | 3.6 | 46 |
| 364 | Elimination study of the chemotherapy drug tamoxifen by different advanced oxidation processes: Transformation products and toxicity assessment. <i>Chemosphere</i> , 2017, 168, 284-292. | 8.2 | 46 |
| 365 | Profiling of compounds and degradation products from the postharvest treatment of pears and apples by ultra-high pressure liquid chromatography quadrupole-time-of-flight mass spectrometry. <i>Talanta</i> , 2010, 81, 281-293. | 5.5 | 45 |
| 366 | Identification of new ozonation disinfection byproducts of 17 β -estradiol and estrone in water. <i>Chemosphere</i> , 2011, 84, 1535-1541. | 8.2 | 45 |
| 367 | Integration of research advances in modelling and monitoring in support of WFD river basin management planning in the context of climate change. <i>Science of the Total Environment</i> , 2012, 440, 167-177. | 8.0 | 45 |
| 368 | High accumulation of PCDD, PCDF, and PCB congeners in marine mammals from Brazil: A serious PCB problem. <i>Science of the Total Environment</i> , 2013, 463-464, 309-318. | 8.0 | 45 |
| 369 | Toxicity tests in wastewater and drinking water treatment processes: A complementary assessment tool to be on your radar. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104262. | 6.7 | 45 |
| 370 | Identification and trace level determination of brominated flame retardants by liquid chromatography/quadrupole linear ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 916-924. | 1.5 | 44 |
| 371 | Development of a magnetic particle immunoassay for polybrominated diphenyl ethers and application to environmental and food matrices. <i>Chemosphere</i> , 2008, 73, S18-S23. | 8.2 | 44 |
| 372 | Occurrence of carbamazepine and five metabolites in an urban aquifer. <i>Chemosphere</i> , 2014, 115, 47-53. | 8.2 | 44 |
| 373 | Formation of iodo-trihalomethanes, iodo-haloacetic acids, and haloacetaldehydes during chlorination and chloramination of iodine containing waters in laboratory controlled reactions. <i>Journal of Environmental Sciences</i> , 2017, 58, 127-134. | 6.1 | 44 |
| 374 | Seasonal relevance of agricultural diffuse pollutant with microplastic in the bay. <i>Journal of Hazardous Materials</i> , 2020, 396, 122602. | 12.4 | 44 |
| 375 | Occurrence, environmental fate, ecological issues, and redefining of endocrine disruptive estrogens in water resources. <i>Science of the Total Environment</i> , 2021, 800, 149635. | 8.0 | 44 |
| 376 | Re-inoculation strategies enhance the degradation of emerging pollutants in fungal bioaugmentation of sewage sludge. <i>Bioresource Technology</i> , 2014, 168, 180-189. | 9.6 | 43 |
| 377 | Study of the stability of 26 cytostatic drugs and metabolites in wastewater under different conditions. <i>Science of the Total Environment</i> , 2014, 482-483, 389-398. | 8.0 | 43 |
| 378 | Multiresidue trace analysis of pharmaceuticals, their human metabolites and transformation products by fully automated on-line solid-phase extraction-liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2016, 158, 330-341. | 5.5 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 379 | A fully automated approach for the analysis of 37 psychoactive substances in raw wastewater based on on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1576, 80-89. | 3.7 | 43 |
| 380 | Transformation products of amoxicillin and ampicillin after photolysis in aqueous matrices: Identification and kinetics. <i>Science of the Total Environment</i> , 2018, 642, 954-967. | 8.0 | 43 |
| 381 | Combination of nejayote and swine wastewater as a medium for <i>Arthrospira maxima</i> and <i>Chlorella vulgaris</i> production and wastewater treatment. <i>Science of the Total Environment</i> , 2019, 676, 356-367. | 8.0 | 43 |
| 382 | Detection of endocrine-disrupting pesticides by enzyme-linked immunosorbent assay (ELISA): application to atrazine. <i>TrAC - Trends in Analytical Chemistry</i> , 1997, 16, 554-562. | 11.4 | 42 |
| 383 | Long-term exposure effects in vitellogenin, sex hormones, and biotransformation enzymes in female carp in relation to a sewage treatment works. <i>Ecotoxicology and Environmental Safety</i> , 2003, 56, 373-380. | 6.0 | 42 |
| 384 | Fast chromatography of complex biocide mixtures using diode array detection and multivariate curve resolution. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004, 74, 293-303. | 3.5 | 42 |
| 385 | Characterization of intermediate products of solar photocatalytic degradation of ranitidine at pilot-scale. <i>Chemosphere</i> , 2010, 79, 368-376. | 8.2 | 42 |
| 386 | Polybrominated diphenyl ethers and their methoxylated analogs in mullet (<i>Mugil cephalus</i>) and sea bass (<i>Dicentrarchus labrax</i>) from Bizerte Lagoon, Tunisia. <i>Marine Environmental Research</i> , 2011, 72, 258-264. | 2.5 | 42 |
| 387 | Endocrine disruption in thicklip grey mullet (<i>Chelon labrosus</i>) from the Urdaibai Biosphere Reserve (Bay of Biscay, Southwestern Europe). <i>Science of the Total Environment</i> , 2013, 443, 233-244. | 8.0 | 42 |
| 388 | Priority and emerging organic microcontaminants in three Mediterranean river basins: Occurrence, spatial distribution, and identification of river basin specific pollutants. <i>Science of the Total Environment</i> , 2021, 754, 142344. | 8.0 | 42 |
| 389 | A reconnaissance study of pharmaceuticals, pesticides, perfluoroalkyl substances and organophosphorus flame retardants in the aquatic environment, wild plants and vegetables of two Saudi Arabia urban areas: Environmental and human health risk assessment. <i>Science of the Total Environment</i> , 2021, 776, 145843. | 8.0 | 42 |
| 390 | Wastewater-based epidemiological surveillance to monitor the prevalence of SARS-CoV-2 in developing countries with onsite sanitation facilities. <i>Environmental Pollution</i> , 2022, 311, 119679. | 7.5 | 42 |
| 391 | Application of C18 disks followed by gas chromatography techniques to degradation kinetics, stability and monitoring of endosulfan in water. <i>Journal of Chromatography A</i> , 1998, 795, 93-104. | 3.7 | 41 |
| 392 | Characterization and quantitative analysis of surfactants in textile wastewater by liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 1445-1454. | 1.5 | 41 |
| 393 | Spatial variation of DDT and its metabolites in fish and sediment from Cinca River, a tributary of Ebro River (Spain). <i>Chemosphere</i> , 2008, 70, 1182-1189. | 8.2 | 41 |
| 394 | Removal of polar UV stabilizers in biological wastewater treatments and ecotoxicological implications. <i>Chemosphere</i> , 2015, 119, S51-S57. | 8.2 | 41 |
| 395 | MALDI-TOF MS Imaging evidences spatial differences in the degradation of solid polycaprolactone diol in water under aerobic and denitrifying conditions. <i>Science of the Total Environment</i> , 2016, 566-567, 27-33. | 8.0 | 41 |
| 396 | Pharmaceuticals and endocrine disruptors in raw and cooked seafood from European market: Concentrations and human exposure levels. <i>Environment International</i> , 2018, 119, 570-581. | 10.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 397 | Presence of pharmaceutical compounds, levels of biochemical biomarkers in seafood tissues and risk assessment for human health: Results from a case study in North-Western Spain. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 223, 10-21. | 4.3 | 41 |
| 398 | Determination of chlorobenzidines in industrial effluent by solid-phase extraction and liquid chromatography with electrochemical and mass spectrometric detection. <i>Journal of Chromatography A</i> , 1999, 833, 181-194. | 3.7 | 40 |
| 399 | Analysis and fate of surfactants in sludge and sludge-amended soils. <i>TrAC - Trends in Analytical Chemistry</i> , 2004, 23, 762-771. | 11.4 | 40 |
| 400 | Detection of hormone receptor ligands in yeast by fluorogenic methods. <i>Talanta</i> , 2006, 69, 351-358. | 5.5 | 40 |
| 401 | Determination of triazines and their metabolites in environmental samples using molecularly imprinted polymer extraction, pressurized liquid extraction and LC-tandem mass spectrometry. <i>Journal of Hydrology</i> , 2010, 383, 30-38. | 5.4 | 40 |
| 402 | Simultaneous determination of methyl tert-butyl ether, its degradation products and other gasoline additives in soil samples by closed-system purge-and-trap gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1132, 28-38. | 3.7 | 39 |
| 403 | Solar transformation and photocatalytic treatment of cocaine in water: Kinetics, characterization of major intermediate products and toxicity evaluation. <i>Applied Catalysis B: Environmental</i> , 2011, 104, 37-48. | 20.2 | 39 |
| 404 | Development of a multiresidue method for analysis of pesticides in sediments based on isotope dilution and liquid chromatography-electrospray-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1305, 176-187. | 3.7 | 39 |
| 405 | Sample preservation for the analysis of antibiotics in water. <i>Journal of Chromatography A</i> , 2014, 1369, 43-51. | 3.7 | 39 |
| 406 | Degradation of the anticancer drug erlotinib during water chlorination: Non-targeted approach for the identification of transformation products. <i>Water Research</i> , 2015, 85, 103-113. | 11.3 | 39 |
| 407 | Comprehensive study of sulfamethoxazole effects in marine mussels: Bioconcentration, enzymatic activities and metabolomics. <i>Environmental Research</i> , 2019, 173, 12-22. | 7.5 | 39 |
| 408 | Identification of fenthion and temephos and their transformation products in water by high-performance liquid chromatography with diode array detection and atmospheric pressure chemical ionization mass spectrometric detection. <i>Journal of Chromatography A</i> , 1997, 777, 99-114. | 3.7 | 38 |
| 409 | BIOLUMINESCENCE INHIBITION ASSAYS FOR TOXICITY SCREENING OF WOOD EXTRACTIVES AND BIOCIDES IN PAPER MILL PROCESS WATERS. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 339. | 4.3 | 38 |
| 410 | Persistence of Temephos and Its Transformation Products in Rice Crop Field Waters. <i>Environmental Science & Technology</i> , 1996, 30, 917-923. | 10.0 | 37 |
| 411 | Kinetic and mechanistic studies of the photolysis of metronidazole in simulated aqueous environmental matrices using a mass spectrometric approach. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 421-428. | 3.7 | 37 |
| 412 | How do measured PBDE and HCBd levels in river fish compare to the European Environmental Quality Standards?. <i>Environmental Research</i> , 2018, 160, 203-211. | 7.5 | 37 |
| 413 | Investigative monitoring of pesticide and nitrogen pollution sources in a complex multi-stressed catchment: The lower Llobregat River basin case study (Barcelona, Spain). <i>Science of the Total Environment</i> , 2021, 755, 142377. | 8.0 | 37 |
| 414 | In-field monitoring of cleaning efficiency in waste water treatment plants using two phenol-sensitive biosensors. <i>Analytica Chimica Acta</i> , 2002, 456, 3-17. | 5.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 415 | Determination of 13 estrogenic endocrine disrupting compounds in atmospheric particulate matter by pressurised liquid extraction and liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8913-8923. | 3.7 | 36 |
| 416 | Identification of disinfection by-products of selected triazines in drinking water by LC-TOFMS/MS and evaluation of their toxicity. <i>Journal of Mass Spectrometry</i> , 2009, 44, 330-337. | 1.6 | 35 |
| 417 | Biodegradation studies of N 4-acetylsulfapyridine and N 4-acetylsulfamethazine in environmental water by applying mass spectrometry techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2885-2896. | 3.7 | 35 |
| 418 | Assessment of the effects of a marine urban outfall discharge on caged mussels using chemical and biomarker analysis. <i>Marine Pollution Bulletin</i> , 2012, 64, 563-573. | 5.0 | 34 |
| 419 | Modelling the emerging pollutant diclofenac with the GREAT-ER model: Application to the Llobregat River Basin. <i>Journal of Hazardous Materials</i> , 2013, 263, 207-213. | 12.4 | 34 |
| 420 | Hydrological variation modulates pharmaceutical levels and biofilm responses in a Mediterranean river. <i>Science of the Total Environment</i> , 2014, 472, 1052-1061. | 8.0 | 34 |
| 421 | Analysis of emerging contaminants and nanomaterials in plant materials following uptake from soils. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 94, 173-189. | 11.4 | 34 |
| 422 | Simultaneous LC-MS/MS determination of 40 legal and illegal psychoactive drugs in breast and bovine milk. <i>Food Chemistry</i> , 2018, 245, 159-167. | 8.2 | 34 |
| 423 | Impact of fullerenes in the bioaccumulation and biotransformation of venlafaxine, diuron and triclosan in river biofilms. <i>Environmental Research</i> , 2019, 169, 377-386. | 7.5 | 34 |
| 424 | Persistence, ecological risks, and oxidoreductases-assisted biocatalytic removal of triclosan from the aquatic environment. <i>Science of the Total Environment</i> , 2020, 735, 139194. | 8.0 | 34 |
| 425 | Introduction to the Analysis and Risk of Nanomaterials in Environmental and Food Samples. <i>Comprehensive Analytical Chemistry</i> , 2012, , 1-32. | 1.3 | 33 |
| 426 | Degradation kinetics and pathways of three calcium channel blockers under UV irradiation. <i>Water Research</i> , 2015, 86, 9-16. | 11.3 | 33 |
| 427 | Degradation of the cytostatic etoposide in chlorinated water by liquid chromatography coupled to quadrupole-Orbitrap mass spectrometry: Identification and quantification of by-products in real water samples. <i>Science of the Total Environment</i> , 2015, 506-507, 36-45. | 8.0 | 33 |
| 428 | Effect of the conversion of mangroves into shrimp farms on carbon stock in the sediment along the southern Red Sea coast, Saudi Arabia. <i>Environmental Research</i> , 2019, 176, 108536. | 7.5 | 33 |
| 429 | ESTROGENIC POTENTIAL OF HALOGENATED DERIVATIVES OF NONYLPHENOL ETHOXYLATES AND CARBOXYLATES. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 705. | 4.3 | 32 |
| 430 | Occurrence and behavior of natural and anthropogenic (emerging and historical) halogenated compounds in marine biota from the Coast of Concepcion (Chile). <i>Science of the Total Environment</i> , 2013, 461-462, 258-264. | 8.0 | 32 |
| 431 | Suspect screening of emerging pollutants and their major transformation products in wastewaters treated with fungi by liquid chromatography coupled to a high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1439, 124-136. | 3.7 | 32 |
| 432 | Metoprolol and metoprolol acid degradation in UV/H ₂ O ₂ treated wastewaters: An integrated screening approach for the identification of hazardous transformation products. <i>Journal of Hazardous Materials</i> , 2019, 380, 120851. | 12.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 433 | Combining biological processes with UV/H ₂ O ₂ for metoprolol and metoprolol acid removal in hospital wastewater. <i>Chemical Engineering Journal</i> , 2021, 404, 126482. | 12.7 | 32 |
| 434 | Effect of competitor design on immunoassay specificity: Development and evaluation of an enzyme-linked immunosorbent assay for 2,4-dinitrophenol. <i>Analytica Chimica Acta</i> , 1999, 387, 267-279. | 5.4 | 31 |
| 435 | Chemometrical investigation of the presence and distribution of organochlorine and polyaromatic compounds in sediments of the Ebro River Basin. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 1020-1030. | 3.7 | 31 |
| 436 | Transfer of hexabromocyclododecane from industrial effluents to sediments and biota: Case study in Cinca river (Spain). <i>Journal of Hydrology</i> , 2009, 369, 360-367. | 5.4 | 31 |
| 437 | Distribution and sources of PAHs using three pine species along the Ebro River. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 985-999. | 2.7 | 31 |
| 438 | Residue of insecticides in foodstuff and dietary exposure assessment of Brazilian citizens. <i>Food and Chemical Toxicology</i> , 2018, 115, 329-335. | 3.6 | 31 |
| 439 | Occurrence of C ₆₀ and related fullerenes in the Sava River under different hydrologic conditions. <i>Science of the Total Environment</i> , 2018, 643, 1108-1116. | 8.0 | 31 |
| 440 | Occurrence of pharmaceuticals and personal care products in the urban aquifer of Zaragoza (Spain) and its relationship with intensive shallow geothermal energy exploitation. <i>Journal of Hydrology</i> , 2018, 566, 629-642. | 5.4 | 31 |
| 441 | Nanostructured materials for harnessing the power of horseradish peroxidase for tailored environmental applications. <i>Science of the Total Environment</i> , 2020, 749, 142360. | 8.0 | 31 |
| 442 | Detection and removal of waterborne enteric viruses from wastewater: A comprehensive review. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105613. | 6.7 | 31 |
| 443 | Comparison of gas chromatographic-mass spectrometric methods for screening of chlorotriazine pesticides in soil. <i>Journal of Chromatography A</i> , 1992, 603, 175-184. | 3.7 | 30 |
| 444 | Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content. <i>Journal of Chromatography A</i> , 1999, 857, 97-106. | 3.7 | 30 |
| 445 | Main findings and conclusions of the implementation of Directive 76/464/CEE concerning the monitoring of organic pollutants in surface waters (Portugal, April 1999–May 2000). <i>Journal of Environmental Monitoring</i> , 2001, 3, 475-482. | 2.1 | 30 |
| 446 | Tenax extraction as a tool to evaluate the availability of polybrominated diphenyl ethers, ddt, and ddt metabolites in sediments. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1250-1256. | 4.3 | 30 |
| 447 | Enantiomeric-selective determination of pyrethroids: application to human samples. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 779-786. | 3.7 | 30 |
| 448 | Photosensitized degradation of organic pollutants in water: processes and analytical applications. <i>TrAC - Trends in Analytical Chemistry</i> , 1998, 17, 605-612. | 11.4 | 29 |
| 449 | Reversible immunosensor for the automatic determination of atrazine. Selection and performance of three polyclonal antisera. <i>Analytica Chimica Acta</i> , 1999, 386, 201-210. | 5.4 | 29 |
| 450 | Analysis of alcohol ethoxylates and alkylamine ethoxylates in agricultural soils using pressurised liquid extraction and liquid chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 1089-1097. | 3.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 451 | Transport of sediment borne contaminants in a Mediterranean river during a high flow event. <i>Science of the Total Environment</i> , 2018, 633, 1392-1402. | 8.0 | 29 |
| 452 | Combining an effect-based methodology with chemical analysis for antibiotics determination in wastewater and receiving freshwater and marine environment. <i>Environmental Pollution</i> , 2021, 271, 116313. | 7.5 | 29 |
| 453 | Prospects on coupling UV/H ₂ O ₂ with activated sludge or a fungal treatment for the removal of pharmaceutically active compounds in real hospital wastewater. <i>Science of the Total Environment</i> , 2021, 773, 145374. | 8.0 | 29 |
| 454 | First evidence of microplastics occurrence in mixed surface and treated wastewater from two major Saudi Arabian cities and assessment of their ecological risk. <i>Journal of Hazardous Materials</i> , 2021, 416, 125747. | 12.4 | 29 |
| 455 | Application of chemometric methods to the investigation of main microcontaminant sources of endocrine disruptors in coastal and harbour waters and sediments. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 642-654. | 3.7 | 28 |
| 456 | Sampling of water, soil and sediment to trace organic pollutants at a river-basin scale. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 1075-1088. | 3.7 | 28 |
| 457 | Determination of antibacterials in animal feed by pressurized liquid extraction followed by online purification and liquid chromatography-electrospray tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1195-1205. | 3.7 | 28 |
| 458 | Assessing the estrogenic potency in a Portuguese wastewater treatment plant using an integrated approach. <i>Journal of Environmental Sciences</i> , 2010, 22, 1613-1622. | 6.1 | 28 |
| 459 | Pollution in mediterranean-climate rivers. <i>Hydrobiologia</i> , 2013, 719, 427-450. | 2.0 | 28 |
| 460 | Determination of 15 N-nitrosodimethylamine precursors in different water matrices by automated on-line solid-phase extraction ultra-high-performance-liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1458, 99-111. | 3.7 | 28 |
| 461 | MXene-based designer nanomaterials and their exploitation to mitigate hazardous pollutants from environmental matrices. <i>Chemosphere</i> , 2021, 283, 131293. | 8.2 | 28 |
| 462 | Sea Breeze Modulated Volatilization of Polycyclic Aromatic Hydrocarbons from the Masnou Harbor (NW Mediterranean Sea). <i>Environmental Science & Technology</i> , 2003, 37, 3794-3802. | 10.0 | 27 |
| 463 | Distribution and biological impact of dioxin-like compounds in risk zones along the Ebro River basin (Spain). <i>Chemosphere</i> , 2008, 71, 1156-1161. | 8.2 | 27 |
| 464 | An automated on-line turbulent flow liquid-chromatography technology coupled to a high resolution mass spectrometer LTQ-Orbitrap for suspect screening of antibiotic transformation products during microalgae wastewater treatment. <i>Journal of Chromatography A</i> , 2018, 1568, 57-68. | 3.7 | 27 |
| 465 | Environmental risks associated with contaminants of legacy and emerging concern at European aquaculture areas. <i>Environmental Pollution</i> , 2019, 252, 1301-1310. | 7.5 | 27 |
| 466 | A reliable LC-MS/MS-based method for trace level determination of 50 medium to highly polar pesticide residues in sediments and ecological risk assessment. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7981-7996. | 3.7 | 27 |
| 467 | Contaminants of emerging concern in the Basque coast (N Spain): Occurrence and risk assessment for a better monitoring and management decisions. <i>Science of the Total Environment</i> , 2021, 765, 142765. | 8.0 | 27 |
| 468 | Performance of two immunoassays for the determination of atrazine in sea water samples as compared with on-line solid phase extraction-liquid chromatography-diode array detection. <i>Analytica Chimica Acta</i> , 1996, 330, 41-51. | 5.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 469 | Photolytic and photocatalytic transformation of methadone in aqueous solutions under solar irradiation: Kinetics, characterization of major intermediate products and toxicity evaluation. <i>Water Research</i> , 2011, 45, 4815-4826. | 11.3 | 26 |
| 470 | Environmental distribution of PAHs in pine needles, soils, and sediments. <i>Environmental Science and Pollution Research</i> , 2012, 19, 677-688. | 5.3 | 26 |
| 471 | Dietary Exposure Assessment of Spanish Citizens to Hexabromocyclododecane through the Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2462-2468. | 5.2 | 26 |
| 472 | Fate of NDMA precursors through an MBR-NF pilot plant for urban wastewater reclamation and the effect of changing aeration conditions. <i>Water Research</i> , 2016, 102, 383-393. | 11.3 | 26 |
| 473 | First comparison of conventional activated sludge versus root-zone treatment for SARS-CoV-2 RNA removal from wastewaters: Statistical and temporal significance. <i>Chemical Engineering Journal</i> , 2021, 425, 130635. | 12.7 | 26 |
| 474 | An Immunosensor for the Automatic Determination of the Antifouling Agent Irgarol 1051 in Natural Waters. <i>Environmental Science & Technology</i> , 1998, 32, 3442-3447. | 10.0 | 25 |
| 475 | New indexes for compound prioritization and complexity quantification on environmental monitoring inventories. <i>Environmental Science and Pollution Research</i> , 2012, 19, 958-970. | 5.3 | 25 |
| 476 | Continuous treatment of clofibric acid by <i>Trametes versicolor</i> in a fluidized bed bioreactor: Identification of transformation products and toxicity assessment. <i>Biochemical Engineering Journal</i> , 2013, 75, 79-85. | 3.6 | 25 |
| 477 | Structural Elucidation of Sulfaquinolone Metabolism Products and Their Occurrence in Biological Samples Using High-Resolution Orbitrap Mass Spectrometry. <i>Analytical Chemistry</i> , 2014, 86, 5579-5586. | 6.5 | 25 |
| 478 | Removal and biotransformation of 4-nonylphenol by <i>Arthrospira maxima</i> and <i>Chlorella vulgaris</i> consortium. <i>Environmental Research</i> , 2019, 179, 108848. | 7.5 | 25 |
| 479 | Quantification and elimination of substituted synthetic phenols and volatile organic compounds in the wastewater treatment plant during the production of industrial scale polypropylene. <i>Chemosphere</i> , 2021, 263, 128027. | 8.2 | 25 |
| 480 | Hydrocarbon-induced hormesis: 101 years of evidence at the margin?. <i>Environmental Pollution</i> , 2020, 265, 114846. | 7.5 | 25 |
| 481 | Ion formation of N-Methyl carbamate pesticides in thermospray mass spectrometry: The effects of additives to the liquid chromatographic eluent and of the vaporizer temperature. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 913-927. | 2.8 | 24 |
| 482 | Multianalyte effect in the determination of cross-reactivities of pesticide immunoassays in water matrices. <i>Analytica Chimica Acta</i> , 1997, 347, 121-130. | 5.4 | 24 |
| 483 | Immunosensor for trace determination of Irgarol 1051 in seawater using organic media. <i>Analytica Chimica Acta</i> , 1999, 387, 227-233. | 5.4 | 24 |
| 484 | Optimization of quadrupole ion storage mass spectrometric conditions for the analysis of selected polybrominated diphenyl ethers. Comparative approach with negative chemical ionization and electron impact mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2004, 39, 1168-1175. | 1.6 | 24 |
| 485 | Membrane Bioreactor (MBR) as an Advanced Wastewater Treatment Technology. , 2007, , 37-101. | | 24 |
| 486 | Evaluation of the suitability of recombinant yeast-based estrogenicity assays as a pre-screening tool in environmental samples. <i>Environment International</i> , 2010, 36, 361-367. | 10.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 487 | Are pesticide residues associated to rice production affecting oyster production in Delta del Ebro, NE Spain?. <i>Science of the Total Environment</i> , 2012, 437, 209-218. | 8.0 | 24 |
| 488 | Aerobic activated sludge transformation of methotrexate: Identification of biotransformation products. <i>Chemosphere</i> , 2015, 119, S42-S50. | 8.2 | 24 |
| 489 | Aerobic activated sludge transformation of vincristine and identification of the transformation products. <i>Science of the Total Environment</i> , 2018, 610-611, 892-904. | 8.0 | 24 |
| 490 | Levels of regulated POPs in fish samples from the Sava River Basin. Comparison to legislated quality standard values. <i>Science of the Total Environment</i> , 2019, 647, 20-28. | 8.0 | 24 |
| 491 | Direct analysis in real-time high-resolution mass spectrometry as a valuable tool for polyphenols profiling in olive oil. <i>Analytical Methods</i> , 2019, 11, 472-482. | 2.7 | 24 |
| 492 | Polluted water from an urban reservoir (Madán dam, México) induces toxicity and oxidative stress in <i>Cyprinus carpio</i> embryos. <i>Environmental Pollution</i> , 2019, 251, 510-521. | 7.5 | 24 |
| 493 | Preliminary study of long-range transport of halogenated flame retardants using Antarctic marine mammals. <i>Science of the Total Environment</i> , 2019, 650, 1889-1897. | 8.0 | 24 |
| 494 | Evaluation of the phototransformation of the antiviral zanamivir in surface waters through identification of transformation products. <i>Journal of Hazardous Materials</i> , 2014, 265, 296-304. | 12.4 | 23 |
| 495 | Reactivity of vinca alkaloids during water chlorination processes: Identification of their disinfection by-products by high-resolution quadrupole-Orbitrap mass spectrometry. <i>Science of the Total Environment</i> , 2016, 544, 635-644. | 8.0 | 23 |
| 496 | Emerging paradigms of viral diseases and paramount role of natural resources as antiviral agents. <i>Science of the Total Environment</i> , 2021, 759, 143539. | 8.0 | 23 |
| 497 | Fluvial biofilms exposed to desiccation and pharmaceutical pollution: New insights using metabolomics. <i>Science of the Total Environment</i> , 2018, 618, 1382-1388. | 8.0 | 22 |
| 498 | Antidepressants in a changing ocean: Venlafaxine uptake and elimination in juvenile fish (<i>Argyrosomus</i>) Tj ETQqO 0.0,rgBT /Overlock 10 | 8.2 | 22 |
| 499 | Nanosized titanium dioxide UV filter increases mixture toxicity when combined with parabens. <i>Ecotoxicology and Environmental Safety</i> , 2019, 184, 109565. | 6.0 | 22 |
| 500 | Introduction of emerging halogenated flame retardants in the environment. <i>Comprehensive Analytical Chemistry</i> , 2020, 88, 1-39. | 1.3 | 22 |
| 501 | Biomonitoring potential of the native aquatic plant <i>Typha domingensis</i> by predicting trace metals accumulation in the Egyptian Lake Burullus. <i>Science of the Total Environment</i> , 2020, 714, 136603. | 8.0 | 22 |
| 502 | Evaluation of a field-test kit for triazine herbicides (SensioScreen® TR500) as a fast assay to detect pesticide contamination in water samples. <i>Analytica Chimica Acta</i> , 2003, 475, 105-115. | 5.4 | 21 |
| 503 | Immunoenzyme assay of nonylphenol: study of selectivity and detection of alkylphenolic non-ionic surfactants in water samples. <i>Talanta</i> , 2005, 65, 367-374. | 5.5 | 21 |
| 504 | Ecotoxicological Effects of Ibuprofen on Plant Growth of <i>Vigna unguiculata</i> L. <i>Plants</i> , 2020, 9, 1473. | 3.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 505 | An integrated study of endocrine disruptors in sediments and reproduction-related parameters in bivalve molluscs from the Biosphereâ€™s Reserve of Urdaibai (Bay of Biscay). <i>Marine Environmental Research</i> , 2010, 69, S63-S66. | 2.5 | 20 |
| 506 | Origin and distribution of polycyclic aromatic hydrocarbon pollution in sediment and fish from the biosphere reserve of Urdaibai (Bay of Biscay, Basque country, Spain). <i>Marine Environmental Research</i> , 2010, 70, 142-149. | 2.5 | 20 |
| 507 | Fuzzy logic based risk assessment of effluents from waste-water treatment plants. <i>Science of the Total Environment</i> , 2012, 439, 202-210. | 8.0 | 20 |
| 508 | Development of a liquid chromatographyâ€™electrospray chemical ionization tandem mass spectrometry analytical method for analysis of eleven hydroxylated polybrominated diphenyl ethers. <i>Journal of Chromatography A</i> , 2013, 1301, 80-87. | 3.7 | 20 |
| 509 | Insecticide pyrethroids in liver of striped dolphin from the Mediterranean Sea. <i>Environmental Pollution</i> , 2017, 225, 346-353. | 7.5 | 20 |
| 510 | Fungal treatment for the removal of endocrine disrupting compounds from reverse osmosis concentrate: Identification and monitoring of transformation products of benzotriazoles. <i>Chemosphere</i> , 2017, 184, 1054-1070. | 8.2 | 20 |
| 511 | Shifts of environmental and phytoplankton variables in a regulated river: A spatial-driven analysis. <i>Science of the Total Environment</i> , 2018, 642, 968-978. | 8.0 | 20 |
| 512 | Effect-Based Identification of Hazardous Antibiotic Transformation Products after Water Chlorination. <i>Environmental Science & Technology</i> , 2020, 54, 9062-9073. | 10.0 | 20 |
| 513 | Disinfectant-induced hormesis: An unknown environmental threat of the application of disinfectants to prevent SARS-CoV-2 infection during the COVID-19 pandemic?. <i>Environmental Pollution</i> , 2022, 292, 118429. | 7.5 | 20 |
| 514 | Dimethyldioxirane conversion of phosphine sulfides and phosphorothioates into their corresponding oxygen analogues. <i>Tetrahedron Letters</i> , 1990, 31, 3359-3362. | 1.4 | 19 |
| 515 | FATE OF GASOLINE OXYGENATES IN CONVENTIONAL AND MULTILEVEL WELLS OF A CONTAMINATED GROUNDWATER TABLE IN DÄœSSELDORF, GERMANY. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 2785. | 4.3 | 19 |
| 516 | Comprehensive monitoring of the occurrence of 22 drugs of abuse and transformation products in airborne particulate matter in the city of Barcelona. <i>Science of the Total Environment</i> , 2015, 532, 344-352. | 8.0 | 19 |
| 517 | Analysis of ibuprofen and its main metabolites in roots, shoots, and seeds of cowpea (<i>Vigna</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 uptake, metabolism, and translocation. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 1163-1176. | 3.7 | 19 |
| 518 | Long-term continuous treatment of non-sterile real hospital wastewater by <i>Trametes versicolor</i> . <i>Journal of Biological Engineering</i> , 2019, 13, 47. | 4.7 | 19 |
| 519 | Occurrence of halogenated flame retardants in sediments and sea urchins (<i>Paracentrotus lividus</i>) from a North African Mediterranean coastal lagoon (Bizerte, Tunisia). <i>Science of the Total Environment</i> , 2019, 654, 1316-1325. | 8.0 | 19 |
| 520 | Insights into removal of antibiotics by selected microalgae (<i>Chlamydomonas reinhardtii</i> , <i>Chlorella</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102560. | 4.6 | 19 |
| 521 | Analysis and fate of 14 relevant wastewater-derived organic pollutants in long-term exposed soil. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 2687-2696. | 3.7 | 18 |
| 522 | Fungal biodegradation of the N-nitrosodimethylamine precursors venlafaxine and O-desmethylvenlafaxine in water. <i>Environmental Pollution</i> , 2019, 246, 346-356. | 7.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 523 | Uptake prediction of nine heavy metals by <i>Eichhornia crassipes</i> grown in irrigation canals: A biomonitoring approach. <i>Science of the Total Environment</i> , 2021, 782, 146887. | 8.0 | 18 |
| 524 | Comparative study of various size-exclusion chromatographic columns for the clean-up of selected pesticides in soil samples. <i>Journal of Chromatography A</i> , 1994, 673, 55-64. | 3.7 | 17 |
| 525 | Evaluation of anti-pyrene and anti-fluorene immunosorbent clean-up for PAHs from sludge and sediment reference materials followed by liquid chromatography and diode array detection. <i>Analyst</i> , 2000, 125, 1273-1279. | 3.5 | 17 |
| 526 | Quantitative profiling of perfluoroalkyl substances by ultrahigh-performance liquid chromatography and hybrid quadrupole time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4247-4259. | 3.7 | 17 |
| 527 | The response patterns of stream biofilms to urban sewage change with exposure time and dilution. <i>Science of the Total Environment</i> , 2019, 674, 401-411. | 8.0 | 17 |
| 528 | Comparative study of different thermospray interfaces with carbamate pesticides: Influence of the ion source geometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 656-667. | 2.8 | 16 |
| 529 | Determination of Benzoxazinone Derivatives in Plants by Combining Pressurized Liquid Extraction~Solid-Phase Extraction Followed by Liquid Chromatography~Electrospray Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 1001-1008. | 5.2 | 16 |
| 530 | Diastereoisomer- and enantiomer-specific determination of hexabromocyclododecane in fish oil for food and feed. <i>Chemosphere</i> , 2011, 82, 739-744. | 8.2 | 16 |
| 531 | Identification of markers of cancer in urban sewage through the use of a suspect screening approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 129, 571-580. | 2.8 | 16 |
| 532 | Effect of pyrethroid treatment against sea lice in salmon farming regarding consumers' health. <i>Food and Chemical Toxicology</i> , 2017, 105, 347-354. | 3.6 | 16 |
| 533 | On-line solid phase extraction-liquid chromatography-tandem mass spectrometry for insect repellent residue analysis in surface waters using atmospheric pressure photoionization. <i>Journal of Chromatography A</i> , 2018, 1544, 33-40. | 3.7 | 16 |
| 534 | Fullerenes Influence the Toxicity of Organic Micro-Contaminants to River Biofilms. <i>Frontiers in Microbiology</i> , 2018, 9, 1426. | 3.5 | 16 |
| 535 | Drugs of abuse and their metabolites in river sediments: Analysis, occurrence in four Spanish river basins and environmental risk assessment. <i>Journal of Hazardous Materials</i> , 2021, 401, 123312. | 12.4 | 16 |
| 536 | Development and validation of a methodology for quantifying parts-per-billion levels of arsine and phosphine in nitrogen, hydrogen and liquefied petroleum gas using a variable pressure sampler coupled to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1637, 461833. | 3.7 | 16 |
| 537 | Retrospective mass spectrometric analysis of wastewater-fed mesocosms to assess the degradation of drugs and their human metabolites. <i>Journal of Hazardous Materials</i> , 2021, 408, 124984. | 12.4 | 16 |
| 538 | Novel methodology for identification and quantification of microplastics in biological samples. <i>Environmental Pollution</i> , 2022, 292, 118466. | 7.5 | 16 |
| 539 | Identification of surfactant degradation products as toxic organic compounds present in sewage sludge. <i>Journal of Environmental Monitoring</i> , 2001, 3, 232-237. | 2.1 | 15 |
| 540 | Endocrine disruptors. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 547-548. | 3.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 541 | Population Growth Rate Responses of <i>Ceriodaphnia dubia</i> to Ternary Mixtures of Specific Acting Chemicals: Pharmacological versus Ecotoxicological Modes of Action. <i>Environmental Science & Technology</i> , 2012, 46, 9663-9672. | 10.0 | 15 |
| 542 | Analysis of microplastics and nanoplastics: How green are the methodologies used?. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2021, 31, 100503. | 5.9 | 15 |
| 543 | Transmission of SARS-CoV-2 infections and exposure in surfaces, points and wastewaters: A global one health perspective. <i>Case Studies in Chemical and Environmental Engineering</i> , 2022, 5, 100184. | 6.1 | 15 |
| 544 | A NONINVASIVE TEST OF EXPOSITION TO TOXICANTS: QUANTITATIVE ANALYSIS OF CYTOCHROME P4501A EXPRESSION IN FISH SCALES. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 2179. | 4.3 | 14 |
| 545 | Application of bioassay panel for assessing the impact of advanced oxidation processes on the treatment of reverse osmosis brine. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1168-1174. | 3.2 | 14 |
| 546 | Licit and Illicit Drugs in Urban Wastewater in Cyprus. <i>Clean - Soil, Air, Water</i> , 2015, 43, 1272-1278. | 1.1 | 14 |
| 547 | Abiotic amidine and guanidine hydrolysis of lamotrigine-N2-glucuronide and related compounds in wastewater: The role of pH and N2-substitution on reaction kinetics. <i>Water Research</i> , 2016, 100, 466-475. | 11.3 | 14 |
| 548 | Integrating population connectivity into pollution assessment: Overwintering mixing reveals flame retardant contamination in breeding areas in a migratory raptor. <i>Environmental Research</i> , 2018, 166, 553-561. | 7.5 | 14 |
| 549 | The value of wastewater-based epidemiology in the estimation of alcohol consumption. <i>Current Opinion in Environmental Science and Health</i> , 2019, 9, 19-25. | 4.1 | 13 |
| 550 | Dataset of pesticides, pharmaceuticals and personal care products occurrence in wetlands of Saudi Arabia. <i>Data in Brief</i> , 2020, 31, 105776. | 1.0 | 13 |
| 551 | Insights on the metabolization of the antidepressant venlafaxine by meagre (<i>Argyrosomus regius</i>) using a combined target and suspect screening approach. <i>Science of the Total Environment</i> , 2020, 737, 140226. | 8.0 | 13 |
| 552 | Patterns and levels of halogenated volatile compounds in Portuguese surface waters. <i>Journal of Environmental Monitoring</i> , 2002, 4, 253-257. | 2.1 | 12 |
| 553 | Effects of subinhibitory ciprofloxacin concentrations on the abundance of qnrS and composition of bacterial communities from water supply reservoirs. <i>Chemosphere</i> , 2016, 161, 470-474. | 8.2 | 12 |
| 554 | Developmental alterations, teratogenic effects, and oxidative disruption induced by ibuprofen, aluminum, and their binary mixture on <i>Danio rerio</i> . <i>Environmental Pollution</i> , 2021, 291, 118078. | 7.5 | 12 |
| 555 | Identification of biomarkers in wastewater-based epidemiology: Main approaches and analytical methods. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 145, 116465. | 11.4 | 12 |
| 556 | Chemical Composition, Insecticidal and Mosquito Larvicidal Activities of Allspice (<i>Pimenta dioica</i>) Essential Oil. <i>Molecules</i> , 2021, 26, 6698. | 3.8 | 12 |
| 557 | Biosensors for unattended, cost-effective and continuous monitoring of environmental pollution: Automated Water Analyser Computer Supported System (AWACSS) and River Analyser (RIANA). <i>International Journal of Environmental Analytical Chemistry</i> , 2005, 85, 837-852. | 3.3 | 11 |
| 558 | Characterization of glutathione conjugates of chloroacetanilide pesticides using ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry and liquid chromatography/ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 4017-4022. | 1.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 559 | Ecological and human exposure assessment to PBDEs in Adige River. <i>Environmental Research</i> , 2018, 164, 229-240. | 7.5 | 11 |
| 560 | Ecology of oxidative stress in the Danube barbel (<i>Barbus balcanicus</i>) from a winegrowing district: Effects of water parameters, trace and rare earth elements on biochemical biomarkers. <i>Science of the Total Environment</i> , 2021, 772, 145034. | 8.0 | 11 |
| 561 | Perspectives on ecological risks of microplastics and phthalate acid esters in crop production systems. <i>Soil Ecology Letters</i> , 2022, 4, 97-108. | 4.5 | 11 |
| 562 | CO ₂ biocapture by <i>Scenedesmus</i> sp. grown in industrial wastewater. <i>Science of the Total Environment</i> , 2021, 790, 148222. | 8.0 | 11 |
| 563 | A flow immunoassay for alkylphenol ethoxylate surfactants and their metabolites—questions associated with cross-reactivity, matrix effects, and validation by chromatographic techniques. <i>Analyst</i> , 2003, 128, 849-856. | 3.5 | 10 |
| 564 | Bioconcentration and bioaccumulation of C ₆₀ fullerene and C ₆₀ epoxide in biofilms and freshwater snails (<i>Radix</i> sp.). <i>Environmental Research</i> , 2020, 180, 108715. | 7.5 | 10 |
| 565 | Sustainable microalgae-based technology for biotransformation of benzalkonium chloride in oil and gas produced water: A laboratory-scale study. <i>Science of the Total Environment</i> , 2020, 748, 141526. | 8.0 | 10 |
| 566 | A predictive toolset for the identification of degradation pattern and toxic hazard estimation of multimeric hazardous compounds persists in water bodies. <i>Science of the Total Environment</i> , 2022, 824, 153979. | 8.0 | 10 |
| 567 | Robust strategies to eliminate endocrine disruptive estrogens in water resources. <i>Environmental Pollution</i> , 2022, 306, 119373. | 7.5 | 10 |
| 568 | Fate of Surfactants in Membrane Bioreactors and Conventional Activated Sludge Plants. <i>Environmental Science & Technology</i> , 2010, 44, 8223-8229. | 10.0 | 9 |
| 569 | Risk-based management of chemicals and products in a circular economy at a global scale- Impacts of the FP7 funded project RISKCYCLE. <i>Environmental Sciences Europe</i> , 2013, 25, . | 5.5 | 9 |
| 570 | The in vitro interference of synthetic progestogens with carp steroidogenic enzymes. <i>Aquatic Toxicology</i> , 2014, 155, 314-321. | 4.0 | 9 |
| 571 | Sources of Pharmaceuticals in Water. <i>Handbook of Environmental Chemistry</i> , 2020, , 33. | 0.4 | 9 |
| 572 | Legacy and Emerging Brominated Flame Retardants in Bizerte Lagoon Murex (<i>Hexaplex Trunculus</i>): Levels and Human Health Risk Assessment. <i>Archives of Environmental Contamination and Toxicology</i> , 2020, 78, 337-349. | 4.1 | 9 |
| 573 | Mass Spectrometry in Wastewater-Based Epidemiology for the Determination of Small and Large Molecules as Biomarkers of Exposure: Toward a Global View of Environment and Human Health under the COVID-19 Outbreak. <i>ACS Omega</i> , 2021, 6, 30865-30872. | 3.5 | 9 |
| 574 | Adduct Ion Formation by Aromatic Amines in Thermospray Mass Spectrometry. , 1996, 31, 527-536. | | 8 |
| 575 | Establishing potential links between the presence of alkylphenolic compounds and the benthic community in a European river basin. <i>Environmental Science and Pollution Research</i> , 2012, 19, 934-945. | 5.3 | 8 |
| 576 | Prioritization. <i>Comprehensive Analytical Chemistry</i> , 2013, 62, 71-90. | 1.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 577 | Occurrence of regulated pollutants in populated Mediterranean basins: Ecotoxicological risk and effects on biological quality. <i>Science of the Total Environment</i> , 2020, 747, 141224. | 8.0 | 8 |
| 578 | Achievements of the RIANA and AWACSS EU Projects: Immunosensors for the Determination of Pesticides, Endocrine Disrupting Chemicals and Pharmaceuticals. <i>Handbook of Environmental Chemistry</i> , 2009, , 33-46. | 0.4 | 8 |
| 579 | Shedding light on the toxicity of SARS-CoV-2-derived peptide in non-target COVID-19 organisms: A study involving inbred and outbred mice. <i>NeuroToxicology</i> , 2022, 90, 184-196. | 3.0 | 8 |
| 580 | Chapter 6 Occurrence of surfactants in the environment. <i>Comprehensive Analytical Chemistry</i> , 2003, , 655-826. | 1.3 | 7 |
| 581 | Chapter 4 Immunochemical and Receptor Technologies: The Role of Immunoassay, Immunoaffinity Chromatography, Immunosensors and Molecularly Imprinted Polymeric Sensors. <i>Comprehensive Analytical Chemistry</i> , 2008, , 91-130. | 1.3 | 7 |
| 582 | Comparison of PAH Levels and Sources in Pine Needles from Portugal, Spain, and Greece. <i>Analytical Letters</i> , 2012, 45, 508-525. | 1.8 | 7 |
| 583 | Exposure to a Subinhibitory Sulfonamide Concentration Promotes the Spread of Antibiotic Resistance in Marine Blue Mussels (<i>Mytilus edulis</i>). <i>Environmental Science and Technology Letters</i> , 2019, 6, 211-215. | 8.7 | 7 |
| 584 | Microplastics analysis. <i>MethodsX</i> , 2020, 7, 100884. | 1.6 | 7 |
| 585 | Strengthen the European collaborative environmental research to meet European policy goals for achieving a sustainable, non-toxic environment. <i>Environmental Sciences Europe</i> , 2019, 31, . | 5.5 | 7 |
| 586 | Advances in analytical techniques for environmental analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 765-767. | 3.7 | 6 |
| 587 | Chapter 2.4 Multi-residue analysis of pharmaceuticals using LC-tandem MS and LC-hybrid MS. <i>Comprehensive Analytical Chemistry</i> , 2007, 50, 157-183. | 1.3 | 6 |
| 588 | Sensor, biosensors and MIP based sensors. , 2007, , 599-636. | | 6 |
| 589 | An international conference on "Pharmaceuticals in the Environment" in a frame of EU Knappe project. <i>Environment International</i> , 2009, 35, 763-765. | 10.0 | 6 |
| 590 | <i>Environmental Analysis</i> . , 2013, , 389-410. | | 6 |
| 591 | Analysis of Pharmaceutical Compounds in Biota. <i>Comprehensive Analytical Chemistry</i> , 2013, 62, 169-193. | 1.3 | 6 |
| 592 | Distribution of soil organic carbon in Wadi Al-Thulaima, Saudi Arabia: A hyper-arid habitat altered by wastewater reuse. <i>Catena</i> , 2018, 170, 266-271. | 5.0 | 6 |
| 593 | Chapter 2.6 Analysis of steroid estrogens in the environment. <i>Comprehensive Analytical Chemistry</i> , 2007, 50, 219-264. | 1.3 | 5 |
| 594 | Emerging Contaminants in Waste Waters: Sources and Occurrence. , 2008, , 1-35. | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 595 | Bioavailability of classical and novel flame retardants: Effect of fullerene presence. <i>Science of the Total Environment</i> , 2016, 565, 299-305. | 8.0 | 5 |
| 596 | Perfluoroalkyl phosphonic acids adsorption behaviour and removal by wastewater organisms. <i>Science of the Total Environment</i> , 2018, 636, 273-281. | 8.0 | 5 |
| 597 | Micro(Nano)plastic analysis: a green and sustainable perspective. <i>Journal of Hazardous Materials Advances</i> , 2022, 6, 100058. | 3.0 | 5 |
| 598 | Strategy for the screening of organic pollutants in a river basin – an overview of the Nitra river monitoring programme. <i>TrAC - Trends in Analytical Chemistry</i> , 1996, 15, 326-334. | 11.4 | 4 |
| 599 | Analysis and Fate of Organic Nanomaterials in Environmental Samples. <i>Comprehensive Analytical Chemistry</i> , 2012, 59, 131-168. | 1.3 | 4 |
| 600 | Liquid chromatography–tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5857-5858. | 3.7 | 4 |
| 601 | Ultra-trace determination of domoic acid in the Ebro Delta estuary by SPE-HILIC-HRMS. <i>Analytical Methods</i> , 2020, 12, 1966-1974. | 2.7 | 4 |
| 602 | Liquid Chromatography–Mass Spectrometry Methods for Analysis of Endocrine-Disrupting Chemicals in Wastewaters. <i>Handbook of Environmental Chemistry</i> , 2009, , 227-271. | 0.4 | 4 |
| 603 | Novel biosensors in environmental and food samples. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 373, 677-677. | 3.7 | 3 |
| 604 | Chapter 2.1 Analysis of antibiotics in aqueous samples. <i>Comprehensive Analytical Chemistry</i> , 2007, , 61-93. | 1.3 | 3 |
| 605 | Reply to comment by Sierra Rayne on “Development of a magnetic particle immunoassay for polybrominated diphenyl ethers and application to environmental and food matrices” [Chemosphere 73 (1S) (2008) S18–S23]. <i>Chemosphere</i> , 2008, 73, 1700. | 8.2 | 3 |
| 606 | Analysis of Emerging Contaminants of Municipal and Industrial Origin. , 2008, , 37-104. | | 3 |
| 607 | Determination of Pyrethroid Insecticides in Environmental Samples by GC–MS and GC–MS–MS. <i>Comprehensive Analytical Chemistry</i> , 2013, 61, 203-230. | 1.3 | 3 |
| 608 | Quantification of ecological complexity and resilience from multivariate biological metrics datasets using singular value decomposition entropy. <i>MethodsX</i> , 2019, 6, 1668-1676. | 1.6 | 3 |
| 609 | Introduction to “Water Resources in Algeria: Water Quality, Treatment, Protection and Development”. <i>Handbook of Environmental Chemistry</i> , 2020, , 1-10. | 0.4 | 3 |
| 610 | Do we really need to invoke heroic measures for early SARS-CoV-2 outbreak detection?. <i>European Journal of Epidemiology</i> , 2020, 35, 613-614. | 5.7 | 3 |
| 611 | Bioassays and Biosensors. <i>Water Quality Measurements Series</i> , 2009, , 125-156. | 0.1 | 2 |
| 612 | Integrated modelling and monitoring at different river basin scales under global change. <i>Science of the Total Environment</i> , 2012, 440, 1-2. | 8.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 613 | Methods for Elucidation of Transformation Pathways. Comprehensive Analytical Chemistry, 2013, 62, 593-610. | 1.3 | 2 |
| 614 | Servicios ecosistémicos en Áreas de montaña: beneficios y amenazas. Pirineos, 0, 177, e068. | 0.6 | 2 |
| 615 | Emerging Contaminants. , 2012, , 665-691. | | 1 |
| 616 | Conclusions and Future Research Needs. Comprehensive Analytical Chemistry, 2013, 62, 705-718. | 1.3 | 1 |
| 617 | Analysis of Halogenated Flame Retardants by Gas Chromatography Coupled to LRMS, HRMS, MS-MS, and TOF-MS. Comprehensive Analytical Chemistry, 2013, , 373-401. | 1.3 | 1 |
| 618 | Sorption of Pharmaceuticals on Microplastics. , 2021, , 1-36. | | 1 |
| 619 | Chapter 8 Recommendations and future Trends. Comprehensive Analytical Chemistry, 2003, 40, 927-936. | 1.3 | 0 |
| 620 | Chapter 5 Conclusions and future research needs. Comprehensive Analytical Chemistry, 2007, 50, 515-527. | 1.3 | 0 |
| 621 | Europe aims to bridge science and water management. TrAC - Trends in Analytical Chemistry, 2008, 27, 641-647. | 11.4 | 0 |
| 622 | Erratum to Membrane Bioreactor (MBR) as an Advanced Wastewater Treatment Technology. , 2008, , 275-280. | | 0 |
| 623 | Traceability and Interlaboratory Studies on Yeast-Based Assays for the Determination of Estrogenicity. Water Quality Measurements Series, 2009, , 371-381. | 0.1 | 0 |
| 624 | Mass Spectrometry: Fourth conference of the Spanish Society of Mass Spectrometry (SEEM). Analytical and Bioanalytical Chemistry, 2010, 397, 2761-2762. | 3.7 | 0 |
| 625 | Fate and Occurrence of PhACs in the Terrestrial Environment. Comprehensive Analytical Chemistry, 2013, 62, 559-592. | 1.3 | 0 |
| 626 | The persistent toxic substances in Korea: Environmental fates and human health. Science of the Total Environment, 2014, 470-471, 1337. | 8.0 | 0 |
| 627 | Assessment and control of emerging micropollutants in water: Asian experiences. Science of the Total Environment, 2018, 644, 994. | 8.0 | 0 |
| 628 | Update, Conclusions, and Recommendations for "Assessment of Surface and Groundwater Resources in Algeria". Handbook of Environmental Chemistry, 2020, , 321-336. | 0.4 | 0 |
| 629 | Conclusions and Future Perspectives. Handbook of Environmental Chemistry, 2020, , 525-530. | 0.4 | 0 |
| 630 | Sorption of Pharmaceuticals on Microplastics. , 2022, , 577-612. | | 0 |