

Priscila Chaverri-Echandi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6456605/publications.pdf>

Version: 2024-02-01

51
papers

2,169
citations

257450
24
h-index

233421
45
g-index

52
all docs

52
docs citations

52
times ranked

2623
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodeterioration and cellulolytic activity by fungi isolated from a nineteenth-century painting at the National Theatre of Costa Rica. <i>Fungal Biology</i> , 2022, 126, 101-112.	2.5	10
2	Fungal communities in feces of the frugivorous bat <i>Ectophylla alba</i> and its highly specialized <i>Ficus colubrinae</i> diet. <i>Animal Microbiome</i> , 2022, 4, 24.	3.8	2
3	Virulence of native isolates of entomopathogenic fungi (Hypocreales) against the ¢œsweetpotato whitefly¢œ <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae), including the effects of temperature and fungicides. <i>Journal of Invertebrate Pathology</i> , 2022, 192, 107787.	3.2	5
4	Expanding the <i>< i>Trichoderma harzianum</i></i> species complex: Three new species from Argentine natural and cultivated ecosystems. <i>Mycologia</i> , 2021, 113, 1-20.	1.9	10
5	Soil Fungal Community Composition Correlates with Site-Specific Abiotic Factors, Tree Community Structure, and Forest Age in Regenerating Tropical Rainforests. <i>Biology</i> , 2021, 10, 1120.	2.8	12
6	Step-by-step Pipeline for the Ecological Analysis of Endophytic Fungi using ITS nrDNA Data. <i>Current Protocols in Microbiology</i> , 2020, 56, e96.	6.5	1
7	Three new species of <i>< i>Gliocephalotrichum</i></i> causing fruit rot on different hosts from Brazil. <i>Mycologia</i> , 2020, 112, 1003-1016.	1.9	1
8	Life cycle and in vitro sporulation dynamics of <i>< i>Corinectria constricta,</i></i> the causal agent of <i>< i>Pinus radiata</i></i> stem canker, in Chile. <i>Forest Pathology</i> , 2020, 50, e12594.	1.1	0
9	Response of psychrophilic plant endosymbionts to experimental temperature increase. <i>Royal Society Open Science</i> , 2020, 7, 201405.	2.4	1
10	Mycelial inhibition of <i>Trichoderma</i> spp. isolated from the cultivation of <i>Pleurotus ostreatus</i> with an extract of <i>Pycnoporus</i> sp.. <i>Acta Botanica Mexicana</i> , 2020, , .	0.3	2
11	Endophytes from Wild Rubber Trees as Antagonists of the Pathogen <i>< i>Corynespora cassiicola</i></i> . <i>Phytopathology</i> , 2019, 109, 1888-1899.	2.2	20
12	Exploration of stem endophytic communities revealed developmental stage as one of the drivers of fungal endophytic community assemblages in two Amazonian hardwood genera. <i>Scientific Reports</i> , 2019, 9, 12685.	3.3	29
13	Virome analyses of <i>Hevea brasiliensis</i> using small RNA deep sequencing and PCR techniques reveal the presence of a potential new virus. <i>Virology Journal</i> , 2018, 15, 184.	3.4	10
14	Two new cellulolytic fungal species isolated from a 19th-century art collection. <i>Scientific Reports</i> , 2018, 8, 7492.	3.3	55
15	<i>Corinectria</i> , a new genus to accommodate <i>Neonectria fuckeliana</i> and <i>C. constricta</i> sp. nov. from <i>Pinus radiata</i> in Chile. <i>Mycological Progress</i> , 2017, 16, 1015-1027.	1.4	15
16	Improving taxonomic accuracy for fungi in public sequence databases: applying ¢œone name one species¢™ in well-defined genera with <i>Trichoderma/Hypocrea</i> as a test case. <i>Database: the Journal of Biological Databases and Curation</i> , 2017, 2017, , .	3.0	28
17	Overlooked competing asexual and sexually typified generic names of Ascomycota with recommendations for their use or protection. <i>IMA Fungus</i> , 2016, 7, 289-308.	3.8	38
18	The genus <i>Thelonectria</i> (Nectriaceae, Hypocreales, Ascomycota) and closely related species with cylindrocarpon-like asexual states. <i>Fungal Diversity</i> , 2016, 80, 411-455.	12.3	19

#	ARTICLE	IF	CITATIONS
19	Unraveling <i>Trichoderma</i> species in the attine ant environment: description of three new taxa. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 633-651.	1.7	37
20	Unexpected diversity of basidiomycetous endophytes in sapwood and leaves of <i>< i>Hevea</i></i> . <i>Mycologia</i> , 2015, 107, 284-297.	1.9	73
21	Wild trees in the Amazon basin harbor a great diversity of beneficial endosymbiotic fungi: is this evidence of protective mutualism?. <i>Fungal Ecology</i> , 2015, 17, 18-29.	1.6	44
22	Systematics of the <i>< i>Cosmospora viliuscula</i></i> species complex. <i>Mycologia</i> , 2015, 107, 532-557.	1.9	11
23	<i>Trichoderma asperellum</i> : A Dominant Endophyte Species in Cacao Grown in Sulawesi with Potential for Controlling Vascular Streak Dieback Disease. <i>Tropical Plant Pathology</i> , 2015, 40, 19-25.	1.5	24
24	Systematics of the <i>< i>Trichoderma harzianum</i></i> species complex and the re-identification of commercial biocontrol strains. <i>Mycologia</i> , 2015, 107, 558-590.	1.9	245
25	Phylogeny and taxonomic revision of <i>Thelonectria discophora</i> (Ascomycota, Hypocreales, Nectriaceae) species complex. <i>Fungal Diversity</i> , 2015, 70, 1-29.	12.3	15
26	Novel endophytic lineages of <i>Tolypocladium</i> provide new insights into the ecology and evolution of Cordyceps-like fungi. <i>Mycologia</i> , 2014, 106, 1090-1105.	1.9	33
27	Endophytic fungi from Peruvian highland and lowland habitats form distinctive and host plant-specific assemblages. <i>Biodiversity and Conservation</i> , 2013, 22, 999-1016.	2.6	29
28	EVOLUTION OF HABITAT PREFERENCE AND NUTRITION MODE IN A COSMOPOLITAN FUNGAL GENUS WITH EVIDENCE OF INTERKINGDOM HOST JUMPS AND MAJOR SHIFTS IN ECOLOGY. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, n/a-n/a.	2.3	75
29	Genera in Bionectriaceae, Hypocreaceae, and Nectriaceae (Hypocreales) proposed for acceptance or rejection. <i>IMA Fungus</i> , 2013, 4, 41-51.	3.8	121
30	Not as Ubiquitous as We Thought: Taxonomic Crypsis, Hidden Diversity and Cryptic Speciation in the Cosmopolitan Fungus <i>Thelonectria discophora</i> (Nectriaceae, Hypocreales, Ascomycota). <i>PLoS ONE</i> , 2013, 8, e76737.	2.5	24
31	Multigene phylogenetic analyses of the <i>< i>Thelonectria coronata</i></i> and <i>< i>T. veuillotiana</i></i> species complexes. <i>Mycologia</i> , 2012, 104, 1325-1350.	1.9	15
32	<i>Trichoderma stromaticum</i> and its overseas relatives. <i>Mycological Progress</i> , 2012, 11, 215-254.	1.4	27
33	Linking ex planta fungi with their endophytic stages: <i>Perisporiopsis</i> , a common leaf litter and soil fungus, is a frequent endophyte of <i>Hevea</i> spp. and other plants. <i>Fungal Ecology</i> , 2011, 4, 94-102.	1.6	28
34	<i>< i>Trichoderma amazonicum</i></i> , a new endophytic species on <i>< i>Hevea brasiliensis</i></i> and <i>< i>H. guianensis</i></i> from the Amazon basin. <i>Mycologia</i> , 2011, 103, 139-151.	1.9	79
35	Species delimitation in fungal endophyte diversity studies and its implications in ecological and biogeographic inferences. <i>Molecular Ecology</i> , 2011, 20, 3001-3013.	3.9	197
36	<i>< i>Verrucostoma</i></i> , a new genus in the Bionectriaceae from the Bonin Islands, Japan. <i>Mycologia</i> , 2010, 102, 418-429.	1.9	21

#	ARTICLE	IF	CITATIONS
37	Diversity of fungal endophytes in leaves and stems of wild rubber trees (<i>Hevea brasiliensis</i>) in Peru. <i>Fungal Ecology</i> , 2010, 3, 240-254.	1.6	267
38	Moelleriella zhongdongii: stroma development and identification of hirsutella-like and Aschersonia synanamorphs. <i>Mycological Research</i> , 2009, 113, 611-615.	2.5	7
39	Cyanonectria, a new genus for <i>Nectria cyanostoma</i> and its <i>Fusarium</i> anamorph. <i>Mycological Progress</i> , 2009, 8, 49-58.	1.4	22
40	Speciation of a tropical fungal species pair following transoceanic dispersal. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 413-426.	2.7	7
41	The <i>Trichoderma brevicompactum</i> clade: a separate lineage with new species, new peptaibiotics, and mycotoxins. <i>Mycological Progress</i> , 2008, 7, 177-219.	1.4	136
42	Endomelanconiopsis, a new anamorph genus in the Botryosphaeriaceae. <i>Mycologia</i> , 2008, 100, 760-775.	1.9	32
43	Hypocrealean (Hypocreales, Ascomycota) Fungal Diversity in Different Stages of Tropical Forest Succession in Costa Rica1. <i>Biotropica</i> , 2006, 38, 531-543.	1.6	40
44	A taxonomic revision of the insect biocontrol fungus <i>Aschersonia aleyrodis</i> , its allies with white stromata and their Hypocrella sexual states. <i>Mycological Research</i> , 2006, 110, 537-554.	2.5	33
45	A new species of Hypocrella, <i>H. macrostroma</i> , and its phylogenetic relationships to other species with large stromata. <i>Mycological Research</i> , 2005, 109, 1268-1275.	2.5	17
46	Regiocrella, a new entomopathogenic genus with a pycnidial anamorph and its phylogenetic placement in the Clavicipitaceae. <i>Mycologia</i> , 2005, 97, 1225-1237.	1.9	36
47	Hypocrea phyllostachydis and its <i>Trichoderma</i> anamorph, a new bambusicolous species from France. <i>Mycological Progress</i> , 2004, 3, 29-36.	1.4	8
48	Multilocus phylogenetic structure within the <i>Trichoderma harzianum</i> /Hypocrea lixii complex. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 302-313.	2.7	137
49	Hypocrea lixii, the teleomorph of <i>Trichoderma harzianum</i> . <i>Mycological Progress</i> , 2002, 1, 283-286.	1.4	36
50	Taxonomy and phylogenetic relationships of two species of Hypocrea with <i>Trichoderma</i> anamorphs. <i>Mycological Progress</i> , 2002, 1, 409-428.	1.4	35
51	Análisis Filogenético de Secuencias ITS Provenientes de Hongos Endófitos Utilizando Inferencia Bayesiana Paralela de Árboles con Exabayes. Tecnología En Marcha, 0, , .	0.1	0