J M Bellón

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6459270/publications.pdf

Version: 2024-02-01

109321 4,108 177 35 h-index citations papers

g-index 204 204 204 5218 docs citations times ranked citing authors all docs

175258

52

#	Article	IF	CITATIONS
1	Sustained virological response to interferon plus ribavirin reduces liver-related complications and mortality in patients coinfected with human immunodeficiency virus and hepatitis C virus. Hepatology, 2009, 50, 407-413.	7.3	270
2	Sustained Virological Response to Interferon Plus Ribavirin Reduces Non-Liver-Related Mortality in Patients Coinfected With HIV and Hepatitis C Virus. Clinical Infectious Diseases, 2012, 55, 728-736.	5.8	140
3	Sonographic measurement of crossâ€sectional area of the median nerve in the diagnosis of carpal tunnel syndrome: Correlation with nerve conduction studies. Journal of Clinical Ultrasound, 2009, 37, 125-131.	0.8	125
4	Comparison of transient elastography and liver biopsy for the assessment of liver fibrosis in HIV/hepatitis C virus-coinfected patients and correlation with noninvasive serum markers. Journal of Viral Hepatitis, 2010, 17, 280-286.	2.0	94
5	Impact on Weight and Height With the Use of HAART in HIV-Infected Children. Pediatric Infectious Disease Journal, 2007, 26, 334-338.	2.0	79
6	Pregnancy-induced expansion of regulatory T-lymphocytes may mediate protection to multiple sclerosis activity. Immunology Letters, 2005, 96, 195-201.	2.5	74
7	Clinical Outcomes Improve with Highly Active Antiretroviral Therapy in Vertically HIV Typeâ€1–Infected Children. Clinical Infectious Diseases, 2006, 43, 243-252.	5.8	72
8	Complications of continuous renal replacement therapy in critically ill children: a prospective observational evaluation study. Critical Care, 2009, 13, R184.	5.8	70
9	Clinical course and mortality risk factors in critically ill children requiring continuous renal replacement therapy. Intensive Care Medicine, 2010, 36, 843-849.	8.2	63
10	Interobserver variance in myelodysplastic syndromes with less than 5Â% bone marrow blasts: unilineage vs. multilineage dysplasia and reproducibility of the threshold of 2Â% blasts. Annals of Hematology, 2015, 94, 565-573.	1.8	62
11	Hypophosphatemia and phosphate supplementation during continuous renal replacement therapy in children. Kidney International, 2009, 75, 312-316.	5.2	58
12	Viral Load and CD4+ T Lymphocyte Response to Highly Active Antiretroviral Therapy in Human Immunodeficiency Virus Type 1-Infected Children: An Observational Study. Clinical Infectious Diseases, 2003, 37, 1216-1225.	5.8	54
13	Pediatric defibrillation after cardiac arrest: initial response and outcome. Critical Care, 2006, 10, R113.	5.8	54
14	Pegylated interferon Â2a plus ribavirin versus pegylated interferon Â2b plus ribavirin for the treatment of chronic hepatitis C in HIV-infected patients. Journal of Antimicrobial Chemotherapy, 2009, 63, 1256-1263.	3.0	54
15	Circuit life span in critically ill children on continuous renal replacement treatment: a prospective observational evaluation study. Critical Care, 2008, 12, R93.	5.8	53
16	Association between Exposure to Nevirapine and Reduced Liver Fibrosis Progression in Patients with HIV and Hepatitis C Virus Coinfection. Clinical Infectious Diseases, 2008, 46, 137-143.	5.8	53
17	Pediatric Extrapulmonary Tuberculosis. Pediatric Infectious Disease Journal, 2016, 35, 1175-1181.	2.0	53
18	Chronic obstructive pulmonary disease as a cardiovascular risk factor. Results of a case–control study (CONSISTE study). International Journal of COPD, 2012, 7, 679.	2.3	52

#	Article	IF	CITATIONS
19	Polypharmacy and Drug–Drug Interactions in People Living With Human Immunodeficiency Virus in the Region of Madrid, Spain: A Population-Based Study. Clinical Infectious Diseases, 2020, 71, 353-362.	5.8	52
20	Use of transient elastography (FibroScan $\hat{A}^{\text{@}}$) for the noninvasive assessment of portal hypertension in HIV/HCV-coinfected patients. Journal of Viral Hepatitis, 2011, 18, 685-691.	2.0	50
21	Eradication of hepatitis C virus and nonâ€liverâ€related non–acquired immune deficiency syndrome–related events in human immunodeficiency virus/hepatitis C virus coinfection. Hepatology, 2017, 66, 344-356.	7.3	49
22	Comparison of Two Protocols of Carbon Tetrachloride-Induced Cirrhosis in Rats – Improving Yield and Reproducibility. Scientific Reports, 2018, 8, 9163.	3.3	49
23	CD38 Expression in CD8+T Cells Predicts Virological Failure in HIV Type 1–Infected Children Receiving Antiretroviral Therapy. Clinical Infectious Diseases, 2004, 38, 412-417.	5.8	48
24	Nutritional status and clinical outcome of children on continuous renal replacement therapy: a prospective observational study. BMC Nephrology, 2012, 13, 125.	1.8	42
25	Salvage Lopinavir-Ritonavir Therapy in Human Immunodeficiency Virus-Infected Children. Pediatric Infectious Disease Journal, 2004, 23, 923-930.	2.0	41
26	Circulating Tumor Cells Following First Chemotherapy Cycle: An Early and Strong Predictor of Outcome in Patients With Metastatic Breast Cancer. Oncologist, 2013, 18, 917-923.	3.7	41
27	Measurement of Cardiac Output in Children by Bioreactance. Pediatric Cardiology, 2011, 32, 469-472.	1.3	40
28	Cardiac arrest and resuscitation in the pediatric intensive care unit: A prospective multicenter multinational study. Resuscitation, 2014, 85, 1380-1386.	3.0	39
29	Shockable rhythms and defibrillation during in-hospital pediatric cardiac arrest. Resuscitation, 2014, 85, 387-391.	3.0	38
30	Ventilación mecánica no invasiva en pacientes con sÃndrome de obesidad-hipoventilación. Evolución a largo plazo y factores pronósticos. Archivos De Bronconeumologia, 2015, 51, 61-68.	0.8	38
31	Comparison of the Prognostic Value of Liver Biopsy and FIB-4 Index in Patients Coinfected With HIV and Hepatitis C Virus. Clinical Infectious Diseases, 2015, 60, 950-958.	5.8	36
32	Na \tilde{A}^- ve and memory CD4+ T cells and T cell activation markers in HIV-1 infected children on HAART. Clinical and Experimental Immunology, 2001, 125, 266-273.	2.6	35
33	Detecting MCI and dementia in primary care: efficiency of the MMS, the FAQ and the IQCODE. Family Practice, 2012, 29, 401-406.	1.9	35
34	Prognostic relevance of early AKI according to pRIFLE criteria in children undergoing cardiac surgery. Pediatric Nephrology, 2014, 29, 1265-1272.	1.7	35
35	Long-term evolution after in-hospital cardiac arrest in children: Prospective multicenter multinational study. Resuscitation, 2015, 96, 126-134.	3.0	35
36	Evaluation of the diagnostic accuracy of laboratory-based screening for hepatitis C in dried blood spot samples: A systematic review and meta-analysis. Scientific Reports, 2019, 9, 7316.	3.3	35

#	Article	IF	Citations
37	Extensive Implementation of Highly Active Antiretroviral Therapy Shows Great Effect on Survival and Surrogate Markers in Vertically HIV-Infected Children. Clinical Infectious Diseases, 2004, 38, 1605-1612.	5.8	34
38	Multicenter study for the evaluation of the antibody response against salmonella typhi Vi vaccination (EMPATHY) for the diagnosis of Anti -polysaccharide antibody production deficiency in patients with primary immunodeficiency. Clinical Immunology, 2016, 169, 80-84.	3.2	34
39	Antibodies to an Epitope from the Cha Human Autoantigen Are Markers of Chagas' Disease. Vaccine Journal, 2001, 8, 1039-1043.	2.6	32
40	Characterizing Immune Reconstitution after Long-Term Highly Active Antiretroviral Therapy in Pediatric AIDS. AIDS Research and Human Retroviruses, 2002, 18, 1395-1406.	1.1	32
41	Neuroprotective effects of early antiretrovirals in vertical HIV infection. Pediatric Neurology, 2003, 29, 218-221.	2.1	32
42	Citrate Anticoagulation for CRRT in Children: Comparison with Heparin. BioMed Research International, 2014, 2014, 1-7.	1.9	32
43	Impact of liver steatosis on the correlation between liver stiffness and fibrosis measured by transient elastography in patients coinfected with human immunodeficiency virus and hepatitis C virus. Journal of Viral Hepatitis, 2011, 18, e278-83.	2.0	31
44	An artificial neural network improves the non-invasive diagnosis of significant fibrosis in HIV/HCV coinfected patients. Journal of Infection, 2011, 62, 77-86.	3.3	31
45	Cardiac output and blood volume parameters using femoral arterial thermodilution. Pediatrics International, 2009, 51, 59-65.	0.5	29
46	Prediction of Liver Complications in Patients With Hepatitis C Virus-Related Cirrhosis With and Without HIV Coinfection: Comparison of Hepatic Venous Pressure Gradient and Transient Elastography. Clinical Infectious Diseases, 2014, 58, 713-718.	5.8	29
47	Identification of liver fibrosis in HIV/HCV-coinfected patients using a simple predictive model based on routine laboratory data. Journal of Viral Hepatitis, 2007, 14, 070901052026008-???.	2.0	28
48	Can serum hyaluronic acid replace simple non-invasive indexes to predict liver fibrosis in HIV/Hepatitis C coinfected patients?. BMC Infectious Diseases, 2010, 10, 244.	2.9	27
49	Preserved immune system in long-term asymptomatic vertically HIV-1 infected children. Clinical and Experimental Immunology, 2003, 132, 105-112.	2.6	26
50	Impact of Highly Active Antiretroviral Therapy (HAART) on AIDS and Death in a Cohort of Vertically HIV Type 1-Infected Children: 1980–2006. AIDS Research and Human Retroviruses, 2009, 25, 1091-1097.	1.1	26
51	Clinical effects of viral relapse after interferon plus ribavirin in patients co-infected with human immunodeficiency virus and hepatitis C virus. Journal of Hepatology, 2013, 58, 1104-1112.	3.7	26
52	Noninvasive Mechanical Ventilation in Patients With Obesity Hypoventilation Syndrome. Long-term Outcome and Prognostic Factors. Archivos De Bronconeumologia, 2015, 51, 61-68.	0.8	26
53	Opportunistic infections and organâ€specific diseases in HIVâ€1â€infected children: a cohort study (1990–2006). HIV Medicine, 2010, 11, 245-252.	2.2	25
54	A novel predictive approach for GVHD after allogeneic SCT based on clinical variables and cytokine gene polymorphisms. Blood Advances, 2018, 2, 1719-1737.	5.2	25

#	Article	IF	Citations
55	Virological phenotype switches under salvage therapy with lopinavir–ritonavir in heavily pretreated HIV-1 vertically infected children. Aids, 2004, 18, 247-255.	2.2	24
56	Impairment of stimulation ability of very-preterm neonatal monocytes in response to lipopolysaccharide. Human Immunology, 2010, 71, 151-157.	2.4	24
57	Association of CD8+T Lymphocyte Subsets with the Most Commonly Used Markers to Monitor HIV Type 1 Infection in Children Treated with Highly Active Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2001, 17, 525-532.	1.1	22
58	Insulin Resistance Is Associated With Advanced Liver Fibrosis and High Body Mass Index in HIV/HCV-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 50, 109-110.	2.1	22
59	Terlipressin versus adrenaline in an infant animal model of asphyxial cardiac arrest. Intensive Care Medicine, 2010, 36, 1248-1255.	8.2	22
60	Hemodynamic, respiratory, and perfusion parameters during asphyxia, resuscitation, and post-resuscitation in a pediatric model of cardiac arrest. Intensive Care Medicine, 2011, 37, 147-155.	8.2	22
61	Characterizing the immune system after long-term undetectable viral load in HIV-1-infected children. Journal of Clinical Immunology, 2003, 23, 279-289.	3.8	21
62	Positive virological outcome after lopinavir/ritonavir salvage therapy in protease inhibitor-experienced HIV-1-infected children: a prospective cohort study. Journal of Antimicrobial Chemotherapy, 2004, 54, 921-931.	3.0	21
63	Mitochondrial Haplogroups Are Associated With Clinical Pattern of AIDS Progression in HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 178-183.	2.1	21
64	Immunological recovery after 3 years' antiretroviral therapy in HIV-1-infected children. Aids, 2002, 16, 483-486.	2.2	21
65	Predictors of Attrition and Immunological Failure in HIV-1 Patients on Highly Active Antiretroviral Therapy from Different Healthcare Settings in Mozambique. PLoS ONE, 2013, 8, e82718.	2.5	21
66	SLOW PROGRESSION OF HUMAN IMMUNODEFICIENCY VIRUS AND HEPATITIS C VIRUS DISEASE IN A COHORT OF COINFECTED CHILDREN. Pediatric Infectious Disease Journal, 2007, 26, 846-849.	2.0	20
67	New Strategies of Pulmonary Protection of Preterm Infants in the Delivery Room with the Respiratory Function Monitoring. American Journal of Perinatology, 2019, 36, 1368-1376.	1.4	20
68	Impact of antiretroviral protocols on dynamics of AIDS progression markers. Archives of Disease in Childhood, 2002, 86, 119-124.	1.9	19
69	Role of antiretroviral therapies in mucocutaneous manifestations in HIV-infected children over a period of two decades. British Journal of Dermatology, 2005, 153, 382-389.	1.5	19
70	Pulmonary arterial thermodilution, femoral arterial thermodilution and bioreactance cardiac output monitoring in a pediatric hemorrhagic hypovolemic shock model. Resuscitation, 2012, 83, 125-129.	3.0	19
71	Effectiveness of psychological and educational interventions for the prevention of depression in the workplace: A systematic review and meta-analysis. Scandinavian Journal of Work, Environment and Health, 2019, 45, 324-332.	3.4	19
72	Effectiveness and Safety of Abacavir, Lamivudine, and Zidovudine in Antiretroviral Therapy-Naive HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 41, 154-159.	2.1	18

#	Article	IF	Citations
73	Diagnostic accuracy of the APRI, FIB-4, and the Forns index for predicting liver fibrosis in HIV/HCV-coinfected patients: A validation study. Journal of Infection, 2011, 63, 402-405.	3.3	18
74	Accuracy of three transcutaneous carbon dioxide monitors in critically ill children. Pediatric Pulmonology, 2010, 45, 481-486.	2.0	17
75	European mitochondrial haplogroups are associated with CD4+ T cell recovery in HIV-infected patients on combination antiretroviral therapy. Journal of Antimicrobial Chemotherapy, 2013, 68, 2349-2357.	3.0	17
76	Effect of accompanying antiretroviral drugs on virological response to pegylated interferon and ribavirin in patients co-infected with HIV and hepatitis C virus. Journal of Antimicrobial Chemotherapy, 2011, 66, 2843-2849.	3.0	16
77	Measurement of Cardiac Output in Children by Pressure-Recording Analytical Method. Pediatric Cardiology, 2015, 36, 358-364.	1.3	16
78	Differences in the Outcome of Patients with COPD according to Body Mass Index. Journal of Clinical Medicine, 2020, 9, 710.	2.4	16
79	Antiretroviral activity and safety of lopinavir/ritonavir in protease inhibitor-experienced HIV-infected children with severe-moderate immunodeficiency. Journal of Antimicrobial Chemotherapy, 2006, 57, 579-582.	3.0	15
80	Patency and structural changes in cryopreserved arterial grafts used as vessel substitutes in the rat. Journal of Surgical Research, 2005, 124, 297-304.	1.6	14
81	Causes of Death in Pediatric Patients Vertically Infected by the Human Immunodeficiency Virus Type 1 in Madrid, Spain, From 1982 to Mid-2009. Pediatric Infectious Disease Journal, 2011, 30, 495-500.	2.0	14
82	Correlations between hemodynamic, oxygenation and tissue perfusion parameters during asphyxial cardiac arrest and resuscitation in a pediatric animal model. Resuscitation, 2011, 82, 755-759.	3.0	14
83	Continuous renal replacement therapy in children after cardiac surgery. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 448-454.	0.8	14
84	Mutations at codons 54 and 82 of HIV protease predict virological response of HIV-infected children on salvage lopinavir/ritonavir therapy. Journal of Antimicrobial Chemotherapy, 2005, 56, 1081-1086.	3.0	13
85	Diagnosis of advanced fibrosis in HIV and hepatitis C virusâ€coinfected patients via a new noninvasive index: the HGMâ€3 index. HIV Medicine, 2010, 11, 64-73.	2.2	13
86	Comparison of normal saline, hypertonic saline and hypertonic saline colloid resuscitation fluids in an infant animal model of hypovolemic shock. Resuscitation, 2012, 83, 1159-1165.	3.0	13
87	Assessment of pain in critically ill children. Is cutaneous conductance a reliable tool?. Journal of Critical Care, 2015, 30, 481-485.	2.2	13
88	Negative influence of age on CD4+ cell recovery after highly active antiretroviral therapy in naÃve HIV-1-infected patients with severe immunodeficiency. Journal of Infection, 2008, 56, 130-136.	3.3	12
89	215 Cardiac Output Monitoring: Experimental Study in An Infant Shock Animal Model Comparing Pulmonary Arterial Thermodilution, Femoral Arterial Thermodilution and Bioreactance. Pediatric Research, 2010, 68, 112-112.	2.3	12
90	Adipokine profiles and lipodystrophy in HIV-infected children during the first 4 years on highly active antiretroviral therapy. HIV Medicine, 2011, 12, 54-60.	2.2	12

#	Article	IF	CITATIONS
91	Development of a Compatibility Chart for Intravenous Y-Site Drug Administration in a Pediatric Intensive Care Unit. Journal of Infusion Nursing, 2012, 35, 109-114.	2.3	12
92	<i><scp>IL</scp>7<scp>RA</scp></i> polymorphisms predict the <scp>CD</scp> 4+ recovery in <scp>HIV</scp> patients on <scp>cART</scp> . European Journal of Clinical Investigation, 2015, 45, 1192-1199.	3.4	12
93	Efficiency of 4% Icodextrin in Preventing Adhesions to Spiral Tacks Used to Fix Intraperitoneal Prostheses. European Surgical Research, 2006, 38, 458-463.	1.3	11
94	Long-term response to highly active antiretroviral therapy with lopinavir/ritonavir in pre-treated vertically HIV-infected children. Journal of Antimicrobial Chemotherapy, 2007, 61, 183-190.	3.0	11
95	Disruption in cytokine and chemokine production by Tâ€cells in vertically HIVâ€1â€infected children. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 989-997.	1.5	11
96	Immunological Recovery and Metabolic Disorders in Severe Immunodeficiency HIV Type 1-Infected Children on Highly Active Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2008, 24, 1477-1484.	1.1	11
97	Spatial pattern of HIV-1 mother-to-child-transmission in Madrid (Spain) from 1980 till now: demographic and socioeconomic factors. Aids, 2008, 22, 2199-2205.	2.2	11
98	Implantable Defibrillator Electrograms and Origin of Left Ventricular Impulses: An Analysis of Regionalization Ability and Visual Spatial Resolution. Journal of Cardiovascular Electrophysiology, 2012, 23, 506-514.	1.7	11
99	Clinical Relevance of Cytokine Production in HIV-1 Infection in Children on Antiretroviral Therapy. Scandinavian Journal of Immunology, 2000, 52, 634-640.	2.7	11
100	Calidad de vida en la enfermedad pulmonar obstructiva cr \tilde{A}^3 nica. Influencia del nivel de asistencia de los pacientes. Archivos De Bronconeumologia, 2004, 40, 431-437.	0.8	11
101	Immunological Changes after Highly Active Antiretroviral Therapy with Lopinavir–Ritonavir in Heavily Pretreated HIV-Infected Children. AIDS Research and Human Retroviruses, 2005, 21, 398-406.	1.1	10
102	Impact of long-term viral suppression in CD4+ recovery of HIV-children on Highly Active Antiretroviral Therapy. BMC Infectious Diseases, 2006, 6, 10.	2.9	10
103	Clinical course of children requiring prolonged continuous renal replacement therapy. Pediatric Nephrology, 2010, 25, 523-528.	1.7	10
104	HIV-Infected Adolescents: Relationship Between Atazanavir Plasma Levels and Bilirubin Concentrations. Journal of Adolescent Health, 2011, 48, 100-102.	2.5	10
105	Infection in Critically Ill Pediatric Patients on Continuous Renal Replacement Therapy. International Journal of Artificial Organs, 2017, 40, 224-229.	1.4	10
106	Metabolic bone disease in patients diagnosed with inflammatory bowel disease from Spain. Therapeutic Advances in Gastroenterology, 2019, 12, 175628481986215.	3.2	10
107	Usefulness of combining clinical and biochemical parameters for prediction of postoperative pulmonary complications after lung resection surgery. Journal of Clinical Monitoring and Computing, 2019, 33, 1043-1054.	1.6	10
108	Spontaneous recovery of neuromuscular blockade is an independent risk factor for postoperative pulmonary complications after abdominal surgery. European Journal of Anaesthesiology, 2020, 37, 203-211.	1.7	10

#	Article	IF	CITATIONS
109	Long-Term Response to Highly Active Antiretroviral Therapy in Human Immunodeficiency Virus and Hepatitis C Virus Coinfected Children. Pediatric Infectious Disease Journal, 2007, 26, 1061-1064.	2.0	9
110	SLC30A8 rs13266634 polymorphism is related to a favorable cardiometabolic lipid profile in HIV/hepatitis C virus-coinfected patients. Aids, 2014, 28, 1325-1332.	2.2	9
111	Prognostic Value of Transient Elastography in Human Immunodeficiency Virus-Infected Patients With Chronic Hepatitis C. Open Forum Infectious Diseases, 2016, 3, ofw212.	0.9	9
112	Multicenter comparison of CD34+ myeloid cell count by flow cytometry in lowâ€risk myelodysplastic syndrome. Is it feasible?. Cytometry Part B - Clinical Cytometry, 2018, 94, 527-535.	1.5	9
113	VDR rs2228570 Polymorphism Is Related to Non-Progression to AIDS in Antiretroviral Therapy Na \tilde{A} -ve HIV-Infected Patients. Journal of Clinical Medicine, 2019, 8, 311.	2.4	9
114	Mild profile improvement of immune biomarkers in HIV/HCV-coinfected patients who removed hepatitis C after HCV treatment: A prospective study. Journal of Infection, 2020, 80, 99-110.	3.3	9
115	Homeostatic role of IL-7 in HIV-1 infected children on HAART: Association with immunological and virological parameters. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 170-177.	1.5	9
116	Effects of highly active antiretroviral therapy with nelfinavir in vertically HIV-1 infected children: 3 years of follow-up. Long-term response to nelfinavir in children. BMC Infectious Diseases, 2006, 6, 107.	2.9	8
117	Evolución y factores de riesgo de mortalidad en niños sometidos aÂcirugÃa cardiaca que requieren técnicas de depuración extrarrenal continua. Revista Espanola De Cardiologia, 2012, 65, 795-800.	1.2	8
118	Relationship between hyperglycemia, hormone disturbances, and clinical evolution in severely hyperglycemic post surgery critically ill children: an observational study. BMC Endocrine Disorders, 2014, 14, 25.	2.2	8
119	ACSM4 Polymorphisms Are Associated With Rapid AIDS Progression in HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 27-32.	2.1	8
120	Soluble Adhesion Molecules in Patients Coinfected with HIV and HCV: A Predictor of Outcome. PLoS ONE, 2016, 11, e0148537.	2.5	8
121	Potentially inappropriate medications in older adults living with HIV. HIV Medicine, 2020, 21, 541-546.	2.2	8
122	Disruption in cytokine and chemokine production by T-cells in vertically HIV-1-infected children. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 989-997.	1.5	8
123	A simple score to predict early severe infections in patients with newly diagnosed multiple myeloma. Blood Cancer Journal, 2022, 12, 68.	6.2	8
124	Clinical severity scores do not predict tolerance to enteral nutrition in critically ill children. British Journal of Nutrition, 2009, 102, 191-194.	2.3	7
125	Comparison of continuous pH-meter and intermittent pH paper monitoring of gastric pH in critically ill children. European Journal of Gastroenterology and Hepatology, 2012, 24, 33-36.	1.6	7
126	Influence on Effectiveness of Early Treatment with Anti-TNF Therapy in Rheumatoid Arthritis. Journal of Pharmacy and Pharmaceutical Sciences, 2012, 15, 355.	2.1	7

#	Article	IF	CITATIONS
127	Erythropoiesis-stimulating agents in anaemia due to chronic kidney disease: a cost-minimization analysis. International Journal of Clinical Pharmacy, 2013, 35, 463-468.	2.1	7
128	Determinants of Highly Active Antiretroviral Therapy Duration in HIV-1-Infected Children and Adolescents in Madrid, Spain, from 1996 to 2012. PLoS ONE, 2014, 9, e96307.	2.5	7
129	Histological evaluation of scar tissue inflammatory response: the role of hGH in diabetic rats. Histology and Histopathology, 2005, 20, 53-7.	0.7	7
130	Recovery of T-cell subsets after antiretroviral therapy in HIV-infected children. European Journal of Clinical Investigation, 2003, 33, 619-627.	3.4	6
131	Impact of Highly Active Antiretroviral Therapy on CD4+ T Cells and Viral Load of Children with AIDS: A Population-Based Study. AIDS Research and Human Retroviruses, 2004, 20, 927-931.	1.1	6
132	Estudio comparativo de dos modelos de rehabilitaci \tilde{A}^3 n en las fracturas de cadera. Rehabilitacion, 2006, 40, 123-131.	0.4	6
133	Monogenic and Polygenic Models Detected in Steroid 21-Hydroxylase Deficiency-Related Paediatric Hyperandrogenism. Hormone Research in Paediatrics, 2009, 71, 28-37.	1.8	6
134	Prediction of Hepatic Fibrosis in Patients Coinfected With HIV and Hepatitis C Virus Based on Genetic Markers. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 434-442.	2.1	6
135	Toll-like receptor 8 (TLR8) polymorphisms are associated with non-progression of chronic hepatitis C in HIV/HCV coinfected patients. Infection, Genetics and Evolution, 2015, 36, 339-344.	2.3	6
136	European mitochondrial haplogroups predict liver-related outcomes in patients coinfected with HIV and HCV: a retrospective study. Journal of Translational Medicine, 2019, 17, 244.	4.4	6
137	CD8+ T-Cell Numbers Predict the Response to Antiviral Therapy in HIV-1-Infected Children. Pediatric Research, 2003, 53, 309-312.	2.3	6
138	Comparison of Normal Saline, Hypertonic Saline Albumin and Terlipressin plus Hypertonic Saline Albumin in an Infant Animal Model of Hypovolemic Shock. PLoS ONE, 2015, 10, e0121678.	2.5	6
139	Stimulated proliferative responses in vertically HIV-infected children on HAART correlate with clinical and immunological markers. Clinical and Experimental Immunology, 2003, 131, 130-137.	2.6	5
140	Clinical and Economic Impact of a Multisciplinary Intervention to Reduce Bleeding Risk in Patients With Acute Coronary Syndrome. Revista Espanola De Cardiologia (English Ed), 2017, 70, 825-831.	0.6	5
141	Plasma protein thiolation index (PTI) as a potential biomarker for left ventricular hypertrophy in humans. PLoS ONE, 2019, 14, e0216359.	2.5	5
142	Effects of Eradication of HCV on Cardiovascular Risk and Preclinical Atherosclerosis in HIV/HCV-Coinfected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 292-300.	2.1	5
143	ASSOCIATION BETWEEN LIPODYSTROPHY AND LEPTIN IN HUMAN IMMUNODEFICIENCY VIRUS-1-INFECTED CHILDREN RECEIVING LOPINAVIR/RITONAVIR-BASED THERAPY. Pediatric Infectious Disease Journal, 2010, 29, 774-777.	2.0	4
144	Cardiovascular risk markers are increased in HIV-infected children with lipodystrophy syndrome. Journal of Infection, 2011, 62, 240-243.	3.3	4

#	Article	IF	CITATIONS
145	Wilms Tumor 1 gene expression levels improve risk stratification in <scp>AML</scp> patients. Results of a multicentre study within the Spanish Group for Molecular Biology in Haematology. British Journal of Haematology, 2018, 181, 542-546.	2.5	4
146	Influence of postoperative complications on long-term outcome after oncologic lung resection surgery. Substudy of a randomized control trial. Journal of Clinical Monitoring and Computing, 2021, 35, 1183-1192.	1.6	4
147	Dynamics of progression markers in a non-study population of human immunodeficiency virus-1 vertically infected infants with different antiretroviral treatments. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 776-782.	1.5	4
148	Predictive factors of virological success to salvage regimens containing protease inhibitors in HIV-1 infected children. BMC Infectious Diseases, 2007, 7, 55.	2.9	3
149	Comparison of levels of antiretroviral drugs with efficacy in children with HIV infection. Indian Journal of Pediatrics, 2010, 77, 397-402.	0.8	3
150	Multichannel intraluminal impedance to study gastroesophageal reflux inÂmechanically ventilated children in the first 48 h after PICU admission. Nutrition, 2013, 29, 972-976.	2.4	3
151	<i>IL7RA</i> polymorphisms are not associated with AIDS progression. European Journal of Clinical Investigation, 2017, 47, 719-727.	3.4	3
152	Renal function in children assisted with extracorporeal membrane oxygenation. International Journal of Artificial Organs, 2020, 43, 119-126.	1.4	3
153	Short-term behavior of different polymer structure lightweight meshes used to repair abdominal wall defects. Histology and Histopathology, 2013, 28, 611-21.	0.7	3
154	Risk prediction of CMV reactivation after allogeneic stem cell transplantation using five non-HLA immunogenetic polymorphisms. Annals of Hematology, 2022, 101, 1567-1576.	1.8	3
155	Mortalidad en el sÃndrome de obesidad-hipoventilación y factores de riesgo pronóstico. Archivos De Bronconeumologia, 2015, 51, 304-305.	0.8	2
156	Prognostic value of liver stiffness in HIV/HCV-Coinfected patients with decompensated cirrhosis. BMC Infectious Diseases, 2018, 18, 170.	2.9	2
157	DBP rs16846876 and rs12512631 polymorphisms are associated with progression to AIDS naà ve HIV-infected patients: a retrospective study. Journal of Biomedical Science, 2019, 26, 83.	7.0	2
158	OXY-SCORE: a new perspective for left ventricular hypertrophy diagnosis. Therapeutic Advances in Chronic Disease, 2020, 11, 204062232093641.	2.5	2
159	Effects of Hepatitis C Virus (HCV) Eradication on Bone Mineral Density in Human Immunodeficiency Virus/HCV-Coinfected Patients. Clinical Infectious Diseases, 2020, 73, e2026-e2033.	5.8	2
160	Brief Report: CYP27B1 rs10877012 T Allele Was Linked to Non-AIDS Progression in ART-Na \tilde{A} -ve HIV-Infected Patients: A Retrospective Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 659-664.	2.1	2
161	Indicación de uso de los antirretrovirales de última generación en la práctica clÃnica actual. Farmacia Hospitalaria, 2011, 35, 14-22.	0.6	1
162	Influence of Comorbidities on the Survival of COPD Patients According to Phenotypes International Journal of COPD, 2020, Volume 15, 2759-2767.	2.3	1

#	Article	IF	Citations
163	Influence of Pneumonia on the Survival of Patients with COPD. Journal of Clinical Medicine, 2020, 9, 230.	2.4	1
164	Reconstituci \tilde{A}^3 n cl \tilde{A} nica e inmunol \tilde{A}^3 gica completa tras el tratamiento antirretroviral de gran actividad en un ni \tilde{A} ±0 infectado verticalmente por el virus de la inmunodeficiencia humana tipo 1 con enfermedad avanzada. Medicina Cl \tilde{A} nica, 2003, 120, 417-420.	0.6	1
165	Prevalencia de resistencia a fármacos antirretrovirales en España. Anales De PediatrÃa, 2007, 67, 104-108.	0.2	1
166	Donor and Recipient Genotypes for Interleukin 1 Gene Single Nucleotide Polymorphisms (SNPs) Allow Anticipation of Acute Graft Versus Host Disease after HLA-Identical Allogeneic Stem Cell Transplantation (allo-SCT). Blood, 2014, 124, 666-666.	1.4	1
167	The Challenge Of Quantifying CD34+ Myeloid Cells In Myelodysplastic Syndromes With Less Than 5% Bone Marrow Blasts. Reproducibility Among 6 Flow Cytometry Observers. Blood, 2013, 122, 2769-2769.	1.4	1
168	753 INSULIN RESISTANCE IS INDEPENDENTLY ASSOCIATED WITH ADVANCED LIVER FIBROSIS AND HIGH BODY MASS INDEX IN HIV/HCV-COINFECTED PATIENTS. Journal of Hepatology, 2008, 48, S281.	3.7	0
169	Utilidad de la tomografÃa por emisión de positrones en el diagnóstico del nódulo pulmonar solitario con alta probabilidad de malignidad. Revista De Patologia Respiratoria, 2009, 12, 69-73.	0.0	0
170	1028 Gastroesophageal Reflux in Critically Ill Children. Pediatric Research, 2010, 68, 511-511.	2.3	0
171	Duration of antiretroviral regimens in treatment-experienced patients in clinical practice. Retrovirology, 2010, 7, .	2.0	O
172	An Update to the Society for Adolescent Health and Medicine's Position Statement on the Human Papillomavirus Vaccine. Journal of Adolescent Health, 2011, 48, 424.	2.5	0
173	Psychometric properties of the Spanish version of the Diagnostic Interview for Depressive Personality. European Psychiatry, 2012, 27, 582-590.	0.2	0
174	GRP-087â€Impact of an Electronic Medicines Reconciliation Programme Used in a General Surgery Unit. European Journal of Hospital Pharmacy, 2013, 20, A31.3-A32.	1.1	0
175	Multicenter Comparison of CD34+ Myeloid Cell Count by Flow Cytometry in Low-Risk Myelodysplastic Syndrome. Is It Feasible?. Leukemia Research, 2017, 55, S98-S99.	0.8	0
176	Bronchial hyperresponsiveness in COPD: Impact on survival outcomes., 2017,,.		0
177	Papel diferencial de las subpoblaciones de linfocitos T CD4+ y CD8+ sobre la replicación del virus de la inmunodeficiencia humana y la función tÃmica en niños. Medicina ClÃnica, 2004, 123, 527-531.	0.6	0