

J M BellÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6459270/publications.pdf>

Version: 2024-02-01

177
papers

4,108
citations

109321

35
h-index

175258

52
g-index

204
all docs

204
docs citations

204
times ranked

5218
citing authors

#	ARTICLE	IF	CITATIONS
1	A simple score to predict early severe infections in patients with newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2022, 12, 68.	6.2	8
2	Risk prediction of CMV reactivation after allogeneic stem cell transplantation using five non-HLA immunogenetic polymorphisms. <i>Annals of Hematology</i> , 2022, 101, 1567-1576.	1.8	3
3	Influence of postoperative complications on long-term outcome after oncologic lung resection surgery. Substudy of a randomized control trial. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 1183-1192.	1.6	4
4	Renal function in children assisted with extracorporeal membrane oxygenation. <i>International Journal of Artificial Organs</i> , 2020, 43, 119-126.	1.4	3
5	Mild profile improvement of immune biomarkers in HIV/HCV-coinfected patients who removed hepatitis C after HCV treatment: A prospective study. <i>Journal of Infection</i> , 2020, 80, 99-110.	3.3	9
6	Polypharmacy and Drug-Drug Interactions in People Living With Human Immunodeficiency Virus in the Region of Madrid, Spain: A Population-Based Study. <i>Clinical Infectious Diseases</i> , 2020, 71, 353-362.	5.8	52
7	OXY-SCORE: a new perspective for left ventricular hypertrophy diagnosis. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232093641.	2.5	2
8	Effects of Hepatitis C Virus (HCV) Eradication on Bone Mineral Density in Human Immunodeficiency Virus/HCV-Coinfected Patients. <i>Clinical Infectious Diseases</i> , 2020, 73, e2026-e2033.	5.8	2
9	<p>Influence of Comorbidities on the Survival of COPD Patients According to Phenotypes</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 2759-2767.	2.3	1
10	Potentially inappropriate medications in older adults living with HIV. <i>HIV Medicine</i> , 2020, 21, 541-546.	2.2	8
11	Differences in the Outcome of Patients with COPD according to Body Mass Index. <i>Journal of Clinical Medicine</i> , 2020, 9, 710.	2.4	16
12	Spontaneous recovery of neuromuscular blockade is an independent risk factor for postoperative pulmonary complications after abdominal surgery. <i>European Journal of Anaesthesiology</i> , 2020, 37, 203-211.	1.7	10
13	Effects of Eradication of HCV on Cardiovascular Risk and Preclinical Atherosclerosis in HIV/HCV-Coinfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 292-300.	2.1	5
14	Influence of Pneumonia on the Survival of Patients with COPD. <i>Journal of Clinical Medicine</i> , 2020, 9, 230.	2.4	1
15	Brief Report: CYP27B1 rs10877012 T Allele Was Linked to Non-AIDS Progression in ART-Naïve HIV-Infected Patients: A Retrospective Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 659-664.	2.1	2
16	Metabolic bone disease in patients diagnosed with inflammatory bowel disease from Spain. <i>Therapeutic Advances in Gastroenterology</i> , 2019, 12, 175628481986215.	3.2	10
17	European mitochondrial haplogroups predict liver-related outcomes in patients coinfecting with HIV and HCV: a retrospective study. <i>Journal of Translational Medicine</i> , 2019, 17, 244.	4.4	6
18	DBP rs16846876 and rs12512631 polymorphisms are associated with progression to AIDS naïve HIV-infected patients: a retrospective study. <i>Journal of Biomedical Science</i> , 2019, 26, 83.	7.0	2

#	ARTICLE	IF	CITATIONS
19	Usefulness of combining clinical and biochemical parameters for prediction of postoperative pulmonary complications after lung resection surgery. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 1043-1054.	1.6	10
20	Plasma protein thiolation index (PTI) as a potential biomarker for left ventricular hypertrophy in humans. <i>PLoS ONE</i> , 2019, 14, e0216359.	2.5	5
21	Evaluation of the diagnostic accuracy of laboratory-based screening for hepatitis C in dried blood spot samples: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2019, 9, 7316.	3.3	35
22	VDR rs2228570 Polymorphism Is Related to Non-Progression to AIDS in Antiretroviral Therapy Na ⁺ ve HIV-Infected Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 311.	2.4	9
23	New Strategies of Pulmonary Protection of Preterm Infants in the Delivery Room with the Respiratory Function Monitoring. <i>American Journal of Perinatology</i> , 2019, 36, 1368-1376.	1.4	20
24	Effectiveness of psychological and educational interventions for the prevention of depression in the workplace: A systematic review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 324-332.	3.4	19
25	Wilms Tumor 1 gene expression levels improve risk stratification in <sc>AML</sc> patients. Results of a multicentre study within the Spanish Group for Molecular Biology in Haematology. <i>British Journal of Haematology</i> , 2018, 181, 542-546.	2.5	4
26	Multicenter comparison of CD34+ myeloid cell count by flow cytometry in low-risk myelodysplastic syndrome. Is it feasible?. <i>Cytometry Part B - Clinical Cytometry</i> , 2018, 94, 527-535.	1.5	9
27	A novel predictive approach for GVHD after allogeneic SCT based on clinical variables and cytokine gene polymorphisms. <i>Blood Advances</i> , 2018, 2, 1719-1737.	5.2	25
28	Prognostic value of liver stiffness in HIV/HCV-Coinfected patients with decompensated cirrhosis. <i>BMC Infectious Diseases</i> , 2018, 18, 170.	2.9	2
29	Comparison of Two Protocols of Carbon Tetrachloride-Induced Cirrhosis in Rats – Improving Yield and Reproducibility. <i>Scientific Reports</i> , 2018, 8, 9163.	3.3	49
30	Eradication of hepatitis C virus and non-liver-related non-acquired immune deficiency syndrome-related events in human immunodeficiency virus/hepatitis C virus coinfection. <i>Hepatology</i> , 2017, 66, 344-356.	7.3	49
31	Clinical and Economic Impact of a Multidisciplinary Intervention to Reduce Bleeding Risk in Patients With Acute Coronary Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 825-831.	0.6	5
32	Multicenter Comparison of CD34+ Myeloid Cell Count by Flow Cytometry in Low-Risk Myelodysplastic Syndrome. Is It Feasible?. <i>Leukemia Research</i> , 2017, 55, S98-S99.	0.8	0
33	<i>IL7RA</i> polymorphisms are not associated with AIDS progression. <i>European Journal of Clinical Investigation</i> , 2017, 47, 719-727.	3.4	3
34	Infection in Critically Ill Pediatric Patients on Continuous Renal Replacement Therapy. <i>International Journal of Artificial Organs</i> , 2017, 40, 224-229.	1.4	10
35	Bronchial hyperresponsiveness in COPD: Impact on survival outcomes. , 2017, , .		0
36	Prognostic Value of Transient Elastography in Human Immunodeficiency Virus-Infected Patients With Chronic Hepatitis C. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw212.	0.9	9

#	ARTICLE	IF	CITATIONS
37	Soluble Adhesion Molecules in Patients Coinfected with HIV and HCV: A Predictor of Outcome. PLoS ONE, 2016, 11, e0148537.	2.5	8
38	Pediatric Extrapulmonary Tuberculosis. Pediatric Infectious Disease Journal, 2016, 35, 1175-1181.	2.0	53
39	Multicenter study for the evaluation of the antibody response against salmonella typhi Vi vaccination (EMPATHY) for the diagnosis of Anti-polysaccharide antibody production deficiency in patients with primary immunodeficiency. Clinical Immunology, 2016, 169, 80-84.	3.2	34
40	<i>IL7RA</i> polymorphisms predict the CD4+ recovery in HIV patients on cART. European Journal of Clinical Investigation, 2015, 45, 1192-1199.	3.4	12
41	Measurement of Cardiac Output in Children by Pressure-Recording Analytical Method. Pediatric Cardiology, 2015, 36, 358-364.	1.3	16
42	Interobserver variance in myelodysplastic syndromes with less than 5% bone marrow blasts: unilineage vs. multilineage dysplasia and reproducibility of the threshold of 2% blasts. Annals of Hematology, 2015, 94, 565-573.	1.8	62
43	Mortalidad en el síndrome de obesidad-hipoventilación y factores de riesgo pronóstico. Archivos De Bronconeumología, 2015, 51, 304-305.	0.8	2
44	Assessment of pain in critically ill children. Is cutaneous conductance a reliable tool?. Journal of Critical Care, 2015, 30, 481-485.	2.2	13
45	Toll-like receptor 8 (TLR8) polymorphisms are associated with non-progression of chronic hepatitis C in HIV/HCV coinfecting patients. Infection, Genetics and Evolution, 2015, 36, 339-344.	2.3	6
46	Long-term evolution after in-hospital cardiac arrest in children: Prospective multicenter multinational study. Resuscitation, 2015, 96, 126-134.	3.0	35
47	Comparison of the Prognostic Value of Liver Biopsy and FIB-4 Index in Patients Coinfected With HIV and Hepatitis C Virus. Clinical Infectious Diseases, 2015, 60, 950-958.	5.8	36
48	Ventilación mecánica no invasiva en pacientes con síndrome de obesidad-hipoventilación. Evolución a largo plazo y factores pronósticos. Archivos De Bronconeumología, 2015, 51, 61-68.	0.8	38
49	Noninvasive Mechanical Ventilation in Patients With Obesity Hypoventilation Syndrome. Long-term Outcome and Prognostic Factors. Archivos De Bronconeumología, 2015, 51, 61-68.	0.8	26
50	Comparison of Normal Saline, Hypertonic Saline Albumin and Terlipressin plus Hypertonic Saline Albumin in an Infant Animal Model of Hypovolemic Shock. PLoS ONE, 2015, 10, e0121678.	2.5	6
51	Determinants of Highly Active Antiretroviral Therapy Duration in HIV-1-Infected Children and Adolescents in Madrid, Spain, from 1996 to 2012. PLoS ONE, 2014, 9, e96307.	2.5	7
52	Citrate Anticoagulation for CRRT in Children: Comparison with Heparin. BioMed Research International, 2014, 2014, 1-7.	1.9	32
53	Prediction of Liver Complications in Patients With Hepatitis C Virus-Related Cirrhosis With and Without HIV Coinfection: Comparison of Hepatic Venous Pressure Gradient and Transient Elastography. Clinical Infectious Diseases, 2014, 58, 713-718.	5.8	29
54	Relationship between hyperglycemia, hormone disturbances, and clinical evolution in severely hyperglycemic post surgery critically ill children: an observational study. BMC Endocrine Disorders, 2014, 14, 25.	2.2	8

#	ARTICLE	IF	CITATIONS
55	SLC30A8 rs13266634 polymorphism is related to a favorable cardiometabolic lipid profile in HIV/hepatitis C virus-coinfected patients. <i>Aids</i> , 2014, 28, 1325-1332.	2.2	9
56	Shockable rhythms and defibrillation during in-hospital pediatric cardiac arrest. <i>Resuscitation</i> , 2014, 85, 387-391.	3.0	38
57	Prognostic relevance of early AKI according to pRIFLE criteria in children undergoing cardiac surgery. <i>Pediatric Nephrology</i> , 2014, 29, 1265-1272.	1.7	35
58	Cardiac arrest and resuscitation in the pediatric intensive care unit: A prospective multicenter multinational study. <i>Resuscitation</i> , 2014, 85, 1380-1386.	3.0	39
59	ACSM4 Polymorphisms Are Associated With Rapid AIDS Progression in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 27-32.	2.1	8
60	Donor and Recipient Genotypes for Interleukin 1 Gene Single Nucleotide Polymorphisms (SNPs) Allow Anticipation of Acute Graft Versus Host Disease after HLA-Identical Allogeneic Stem Cell Transplantation (allo-SCT). <i>Blood</i> , 2014, 124, 666-666.	1.4	1
61	Erythropoiesis-stimulating agents in anaemia due to chronic kidney disease: a cost-minimization analysis. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 463-468.	2.1	7
62	Continuous renal replacement therapy in children after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 448-454.	0.8	14
63	Clinical effects of viral relapse after interferon plus ribavirin in patients co-infected with human immunodeficiency virus and hepatitis C virus. <i>Journal of Hepatology</i> , 2013, 58, 1104-1112.	3.7	26
64	Multichannel intraluminal impedance to study gastroesophageal reflux in mechanically ventilated children in the first 48 h after PICU admission. <i>Nutrition</i> , 2013, 29, 972-976.	2.4	3
65	Prediction of Hepatic Fibrosis in Patients Coinfected With HIV and Hepatitis C Virus Based on Genetic Markers. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 64, 434-442.	2.1	6
66	European mitochondrial haplogroups are associated with CD4+ T cell recovery in HIV-infected patients on combination antiretroviral therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2349-2357.	3.0	17
67	Circulating Tumor Cells Following First Chemotherapy Cycle: An Early and Strong Predictor of Outcome in Patients With Metastatic Breast Cancer. <i>Oncologist</i> , 2013, 18, 917-923.	3.7	41
68	GRP-087â€¦Impact of an Electronic Medicines Reconciliation Programme Used in a General Surgery Unit. <i>European Journal of Hospital Pharmacy</i> , 2013, 20, A31.3-A32.	1.1	0
69	Mitochondrial Haplogroups Are Associated With Clinical Pattern of AIDS Progression in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 178-183.	2.1	21
70	Predictors of Attrition and Immunological Failure in HIV-1 Patients on Highly Active Antiretroviral Therapy from Different Healthcare Settings in Mozambique. <i>PLoS ONE</i> , 2013, 8, e82718.	2.5	21
71	The Challenge Of Quantifying CD34+ Myeloid Cells In Myelodysplastic Syndromes With Less Than 5% Bone Marrow Blasts. Reproducibility Among 6 Flow Cytometry Observers. <i>Blood</i> , 2013, 122, 2769-2769.	1.4	1
72	Short-term behavior of different polymer structure lightweight meshes used to repair abdominal wall defects. <i>Histology and Histopathology</i> , 2013, 28, 611-21.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Detecting MCI and dementia in primary care: efficiency of the MMS, the FAQ and the IQCODE. <i>Family Practice</i> , 2012, 29, 401-406.	1.9	35
74	Chronic obstructive pulmonary disease as a cardiovascular risk factor. Results of a case–control study (CONSISTE study). <i>International Journal of COPD</i> , 2012, 7, 679.	2.3	52
75	Development of a Compatibility Chart for Intravenous Y-Site Drug Administration in a Pediatric Intensive Care Unit. <i>Journal of Infusion Nursing</i> , 2012, 35, 109-114.	2.3	12
76	Comparison of continuous pH-meter and intermittent pH paper monitoring of gastric pH in critically ill children. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 33-36.	1.6	7
77	Psychometric properties of the Spanish version of the Diagnostic Interview for Depressive Personality. <i>European Psychiatry</i> , 2012, 27, 582-590.	0.2	0
78	Comparison of normal saline, hypertonic saline and hypertonic saline colloid resuscitation fluids in an infant animal model of hypovolemic shock. <i>Resuscitation</i> , 2012, 83, 1159-1165.	3.0	13
79	Evoluci3n y factores de riesgo de mortalidad en ni3os sometidos a4cirug4a cardiaca que requieren t4cnicas de depuraci3n extrarrenal continua. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 795-800.	1.2	8
80	Pulmonary arterial thermodilution, femoral arterial thermodilution and bioreactance cardiac output monitoring in a pediatric hemorrhagic hypovolemic shock model. <i>Resuscitation</i> , 2012, 83, 125-129.	3.0	19
81	Nutritional status and clinical outcome of children on continuous renal replacement therapy: a prospective observational study. <i>BMC Nephrology</i> , 2012, 13, 125.	1.8	42
82	Influence on Effectiveness of Early Treatment with Anti-TNF Therapy in Rheumatoid Arthritis. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2012, 15, 355.	2.1	7
83	Sustained Virological Response to Interferon Plus Ribavirin Reduces Non-Liver-Related Mortality in Patients Coinfected With HIV and Hepatitis C Virus. <i>Clinical Infectious Diseases</i> , 2012, 55, 728-736.	5.8	140
84	Implantable Defibrillator Electrograms and Origin of Left Ventricular Impulses: An Analysis of Regionalization Ability and Visual Spatial Resolution. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 506-514.	1.7	11
85	HIV-Infected Adolescents: Relationship Between Atazanavir Plasma Levels and Bilirubin Concentrations. <i>Journal of Adolescent Health</i> , 2011, 48, 100-102.	2.5	10
86	An Update to the Society for Adolescent Health and Medicine's Position Statement on the Human Papillomavirus Vaccine. <i>Journal of Adolescent Health</i> , 2011, 48, 424.	2.5	0
87	Causes of Death in Pediatric Patients Vertically Infected by the Human Immunodeficiency Virus Type 1 in Madrid, Spain, From 1982 to Mid-2009. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 495-500.	2.0	14
88	Use of transient elastography (FibroScan®) for the noninvasive assessment of portal hypertension in HIV/HCV-coinfected patients. <i>Journal of Viral Hepatitis</i> , 2011, 18, 685-691.	2.0	50
89	Impact of liver steatosis on the correlation between liver stiffness and fibrosis measured by transient elastography in patients coinfecting with human immunodeficiency virus and hepatitis C virus. <i>Journal of Viral Hepatitis</i> , 2011, 18, e278-83.	2.0	31
90	Adipokine profiles and lipodystrophy in HIV-infected children during the first 4 years on highly active antiretroviral therapy. <i>HIV Medicine</i> , 2011, 12, 54-60.	2.2	12

#	ARTICLE	IF	CITATIONS
91	Diagnostic accuracy of the APRI, FIB-4, and the Forns index for predicting liver fibrosis in HIV/HCV-coinfected patients: A validation study. <i>Journal of Infection</i> , 2011, 63, 402-405.	3.3	18
92	Indicaci3n de uso de los antirretrovirales de 3ltima generaci3n en la pr3ctica cl3nica actual. <i>Farmacia Hospitalaria</i> , 2011, 35, 14-22.	0.6	1
93	Hemodynamic, respiratory, and perfusion parameters during asphyxia, resuscitation, and post-resuscitation in a pediatric model of cardiac arrest. <i>Intensive Care Medicine</i> , 2011, 37, 147-155.	8.2	22
94	Measurement of Cardiac Output in Children by Bioreactance. <i>Pediatric Cardiology</i> , 2011, 32, 469-472.	1.3	40
95	Correlations between hemodynamic, oxygenation and tissue perfusion parameters during asphyxial cardiac arrest and resuscitation in a pediatric animal model. <i>Resuscitation</i> , 2011, 82, 755-759.	3.0	14
96	An artificial neural network improves the non-invasive diagnosis of significant fibrosis in HIV/HCV coinfected patients. <i>Journal of Infection</i> , 2011, 62, 77-86.	3.3	31
97	Cardiovascular risk markers are increased in HIV-infected children with lipodystrophy syndrome. <i>Journal of Infection</i> , 2011, 62, 240-243.	3.3	4
98	Effect of accompanying antiretroviral drugs on virological response to pegylated interferon and ribavirin in patients co-infected with HIV and hepatitis C virus. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2843-2849.	3.0	16
99	ASSOCIATION BETWEEN LIPODYSTROPHY AND LEPTIN IN HUMAN IMMUNODEFICIENCY VIRUS-1-INFECTED CHILDREN RECEIVING LOPINAVIR/RITONAVIR-BASED THERAPY. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 774-777.	2.0	4
100	1028 Gastroesophageal Reflux in Critically Ill Children. <i>Pediatric Research</i> , 2010, 68, 511-511.	2.3	0
101	Terlipressin versus adrenaline in an infant animal model of asphyxial cardiac arrest. <i>Intensive Care Medicine</i> , 2010, 36, 1248-1255.	8.2	22
102	Clinical course and mortality risk factors in critically ill children requiring continuous renal replacement therapy. <i>Intensive Care Medicine</i> , 2010, 36, 843-849.	8.2	63
103	Clinical course of children requiring prolonged continuous renal replacement therapy. <i>Pediatric Nephrology</i> , 2010, 25, 523-528.	1.7	10
104	Comparison of levels of antiretroviral drugs with efficacy in children with HIV infection. <i>Indian Journal of Pediatrics</i> , 2010, 77, 397-402.	0.8	3
105	Can serum hyaluronic acid replace simple non-invasive indexes to predict liver fibrosis in HIV/Hepatitis C coinfectd patients?. <i>BMC Infectious Diseases</i> , 2010, 10, 244.	2.9	27
106	Duration of antiretroviral regimens in treatment-experienced patients in clinical practice. <i>Retrovirology</i> , 2010, 7, .	2.0	0
107	Accuracy of three transcutaneous carbon dioxide monitors in critically ill children. <i>Pediatric Pulmonology</i> , 2010, 45, 481-486.	2.0	17
108	Diagnosis of advanced fibrosis in HIV and hepatitis C virus3coinfectd patients via a new noninvasive index: the HGM3 index. <i>HIV Medicine</i> , 2010, 11, 64-73.	2.2	13

#	ARTICLE	IF	CITATIONS
109	Opportunistic infections and organ-specific diseases in HIV-infected children: a cohort study (1990-2006). <i>HIV Medicine</i> , 2010, 11, 245-252.	2.2	25
110	Comparison of transient elastography and liver biopsy for the assessment of liver fibrosis in HIV/hepatitis C virus-coinfected patients and correlation with noninvasive serum markers. <i>Journal of Viral Hepatitis</i> , 2010, 17, 280-286.	2.0	94
111	215 Cardiac Output Monitoring: Experimental Study in An Infant Shock Animal Model Comparing Pulmonary Arterial Thermodilution, Femoral Arterial Thermodilution and Bioreactance. <i>Pediatric Research</i> , 2010, 68, 112-112.	2.3	12
112	Impairment of stimulation ability of very-preterm neonatal monocytes in response to lipopolysaccharide. <i>Human Immunology</i> , 2010, 71, 151-157.	2.4	24
113	Impact of Highly Active Antiretroviral Therapy (HAART) on AIDS and Death in a Cohort of Vertically HIV Type 1-Infected Children: 1980-2006. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 1091-1097.	1.1	26
114	Monogenic and Polygenic Models Detected in Steroid 21-Hydroxylase Deficiency-Related Paediatric Hyperandrogenism. <i>Hormone Research in Paediatrics</i> , 2009, 71, 28-37.	1.8	6
115	Pegylated interferon α 2a plus ribavirin versus pegylated interferon α 2b plus ribavirin for the treatment of chronic hepatitis C in HIV-infected patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 63, 1256-1263.	3.0	54
116	Hypophosphatemia and phosphate supplementation during continuous renal replacement therapy in children. <i>Kidney International</i> , 2009, 75, 312-316.	5.2	58
117	Sustained virological response to interferon plus ribavirin reduces liver-related complications and mortality in patients coinfecting with human immunodeficiency virus and hepatitis C virus. <i>Hepatology</i> , 2009, 50, 407-413.	7.3	270
118	Sonographic measurement of cross-sectional area of the median nerve in the diagnosis of carpal tunnel syndrome: Correlation with nerve conduction studies. <i>Journal of Clinical Ultrasound</i> , 2009, 37, 125-131.	0.8	125
119	Cardiac output and blood volume parameters using femoral arterial thermodilution. <i>Pediatrics International</i> , 2009, 51, 59-65.	0.5	29
120	Complications of continuous renal replacement therapy in critically ill children: a prospective observational evaluation study. <i>Critical Care</i> , 2009, 13, R184.	5.8	70
121	Utilidad de la tomografÃa por emisiÃ³n de positrones en el diagnÃ³stico del nÃ³dulo pulmonar solitario con alta probabilidad de malignidad. <i>Revista De PatologÃa Respiratoria</i> , 2009, 12, 69-73.	0.0	0
122	Insulin Resistance Is Associated With Advanced Liver Fibrosis and High Body Mass Index in HIV/HCV-Coinfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 50, 109-110.	2.1	22
123	Clinical severity scores do not predict tolerance to enteral nutrition in critically ill children. <i>British Journal of Nutrition</i> , 2009, 102, 191-194.	2.3	7
124	Negative influence of age on CD4+ cell recovery after highly active antiretroviral therapy in naÃve HIV-1-infected patients with severe immunodeficiency. <i>Journal of Infection</i> , 2008, 56, 130-136.	3.3	12
125	753 INSULIN RESISTANCE IS INDEPENDENTLY ASSOCIATED WITH ADVANCED LIVER FIBROSIS AND HIGH BODY MASS INDEX IN HIV/HCV-COINFECTED PATIENTS. <i>Journal of Hepatology</i> , 2008, 48, S281.	3.7	0
126	Circuit life span in critically ill children on continuous renal replacement treatment: a prospective observational evaluation study. <i>Critical Care</i> , 2008, 12, R93.	5.8	53

#	ARTICLE	IF	CITATIONS
127	Association between Exposure to Nevirapine and Reduced Liver Fibrosis Progression in Patients with HIV and Hepatitis C Virus Coinfection. <i>Clinical Infectious Diseases</i> , 2008, 46, 137-143.	5.8	53
128	Immunological Recovery and Metabolic Disorders in Severe Immunodeficiency HIV Type 1-Infected Children on Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2008, 24, 1477-1484.	1.1	11
129	Spatial pattern of HIV-1 mother-to-child-transmission in Madrid (Spain) from 1980 till now: demographic and socioeconomic factors. <i>Aids</i> , 2008, 22, 2199-2205.	2.2	11
130	Long-term response to highly active antiretroviral therapy with lopinavir/ritonavir in pre-treated vertically HIV-infected children. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 61, 183-190.	3.0	11
131	SLOW PROGRESSION OF HUMAN IMMUNODEFICIENCY VIRUS AND HEPATITIS C VIRUS DISEASE IN A COHORT OF COINFECTED CHILDREN. <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 846-849.	2.0	20
132	Impact on Weight and Height With the Use of HAART in HIV-Infected Children. <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 334-338.	2.0	79
133	Long-Term Response to Highly Active Antiretroviral Therapy in Human Immunodeficiency Virus and Hepatitis C Virus Coinfected Children. <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 1061-1064.	2.0	9
134	Predictive factors of virological success to salvage regimens containing protease inhibitors in HIV-1 infected children. <i>BMC Infectious Diseases</i> , 2007, 7, 55.	2.9	3
135	Identification of liver fibrosis in HIV/HCV-coinfected patients using a simple predictive model based on routine laboratory data. <i>Journal of Viral Hepatitis</i> , 2007, 14, 070901052026008-???	2.0	28
136	Prevalencia de resistencia a fármacos antirretrovirales en España. <i>Anales De PediatrĀa</i> , 2007, 67, 104-108.	0.2	1
137	Estudio comparativo de dos modelos de rehabilitaci3n en las fracturas de cadera. <i>Rehabilitacion</i> , 2006, 40, 123-131.	0.4	6
138	Pediatric defibrillation after cardiac arrest: initial response and outcome. <i>Critical Care</i> , 2006, 10, R113.	5.8	54
139	Impact of long-term viral suppression in CD4+ recovery of HIV-children on Highly Active Antiretroviral Therapy. <i>BMC Infectious Diseases</i> , 2006, 6, 10.	2.9	10
140	Effects of highly active antiretroviral therapy with nelfinavir in vertically HIV-1 infected children: 3 years of follow-up. Long-term response to nelfinavir in children. <i>BMC Infectious Diseases</i> , 2006, 6, 107.	2.9	8
141	Effectiveness and Safety of Abacavir, Lamivudine, and Zidovudine in Antiretroviral Therapy-Naive HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 41, 154-159.	2.1	18
142	Clinical Outcomes Improve with Highly Active Antiretroviral Therapy in Vertically HIV Type1-Infected Children. <i>Clinical Infectious Diseases</i> , 2006, 43, 243-252.	5.8	72
143	Antiretroviral activity and safety of lopinavir/ritonavir in protease inhibitor-experienced HIV-infected children with severe-moderate immunodeficiency. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 579-582.	3.0	15
144	Efficiency of 4% Icodextrin in Preventing Adhesions to Spiral Tacks Used to Fix Intraperitoneal Prostheses. <i>European Surgical Research</i> , 2006, 38, 458-463.	1.3	11

#	ARTICLE	IF	CITATIONS
145	Pregnancy-induced expansion of regulatory T-lymphocytes may mediate protection to multiple sclerosis activity. <i>Immunology Letters</i> , 2005, 96, 195-201.	2.5	74
146	Role of antiretroviral therapies in mucocutaneous manifestations in HIV-infected children over a period of two decades. <i>British Journal of Dermatology</i> , 2005, 153, 382-389.	1.5	19
147	Mutations at codons 54 and 82 of HIV protease predict virological response of HIV-infected children on salvage lopinavir/ritonavir therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 56, 1081-1086.	3.0	13
148	Immunological Changes after Highly Active Antiretroviral Therapy with Lopinavir/Ritonavir in Heavily Pretreated HIV-Infected Children. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 398-406.	1.1	10
149	Patency and structural changes in cryopreserved arterial grafts used as vessel substitutes in the rat. <i>Journal of Surgical Research</i> , 2005, 124, 297-304.	1.6	14
150	Homeostatic role of IL-7 in HIV-1 infected children on HAART: Association with immunological and virological parameters. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 170-177.	1.5	9
151	Histological evaluation of scar tissue inflammatory response: the role of hGH in diabetic rats. <i>Histology and Histopathology</i> , 2005, 20, 53-7.	0.7	7
152	Impact of Highly Active Antiretroviral Therapy on CD4+ T Cells and Viral Load of Children with AIDS: A Population-Based Study. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 927-931.	1.1	6
153	CD38 Expression in CD8+T Cells Predicts Virological Failure in HIV Type 1-Infected Children Receiving Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2004, 38, 412-417.	5.8	48
154	Extensive Implementation of Highly Active Antiretroviral Therapy Shows Great Effect on Survival and Surrogate Markers in Vertically HIV-Infected Children. <i>Clinical Infectious Diseases</i> , 2004, 38, 1605-1612.	5.8	34
155	Positive virological outcome after lopinavir/ritonavir salvage therapy in protease inhibitor-experienced HIV-1-infected children: a prospective cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 921-931.	3.0	21
156	Virological phenotype switches under salvage therapy with lopinavir/ritonavir in heavily pretreated HIV-1 vertically infected children. <i>Aids</i> , 2004, 18, 247-255.	2.2	24
157	Salvage Lopinavir-Ritonavir Therapy in Human Immunodeficiency Virus-Infected Children. <i>Pediatric Infectious Disease Journal</i> , 2004, 23, 923-930.	2.0	41
158	Calidad de vida en la enfermedad pulmonar obstructiva crónica. Influencia del nivel de asistencia de los pacientes. <i>Archivos De Bronconeumología</i> , 2004, 40, 431-437.	0.8	11
159	Papel diferencial de las subpoblaciones de linfocitos T CD4+ y CD8+ sobre la replicación del virus de la inmunodeficiencia humana y la función tímica en niños. <i>Medicina Clínica</i> , 2004, 123, 527-531.	0.6	0
160	Characterizing the immune system after long-term undetectable viral load in HIV-1-infected children. <i>Journal of Clinical Immunology</i> , 2003, 23, 279-289.	3.8	21
161	Stimulated proliferative responses in vertically HIV-infected children on HAART correlate with clinical and immunological markers. <i>Clinical and Experimental Immunology</i> , 2003, 131, 130-137.	2.6	5
162	Preserved immune system in long-term asymptomatic vertically HIV-1 infected children. <i>Clinical and Experimental Immunology</i> , 2003, 132, 105-112.	2.6	26

#	ARTICLE	IF	CITATIONS
163	Recovery of T-cell subsets after antiretroviral therapy in HIV-infected children. <i>European Journal of Clinical Investigation</i> , 2003, 33, 619-627.	3.4	6
164	Neuroprotective effects of early antiretrovirals in vertical HIV infection. <i>Pediatric Neurology</i> , 2003, 29, 218-221.	2.1	32
165	Viral Load and CD4+ T Lymphocyte Response to Highly Active Antiretroviral Therapy in Human Immunodeficiency Virus Type 1-Infected Children: An Observational Study. <i>Clinical Infectious Diseases</i> , 2003, 37, 1216-1225.	5.8	54
166	Reconstitución clínic e inmunológica completa tras el tratamiento antirretroviral de gran actividad en un niño infectado verticalmente por el virus de la inmunodeficiencia humana tipo 1 con enfermedad avanzada. <i>Medicina Clínica</i> , 2003, 120, 417-420.	0.6	1
167	CD8+ T-Cell Numbers Predict the Response to Antiviral Therapy in HIV-1-Infected Children. <i>Pediatric Research</i> , 2003, 53, 309-312.	2.3	6
168	Characterizing Immune Reconstitution after Long-Term Highly Active Antiretroviral Therapy in Pediatric AIDS. <i>AIDS Research and Human Retroviruses</i> , 2002, 18, 1395-1406.	1.1	32
169	Impact of antiretroviral protocols on dynamics of AIDS progression markers. <i>Archives of Disease in Childhood</i> , 2002, 86, 119-124.	1.9	19
170	Dynamics of progression markers in a non-study population of human immunodeficiency virus-1 vertically infected infants with different antiretroviral treatments. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 776-782.	1.5	4
171	Immunological recovery after 3 years' antiretroviral therapy in HIV-1-infected children. <i>Aids</i> , 2002, 16, 483-486.	2.2	21
172	Naïve and memory CD4+ T cells and T cell activation markers in HIV-1 infected children on HAART. <i>Clinical and Experimental Immunology</i> , 2001, 125, 266-273.	2.6	35
173	Antibodies to an Epitope from the Cha Human Autoantigen Are Markers of Chagas' Disease. <i>Vaccine Journal</i> , 2001, 8, 1039-1043.	2.6	32
174	Association of CD8+T Lymphocyte Subsets with the Most Commonly Used Markers to Monitor HIV Type 1 Infection in Children Treated with Highly Active Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 525-532.	1.1	22
175	Disruption in cytokine and chemokine production by T-cells in vertically HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 989-997.	1.5	11
176	Disruption in cytokine and chemokine production by T-cells in vertically HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 989-997.	1.5	8
177	Clinical Relevance of Cytokine Production in HIV-1 Infection in Children on Antiretroviral Therapy. <i>Scandinavian Journal of Immunology</i> , 2000, 52, 634-640.	2.7	11