

Michael Weber Mag

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6466591/publications.pdf>

Version: 2024-02-01

295
papers

9,823
citations

34105
52
h-index

60623
81
g-index

296
all docs

296
docs citations

296
times ranked

11172
citing authors

#	ARTICLE	IF	CITATIONS
1	One view or two views for wide-angle tomosynthesis with synthetic mammography in the assessment setting?. <i>European Radiology</i> , 2022, 32, 661-670.	4.5	1
2	Evaluation of the "H2NOE Water Schools"™ programme to promote water consumption in elementary schoolchildren: a non-randomised controlled cluster trial. <i>Public Health Nutrition</i> , 2022, 25, 159-169.	2.2	3
3	CXCR4 PET/MRI for follow-up of gastric mucosa-associated lymphoid tissue lymphoma after first-line <i>Helicobacter Pylori</i> eradication. <i>Blood</i> , 2022, 139, 240-244.	1.4	22
4	Temporal Muscle Thickness as a Prognostic Marker in Patients with Newly Diagnosed Glioblastoma: Translational Imaging Analysis of the CENTRIC EORTC 26071 and CORE Trials. <i>Clinical Cancer Research</i> , 2022, 28, 129-136.	7.0	25
5	Low muscle volume of the anal sphincter complex: A novel prognostic factor in children with anorectal malformations?. <i>Journal of Pediatric Surgery</i> , 2022, 57, 1467-1472.	1.6	1
6	Impact of ComBat Harmonization on PET Radiomics-Based Tissue Classification: A Dual-Center PET/MRI and PET/CT Study. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1611-1616.	5.0	10
7	Brainstem and cerebellar volumes at magnetic resonance imaging are smaller in fetuses with congenital heart disease. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 282.e1-282.e15.	1.3	7
8	Chest X-ray Does Not Predict the Risk of Endotracheal Intubation and Escalation of Treatment in COVID-19 Patients Requiring Noninvasive Respiratory Support. <i>Journal of Clinical Medicine</i> , 2022, 11, 1636.	2.4	0
9	Different from the Beginning: WM Maturity of Female and Male Extremely Preterm Neonates: A Quantitative MRI Study. <i>American Journal of Neuroradiology</i> , 2022, 43, 611-619.	2.4	7
10	<i>Streptococcus pneumoniae</i> colonization in health care professionals at a tertiary university pediatric hospital. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2022, 41, 971-976.	2.9	2
11	Multimodal Treatment of Malignant Pleural Mesothelioma: Real-World Experience with 112 Patients. <i>Cancers</i> , 2022, 14, 2245.	3.7	3
12	The MOCART (Magnetic Resonance Observation of Cartilage Repair Tissue) 2.0 Knee Score and Atlas. <i>Cartilage</i> , 2021, 13, 571S-587S.	2.7	95
13	Validity of SyMRI for Assessment of the Neonatal Brain. <i>Clinical Neuroradiology</i> , 2021, 31, 315-323.	1.9	8
14	Variability of computed tomography radiomics features of fibrosing interstitial lung disease: A test-retest study. <i>Methods</i> , 2021, 188, 98-104.	3.8	14
15	Clinical implementation of accelerated T2 mapping: Quantitative magnetic resonance imaging as a biomarker for annular tear and lumbar disc herniation. <i>European Radiology</i> , 2021, 31, 3590-3599.	4.5	16
16	CXCR4 PET imaging of mantle cell lymphoma using [⁶⁸ Ga]Pentixafor: comparison with [¹⁸ F]FDG-PET. <i>Theranostics</i> , 2021, 11, 567-578.	10.0	26
17	Impact of Prematurity on the Tissue Properties of the Neonatal Brain Stem: A Quantitative MR Approach. <i>American Journal of Neuroradiology</i> , 2021, 42, 581-589.	2.4	5
18	Long-term evolution of multiple sclerosis iron rim lesions in 7 T MRI. <i>Brain</i> , 2021, 144, 833-847.	7.6	126

#	ARTICLE	IF	CITATIONS
19	Evaluation of the Temporal Muscle Thickness as an Independent Prognostic Biomarker in Patients with Primary Central Nervous System Lymphoma. <i>Cancers</i> , 2021, 13, 566.	3.7	21
20	Beyond Isolated and Associated: A Novel Fetal MR Imagingâ€‘Based Scoring System Helps in the Prenatal Prognostication of Callosal Agenesis. <i>American Journal of Neuroradiology</i> , 2021, 42, 782-786.	2.4	5
21	Whole-body magnetic resonance imaging in inflammatory diseases: Where are we now? Results of an International Survey by the European Society of Musculoskeletal Radiology. <i>European Journal of Radiology</i> , 2021, 136, 109533.	2.6	9
22	The Prenatal Origins of Human Brain Asymmetry: Lessons Learned from a Cohort of Fetuses with Body Lateralization Defects. <i>Cerebral Cortex</i> , 2021, 31, 3713-3722.	2.9	6
23	Volumetric histograms-based analysis of apparent diffusion coefficients and standard uptake values for the assessment of pediatric sarcoma at staging: preliminary results of a PET/MRI study. <i>Radiologia Medica</i> , 2021, 126, 878-885.	7.7	18
24	Performance of a new natural oral contrast agent (LumiVisionÂ®) in dynamic MR swallowing. <i>European Radiology</i> , 2021, 31, 8578-8585.	4.5	2
25	Tissue Sodium Concentration Quantification at 7.0-T MRI as an Early Marker for Chemotherapy Response in Breast Cancer: A Feasibility Study. <i>Radiology</i> , 2021, 299, 63-72.	7.3	7
26	Diagnostic Role of PET/CT Tracers in the Detection and Localization of Tumours Responsible for Ectopic Cushingâ€™s Syndrome. <i>Anticancer Research</i> , 2021, 41, 2477-2484.	1.1	3
27	Characterization of the Hyperintense Bronchus Sign as a Fetal MRI Marker of Airway Obstruction. <i>Radiology</i> , 2021, 300, 423-430.	7.3	3
28	Diagnostic quality of 3Tesla postmortem magnetic resonance imaging in fetuses with and without congenital heart disease. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 189.e1-189.e30.	1.3	5
29	Highâ€‘resolution ultrasound demonstrates in vivo effects of wrist movement on the median nerve along the forearm. <i>Muscle and Nerve</i> , 2021, 64, 585-589.	2.2	0
30	Mapping Human Fetal Brain Maturation In Vivo Using Quantitative MRI. <i>American Journal of Neuroradiology</i> , 2021, 42, 2086-2093.	2.4	5
31	Clinical Early-Onset Sepsis Is Equally Valid to Culture-Proven Sepsis in Predicting Outcome in Infants after Preterm Rupture of Membranes. <i>Journal of Clinical Medicine</i> , 2021, 10, 4539.	2.4	1
32	Renal and Salivary Gland Functions after Three Cycles of PSMA-617 Therapy Every Four Weeks in Patients with Metastatic Castration-Resistant Prostate Cancer. <i>Current Oncology</i> , 2021, 28, 3692-3704.	2.2	5
33	Reliability of the MOCART (Magnetic Resonance Observation of Cartilage Repair Tissue) 2.0 knee score for different cartilage repair techniquesâ€‘a retrospective observational study. <i>European Radiology</i> , 2021, 31, 5734-5745.	4.5	13
34	Denervation Dynamics After Intramuscular BNT Injection in Patients With Focal Spasticity Monitored by MRI and Dynamometryâ€‘a Blinded Randomized Controlled Pilot Study. <i>Frontiers in Neurology</i> , 2021, 12, 719030.	2.4	0
35	Abnormal Extracardiac Development in Fetuses With Congenital Heart Disease. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2312-2322.	2.8	12
36	Intra-class and inter-class tool discrimination through micro-CT analysis of false starts on bone. <i>International Journal of Legal Medicine</i> , 2020, 134, 1023-1032.	2.2	7

#	ARTICLE	IF	CITATIONS
37	Whole-Body [18F]FDG-PET/MRI vs. [18F]FDG-PET/CT in Malignant Melanoma. Molecular Imaging and Biology, 2020, 22, 739-744.	2.6	10
38	PET/MRI versus PET/CT in oncology: a prospective single-center study of 330 examinations focusing on implications for patient management and cost considerations. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 51-60.	6.4	98
39	Potential predictive value of axial T2 mapping at 3 Tesla MRI in patients with untreated patellar cartilage defects over a mean follow-up of four years. Osteoarthritis and Cartilage, 2020, 28, 215-222.	1.3	10
40	Intra-session and inter-subject variability of 3D FID-MRSI using single-echo volumetric EPI navigators at 3T. Magnetic Resonance in Medicine, 2020, 83, 1920-1929.	3.0	23
41	Does the Functional Liver Imaging Score Derived from Gadoteric Acid-enhanced MRI Predict Outcomes in Chronic Liver Disease?. Radiology, 2020, 294, 98-107.	7.3	51
42	When an incidental MRI finding becomes a clinical issue. Wiener Klinische Wochenschrift, 2020, 132, 27-34.	1.9	5
43	The role of radiological and hybrid imaging for muscle metastases: a systematic review. European Radiology, 2020, 30, 2209-2219.	4.5	7
44	Accelerated T2 Mapping of the Lumbar Intervertebral Disc. Investigative Radiology, 2020, 55, 695-701.	6.2	10
45	Pharyngeal carriage rates of Neisseria meningitidis in health care professionals at a tertiary university pediatric hospital. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 1703-1709.	2.9	3
46	Comparison of the Visibility of Fetal Tooth Buds on 1.5 and 3 Tesla MRI. Journal of Clinical Medicine, 2020, 9, 3424.	2.4	3
47	Pouch volume and pouch migration after Roux-en-Y gastric bypass: a comparison of gastroscopy and 3 D-CT volumetry: is there a "migration crisis"? Surgery for Obesity and Related Diseases, 2020, 16, 1902-1908.	1.2	16
48	Muscle-Specific Relation of Acetylcarnitine and Intramyocellular Lipids to Chronic Hyperglycemia: A Pilot ¹ H MRS Study. Obesity, 2020, 28, 1405-1411.	3.0	7
49	Validation of a composed COVID-19 chest radiography score: the CARE project. ERJ Open Research, 2020, 6, 00359-2020.	2.6	14
50	Sarcopenia in Neurological Patients: Standard Values for Temporal Muscle Thickness and Muscle Strength Evaluation. Journal of Clinical Medicine, 2020, 9, 1272.	2.4	56
51	Decreased Compressional Sound Velocity Is an Indicator for Compromised Bone Stiffness in X-Linked Hypophosphatemic Rickets (XLH). Frontiers in Endocrinology, 2020, 11, 355.	3.5	8
52	Evaluation of radiological instability signs in the distal radioulnar joint in children and adolescents with arthroscopically-verified TFCC tears. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 993-999.	2.4	4
53	Crohn's disease: prevalence, MR features, and clinical significance of enteric and colonic sinus tracts. European Radiology, 2020, 30, 5358-5366.	4.5	7
54	Sarcopenia in juvenile localized scleroderma: new insights on deep involvement. European Radiology, 2020, 30, 4091-4097.	4.5	4

#	ARTICLE	IF	CITATIONS
55	Vertebral Bone Marrow and Endplate Assessment on MR Imaging for the Differentiation of Modic Type 1 Endplate Changes and Infectious Spondylodiscitis. Journal of Clinical Medicine, 2020, 9, 826.	2.4	16
56	Optimizing MR imaging for intraoperative image guidance in sellar pathologies. Pituitary, 2020, 23, 266-272.	2.9	5
57	Low-Dose, Contrast-Enhanced Mammography Compared to Contrast-Enhanced Breast MRI: A Feasibility Study. Journal of Magnetic Resonance Imaging, 2020, 52, 589-595.	3.4	19
58	Lumbar Intervertebral Disc Degeneration as a Common Incidental Finding in Young Pregnant Women as Observed on Prenatal Magnetic Resonance Imaging. Journal of Women's Health, 2020, 29, 713-720.	3.3	4
59	Developmental dynamics of the periventricular parietal crossroads of growing cortical pathways in the fetal brain – In vivo fetal MRI with histological correlation. NeuroImage, 2020, 210, 116553.	4.2	12
60	Femoropatellar Joint Reaction Detected During a 4486 KM Ultramarathon with Mobile MRI. International Journal of Sports Medicine, 2020, 41, 398-411.	1.7	7
61	Compositional magnetic resonance imaging in the evaluation of the intervertebral disc: Axial vs sagittal T ₂ mapping. Journal of Orthopaedic Research, 2020, 38, 2057-2064.	2.3	6
62	[18F]FDG-PET/CT Radiomics for Prediction of Bone Marrow Involvement in Mantle Cell Lymphoma: A Retrospective Study in 97 Patients. Cancers, 2020, 12, 1138.	3.7	24
63	Dual-energy CT and ceramic or titanium prostheses material reduce CT artifacts and provide superior image quality of total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 1552-1561.	4.2	17
64	SyMRI detects delayed myelination in preterm neonates. European Radiology, 2019, 29, 7063-7072.	4.5	21
65	Radiomic features of glucose metabolism enable prediction of outcome in mantle cell lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2760-2769.	6.4	55
66	PIK3CA Mutational Status Is Associated with High Glycolytic Activity in ER+/HER2~ Early Invasive Breast Cancer: a Molecular Imaging Study Using [18F]FDG PET/CT. Molecular Imaging and Biology, 2019, 21, 991-1002.	2.6	8
67	Synthetic 2-Dimensional Mammography Can Replace Digital Mammography as an Adjunct to Wide-Angle Digital Breast Tomosynthesis. Investigative Radiology, 2019, 54, 83-88.	6.2	13
68	Transformed mucosa-associated lymphoid tissue lymphomas: A single institution retrospective study including polymerase chain reaction-based clonality analysis. British Journal of Haematology, 2019, 186, 448-459.	2.5	16
69	Echo-planar FLAIR Sequence Improves Subplate Visualization in Fetal MRI of the Brain. Radiology, 2019, 292, 159-169.	7.3	23
70	Pre-Therapeutic Total Lesion Glycolysis on [18F]FDG-PET Enables Prognostication of 2-Year Progression-Free Survival in MALT Lymphoma Patients Treated with CD20-Antibody-Based Immunotherapy. Molecular Imaging and Biology, 2019, 21, 1192-1199.	2.6	11
71	Is there a reliable size cut-off for splenic involvement in lymphoma? A [18F]FDG-PET controlled study. PLoS ONE, 2019, 14, e0213551.	2.5	4
72	Characterization of Bone Lesions in Myeloma Before and During Anticancer Therapy Using ¹⁸ F-FDG-PET/CT and ¹⁸ F-NaF-PET/CT. Anticancer Research, 2019, 39, 1943-1952.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Underdevelopment of the Human Hippocampus in Callosal Agenesis: An In Vivo Fetal MRI Study. American Journal of Neuroradiology, 2019, 40, 576-581.	2.4	9
74	T2 mapping with 3.0T MRI of the temporomandibular joint disc of patients with disc dislocation. Magnetic Resonance Imaging, 2019, 58, 125-134.	1.8	14
75	Prediction of Lumbar Disk Herniation and Clinical Outcome Using Quantitative Magnetic Resonance Imaging. Investigative Radiology, 2019, 54, 183-189.	6.2	9
76	Student Perceptions of Instructional Ultrasound Videos as Preparation for a Practical Assessment. Ultrasound International Open, 2019, 05, E81-E88.	0.6	4
77	Quantitative in vivo proton MR spectroscopic assessment of lipid metabolism: Value for breast cancer diagnosis and prognosis. Journal of Magnetic Resonance Imaging, 2019, 50, 239-249.	3.4	34
78	Do elevated autoantibodies in patients with multiple sclerosis matter?. Acta Neurologica Scandinavica, 2019, 139, 238-246.	2.1	3
79	Swallowing MRI—a reliable method for the evaluation of the postoperative gastroesophageal situs after Nissen fundoplication. European Radiology, 2019, 29, 4400-4407.	4.5	10
80	Microvessel ultrasound of neonatal brain parenchyma: feasibility, reproducibility, and normal imaging features by superb microvascular imaging (SMI). European Radiology, 2019, 29, 2127-2136.	4.5	32
81	Diffusion Tensor Imaging of Healthy Skeletal Muscles. Investigative Radiology, 2019, 54, 48-54.	6.2	16
82	Motion artifacts, lesion type, and parenchymal enhancement in breast MRI: what does really influence diagnostic accuracy?. Acta Radiologica, 2019, 60, 19-27.	1.1	16
83	Ultra-early response assessment in lymphoma treatment: [18F]FDG PET/MR captures changes in glucose metabolism and cell density within the first 72 hours of treatment. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 931-940.	6.4	23
84	[68Ga]Ga-Pentixafor PET/MRI for CXCR4 Imaging of Chronic Lymphocytic Leukemia. Investigative Radiology, 2018, 53, 403-408.	6.2	45
85	Hand MRI and the Greulich-Pyle atlas in skeletal age estimation in adolescents. Skeletal Radiology, 2018, 47, 963-971.	2.0	18
86	Predictive factors for metal ion levels in metal-on-metal total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 281-286.	2.4	8
87	Diffusion-Weighted Imaging With Apparent Diffusion Coefficient Mapping for Breast Cancer Detection as a Stand-Alone Parameter. Investigative Radiology, 2018, 53, 587-595.	6.2	130
88	Normalized STEAM-based diffusion tensor imaging provides a robust assessment of muscle tears in football players: preliminary results of a new approach to evaluate muscle injuries. European Radiology, 2018, 28, 2882-2889.	4.5	26
89	Visual and semiquantitative 11C-methionine PET: an independent prognostic factor for survival of newly diagnosed and treatment-naïve gliomas. Neuro-Oncology, 2018, 20, 411-419.	1.2	22
90	Correlation between glycolytic activity on [18F]â€FDGâ€PET and cell density on diffusionâ€weighted MRI in lymphoma at staging. Journal of Magnetic Resonance Imaging, 2018, 47, 1217-1226.	3.4	16

#	ARTICLE	IF	CITATIONS
91	Monitoring of plexiform neurofibroma in children and adolescents with neurofibromatosis type 1 by [¹⁸ F]FDG-PET imaging. Is it of value in asymptomatic patients?. Pediatric Blood and Cancer, 2018, 65, e26733.	1.5	35
92	Clinical and magnetic resonance imaging features of children, adolescents, and adults with a clinically isolated syndrome. European Journal of Paediatric Neurology, 2018, 22, 1087-1094.	1.6	2
93	CT colonography: size reduction of submerged colorectal polyps due to electronic cleansing and CT-window settings. European Radiology, 2018, 28, 4766-4774.	4.5	4
94	Predicting medical complications in spine surgery: evaluation of a novel online risk calculator. European Spine Journal, 2018, 27, 2449-2456.	2.2	24
95	DWI-MRI vs CT in gastric MALT lymphoma—preliminary results in 19 patients. British Journal of Radiology, 2018, , 20180263.	2.2	3
96	Influence of PET reconstruction technique and matrix size on qualitative and quantitative assessment of lung lesions on [18F]-FDG-PET: A prospective study in 37 cancer patients. European Journal of Radiology, 2017, 90, 20-26.	2.6	14
97	Influence of Contrast Media on Bone Mineral Density (BMD) Measurements from Routine Contrast-Enhanced MDCT Datasets using a Phantom-less BMD Measurement Tool. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2017, 189, 537-543.	1.3	13
98	A BMI-adjusted ultra-low-dose CT angiography protocol for the peripheral arteries—Image quality, diagnostic accuracy and radiation exposure. European Journal of Radiology, 2017, 93, 149-156.	2.6	10
99	Which MR sequences should we use for the reliable detection and localization of bone marrow edema in spondyloarthritis?. Radiologia Medica, 2017, 122, 752-760.	7.7	5
100	Early detection of lung function decrements in children and adolescents with cystic fibrosis using new reference values. Wiener Klinische Wochenschrift, 2017, 129, 533-539.	1.9	3
101	Accuracy, precision and inter-rater reliability of micro-CT analysis of false starts on bones. A preliminary validation study. Legal Medicine, 2017, 29, 38-43.	1.3	22
102	Can Cut-Off-Values for Tumor Size or Patient Age in Breast Ultrasound Reduce Unnecessary Biopsies or is it all About Bi-rads?—A Retrospective Analysis of 763 Biopsied T1-Sized Lesions. Ultrasound International Open, 2017, 03, E94-E98.	0.6	2
103	Multipath Curved Planar Reformations of Peripheral CT Angiography: Diagnostic Accuracy and Time Efficiency. CardioVascular and Interventional Radiology, 2017, 41, 718-725.	2.0	3
104	Weighted Mean of Signal Intensity for Unbiased Fiber Tracking of Skeletal Muscles. Investigative Radiology, 2017, 52, 488-497.	6.2	5
105	Whole-Body 68Ga-DOTANOC PET/MRI Versus 68Ga-DOTANOC PET/CT in Patients With Neuroendocrine Tumors. Clinical Nuclear Medicine, 2017, 42, 669-674.	1.3	56
106	Slow expansion of multiple sclerosis iron rim lesions: pathology and 7T magnetic resonance imaging. Acta Neuropathologica, 2017, 133, 25-42.	7.7	315
107	Comparison of videofluoroscopy and impedance planimetry for the evaluation of oesophageal stenosis: a retrospective study. European Radiology, 2017, 27, 1760-1767.	4.5	7
108	Does elevated glucose metabolism correlate with higher cell density in Neurofibromatosis type 1 associated peripheral nerve sheath tumors?. PLoS ONE, 2017, 12, e0189093.	2.5	4

#	ARTICLE	IF	CITATIONS
109	Cortical porosity not superior to conventional densitometry in identifying hemodialysis patients with fragility fracture. PLoS ONE, 2017, 12, e0171873.	2.5	16
110	Similarities in trabecular hypertrophy with site-specific differences in cortical morphology between men and women with type 2 diabetes mellitus. PLoS ONE, 2017, 12, e0174664.	2.5	13
111	Evaluation of [18F]-FDG-Based Hybrid Imaging Combinations for Assessment of Bone Marrow Involvement in Lymphoma at Initial Staging. PLoS ONE, 2016, 11, e0164118.	2.5	10
112	Aggressive nutrition in extremely low birth weight infants: impact on parenteral nutrition associated cholestasis and growth. PeerJ, 2016, 4, e2483.	2.0	22
113	Diagnostic performance and reference values of novel biomarkers of paediatric heart failure. Heart, 2016, 102, 1633-1639.	2.9	48
114	Effectiveness evaluation of a health promotion programme in primary schools: a cluster randomised controlled trial. BMC Public Health, 2016, 16, 679.	2.9	16
115	Can Interim 18F-FDG PET or Diffusion-Weighted MRI Predict End-of-Treatment Outcome in FDG-Avid MALT Lymphoma After Rituximab-Based Therapy?. Clinical Nuclear Medicine, 2016, 41, 837-843.	1.3	18
116	18F-Fluorodeoxyglucose Positron Emission Tomography/Magnetic Resonance in Lymphoma. Investigative Radiology, 2016, 51, 163-169.	6.2	58
117	Does Delayed-Time-Point Imaging Improve 18F-FDG-PET in Patients With MALT Lymphoma?. Clinical Nuclear Medicine, 2016, 41, 101-105.	1.3	20
118	Diagnostic performance of digital breast tomosynthesis with a wide scan angle compared to full-field digital mammography for the detection and characterization of microcalcifications. European Journal of Radiology, 2016, 85, 2161-2168.	2.6	38
119	Quantitative Assessment of Breast Parenchymal Uptake on ¹⁸ F-FDG PET/CT: Correlation with Age, Background Parenchymal Enhancement, and Amount of Fibroglandular Tissue on MRI. Journal of Nuclear Medicine, 2016, 57, 1518-1522.	5.0	19
120	TrueFisp versus HASTE sequences in 3T cine MRI: Evaluation of image quality during phonation in patients with velopharyngeal insufficiency. European Radiology, 2016, 26, 2892-2898.	4.5	10
121	Reproducibility and regional variations of an improved gagCEST protocol for the in vivo evaluation of knee cartilage at 7T. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 513-521.	2.0	22
122	Optimized cartilage visualization using 7-T sodium (²³ Na) imaging after patella dislocation. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1601-1609.	4.2	10
123	Optimizing the MRI protocol of the sacroiliac joints in Spondyloarthritis: which para-axial sequence should be used?. European Radiology, 2016, 26, 122-129.	4.5	10
124	Fetal diffusion tensor quantification of brainstem pathology in Chiari II malformation. European Radiology, 2016, 26, 1274-1283.	4.5	21
125	Clinical Value of 18F-fluorodihydroxyphenylalanine Positron Emission Tomography/Contrast-enhanced Computed Tomography (18F-DOPA PET/CT) in Patients with Suspected Paraganglioma. Anticancer Research, 2016, 36, 4187-93.	1.1	3
126	High-Resolution Peripheral Quantitative CT Imaging: Cortical Porosity, Poor Trabecular Bone Microarchitecture, and Low Bone Strength in Lung Transplant Recipients. Radiology, 2015, 274, 473-481.	7.3	11

#	ARTICLE	IF	CITATIONS
127	Fetal MRI detects early alterations of brain development in Tetralogy of Fallot. American Journal of Obstetrics and Gynecology, 2015, 213, 392.e1-392.e7.	1.3	58
128	Soft Tissue Tumors in Adults: ESSR-Approved Guidelines for Diagnostic Imaging. Seminars in Musculoskeletal Radiology, 2015, 19, 475-482.	0.7	103
129	Multiparametric MR Imaging Depicts Glycosaminoglycan Change in the Achilles Tendon during Ciprofloxacin Administration in Healthy Men: Initial Observation. Radiology, 2015, 275, 763-771.	7.3	25
130	MR neurography of ulnar nerve entrapment at the cubital tunnel: a diffusion tensor imaging study. European Radiology, 2015, 25, 1911-1918.	4.5	45
131	Brain tumours at 7T MRI compared to 3T contrast effect after half and full standard contrast agent dose: initial results. European Radiology, 2015, 25, 106-112.	4.5	31
132	Use of diagnostic dynamic contrast-enhanced (DCE)-MRI for targeting of soft tissue tumour biopsies at 3T: preliminary results. European Radiology, 2015, 25, 2041-2048.	4.5	36
133	Multiparametric MR Imaging with High-Resolution Dynamic Contrast-enhanced and Diffusion-weighted Imaging at 7 T Improves the Assessment of Breast Tumors: A Feasibility Study. Radiology, 2015, 276, 360-370.	7.3	44
134	New hybrid reformations of peripheral CT angiography: do we still need axial images?. Clinical Imaging, 2015, 39, 603-607.	1.5	2
135	Effect of staff training on radiation dose in pediatric CT. European Journal of Radiology, 2015, 84, 1574-1578.	2.6	18
136	Evaluation of Diffusion-Weighted Magnetic Resonance Imaging for Follow-up and Treatment Response Assessment of Lymphoma: Results of an 18F-FDG-PET/CT Controlled Prospective Study in 64 Patients. Clinical Cancer Research, 2015, 21, 2506-2513.	7.0	78
137	The Effects of Hemodynamic Alterations on Lung Volumes in Fetuses with Tetralogy of Fallot: An MRI Study. Pediatric Cardiology, 2015, 36, 1287-1293.	1.3	1
138	Acute radial nerve entrapment at the spiral groove: detection by DTI-based neurography. European Radiology, 2015, 25, 1678-1683.	4.5	33
139	Triple-Modality Screening Trial for Familial Breast Cancer Underlines the Importance of Magnetic Resonance Imaging and Questions the Role of Mammography and Ultrasound Regardless of Patient Mutation Status, Age, and Breast Density. Journal of Clinical Oncology, 2015, 33, 1128-1135.	1.6	252
140	The ribs unfolded - a CT visualization algorithm for fast detection of rib fractures: effect on sensitivity and specificity in trauma patients. European Radiology, 2015, 25, 1865-1874.	4.5	76
141	Introduction of an Automated User-Independent Quantitative Volumetric Magnetic Resonance Imaging Breast Density Measurement System Using the Dixon Sequence. Investigative Radiology, 2015, 50, 73-80.	6.2	30
142	Quantitative Apparent Diffusion Coefficient as a Noninvasive Imaging Biomarker for the Differentiation of Invasive Breast Cancer and Ductal Carcinoma In Situ. Investigative Radiology, 2015, 50, 95-100.	6.2	87
143	Cartilage evaluation with biochemical MR imaging using in vivo Knee compression at 3 T - comparison of patients after cartilage repair with healthy volunteers. Journal of Biomechanics, 2015, 48, 3349-3355.	2.1	15
144	Diagnostic accuracy of 18F-FDG PET/CT compared with that of contrast-enhanced MRI of the breast at 3 T. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1656-1665.	6.4	22

#	ARTICLE	IF	CITATIONS
145	Placental pathologies on fetal MRI are associated with high impairment rates: a prospective long-term outcome study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1219-1223.	1.5	5
146	Forceps versus snare polypectomies in colorectal cancer screening: are we adhering to the guidelines?. <i>Endoscopy</i> , 2015, 47, 898-902.	1.8	23
147	Tumour response of osteosarcoma to neoadjuvant chemotherapy evaluated by magnetic resonance imaging as prognostic factor for outcome. <i>International Orthopaedics</i> , 2015, 39, 97-104.	1.9	22
148	Probiotics (<i>Lactobacillus acidophilus</i> and <i>Bifidobacterium bifidum</i>) prevent NEC in VLBW infants fed breast milk but not formula. <i>Pediatric Research</i> , 2015, 77, 381-388.	2.3	78
149	Normal mandibular growth and diagnosis of micrognathia at prenatal MRI. <i>Prenatal Diagnosis</i> , 2015, 35, 108-116.	2.3	38
150	In Vivo Tractography of Fetal Association Fibers. <i>PLoS ONE</i> , 2015, 10, e0119536.	2.5	60
151	MR-Based Morphometry of the Posterior Fossa in Fetuses with Neural Tube Defects of the Spine. <i>PLoS ONE</i> , 2014, 9, e112585.	2.5	22
152	Delayed gadolinium-enhanced MRI of the fibrocartilage disc of the temporomandibular joint – a feasibility study. <i>Magnetic Resonance Imaging</i> , 2014, 32, 1223-1229.	1.8	5
153	Rapid Detection of Bone Metastasis at Thoracoabdominal CT: Accuracy and Efficiency of a New Visualization Algorithm. <i>Radiology</i> , 2014, 270, 825-833.	7.3	12
154	Three-dimensional texture analysis of contrast enhanced CT images for treatment response assessment in Hodgkin lymphoma: Comparison with F-18 FDG PET. <i>Medical Physics</i> , 2014, 41, 121904.	3.0	20
155	Evaluation of Diffusion-Weighted MRI for Pretherapeutic Assessment and Staging of Lymphoma: Results of a Prospective Study in 140 Patients. <i>Clinical Cancer Research</i> , 2014, 20, 2984-2993.	7.0	100
156	Risk of inferior vena cava compression syndrome during fetal MRI in the supine position – a retrospective analysis. <i>Journal of Perinatal Medicine</i> , 2014, 42, 301-306.	1.4	17
157	Improved Diagnostic Accuracy With Multiparametric Magnetic Resonance Imaging of the Breast Using Dynamic Contrast-Enhanced Magnetic Resonance Imaging, Diffusion-Weighted Imaging, and 3-Dimensional Proton Magnetic Resonance Spectroscopic Imaging. <i>Investigative Radiology</i> , 2014, 49, 421-430.	6.2	107
158	Dual-energy computed tomography compared with ultrasound in the diagnosis of gout. <i>Rheumatology</i> , 2014, 53, 173-179.	1.9	71
159	Improved Differentiation of Benign and Malignant Breast Tumors with Multiparametric 18Fluorodeoxyglucose Positron Emission Tomography Magnetic Resonance Imaging: A Feasibility Study. <i>Clinical Cancer Research</i> , 2014, 20, 3540-3549.	7.0	82
160	Intramuscular distribution of botulinum toxin – Visualized by MRI. <i>Journal of the Neurological Sciences</i> , 2014, 344, 76-79.	0.6	20
161	Biochemical analysis of the articular disc of the temporomandibular joint with magnetic resonance T2 mapping: a feasibility study. <i>Clinical Oral Investigations</i> , 2014, 18, 1865-1871.	3.0	15
162	Clinical application of bilateral high temporal and spatial resolution dynamic contrast-enhanced magnetic resonance imaging of the breast at 7T. <i>European Radiology</i> , 2014, 24, 913-920.	4.5	49

#	ARTICLE	IF	CITATIONS
163	CT colonography: effect of computer-aided detection of colonic polyps as a second and concurrent reader for general radiologists with moderate experience in CT colonography. <i>European Radiology</i> , 2014, 24, 1466-1476.	4.5	10
164	Dual Energy Computerized Tomography with a Split Bolusâ€”A 1-Stop Shop for Patients with Suspected Urinary Stones?. <i>Journal of Urology</i> , 2014, 191, 792-797.	0.4	29
165	Quantification of lower leg arterial calcifications by high-resolution peripheral quantitative computed tomography. <i>Bone</i> , 2014, 58, 42-47.	2.9	25
166	Inverse association between bone microarchitecture assessed by HR-pQCT and coronary artery calcification in patients with end-stage renal disease. <i>Bone</i> , 2014, 64, 33-38.	2.9	38
167	Can dual-energy CT improve the assessment of tumor margins in oral cancer?. <i>Oral Oncology</i> , 2014, 50, 221-227.	1.5	41
168	Low-Dose High-Pitch CT Angiography of the Supraaortic Arteries Using Sinogram-Affirmed Iterative Reconstruction. <i>PLoS ONE</i> , 2014, 9, e99832.	2.5	3
169	Relevance of calcitonin cut-off in the follow-up of medullary thyroid carcinoma for conventional imaging and 18-fluorine-fluorodihydroxyphenylalanine PET. <i>Anticancer Research</i> , 2014, 34, 6647-54.	1.1	12
170	Gadoxetate-enhanced versus diffusion-weighted MRI for fused Ga-68-DOTANOC PET/MRI in patients with neuroendocrine tumours of the upper abdomen. <i>European Radiology</i> , 2013, 23, 1978-1985.	4.5	41
171	Combined contrast-enhanced magnetic resonance and diffusion-weighted imaging reading adapted to the â€œBreast Imaging Reporting and Data Systemâ€”for multiparametric 3-T imaging of breast lesions. <i>European Radiology</i> , 2013, 23, 1791-1802.	4.5	106
172	C-arm CT during hepatic arteriography tumour-to-liver contrast: intraindividual comparison of three different contrast media application protocols. <i>European Radiology</i> , 2013, 23, 938-942.	4.5	12
173	The early prediction of neonatal morbidity and mortality in singleton small for gestational age infants with a birthweight <â€”1,500Âg. <i>Wiener Klinische Wochenschrift</i> , 2013, 125, 386-392.	1.9	2
174	Textureâ€”based and diffusionâ€”weighted discrimination of parotid gland lesions on MR images at 3.0 Tesla. <i>NMR in Biomedicine</i> , 2013, 26, 1372-1379.	2.8	94
175	Teleradiology with uncompressed digital mammograms: Clinical assessment. <i>European Journal of Radiology</i> , 2013, 82, 412-416.	2.6	5
176	Assessing prenatal white matter connectivity in commissural agenesis. <i>Brain</i> , 2013, 136, 168-179.	7.6	57
177	Contrast-enhanced MR Imaging of Hand and Finger Joints in Patients with Early Rheumatoid Arthritis: Do We Really Need a Full Dose of Gadobenate Dimeglumine for Assessing Synovial Enhancement at 3 T?. <i>Radiology</i> , 2013, 268, 161-169.	7.3	14
178	Intracranial Hematomas at a Glance: Advanced Visualization for Fast and Easy Detection. <i>Radiology</i> , 2013, 267, 522-530.	7.3	9
179	Serum concentration of integrin-linked kinase in malignant pleural mesothelioma and after asbestos exposureâ€”. <i>European Journal of Cardio-thoracic Surgery</i> , 2013, 43, 940-945.	1.4	8
180	Human Long Bone Development in Vivo: Analysis of the Distal Femoral Epimetaphysis on MR Images of Fetuses. <i>Radiology</i> , 2013, 267, 570-580.	7.3	18

#	ARTICLE	IF	CITATIONS
181	Stenosis Quantification of Coronary Arteries in Coronary Vessel Phantoms With Second-Generation Dual-Source CT: Influence of Measurement Parameters and Limitations. American Journal of Roentgenology, 2013, 201, W227-W234.	2.2	17
182	Computed Tomography Pulmonary Angiography in Acute Pulmonary Embolism. Journal of Thoracic Imaging, 2013, 28, 315-321.	1.5	12
183	Magnetic Field Interactions of Copper-Containing Intrauterine Devices in 3.0-Tesla Magnetic Resonance Imaging: In Vivo Study. Korean Journal of Radiology, 2013, 14, 416.	3.4	12
184	Fetal Eye Movements on Magnetic Resonance Imaging. PLoS ONE, 2013, 8, e77439.	2.5	3
185	Readout-segmented Echo-planar Imaging Improves the Diagnostic Performance of Diffusion-weighted MR Breast Examinations at 3.0 T. Radiology, 2012, 263, 64-76.	7.3	180
186	Sclerostin serum levels correlate positively with bone mineral density and microarchitecture in haemodialysis patients. Nephrology Dialysis Transplantation, 2012, 27, 226-230.	0.7	129
187	Parallel Imaging of the Cervical Spine at 3T: Optimized Trade-Off between Speed and Image Quality. American Journal of Neuroradiology, 2012, 33, 1867-1874.	2.4	13
188	Acute Pulmonary Embolism: Effect of a Computer-assisted Detection Prototype on Diagnosis—An Observer Study. Radiology, 2012, 262, 305-313.	7.3	39
189	Sodium MR Imaging of the Lumbar Intervertebral Disk at 7 T: Correlation with T2 Mapping and Modified Pfirrmann Score at 3 T—Preliminary Results. Radiology, 2012, 265, 555-564.	7.3	39
190	Placental magnetic resonance imaging in monochorionic twin pregnancies. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1419-1422.	1.5	10
191	Quantification of the subcutaneous fat layer with MRI in fetuses of healthy mothers with no underlying metabolic disease vs. fetuses of diabetic and obese mothers. Journal of Perinatal Medicine, 2012, 40, 179-84.	1.4	15
192	Computer-Aided Detection of Colorectal Polyps in CT Colonography With and Without Fecal Tagging. Investigative Radiology, 2012, 47, 99-108.	6.2	18
193	Assessment of pulmonary melanoma metastases with 18F-FDG PET/CT: which PET-negative patients require additional tests for definitive staging?. European Radiology, 2012, 22, 2451-2457.	4.5	28
194	Time-efficient CT colonography interpretation using an advanced image-gallery-based, computer-aided “first-reader” workflow for the detection of colorectal adenomas. European Radiology, 2012, 22, 2768-2779.	4.5	3
195	Ovarian cysts on prenatal MRI. European Journal of Radiology, 2012, 81, 1937-1944.	2.6	29
196	Dose modulated retrospective ECG-gated versus non-gated 64-row CT angiography of the aorta at the same radiation dose: Comparison of motion artifacts, diagnostic confidence and signal-to-noise-ratios. European Journal of Radiology, 2012, 81, e585-e590.	2.6	34
197	Virtual non-contrast in second-generation, dual-energy computed tomography: Reliability of attenuation values. European Journal of Radiology, 2012, 81, e398-e405.	2.6	138
198	Needle image plates compared to conventional CR in chest radiography: Is dose reduction possible?. European Journal of Radiology, 2012, 81, 4156-4160.	2.6	7

#	ARTICLE	IF	CITATIONS
199	Hepatic steatosis assessment with 1H-spectroscopy and chemical shift imaging at 3.0T before hepatic surgery: Reliable enough for making clinical decisions?. European Journal of Radiology, 2012, 81, 2990-2995.	2.6	15
200	Male genital abnormalities in intrauterine growth restriction. Prenatal Diagnosis, 2012, 32, 427-431.	2.3	11
201	Maxillary dental arch biometry: assessment with fetal MR imaging. Prenatal Diagnosis, 2012, 32, 530-535.	2.3	6
202	Are contrast media required for (68)Ga-DOTATOC PET/CT in patients with neuroendocrine tumours of the abdomen?. European Radiology, 2012, 22, 938-946.	4.5	19
203	Quantitative evaluation of contrast-enhanced ultrasound after intravenous administration of a microbubble contrast agent for differentiation of benign and malignant thyroid nodules: assessment of diagnostic accuracy. European Radiology, 2012, 22, 1357-1365.	4.5	76
204	Observer training for computer-aided detection of pulmonary nodules in chest radiography. European Radiology, 2012, 22, 1659-1664.	4.5	9
205	Long-term results 8 years after autologous osteochondral transplantation: 7T gagCEST and sodium magnetic resonance imaging with morphological and clinical correlation. Osteoarthritis and Cartilage, 2012, 20, 357-363.	1.3	86
206	Evaluation of native hyaline cartilage and repair tissue after two cartilage repair surgery techniques with ²³ Na MR imaging at 7T: initial experience. Osteoarthritis and Cartilage, 2012, 20, 837-845.	1.3	63
207	Quantitative analysis of lumbar intervertebral disc abnormalities at 3.0 Tesla: value of $\frac{1}{T_2}$ texture features and geometric parameters. NMR in Biomedicine, 2012, 25, 866-872.	2.8	31
208	Computer-aided Detection of Small Pulmonary Nodules in Chest Radiographs. Academic Radiology, 2011, 18, 1507-1514.	2.5	23
209	Preoperative detection of colorectal liver metastases in fatty liver: MDCT or MRI?. European Journal of Radiology, 2011, 79, e1-e6.	2.6	79
210	Feasibility of Dose Reduction Using Needle-Structured Image Plates Versus Powder-Structured Plates for Computed Radiography of the Knee. American Journal of Roentgenology, 2011, 197, W318-W323.	2.2	5
211	Dynamic telecytologic evaluation of imprint cytology samples from CT-guided lung biopsies: A feasibility study. European Radiology, 2011, 21, 1922-1927.	4.5	5
212	Improved detection of in-stent restenosis by blood pool agent-enhanced, high-resolution, steady-state magnetic resonance angiography. European Radiology, 2011, 21, 2158-2165.	4.5	9
213	Accuracy of hydro-multidetector row CT in the local T staging of oesophageal cancer compared to postoperative histopathological results. European Radiology, 2011, 21, 2326-2335.	4.5	35
214	Computed tomography angiography of the carotid arteries at low kV settings: a prospective randomised trial assessing radiation dose and diagnostic confidence. European Radiology, 2011, 21, 2434-2444.	4.5	27
215	Functional imaging in head and neck squamous cell carcinoma: correlation of PET/CT and diffusion-weighted imaging at 3T. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 1009-1019.	6.4	50
216	Diffusion tensor MR imaging (DTI) metrics in the cervical spinal cord in asymptomatic HIV-positive patients. Neuroradiology, 2011, 53, 585-592.	2.2	13

#	ARTICLE	IF	CITATIONS
217	Fetal MRI for prediction of neonatal mortality following preterm premature rupture of the fetal membranes. <i>Pediatric Radiology</i> , 2011, 41, 1416-1420.	2.0	10
218	Gadolinium diethylenetriaminepentaacetate enhancement kinetics in the menisci of asymptomatic subjects: a first step towards a dedicated dGEMRIC (delayed gadolinium-enhanced MRI of cartilage)-like protocol for biochemical imaging of the menisci. <i>NMR in Biomedicine</i> , 2011, 24, 1210-1215.	2.8	9
219	Characteristics, impact and treatment of 6000 headache attacks: The PAMINA study. <i>European Journal of Pain</i> , 2011, 15, 205-212.	2.8	9
220	The Prenatal Origin of Hemispheric Asymmetry: An In Utero Neuroimaging Study. <i>Cerebral Cortex</i> , 2011, 21, 1076-1083.	2.9	164
221	Prospective Evaluation of High-Resolution MRI Using Gadofosveset for Stent-Graft Planning: Comparison With CT Angiography in 30 Patients. <i>American Journal of Roentgenology</i> , 2011, 197, 1251-1257.	2.2	12
222	Gray-Scale Reversal for the Detection of Pulmonary Nodules on a PACS Workstation. <i>American Journal of Roentgenology</i> , 2011, 197, 1096-1100.	2.2	15
223	Gadobenate Dimeglumine-enhanced 3.0-T MR Imaging versus Multiphasic 64-slice Detector Row CT: Prospective Evaluation in Patients Suspected of Having Pancreatic Cancer. <i>Radiology</i> , 2011, 259, 757-766.	7.3	79
224	Bone Microarchitecture in Hemodialysis Patients Assessed by HR-pQCT. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2264-2271.	4.5	80
225	MRI Versus Radiography of Acromioclavicular Joint Dislocation. <i>American Journal of Roentgenology</i> , 2011, 197, 968-973.	2.2	61
226	Feasibility of Texture Analysis for the Assessment of Biochemical Changes in Meniscal Tissue on T1 Maps Calculated From Delayed Gadolinium-Enhanced Magnetic Resonance Imaging of Cartilage Data. <i>Investigative Radiology</i> , 2010, 45, 543-547.	6.2	20
227	The in vivo effects of unloading and compression on T1-Gd (dGEMRIC) relaxation times in healthy articular knee cartilage at 3.0 Tesla. <i>European Radiology</i> , 2010, 20, 443-449.	4.5	42
228	Assessment of lung development in isolated congenital diaphragmatic hernia using signal intensity ratios on fetal MR imaging. <i>European Radiology</i> , 2010, 20, 829-837.	4.5	38
229	Magnetic resonance imaging of the fetal efferent lacrimal pathways. <i>European Radiology</i> , 2010, 20, 1965-1973.	4.5	15
230	Lumbar intervertebral disc abnormalities: comparison of quantitative T2 mapping with conventional MR at 3.0T. <i>European Radiology</i> , 2010, 20, 2715-2722.	4.5	81
231	Magnetic resonance imaging of the fetal gallbladder and bile. <i>European Radiology</i> , 2010, 20, 2862-2869.	4.5	12
232	Forebrain development in fetal MRI: evaluation of anatomical landmarks before gestational week 27. <i>Neuroradiology</i> , 2010, 52, 495-504.	2.2	19
233	Morning headaches, daytime functioning and sleep problems – a population-based controlled study. <i>Wiener Klinische Wochenschrift</i> , 2010, 122, 579-583.	1.9	5
234	The Skull Unfolded: A Cranial CT Visualization Algorithm for Fast and Easy Detection of Skull Fractures. <i>Radiology</i> , 2010, 255, 553-562.	7.3	39

#	ARTICLE	IF	CITATIONS
235	Diagnostic imaging in Merkel cell carcinoma: Lessons to learn from 16 cases with correlation of sonography, CT, MRI and PET. European Journal of Radiology, 2010, 73, 317-323.	2.6	85
236	Diagnostic value of sonography, ultrasound-guided fine-needle aspiration cytology, and diffusion-weighted MRI in the characterization of cold thyroid nodules. European Journal of Radiology, 2010, 73, 538-544.	2.6	35
237	Automatic assessment of the knee alignment angle on full-limb radiographs. European Journal of Radiology, 2010, 74, 236-240.	2.6	9
238	Comparison of 5-megapixel cathode ray tube monitors and 5-megapixel liquid crystal monitors for soft-copy reading in full-field digital mammography. European Journal of Radiology, 2010, 76, 68-72.	2.6	6
239	Prevalence of NSF following intravenous gadolinium-contrast media administration in dialysis patients with endstage renal disease. European Journal of Radiology, 2010, 76, 129-134.	2.6	38
240	Quality of life in patients with idiopathic subclavian vein thrombosis. Thrombosis Research, 2010, 125, 25-28.	1.7	8
241	Diffusion-weighted MR for Differentiation of Breast Lesions at 3.0 T: How Does Selection of Diffusion Protocols Affect Diagnosis?. Radiology, 2009, 253, 341-351.	7.3	262
242	Evaluation of Coronary Stents With 64-MDCT: In Vitro Comparison of Scanners From Four Vendors. American Journal of Roentgenology, 2009, 193, 787-794.	2.2	7
243	Three-dimensional fracture visualisation of multidetector CT of the skull base in trauma patients: comparison of three reconstruction algorithms. European Radiology, 2009, 19, 2416-2424.	4.5	26
244	Detection of histologically proven peritoneal carcinomatosis with fused 18F-FDG-PET/MDCT. European Journal of Radiology, 2009, 69, 536-541.	2.6	71
245	Comparison of axial, coronal, and primary 3D review in MDCT colonography for the detection of small polyps: A phantom study. European Journal of Radiology, 2009, 70, 86-93.	2.6	11
246	Quantification of synovitis in Rheumatoid Arthritis: Do we really need quantitative measurement of contrast-enhanced ultrasound?. European Journal of Radiology, 2009, 71, 237-241.	2.6	28
247	A Combined High Temporal and High Spatial Resolution 3 Tesla MR Imaging Protocol for the Assessment of Breast Lesions. Investigative Radiology, 2009, 44, 553-558.	6.2	104
248	Dual-Time-Point FDG-PET/CT for the Detection of Hepatic Metastases. Molecular Imaging and Biology, 2008, 10, 335-340.	2.6	76
249	High-field, high-resolution, susceptibility-weighted magnetic resonance imaging: improved image quality by addition of contrast agent and higher field strength in patients with brain tumors. Neuroradiology, 2008, 50, 9-16.	2.2	33
250	High-resolution morphological and biochemical imaging of articular cartilage of the ankle joint at 3.0 T using a new dedicated phased array coil: in vivo reproducibility study. Skeletal Radiology, 2008, 37, 519-526.	2.0	43
251	Disrupted cerebellar development in preterm infants is associated with impaired neurodevelopmental outcome. European Journal of Pediatrics, 2008, 167, 1141-1147.	2.7	95
252	Diffusion-weighted MR imaging of the normal fetal lung. European Radiology, 2008, 18, 700-706.	4.5	35

#	ARTICLE	IF	CITATIONS
253	Preterm birth and disruptive cerebellar development: Assessment of perinatal risk factors. European Journal of Paediatric Neurology, 2008, 12, 455-460.	1.6	60
254	In vitro imaging of coronary artery stents: Are there differences between 16- and 64-slice CT scanners?. European Journal of Radiology, 2008, 68, 465-470.	2.6	8
255	The emotional impact of genetic testing and aspects of counseling prior to prescription of oral contraceptives. Contraception, 2008, 78, 392-398.	1.5	12
256	In utero tractography of fetal white matter development. NeuroImage, 2008, 43, 213-224.	4.2	198
257	Lossy 3D JPEG2000 Compression of Abdominal CT Images in Patients with Acute Abdominal Complaints: Effect of Compression Ratio on Diagnostic Confidence and Accuracy. Radiology, 2008, 248, 476-484.	7.3	13
258	Regional Heterogeneity of Air Trapping at Expiratory Thin-Section CT of Patients with Bronchiolitis: Potential Implications for Dose Reduction and CT Protocol Planning. Radiology, 2008, 247, 862-870.	7.3	17
259	US-guided 14-gauge Core-Needle Breast Biopsy: Results of a Validation Study in 1352 Cases. Radiology, 2008, 248, 406-413.	7.3	142
260	An Automatic Model-based System for Joint Space Measurements on Hand Radiographs: Initial Experience. Radiology, 2007, 245, 855-862.	7.3	43
261	High-Resolution Contrast-Enhanced, Susceptibility-Weighted MR Imaging at 3T in Patients with Brain Tumors: Correlation with Positron-Emission Tomography and Histopathologic Findings. American Journal of Neuroradiology, 2007, 28, 1280-1286.	2.4	63
262	Magnetic Resonance Imaging of the Breast Improves Detection of Invasive Cancer, Preinvasive Cancer, and Premalignant Lesions during Surveillance of Women at High Risk for Breast Cancer. Clinical Cancer Research, 2007, 13, 6144-6152.	7.0	99
263	Pulmonary Nodules: Sensitivity of Maximum Intensity Projection versus That of Volume Rendering of 3D Multidetector CT Data. Radiology, 2007, 243, 561-569.	7.3	64
264	Lossy Three-dimensional JPEG2000 Compression of Abdominal CT Images: Assessment of the Visually Lossless Threshold and Effect of Compression Ratio on Image Quality. Radiology, 2007, 245, 467-474.	7.3	21
265	Improved Preoperative Evaluation of Cerebral Cavernomas by High-Field, High-Resolution Susceptibility-Weighted Magnetic Resonance Imaging at 3 Tesla. Investigative Radiology, 2007, 42, 346-351.	6.2	39
266	Impact of sonography in gouty arthritis: Comparison with conventional radiography, clinical examination, and laboratory findings. European Journal of Radiology, 2007, 62, 437-443.	2.6	76
267	MRI investigation of normal fetal lung maturation using signal intensities on different imaging sequences. European Radiology, 2007, 17, 835-842.	4.5	31
268	Effect of computer-aided detection as a second reader in multidetector-row CT colonography. European Radiology, 2007, 17, 2598-2607.	4.5	58
269	Two- versus 4-Å storage phosphor chest radiography: detection performance and image quality. European Radiology, 2007, 17, 2934-2940.	4.5	3
270	Fungal versus bacterial brain abscesses: is diffusion-weighted MR imaging a useful tool in the differential diagnosis?. Neuroradiology, 2007, 49, 651-657.	2.2	55

#	ARTICLE	IF	CITATIONS
271	The prevalence of lumbar facet joint edema in patients with low back pain. Skeletal Radiology, 2007, 36, 755-760.	2.0	58
272	Comparison of expandable electrodes in percutaneous radiofrequency ablation of renal cell carcinoma. European Journal of Radiology, 2006, 59, 133-139.	2.6	17
273	Percutaneous radiofrequency ablation of renal tumors: Midterm results in 16 patients. European Journal of Radiology, 2006, 59, 183-189.	2.6	35
274	Contrast-Enhanced, High-Resolution, Susceptibility-Weighted Magnetic Resonance Imaging of the Brain. Investigative Radiology, 2006, 41, 249-255.	6.2	42
275	Direct detector radiography versus dual reading computed radiography: feasibility of dose reduction in chest radiography. European Radiology, 2006, 16, 1544-1550.	4.5	24
276	CT Angiography of Pulmonary Arteries to Detect Pulmonary Embolism: Improvement of Vascular Enhancement with Low Kilovoltage Settings. Radiology, 2006, 241, 899-907.	7.3	240
277	Occult Scaphoid Fractures: Comparison of Multidetector CT and MR Imaging—Initial Experience. Radiology, 2006, 240, 169-176.	7.3	174
278	JPEG2000 Compression of Thin-Section CT Images of the Lung: Effect of Compression Ratio on Image Quality. Radiology, 2006, 240, 869-877.	7.3	35
279	Multidetector CT of Pancreas: Effects of Contrast Material Flow Rate and Individualized Scan Delay on Enhancement of Pancreas and Tumor Contrast. Radiology, 2006, 241, 441-448.	7.3	64
280	MDCT Versus Digital Radiography in the Evaluation of Bone Healing in Orthopedic Patients. American Journal of Roentgenology, 2006, 186, 1754-1760.	2.2	44
281	Characterization of Hepatocellular Tumors. Journal of Computer Assisted Tomography, 2005, 29, 181-190.	0.9	33
282	Characterization of Benign and Malignant Breast Lesions With Computed Tomography Laser Mammography (CTLM). Investigative Radiology, 2005, 40, 328-335.	6.2	51
283	Computed Radiography and Direct Radiography. Investigative Radiology, 2005, 40, 249-256.	6.2	19
284	Contrast-enhanced high-resolution magnetic resonance imaging of autologous cartilage implants of the knee joint. Magnetic Resonance Imaging, 2005, 23, 739-744.	1.8	7
285	Comparison of liquid crystal versus cathode ray tube display for the detection of simulated chest lesions. European Radiology, 2005, 15, 1472-1476.	4.5	24
286	Detectability of Catheters on Bedside Chest Radiographs: Comparison between Liquid Crystal Display and High-Resolution Cathode-Ray Tube Monitors. Radiology, 2005, 234, 611-616.	7.3	40
287	Flat-Panel—Detector Chest Radiography: Effect of Tube Voltage on Image Quality. Radiology, 2005, 235, 642-650.	7.3	50
288	Flat-Panel Display (LCD) Versus High-Resolution Gray-Scale Display (CRT) for Chest Radiography: An Observer Preference Study. American Journal of Roentgenology, 2005, 184, 752-756.	2.2	32

#	ARTICLE	IF	CITATIONS
289	Endurance Exercise Training in Orthostatic Intolerance. Hypertension, 2005, 45, 391-398.	2.7	132
290	Skeletal Applications for Flat-Panel versus Storage-Phosphor Radiography: Effect of Exposure on Detection of Low-Contrast Details. Radiology, 2004, 231, 506-514.	7.3	23
291	Comparison of an Automatic Versus a Semiautomatic Mode for Gray-Scale Adaptation for Digital Chest Radiography. Investigative Radiology, 2004, 39, 325-333.	6.2	3
292	Detection of Monitoring Materials on Bedside Chest Radiographs with the Most Recent Generation of Storage Phosphor Plates: Dose Increase Does Not Improve Detection Performance. Radiology, 2003, 227, 216-221.	7.3	9
293	Impact of Ambient Light and Window Settings on the Detectability of Catheters on Soft-Copy Display of Chest Radiographs at Bedside. American Journal of Roentgenology, 2003, 181, 1415-1421.	2.2	26
294	MRA of the lower extremities in patients with pulmonary embolism using a blood pool contrast agent: Initial experience. Journal of Magnetic Resonance Imaging, 2002, 15, 429-437.	3.4	21
295	Short dementia questionnaire for assessing the severity of cognitive impairment in patients with dementia. Drugs of Today, 2001, 37, 691.	2.4	2