

Jun Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6467831/publications.pdf>

Version: 2024-02-01

79
papers

4,219
citations

201674

27
h-index

114465

63
g-index

79
all docs

79
docs citations

79
times ranked

5296
citing authors

#	ARTICLE	IF	CITATIONS
1	An integrative genomics approach to infer causal associations between gene expression and disease. <i>Nature Genetics</i> , 2005, 37, 710-717.	21.4	967
2	A Generalized Combinatorial Approach for Detecting Gene-by-Gene and Gene-by-Environment Interactions with Application to Nicotine Dependence. <i>American Journal of Human Genetics</i> , 2007, 80, 1125-1137.	6.2	533
3	QTLNetwork: mapping and visualizing genetic architecture of complex traits in experimental populations. <i>Bioinformatics</i> , 2008, 24, 721-723.	4.1	396
4	Mapping the genetic architecture of complex traits in experimental populations. <i>Bioinformatics</i> , 2007, 23, 1527-1536.	4.1	299
5	Developmental Quantitative Genetics, Conditional Epigenetic Variability and Growth in Mice. <i>Genetics</i> , 1997, 147, 765-776.	2.9	152
6	Molecular Dissection of Developmental Behavior of Plant Height in Rice (<i>Oryza sativa</i> L.). <i>Genetics</i> , 1998, 150, 1257-1265.	2.9	144
7	Methods for predicting superior genotypes under multiple environments based on QTL effects. <i>Theoretical and Applied Genetics</i> , 2005, 110, 1268-1274.	3.6	132
8	THE GENETIC BASIS OF LIFE-HISTORY CHARACTERS IN A POLYCHAETE EXHIBITING PLANKTOTROPHY AND LECITHOTROPHY. <i>Evolution; International Journal of Organic Evolution</i> , 1991, 45, 380-397.	2.3	105
9	Quantitative analysis and QTL mapping for agronomic and fiber traits in an RI population of upland cotton. <i>Euphytica</i> , 2009, 165, 231-245.	1.2	105
10	Molecular Marker-Assisted Dissection of Genotype × Environment Interaction for Plant Type Traits in Rice (<i>Oryza sativa</i> L.). <i>Crop Science</i> , 1999, 39, 538-544.	1.8	91
11	A Combinatorial Approach to Detecting Gene-Gene and Gene-Environment Interactions in Family Studies. <i>American Journal of Human Genetics</i> , 2008, 83, 457-467.	6.2	90
12	A functional-structural model of rice linking quantitative genetic information with morphological development and physiological processes. <i>Annals of Botany</i> , 2011, 107, 817-828.	2.9	71
13	Development of GMDR-GPU for Gene-Gene Interaction Analysis and Its Application to WTCCC GWAS Data for Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e61943.	2.5	60
14	Association Mapping for Epistasis and Environmental Interaction of Yield Traits in 323 Cotton Cultivars under 9 Different Environments. <i>PLoS ONE</i> , 2014, 9, e95882.	2.5	55
15	Title is missing!. <i>Euphytica</i> , 2003, 129, 183-191.	1.2	50
16	Mixed Linear Model Approaches of Association Mapping for Complex Traits Based on Omics Variants. <i>Scientific Reports</i> , 2015, 5, 10298.	3.3	47
17	Practical and Theoretical Considerations in Study Design for Detecting Gene-Gene Interactions Using MDR and GMDR Approaches. <i>PLoS ONE</i> , 2011, 6, e16981.	2.5	45
18	Mixed model approaches for diallel analysis based on a bio-model. <i>Genetical Research</i> , 1996, 68, 233-240.	0.9	42

#	ARTICLE	IF	CITATIONS
19	Analysis of gene expression profiles of two near-isogenic lines differing at a QTL region affecting oil content at high temperatures during seed maturation in oilseed rape (<i>Brassica napus</i> L.). <i>Theoretical and Applied Genetics</i> , 2012, 124, 515-531.	3.6	41
20	Functional mapping for genetic control of programmed cell death. <i>Physiological Genomics</i> , 2006, 25, 458-469.	2.3	39
21	Genomic Prediction of Genotypic Effects with Epistasis and Environment Interactions for Yield-Related Traits of Rapeseed (<i>Brassica napus</i> L.). <i>Frontiers in Genetics</i> , 2017, 8, 15.	2.3	36
22	Identification of candidate genes for drought stress tolerance in rice by the integration of a genetic (QTL) map with the rice genome physical map. <i>Journal of Zhejiang University Science B</i> , 2005, 6B, 382-388.	0.4	31
23	A Unified Statistical Model for Functional Mapping of Environment-Dependent Genetic Expression and Genotype \times Environment Interactions for Ontogenetic Development. <i>Genetics</i> , 2004, 168, 1751-1762.	2.9	30
24	Marker-assisted selection in segregating generations of self-fertilizing crops. <i>Theoretical and Applied Genetics</i> , 2004, 109, 370-376.	3.6	30
25	Genetic analysis for protein content in indica rice. <i>Euphytica</i> , 1999, 107, 135-140.	1.2	29
26	Sampling a Core Collection of Island Cotton (<i>Gossypium barbadense</i> L.) Based on the Genotypic Values of Fiber Traits. <i>Genetic Resources and Crop Evolution</i> , 2006, 53, 515-521.	1.6	29
27	An approach for predicting heterosis based on an additive, dominance and additive \times additive model with environment interaction. <i>Heredity</i> , 1999, 82, 510-517.	2.6	28
28	A method for marker-assisted selection based on QTLs with epistatic effects. <i>Genetica</i> , 2003, 119, 75-86.	1.1	28
29	An association study revealed substantial effects of dominance, epistasis and substance dependence \times morbidity on alcohol dependence symptom count. <i>Addiction Biology</i> , 2017, 22, 1475-1485.	2.6	28
30	Mapping QTL for Biomass Yield and Its Components in Rice (<i>Oryza sativa</i> L.). <i>Journal of Genetics and Genomics</i> , 2006, 33, 607-616.	0.3	27
31	Genetic studies of anther culture ability in rice (<i>Oryza sativa</i>). <i>Plant Cell, Tissue and Organ Culture</i> , 1996, 45, 253-258.	2.3	26
32	Mapping QTLs with digenic epistasis under multiple environments and predicting heterosis based on QTL effects. <i>Theoretical and Applied Genetics</i> , 2007, 115, 325-333.	3.6	26
33	Genetic association of yield with its component traits in a recombinant inbred line population of cotton. <i>Euphytica</i> , 2004, 140, 171-179.	1.2	25
34	Comparing GWAS Results of Complex Traits Using Full Genetic Model and Additive Models for Revealing Genetic Architecture. <i>Scientific Reports</i> , 2017, 7, 38600.	3.3	24
35	Dominance and Epistasis Interactions Revealed as Important Variants for Leaf Traits of Maize NAM Population. <i>Frontiers in Plant Science</i> , 2018, 9, 627.	3.6	24
36	Genetic and genotype \times environment interaction effects from embryo, endosperm, cytoplasm and maternal plant for rice grain shape traits of indica rice. <i>Field Crops Research</i> , 2000, 68, 191-198.	5.1	22

#	ARTICLE	IF	CITATIONS
37	Dissection of complicate genetic architecture and breeding perspective of cottonseed traits by genome-wide association study. BMC Genomics, 2018, 19, 451.	2.8	22
38	Mapping epigenetic quantitative trait loci (QTL) altering a developmental trajectory. Genome, 2002, 45, 28-33.	2.0	21
39	Using matrix of thresholding partial correlation coefficients to infer regulatory network. BioSystems, 2008, 91, 158-165.	2.0	21
40	Genome-wide association study of maize plant architecture using F1 populations. Plant Molecular Biology, 2019, 99, 1-15.	3.9	17
41	Gene Polymorphism Association with Type 2 Diabetes and Related Gene-Gene and Gene-Environment Interactions in a Uyghur Population. Medical Science Monitor, 2016, 22, 474-87.	1.1	17
42	Title is missing!. Euphytica, 1999, 109, 9-15.	1.2	13
43	Quantitative genetic analysis station for the genetic analysis of complex traits. Science Bulletin, 2012, 57, 2721-2726.	1.7	13
44	A two-step strategy for detecting differential gene expression in cDNA microarray data. Current Genetics, 2005, 47, 121-131.	1.7	12
45	Statistical approaches in QTL mapping and molecular breeding for complex traits. Science Bulletin, 2012, 57, 2637-2644.	1.7	12
46	Impacts of QTL × Environment Interactions on Genetic Response to Marker-Assisted Selection. Journal of Genetics and Genomics, 2006, 33, 63-71.	0.3	11
47	A faster pedigree-based generalized multifactor dimensionality reduction method for detecting gene-gene interactions. Statistics and Its Interface, 2011, 4, 295-304.	0.3	11
48	Analysis of genetic effects of major genes and polygenes on quantitative traits. II. Genetic models for seed traits of crops. Theoretical and Applied Genetics, 2002, 105, 964-971.	3.6	10
49	A robust statistical procedure to discover expression biomarkers using microarray genomic expression data. Journal of Zhejiang University: Science B, 2006, 7, 603-607.	2.8	10
50	Full genetic analysis for genome-wide association study of Fangji: a powerful approach for effectively dissecting the molecular architecture of personalized traditional Chinese medicine. Acta Pharmacologica Sinica, 2018, 39, 906-911.	6.1	10
51	Nonparametric Functional Mapping of Quantitative Trait Loci Underlying Programmed Cell Death. Statistical Applications in Genetics and Molecular Biology, 2008, 7, Article4.	0.6	9
52	Genetic effects of embryo and endosperm for four malting quality traits of barley. Euphytica, 1999, 106, 27-34.	1.2	8
53	Genetic control of the opaque-2 gene and background polygenes over some kernel traits in maize (Zea mays L.). Theoretical and Applied Genetics, 2002, 105, 964-971.	1.0784314	8
54	Improvement of Mapping Accuracy by Unifying Linkage and Association Analysis. Genetics, 2006, 172, 647-661.	2.9	8

#	ARTICLE	IF	CITATIONS
55	Dissecting Genetic Network of Fruit Branch Traits in Upland Cotton by Association Mapping Using SSR Markers. PLoS ONE, 2017, 12, e0162815.	2.5	8
56	Functional Mapping of Dynamic Traits with Robust t-Distribution. PLoS ONE, 2011, 6, e24902.	2.5	7
57	Influence of outliers on QTL mapping for complex traits. Journal of Zhejiang University: Science B, 2008, 9, 931-937.	2.8	6
58	Mapping Interspecific Genetic Architecture in a Host-Parasite Interaction System. Genetics, 2008, 178, 1737-1743.	2.9	6
59	Analysis of the 3' ends of tRNA as the cause of insertion sites of foreign DNA in Prochlorococcus. Journal of Zhejiang University: Science B, 2010, 11, 708-718.	2.8	6
60	Mapping epistasis and environment-QTX interaction based on four -omics genotypes for the detected QTX loci controlling complex traits in tobacco. Crop Journal, 2013, 1, 151-159.	5.2	6
61	Dissecting genetic architecture of startle response in Drosophila melanogaster using multi-omics information. Scientific Reports, 2017, 7, 12367.	3.3	5
62	MIXED LINEAR MODEL APPROACHES FOR ANALYZING GENETIC MODELS OF COMPLEX QUANTITATIVE TRAITS. Journal of Zhejiang University Science B, 2000, 1, 78.	0.4	5
63	A new approach to dissecting complex traits by combining quantitative trait transcript (QTT) mapping and diallel cross analysis. Science Bulletin, 2012, 57, 2695-2700.	1.7	4
64	Combined Analysis with Copy Number Variation Identifies Risk Loci in Lung Cancer. BioMed Research International, 2014, 2014, 1-9.	1.9	4
65	Large Population with Low Marker Density Verse Small Population with High Marker Density for QTL Mapping: A Case Study for Mapping QTL Controlling Barley Net Blotch Resistance. , 2013, , 301-315.		4
66	Clustering Gene Expression Data Based on Predicted Differential Effects of GV Interaction. Genomics, Proteomics and Bioinformatics, 2005, 3, 36-41.	6.9	3
67	Analysis of Genetic Effects of Nuclear-Cytoplasmic Interaction on Quantitative Traits: Genetic Model for Diploid Plants. Journal of Genetics and Genomics, 2007, 34, 562-568.	3.9	2
68	Identifying differentially expressed genes in human acute leukemia and mouse brain microarray datasets utilizing QTModel. Functional and Integrative Genomics, 2009, 9, 59-66.	3.5	2
69	QTLNetworkR: an interactive R package for QTL visualization. Journal of Zhejiang University: Science B, 2010, 11, 512-515.	2.8	2
70	Simulating superior genotypes for plant height based on QTLs: Towards virtual breeding of rice. , 2012, , .		2
71	Conditional GWAS revealing genetic impacts of lifestyle behaviors on low-density lipoprotein (LDL). Computational Biology and Chemistry, 2019, 78, 497-503.	2.3	2
72	Conditional and unconditional genome-wide association study reveal complicate genetic architecture of human body weight and impacts of smoking. Scientific Reports, 2020, 10, 12136.	3.3	2

#	ARTICLE	IF	CITATIONS
73	3D graphical visualization of the genetic architectures underlying complex traits in multiple environments. Journal of Zhejiang University: Science A, 2007, 8, 563-567.	2.4	1
74	Analysis of genetic effects of nuclearâ€“cytoplasmic interaction on quantitative traits: Genetic models for seed traits of plants. Theoretical and Applied Genetics, 2008, 116, 769-776.	3.6	1
75	Advanced Topics in Biomathematics. , 1998, , .		1
76	Penalized Independence Rule for Testing High-Dimensional Hypotheses. Communications in Statistics - Theory and Methods, 2011, 40, 2424-2435.	1.0	0
77	Dissecting anxiety-related QTLs in mice by univariate and multivariate mapping. Science Bulletin, 2012, 57, 2727-2732.	1.7	0
78	Subsampling Technique to Estimate Variance Component for UK-Biobank Traits. Frontiers in Genetics, 2021, 12, 612045.	2.3	0
79	Genome-wide conditional association study reveals the influences of lifestyle cofactors on genetic regulation of body surface area in MESA population. PLoS ONE, 2021, 16, e0253167.	2.5	0