

Bernard Mignotte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6469269/publications.pdf>

Version: 2024-02-01

77
papers

8,020
citations

147726

31
h-index

79644

73
g-index

80
all docs

80
docs citations

80
times ranked

9094
citing authors

#	ARTICLE	IF	CITATIONS
1	Keeping Cell Death Alive: An Introduction into the French Cell Death Research Network. <i>Biomolecules</i> , 2022, 12, 901.	1.8	2
2	Insights into the Roles of the Sideroflexins/SLC56 Family in Iron Homeostasis and Iron-Sulfur Biogenesis. <i>Biomedicines</i> , 2021, 9, 103.	1.4	13
3	The endoplasmic reticulum unfolded protein response varies depending on the affected region of the tissue but independently from the source of stress. <i>Cell Stress and Chaperones</i> , 2019, 24, 817-824.	1.2	0
4	FGF1 induces resistance to chemotherapy in ovarian granulosa tumor cells through regulation of p53 mitochondrial localization. <i>Oncogenesis</i> , 2018, 7, 18.	2.1	19
5	Evolutionary conservation of Notch signaling inhibition by TMEM131L overexpression. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 909-915.	1.0	5
6	FGF1 protects neuroblastoma SH-SY5Y cells from p53-dependent apoptosis through an intracrine pathway regulated by FGF1 phosphorylation. <i>Cell Death and Disease</i> , 2017, 8, e3023-e3023.	2.7	15
7	FGF1 C-terminal domain and phosphorylation regulate intracrine FGF1 signaling for its neurotrophic and anti-apoptotic activities. <i>Cell Death and Disease</i> , 2016, 7, e2079-e2079.	2.7	19
8	Apoptosis in <i>Drosophila</i> : which role for mitochondria?. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016, 21, 239-251.	2.2	47
9	Two different specific JNK activators are required to trigger apoptosis or compensatory proliferation in response to Rbf1 in <i>Drosophila</i> . <i>Cell Cycle</i> , 2016, 15, 283-294.	1.3	12
10	The <i>Drosophila</i> retinoblastoma protein, Rbf1, induces a <i>debcl</i> and <i>drp1</i> -dependent mitochondrial apoptosis. <i>Journal of Cell Science</i> , 2015, 128, 3239-49.	1.2	17
11	Quantification of Ataxin-3 and Ataxin-7 aggregates formed <i>in vivo</i> in <i>Drosophila</i> reveals a threshold of aggregated polyglutamine proteins associated with cellular toxicity. <i>Biochemical and Biophysical Research Communications</i> , 2015, 464, 1060-1065.	1.0	0
12	Inactivation of p53 Is Sufficient to Induce Development of Pulmonary Hypertension in Rats. <i>PLoS ONE</i> , 2015, 10, e0131940.	1.1	40
13	Screening of suppressors of bax-induced cell death identifies glycerophosphate oxidase-1 as a mediator of <i>debcl</i> -induced apoptosis in <i>Drosophila</i> . <i>Genes and Cancer</i> , 2015, 6, 241-253.	0.6	8
14	Mutating RBF Can Enhance Its Pro-Apoptotic Activity and Uncovers a New Role in Tissue Homeostasis. <i>PLoS ONE</i> , 2014, 9, e102902.	1.1	4
15	The <i>drosophila</i> Bcl-2 family protein <i>Debcl</i> is targeted to the proteasome by the β -TrCP homologue <i>slimb</i> . <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1444-1456.	2.2	7
16	The pro-apoptotic activity of <i>Drosophila</i> Rbf1 involves dE2F2-dependent downregulation of <i>diap1</i> and <i>buffy</i> mRNA. <i>Cell Death and Disease</i> , 2014, 5, e1405-e1405.	2.7	13
17	The PERK pathway independently triggers apoptosis and a <i>Rac1/Slpr/JNK/Dilp8</i> signaling favoring tissue homeostasis in a chronic ER stress <i>Drosophila</i> model. <i>Cell Death and Disease</i> , 2014, 5, e1452-e1452.	2.7	46
18	Mitochondrial p53 mediates a transcription-independent regulation of cell respiration and interacts with the mitochondrial F_1F_0 -ATP synthase. <i>Cell Cycle</i> , 2013, 12, 2781-2793.	1.3	59

#	ARTICLE	IF	CITATIONS
19	The Mitochondrial Pathways of Apoptosis. <i>Advances in Experimental Medicine and Biology</i> , 2012, 942, 157-183.	0.8	476
20	Differential effects of Bcl-2 and caspases on mitochondrial permeabilization during endogenous or exogenous reactive oxygen species-induced cell death. <i>Cell Biology and Toxicology</i> , 2012, 28, 239-253.	2.4	31
21	zVAD-fmk upregulates caspase-9 cleavage and activity in etoposide-induced cell death of mouse embryonic fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1343-1352.	1.9	16
22	The Drosophila retinoblastoma protein induces apoptosis in proliferating but not in post-mitotic cells. <i>Cell Cycle</i> , 2010, 9, 97-103.	1.3	13
23	Effects of 17 β -Estradiol on Preadipocyte Proliferation in Human Adipose Tissue: Involvement of IGF1-R Signaling. <i>Hormone and Metabolic Research</i> , 2010, 42, 514-520.	0.7	18
24	The p76Rb and p100Rb truncated forms of the Rb protein exert antagonistic roles on cell death regulation in human cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2010, 399, 173-178.	1.0	3
25	Tickets for p53 journey among organelles. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4214.	3.0	16
26	Mitochondria, Bcl-2 family proteins and apoptosomes: of worms, flies and men. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4127.	3.0	20
27	FGF1 nuclear translocation is required for both its neurotrophic activity and its p53-dependent apoptosis protection. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 1719-1727.	1.9	42
28	A General Route to Cyclopeptide Alkaloids: Total Syntheses and Biological Evaluation of Paliurines E and F, Ziziphines N and Q, Abyssenine A, Mucronine E, and Analogues. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 3368-3386.	1.2	38
29	Evidence for a mitochondrial localization of the retinoblastoma protein. <i>BMC Cell Biology</i> , 2009, 10, 50.	3.0	27
30	The mitochondrial TOM complex modulates bax-induced apoptosis in Drosophila. <i>Biochemical and Biophysical Research Communications</i> , 2009, 379, 939-943.	1.0	26
31	Mitochondrial localization of the low level p53 protein in proliferative cells. <i>Biochemical and Biophysical Research Communications</i> , 2009, 387, 772-777.	1.0	40
32	Fibroblast Growth Factor 1 inhibits p53-dependent apoptosis in PC12 cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007, 12, 1377-1387.	2.2	31
33	The myb-related gene stonewall induces both hyperplasia and cell death in Drosophila: rescue of fly lethality by coexpression of apoptosis inducers. <i>Cell Death and Differentiation</i> , 2006, 13, 1752-1762.	5.0	8
34	p53 and Retinoblastoma protein (pRb): A complex network of interactions. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 659-661.	2.2	20
35	The superoxide dismutase inhibitor diethyldithiocarbamate has antagonistic effects on apoptosis by triggering both cytochrome c release and caspase inhibition. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1377-1390.	1.3	40
36	Caspase-9 can antagonize p53-induced apoptosis by generating a p76Rb truncated form of Rb. <i>Oncogene</i> , 2005, 24, 3297-3308.	2.6	20

#	ARTICLE	IF	CITATIONS
37	FGF1 inhibits p53-dependent apoptosis and cell cycle arrest via an intracrine pathway. <i>Oncogene</i> , 2005, 24, 7839-7849.	2.6	41
38	Adaptative metabolic response of human colonic epithelial cells to the adverse effects of the luminal compound sulfide. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005, 1725, 201-212.	1.1	157
39	Transcriptional repression by p53 promotes a Bcl-2-insensitive and mitochondria-independent pathway of apoptosis. <i>Nucleic Acids Research</i> , 2004, 32, 4480-4490.	6.5	23
40	p53 can promote mitochondria- and caspase-independent apoptosis. <i>Cell Death and Differentiation</i> , 2004, 11, 785-787.	5.0	28
41	Dynamic evolution of the adenine nucleotide translocase interactome during chemotherapy-induced apoptosis. <i>Oncogene</i> , 2004, 23, 8049-8064.	2.6	84
42	Study of PTPC Composition during Apoptosis for Identification of Viral Protein Target. <i>Annals of the New York Academy of Sciences</i> , 2003, 1010, 126-142.	1.8	39
43	Poliovirus-Induced Apoptosis Is Reduced in Cells Expressing a Mutant CD155 Selected during Persistent Poliovirus Infection in Neuroblastoma Cells. <i>Journal of Virology</i> , 2003, 77, 790-798.	1.5	37
44	Influence of the nitric oxide donor glyceryl trinitrate on apoptotic pathways in human colon cancer cells. <i>Gastroenterology</i> , 2002, 123, 235-246.	0.6	71
45	Bcl-2 can promote p53-dependent senescence versus apoptosis without affecting the G1/S transition. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 282-288.	1.0	43
46	Mitochondrial reactive oxygen species in cell death signaling. <i>Biochimie</i> , 2002, 84, 131-141.	1.3	925
47	reaper and bax initiate two different apoptotic pathways affecting mitochondria and antagonized by bcl-2 in <i>Drosophila</i> . <i>Oncogene</i> , 2002, 21, 6458-6470.	2.6	18
48	Yeast as a Model to Study Apoptosis?. <i>Bioscience Reports</i> , 2002, 22, 59-79.	1.1	30
49	L'apoptose chez la drosophile : conservation et originalité. <i>Medecine/Sciences</i> , 2002, 18, 875-880.	0.0	2
50	Mitochondrial control of apoptosis. <i>Advances in Cell Aging and Gerontology</i> , 2001, 5, 93-122.	0.1	4
51	Bcl-2 and Bax mammalian regulators of apoptosis are functional in <i>Drosophila</i> . <i>Cell Death and Differentiation</i> , 2000, 7, 804-814.	5.0	109
52	Heat shock enhances transcriptional activation of the murine inducible nitric oxide synthase gene. <i>FASEB Journal</i> , 2000, 14, 2393-2395.	0.2	34
53	Inhibition of Bcl-2-dependent cell survival by a caspase inhibitor: a possible new pathway for Bcl-2 to regulate cell death. <i>FEBS Letters</i> , 1999, 460, 203-206.	1.3	15
54	SV40 Large T Antigen Expression Driven by col2a1 Regulatory Sequences Immortalizes Articular Chondrocytes but Does Not Allow Stabilization of Type II Collagen Expression. <i>Experimental Cell Research</i> , 1999, 249, 248-259.	1.2	30

#	ARTICLE	IF	CITATIONS
55	TNF- α activates at least two apoptotic signaling cascades. <i>Oncogene</i> , 1998, 17, 1639-1651.	2.6	142
56	Mitochondria and apoptosis. <i>FEBS Journal</i> , 1998, 252, 1-15.	0.2	676
57	Bcl-2 and Hsp27 act at different levels to suppress programmed cell death. <i>Oncogene</i> , 1997, 15, 347-360.	2.6	97
58	Implication of mitochondria in apoptosis. <i>Molecular and Cellular Biochemistry</i> , 1997, 174, 185-188.	1.4	111
59	Implication of mitochondria in apoptosis. , 1997, , 185-188.		40
60	Mitochondria and programmed cell death: back to the future. <i>FEBS Letters</i> , 1996, 396, 7-13.	1.3	459
61	The biochemistry of programmed cell death. <i>FASEB Journal</i> , 1995, 9, 1277-1287.	0.2	972
62	Sequential reduction of mitochondrial transmembrane potential and generation of reactive oxygen species in early programmed cell death.. <i>Journal of Experimental Medicine</i> , 1995, 182, 367-377.	4.2	1,509
63	Alterations in mitochondrial structure and function are early events of dexamethasone-induced thymocyte apoptosis.. <i>Journal of Cell Biology</i> , 1995, 130, 157-167.	2.3	575
64	Studies of specific gene induction during apoptosis of cell lines conditionally immortalized by SV40. <i>FEBS Letters</i> , 1995, 374, 384-386.	1.3	8
65	Commitment to apoptosis is associated with changes in mitochondrial biogenesis and activity in cell lines conditionally immortalized with simian virus 40.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 11752-11756.	3.3	293
66	Cytometric studies of cellular and mitochondrial changes associated with apoptotic cell death in a conditionnaly immortalized cell line. <i>Biology of the Cell</i> , 1992, 76, 250-250.	0.7	0
67	Amino terminal sequence of the mitochondrial protein mtDBP-C: similarity with nonhistone chromosomal proteins HMG 1 and 2. <i>Biochimie</i> , 1991, 73, 615-616.	1.3	7
68	Quantitative electron microscopic analysis of DNA-protein interactions. <i>Journal of Electron Microscopy Technique</i> , 1991, 18, 375-386.	1.1	16
69	Structural modifications induced by the mtDBP-C protein in the replication origin of <i>Xenopus laevis</i> mitochondrial DNA. <i>Biochimie</i> , 1990, 72, 65-72.	1.3	6
70	Effects of the <i>Xenopus laevis</i> mitochondrial single-stranded DNA-binding protein on the activity of DNA polymerase gamma. <i>FEBS Journal</i> , 1988, 174, 479-484.	0.2	32
71	The amino-terminal sequence of the <i>Xenopus laevis</i> mitochondrial SSB is homologous to that of the <i>Escherichia coli</i> protein. <i>FEBS Letters</i> , 1988, 235, 267-270.	1.3	16
72	The <i>Xenopus laevis</i> mitochondrial protein mtDBP-C cooperatively folds the DNA in vitro. <i>EMBO Journal</i> , 1988, 7, 3873-9.	3.5	3

#	ARTICLE	IF	CITATIONS
73	Sequence deduced physical properties in the D-loop region common to five vertebrate mitochondrial DNAs. <i>Journal of Theoretical Biology</i> , 1987, 124, 57-69.	0.8	16
74	Characterization of a <i>Xenopus laevis</i> mitochondrial protein with a high affinity for supercoiled DNA. <i>Nucleic Acids Research</i> , 1986, 14, 5969-5980.	6.5	25
75	Characterization of a mitochondrial protein binding to single-stranded DNA. <i>Nucleic Acids Research</i> , 1985, 13, 1703-1716.	6.5	63
76	Mitochondrial DNA-binding proteins that bind preferentially to supercoiled molecules containing the D-loop region of <i>Xenopus laevis</i> mtDNA. <i>Biochemical and Biophysical Research Communications</i> , 1983, 117, 99-107.	1.0	20
77	A DNA binding protein from <i>Xenopus laevis</i> oocyte mitochondria. <i>Chromosoma</i> , 1981, 82, 583-593.	1.0	33