

Francesco Del Galdo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6476448/publications.pdf>

Version: 2024-02-01

131
papers

4,049
citations

136950

32
h-index

133252

59
g-index

133
all docs

133
docs citations

133
times ranked

5066
citing authors

#	ARTICLE	IF	CITATIONS
1	First pilot study of extracellular volume MRI measurement in peripheral muscle of systemic sclerosis patients suggests diffuse fibrosis. <i>Rheumatology</i> , 2022, 61, 1651-1657.	1.9	2
2	Nailfold Microvascular Imaging by Dynamic Optical Coherence Tomography in Systemic Sclerosis: A Case-Controlled Pilot Study. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1050-1057.	0.7	10
3	Symptom experience of limited cutaneous systemic sclerosis from the Patients' perspective: A qualitative study. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 52, 151926.	3.4	12
4	Impact of lung function decline on time to hospitalisation events in systemic sclerosis-associated interstitial lung disease (SSc-ILD): a joint model analysis. <i>Arthritis Research and Therapy</i> , 2022, 24, 19.	3.5	8
5	Ultrasound and elastography in the assessment of skin involvement in systemic sclerosis: A systematic literature review focusing on validation and standardization. <i>WSF Skin Ultrasound Group. Seminars in Arthritis and Rheumatism</i> , 2022, 52, 151954.	3.4	14
6	Change in calcinosis over 1 year using the scleroderma clinical trials consortium radiologic scoring system for calcinosis of the hands in patients with systemic sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2022, 53, 151980.	3.4	10
7	Induction of Pro-Fibrotic CLIC4 in Dermal Fibroblasts by TGF- β 2/Wnt3a Is Mediated by GLI2 Upregulation. <i>Cells</i> , 2022, 11, 530.	4.1	5
8	Oral 11 β -HSD1 inhibitor AZD4017 improves wound healing and skin integrity in adults with type 2 diabetes mellitus: a pilot randomized controlled trial. <i>European Journal of Endocrinology</i> , 2022, 186, 441-455.	3.7	12
9	Downregulation of Vascular Hemeoxygenase-1 Leads to Vasculopathy in Systemic Sclerosis. <i>Frontiers in Physiology</i> , 2022, 13, .	2.8	0
10	Biological and clinical insights from a randomized phase 2 study of an anti-oncostatin M monoclonal antibody in systemic sclerosis. <i>Rheumatology</i> , 2022, 62, 234-242.	1.9	13
11	The intracellular chloride channel 4 (CLIC4) activates systemic sclerosis fibroblasts. <i>Rheumatology</i> , 2021, 60, 4395-4400.	1.9	9
12	Considerations for a combined index for limited cutaneous systemic sclerosis to support drug development and improve outcomes. <i>Journal of Scleroderma and Related Disorders</i> , 2021, 6, 66-76.	1.7	12
13	Anti-vinculin antibodies in scleroderma (SSc): a potential link between autoimmunity and gastrointestinal system involvement in two SSc cohorts. <i>Clinical Rheumatology</i> , 2021, 40, 2277-2284.	2.2	11
14	Predictors of subclinical systemic sclerosis primary heart involvement characterised by microvasculopathy and myocardial fibrosis. <i>Rheumatology</i> , 2021, 60, 2934-2945.	1.9	18
15	UCLA Scleroderma Clinical Trials Consortium Gastrointestinal Tract (GIT) 2.0 Reflux Scale Correlates With Impaired Esophageal Scintigraphy Findings in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2021, 48, 1422-1426.	2.0	4
16	Targeting human plasmacytoid dendritic cells through BDCA2 prevents skin inflammation and fibrosis in a novel xenotransplant mouse model of scleroderma. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 920-929.	0.9	23
17	Muscle Damage in Systemic Sclerosis and CXCL10: The Potential Therapeutic Role of PDE5 Inhibition. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2894.	4.1	9
18	The PREDictor of MALnutrition in Systemic Sclerosis (PREMASS) Score: A Combined Index to Predict 12 Months Onset of Malnutrition in Systemic Sclerosis. <i>Frontiers in Medicine</i> , 2021, 8, 651748.	2.6	7

#	ARTICLE	IF	CITATIONS
19	P149â€¦The intracellular chloride channel 4 (CLIC4) plays an important role in systemic sclerosis fibroblast activation. <i>Rheumatology</i> , 2021, 60, .	1.9	0
20	Sildenafil Counteracts the In Vitro Activation of CXCL-9, CXCL-10 and CXCL-11/CXCR3 Axis Induced by Reactive Oxygen Species in Scleroderma Fibroblasts. <i>Biology</i> , 2021, 10, 491.	2.8	7
21	Fecal incontinence and scleroderma: Pathogenesis and unmet needs. <i>Best Practice and Research in Clinical Rheumatology</i> , 2021, 35, 101686.	3.3	0
22	Global gene expression analysis of systemic sclerosis myofibroblasts demonstrates a marked increase in the expression of multiple NBPF genes. <i>Scientific Reports</i> , 2021, 11, 20435.	3.3	1
23	Cardiovascular outcomes in systemic sclerosis with abnormal cardiovascular MRI and serum cardiac biomarkers. <i>RMD Open</i> , 2021, 7, e001689.	3.8	11
24	Pharmacological treatments for SSc-ILD: Systematic review and critical appraisal of the evidence. <i>Autoimmunity Reviews</i> , 2021, 20, 102978.	5.8	17
25	Practical Approach to Malnutrition and Weight Loss in SSc. <i>In Clinical Practice</i> , 2021, , 243-254.	0.0	0
26	Progression of patients with Raynaud's phenomenon to systemic sclerosis: a five-year analysis of the European Scleroderma Trial and Research group multicentre, longitudinal registry study for Very Early Diagnosis of Systemic Sclerosis (VEDOSS). <i>Lancet Rheumatology, The</i> , 2021, 3, e834-e843.	3.9	42
27	One year in review 2021: systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 131, 3-12.	0.8	1
28	One year in review 2021: systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 3-12.	0.8	25
29	SFRP4 Expression Is Linked to Immune-Driven Fibrotic Conditions, Correlates with Skin and Lung Fibrosis in SSc and a Potential EMT Biomarker. <i>Journal of Clinical Medicine</i> , 2021, 10, 5820.	2.4	10
30	Sildenafil improves the redox homeostasis and pro-inflammatory activation in systemic sclerosis fibroblasts exposed to reactive oxygen species. <i>Free Radical Biology and Medicine</i> , 2021, 177, S70.	2.9	0
31	Use of vasoactive/vasodilating drugs for systemic sclerosis (SSc)-related digital ulcers (DUs) in expert tertiary centres: results from the analysis of the observational real-life DeSScipher study. <i>Clinical Rheumatology</i> , 2020, 39, 27-36.	2.2	18
32	Abnormal electrophysiological testing associates with future incidental significant arrhythmia in scleroderma. <i>Rheumatology</i> , 2020, 59, 899-900.	1.9	4
33	P150â€¦Influence of patient reported arthritis activity in determining sHAQ, HAQ-DI and Cochin scores in systemic sclerosis. <i>Rheumatology</i> , 2020, 59, .	1.9	0
34	P163â€¦Biosamples from at risk SSc patients show classic pathological signs of scleroderma: opportunity for a diagnosis of pre-clinical SSc. <i>Rheumatology</i> , 2020, 59, .	1.9	0
35	New lessons for an old problem: ASSET open-label extension. <i>Lancet Rheumatology, The</i> , 2020, 2, e726-e727.	3.9	0
36	The Phosphodiesterase Type 5 Inhibitor Sildenafil Improves DNA Stability and Redox Homeostasis in Systemic Sclerosis Fibroblasts Exposed to Reactive Oxygen Species. <i>Antioxidants</i> , 2020, 9, 786.	5.1	12

#	ARTICLE	IF	CITATIONS
37	Long non-coding RNA HOTAIR induces GLI2 expression through Notch signalling in systemic sclerosis dermal fibroblasts. <i>Arthritis Research and Therapy</i> , 2020, 22, 286.	3.5	27
38	Sildenafil Reduces Expression and Release of IL-6 and IL-8 Induced by Reactive Oxygen Species in Systemic Sclerosis Fibroblasts. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3161.	4.1	24
39	Randomised controlled trials in systemic sclerosis: patient selection and endpoints for next generation trials. <i>Lancet Rheumatology</i> , The, 2020, 2, e173-e184.	3.9	12
40	Digital ulcers: should debridement be a standard of care in systemic sclerosis?. <i>Lancet Rheumatology</i> , The, 2020, 2, e302-e307.	3.9	7
41	Long non-coding RNA HOTAIR drives EZH2-dependent myofibroblast activation in systemic sclerosis through miRNA 34a-dependent activation of NOTCH. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 507-517.	0.9	60
42	The identification and management of interstitial lung disease in systemic sclerosis: evidence-based European consensus statements. <i>Lancet Rheumatology</i> , The, 2020, 2, e71-e83.	3.9	182
43	Healthcare Resource Utilization Among Patients in England with Systemic Sclerosis-Associated Interstitial Lung Disease: A Retrospective Database Analysis. <i>Advances in Therapy</i> , 2020, 37, 2460-2476.	2.9	10
44	Biomarkers as an opportunity to stratify for outcome in systemic sclerosis. <i>European Journal of Rheumatology</i> , 2020, 7, 193-202.	0.6	9
45	A special <i>European Journal of Rheumatology</i> issue on systemic sclerosis: What and why?. <i>European Journal of Rheumatology</i> , 2020, 7, S137-S138.	0.6	0
46	A special <i>European Journal of Rheumatology</i> issue on systemic sclerosis: What and why?. <i>European Journal of Rheumatology</i> , 2020, 7, 137-138.	0.6	0
47	Vasodilators and low-dose acetylsalicylic acid are associated with a lower incidence of distinct primary myocardial disease manifestations in systemic sclerosis: results of the DeSScipher inception cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1576-1582.	0.9	31
48	Incidental significant arrhythmia in scleroderma associates with cardiac magnetic resonance measure of fibrosis and hs-Tnl and NT-proBNP. <i>Rheumatology</i> , 2019, 58, 1221-1226.	1.9	31
49	Metabolic control of BRISCâ€“SHMT2 assembly regulates immune signalling. <i>Nature</i> , 2019, 570, 194-199.	27.8	51
50	228â€“A monoclonal antibody against BDCA-2 inhibits TLR-induced activation of human pDC in vitro and in vivo: a novel therapeutic target for systemic sclerosis. <i>Rheumatology</i> , 2019, 58, .	1.9	0
51	Epidermal Growth Factor Like-domain 7 and miR-126 are abnormally expressed in diffuse Systemic Sclerosis fibroblasts. <i>Scientific Reports</i> , 2019, 9, 4589.	3.3	12
52	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1553-1570.	5.6	75
53	SAT0262â€“...MODIFIED ACR COMPOSITE RESPONSE INDEX IN SYSTEMIC SCLEROSIS SCORE SHOWS SENSITIVITY AND EXTERNAL VALIDATION TO MEASURE MAGNITUDE OF RESPONSE AT 12 MONTHS IN DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS. , 2019, , .		0
54	AB0966â€“...PROPOSAL OF OUTCOME MEASURES TO BE USED ON A 12-MONTH OPEN LABEL DRUG TRIAL IN JUVENILE SYSTEMIC SCLEROSIS. RESULTS OF THE 3RD CONSENSUS MEETING IN HAMBURG DECEMBER 2018. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
55	AB0653â€¦...SERUM CARDIAC BIOMARKERS BUT NOT SUBCLINICAL CARDIOVASCULAR MAGNETIC RESONANCE ABNORMALITIES IN SYSTEMIC SCLEROSIS ASSOCIATE WITH THE DEVELOPMENT OF CARDIOVASCULAR EVENTS. , 2019, , .		0
56	SAT0254â€¦...VASODILATOR THERAPY IN THE LONG TERM PREVENTION OF MYOCARDIAL MANIFESTATIONS IN SYSTEMIC SCLEROSIS (SSC): RESULTS FROM DESSCIPHER INCEPTION COHORT STUDY. , 2019, , .		0
57	FRI0315â€¦...SERUM INTERFERON SCORE PREDICTS CLINICAL OUTCOME AT 12 MONTHS IN DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS AS MEASURED BY GLOBAL RANKED COMPOSITE SCORE (GRCS) AND COMPOSITE RESPONSE INDEX IN SSC(CRISS). , 2019, , .		1
58	Three-dimensional nail imaging by optical coherence tomography: a novel biomarker of response to therapy for nail disease in psoriasis and psoriatic arthritis. <i>Clinical and Experimental Dermatology</i> , 2019, 44, 462-465.	1.3	16
59	Linking myofibroblast generation and microvascular alteration: The role of CD248 from pathogenesis to therapeutic target (Review). <i>Molecular Medicine Reports</i> , 2019, 20, 1488-1498.	2.4	10
60	A Multicenter Study of the Validity and Reliability of Responses to Hand Cold Challenge as Measured by Laser Speckle Contrast Imaging and Thermography. <i>Arthritis and Rheumatology</i> , 2018, 70, 903-911.	5.6	65
61	Common measure of quality of life for people with systemic sclerosis across seven European countries: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1032-1038.	0.9	14
62	Transforming Growth Factor β 2 Activation Primes Canonical Wnt Signaling Through Down-regulation of Axin-2. <i>Arthritis and Rheumatology</i> , 2018, 70, 932-942.	5.6	25
63	Scleroderma fibroblasts suppress angiogenesis via TGF- β 2/caveolin-1 dependent secretion of pigment epithelium-derived factor. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 431-440.	0.9	26
64	Functional disability and its predictors in systemic sclerosis: a study from the DeSSCipher project within the EUSTAR group. <i>Rheumatology</i> , 2018, 57, 441-450.	1.9	60
65	There is a need for new systemic sclerosis subset criteria. A content analytic approach. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 62-70.	1.1	28
66	O15â€¦fImplantable loop recorder in systemic sclerosis over three years confirms incidental significant arrhythmia and suggests CMR and cardiac biomarker association. <i>Rheumatology</i> , 2018, 57, .	1.9	0
67	209â€¦fNormalisation of the American College of Rheumatology provisional composite response index in systemic sclerosis numerator for baseline data offers a measure of magnitude of response: results from a real-life observational study. <i>Rheumatology</i> , 2018, 57, .	1.9	0
68	Silencing of caveolin-1 in fibroblasts as opposed to epithelial tumor cells results in increased tumor growth rate and chemoresistance in a human pancreatic cancer model. <i>International Journal of Oncology</i> , 2018, 54, 537-549.	3.3	12
69	O18â€¦fThe PREdictor of MALnutrition in Systemic Sclerosis (PREMASS) score: the first validated combined index predictive of future weight loss in systemic sclerosis. <i>Rheumatology</i> , 2018, 57, .	1.9	0
70	European multicentre study validates enhanced liver fibrosis test as biomarker of fibrosis in systemic sclerosis. <i>Rheumatology</i> , 2018, 58, 254-259.	1.9	11
71	Association of circulating CXCL10 and CXCL11 with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1845-1846.	0.9	34
72	Brief Report: Smoking in Systemic Sclerosis: A Longitudinal European Scleroderma Trials and Research Group Study. <i>Arthritis and Rheumatology</i> , 2018, 70, 1829-1834.	5.6	15

#	ARTICLE	IF	CITATIONS
73	Systemic sclerosis associated interstitial lung disease - individualized immunosuppressive therapy and course of lung function: results of the EUSTAR group. <i>Arthritis Research and Therapy</i> , 2018, 20, 17.	3.5	75
74	Methods for the evaluation of biomarkers in patients with kidney and liver diseases: multicentre research programme including ELUCIDATE RCT. <i>Programme Grants for Applied Research</i> , 2018, 6, 1-528.	1.0	3
75	Use of optical coherence tomography for the diagnosis of preclinical lesions of circumscribed palmar hypokeratosis. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 192-195.	1.3	10
76	Update of EULAR recommendations for the treatment of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1327-1339.	0.9	794
77	Chylous ascites in a patient with an overlap syndrome: a surprising response to rituximab. <i>BMJ Case Reports</i> , 2017, 2017, bcr-2017-222339.	0.5	3
78	Absence of Scleroderma pattern at nail fold capillaroscopy valuable in the exclusion of Scleroderma in unselected patients with Raynaud's Phenomenon. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 342.	1.9	18
79	Does high-dose extended course cyclophosphamide and methylprednisolone pulse therapy have a role in the management of systemic sclerosis-related interstitial lung disease?. <i>Rheumatology</i> , 2016, 55, 2273-2275.	1.9	2
80	The Prognostic Significance of the Hedgehog Signaling Pathway in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2016, 15, 116-127.	2.3	34
81	A preliminary study using virtual touch imaging and quantification for the assessment of skin stiffness in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 137-141.	0.8	14
82	Characterisation of Sub-clinical Primary Myocardial Disease in Systemic Sclerosis - Preliminary Findings from a Cardiac Magnetic Resonance Study. <i>Heart</i> , 2015, 101, A48.2-A49.	2.9	0
83	Collagenous Colitis in Systemic Sclerosis. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 278-282.	0.9	7
84	Quantitating Skin Fibrosis: Innovative Strategies and Their Clinical Implications. <i>Current Rheumatology Reports</i> , 2014, 16, 404.	4.7	25
85	The enhanced liver fibrosis test: a clinical grade, validated serum test, biomarker of overall fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 420-427.	0.9	37
86	The search for the perfect animal model discloses the importance of biological targets for the treatment of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 635-636.	0.9	8
87	Skin imaging in systemic sclerosis. <i>European Journal of Rheumatology</i> , 2014, 1, 111-116.	0.6	18
88	Acute retinal artery occlusion in systemic sclerosis: A rare manifestation of systemic sclerosis fibroproliferative vasculopathy. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 43, 204-208.	3.4	11
89	Virtual skin biopsy by optical coherence tomography: the first quantitative imaging biomarker for scleroderma. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1845-1851.	0.9	77
90	Genetic ablation of caveolin-2 sensitizes mice to bleomycin-induced injury. <i>Cell Cycle</i> , 2013, 12, 2248-2254.	2.6	10

#	ARTICLE	IF	CITATIONS
91	Potential Use of Optical Coherence Tomography and High-Frequency Ultrasound for the Assessment of Nail Disease in Psoriasis and Psoriatic Arthritis. <i>Dermatology</i> , 2013, 227, 45-51.	2.1	44
92	Hedgehog Dysfunction in Fibrosis: Insights in the Pathogenesis of Scleroderma. <i>Biochemistry & Pharmacology: Open Access</i> , 2013, 02, .	0.2	0
93	Inhibition of hedgehog signaling for the treatment of murine sclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2012, 120, 2909-2917.	1.4	53
94	Combined Inhibition of c-Abl and PDGF Receptors for Prevention and Treatment of Murine Sclerodermatous Chronic Graft-versus-Host Disease. <i>American Journal of Pathology</i> , 2012, 181, 1672-1680.	3.8	28
95	A role for caveolin-1 in desmoglein binding and desmosome dynamics. <i>Oncogene</i> , 2012, 31, 1636-1648.	5.9	62
96	EUSTAR biobanking: recommendations for the collection, storage and distribution of biospecimens in scleroderma research. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1178-1182.	0.9	30
97	Optical Coherence Tomography: A New Tool to Assess Nail Disease in Psoriasis?. <i>Dermatology</i> , 2011, 222, 311-313.	2.1	41
98	The Early Growth Response Gene Egr2 (Alias Krox20) Is a Novel Transcriptional Target of Transforming Growth Factor- β^2 that Is Up-Regulated in Systemic Sclerosis and Mediates Profibrotic Responses. <i>American Journal of Pathology</i> , 2011, 178, 2077-2090.	3.8	86
99	Biomarkers in the Management of Scleroderma: An Update. <i>Current Rheumatology Reports</i> , 2011, 13, 4-12.	4.7	22
100	Caveolin-1: A new therapeutic target in tissue fibrosis and scleroderma?. <i>Cell Cycle</i> , 2011, 10, 3629-3629.	2.6	4
101	NF κ B activation and stimulation of chemokine production in normal human macrophages by the gadolinium-based magnetic resonance contrast agent Omniscan: possible role in the pathogenesis of nephrogenic systemic fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2024-2033.	0.9	39
102	Persistent activation of dermal fibroblasts from patients with gadolinium-associated nephrogenic systemic fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2017-2023.	0.9	37
103	Assessment of tissue fibrosis in skin biopsies from patients with systemic sclerosis employing confocal laser scanning microscopy: an objective outcome measure for clinical trials?. <i>Rheumatology</i> , 2010, 49, 1069-1075.	1.9	15
104	Junctional adhesion molecule-A is abnormally expressed in diffuse cutaneous systemic sclerosis skin and mediates myeloid cell adhesion. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 249-254.	0.9	20
105	Proteomic Analysis Identification of a Pattern of Shared Alterations in the Secretome of Dermal Fibroblasts from Systemic Sclerosis and Nephrogenic Systemic Fibrosis. <i>American Journal of Pathology</i> , 2010, 177, 1638-1646.	3.8	23
106	Improvement of Severe Systemic Sclerosis-associated Gastric Antral Vascular Ectasia Following Immunosuppressive Treatment with Intravenous Cyclophosphamide. <i>Journal of Rheumatology</i> , 2009, 36, 1653-1656.	2.0	37
107	The proadhesive phenotype of systemic sclerosis skin promotes myeloid cell adhesion via ICAM-1 and VCAM-1. <i>Rheumatology</i> , 2009, 48, 734-740.	1.9	29
108	Immunoglobulins from scleroderma patients inhibit the muscarinic receptor activation in internal anal sphincter smooth muscle cells. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G1206-G1213.	3.4	63

#	ARTICLE	IF	CITATIONS
109	Induction of the expression of profibrotic cytokines and growth factors in normal human peripheral blood monocytes by gadolinium contrast agents. <i>Arthritis and Rheumatism</i> , 2009, 60, 1508-1518.	6.7	78
110	S1244 Immunoglobulins (IgGs) from Systemic Sclerosis (SSC) Patients Attenuate M3 Muscarinic Receptor Activation in Rat Internal Anal Sphincter (IAS) Smooth Muscle Cells (SMC). <i>Gastroenterology</i> , 2009, 136, A-220.	1.3	0
111	Caveolin-1 ^{-/-} Null Mammary Stromal Fibroblasts Share Characteristics with Human Breast Cancer-Associated Fibroblasts. <i>American Journal of Pathology</i> , 2009, 174, 746-761.	3.8	123
112	Decreased expression of caveolin 1 in patients with systemic sclerosis: Crucial role in the pathogenesis of tissue fibrosis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2854-2865.	6.7	159
113	Caveolin-1, transforming growth factor- β 2 receptor internalization, and the pathogenesis of systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 2008, 20, 713-719.	4.3	118
114	T cells expressing allograft inflammatory factor 1 display increased chemotaxis and induce a profibrotic phenotype in normal fibroblasts in vitro. <i>Arthritis and Rheumatism</i> , 2007, 56, 3478-3488.	6.7	44
115	TSK2, A MOUSE MODEL FOR HUMAN SCLERODERMA: CUTANEOUS CYTOKINES AND IMMUNE CELL ACTIVATION. <i>Journal of Clinical Rheumatology</i> , 2006, 12, S35.	0.9	0
116	The role of allograft inflammatory factor 1 in systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 2006, 18, 588-593.	4.3	11
117	Peripheral T lymphocytes from patients with early systemic sclerosis co-cultured with autologous fibroblasts undergo an oligoclonal expansion similar to that occurring in the skin. <i>Clinical and Experimental Immunology</i> , 2006, 144, 169-176.	2.6	27
118	T cells and B cells in the pathogenesis of systemic sclerosis: Recent insights and therapeutic opportunities. <i>Current Rheumatology Reports</i> , 2006, 8, 123-130.	4.7	9
119	Expression of allograft inflammatory factor 1 in tissues from patients with systemic sclerosis and in vitro differential expression of its isoforms in response to transforming growth factor β 2. <i>Arthritis and Rheumatism</i> , 2006, 54, 2616-2625.	6.7	64
120	Patients With Acute Coronary Syndrome Show Oligoclonal T-Cell Recruitment Within Unstable Plaque. <i>Circulation</i> , 2006, 113, 640-646.	1.6	116
121	Human Naive CD4 T-Cell Clones Specific for HIV Envelope Persist for Years In Vivo in the Absence of Antigenic Challenge. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005, 40, 132-139.	2.1	5
122	Cytotoxic Molecule mRNA Expression in Chronically Rejected Human Kidney Allografts. <i>Transplantation Proceedings</i> , 2005, 37, 2476-2478.	0.6	4
123	Adoptive transfer of allogeneic Epstein-Barr virus (EBV)-specific cytotoxic T cells with in vitro antitumor activity boosts LMP2-specific immune response in a patient with EBV-related nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2004, 15, 113-117.	1.2	79
124	Therapeutic Effectiveness of Recombinant Cancer Vaccines Is Associated with a Prevalent T-Cell Receptor β Usage by Melanoma-specific CD8+ T Lymphocytes. <i>Cancer Research</i> , 2004, 64, 8068-8076.	0.9	22
125	Human eosinophil chemotaxis and selective in vivo recruitment by sphingosine 1-phosphate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 11170-11175.	7.1	94
126	Identification of new Th peptides from the cytomegalovirus protein pp65 to design a peptide library for generation of CD4 T cell lines for cellular immunoreconstitution. <i>International Immunology</i> , 2004, 16, 635-642.	4.0	36

#	ARTICLE	IF	CITATIONS
127	Cytokine mRNA expression in chronically rejected human renal allografts. <i>Clinical Transplantation</i> , 2004, 18, 564-570.	1.6	17
128	Dendritic Cells Pulsed with Polyomavirus BK Antigen Induce Ex Vivo Polyoma BK Virus-Specific Cytotoxic T-Cell Lines in Seropositive Healthy Individuals and Renal Transplant Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3197-3204.	6.1	73
129	Preservation of clonal heterogeneity of the <i>Pneumocystis carinii</i> -specific CD4 T cell repertoire in HIV infected, asymptomatic individuals. <i>Clinical and Experimental Immunology</i> , 2002, 128, 155-162.	2.6	7
130	Analysis of the antigen specific T cell repertoires in HIV infection. <i>Immunology Letters</i> , 2001, 79, 85-91.	2.5	7
131	Agreement between physician evaluation and the Composite Response Index in Diffuse Cutaneous Systemic Sclerosis (CRISS). <i>Arthritis Care and Research</i> , 0, , .	3.4	1