
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6479759/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Early soft and flexible fusion of electroencephalography and functional magnetic resonance imaging via double coupled matrix tensor factorization for multisubject group analysis. Human Brain Mapping, 2022, 43, 1231-1255.	3.6	11
2	Frontomesial and orbitofrontal epilepsy. Zeitschrift Fur Epileptologie, 2022, 35, 19.	0.7	0
3	Automatic annotation correction for wearable EEG based epileptic seizure detection. Journal of Neural Engineering, 2022, 19, 016038.	3.5	7
4	External validation of automated focal cortical dysplasia detection using morphometric analysis. Epilepsia, 2021, 62, 1005-1021.	5.1	31
5	Classification with a Deferral Option and Low-Trust Filtering for Automated Seizure Detection. Sensors, 2021, 21, 1046.	3.8	11
6	ERBB4 exonic deletions on chromosome 2q34 in patients with intellectual disability or epilepsy. European Journal of Human Genetics, 2021, 29, 1377-1383.	2.8	9
7	Predictive value of metabolic and perfusion changes outside the seizure onset zone for postoperative outcome in patients with refractory focal epilepsy. Acta Neurologica Belgica, 2021, , 1.	1.1	4
8	Augmenting interictal mapping with neurovascular coupling biomarkers by structured factorization of epileptic EEG and fMRI data. NeuroImage, 2021, 228, 117652.	4.2	14
9	Added Value of Quantitative Apparent Diffusion Coefficient Values for Neuroprognostication After Cardiac Arrest. Neurology, 2021, 96, e2611-e2618.	1.1	12
10	Brivaracetam Retention Rate and Seizure Outcomes in Patients with Drug-Resistant Focal Epilepsy Included in the Medical Need Program in Belgium: A Real-World, Multicenter, Chart Review. Drugs - Real World Outcomes, 2021, 8, 407-415.	1.6	4
11	Stupor in a catatonic patient due to an interaction between high-dose lorazepam and valproic acid: a case report. Acta Neurologica Belgica, 2021, 121, 1077-1078.	1.1	3
12	Biophysical mechanisms of electroconvulsive therapy-induced volume expansion in the medial temporal lobe: A longitudinal inÂvivo human imaging study. Brain Stimulation, 2021, 14, 1038-1047.	1.6	14
13	The power of ECG in multimodal patientâ€specific seizure monitoring: Added value to an EEGâ€based detector using limited channels. Epilepsia, 2021, 62, 2333-2343.	5.1	27
14	Interhemispheric metabolic asymmetries in patients with anti-NMDA receptor encephalitis. Acta Neurologica Belgica, 2021, 121, 1385-1387.	1.1	1
15	Accurate detection of typical absence seizures in adults and children using a twoâ€channel electroencephalographic wearable behind the ears. Epilepsia, 2021, 62, 2741-2752.	5.1	34
16	Single-Unit Recordings Reveal the Selectivity of a Human Face Area. Journal of Neuroscience, 2021, 41, 9340-9349.	3.6	19
17	Automated speech analysis to improve TMS-based language mapping: Algorithm and proof of concept. Brain Stimulation, 2020, 13, 267-269.	1.6	3
18	Wearable seizure detection devices in refractory epilepsy. Acta Neurologica Belgica, 2020, 120, 1271-1281.	1.1	20

2

#	Article	IF	CITATIONS
19	Network level characteristics in the emotion recognition network after unilateral temporal lobe surgery. European Journal of Neuroscience, 2020, 52, 3470-3484.	2.6	11

European Expert Opinion on ANT-DBS therapy for patients with drug-resistant epilepsy (a Delphi) Tj ETQq000 rgBT_2Overlock 10 Tf 50 7

21	Computationally-Efficient Algorithm for Real-Time Absence Seizure Detection in Wearable Electroencephalography. International Journal of Neural Systems, 2020, 30, 2050035.	5.2	22
22	Seizure outcome and use of antiepileptic drugs after epilepsy surgery according to histopathological diagnosis: a retrospective multicentre cohort study. Lancet Neurology, The, 2020, 19, 748-757.	10.2	177
23	Personalizing Heart Rate-Based Seizure Detection Using Supervised SVM Transfer Learning. Frontiers in Neurology, 2020, 11, 145.	2.4	27
24	Visual seizure annotation and automated seizure detection using behindâ€ŧheâ€ear electroencephalographic channels. Epilepsia, 2020, 61, 766-775.	5.1	48
25	Padsevonil randomized Phase IIa trial in treatment-resistant focal epilepsy: a translational approach. Brain Communications, 2020, 2, fcaa183.	3.3	11
26	Semi-automated EEG Enhancement Improves Localization of Ictal Onset Zone With EEG-Correlated fMRI. Frontiers in Neurology, 2019, 10, 805.	2.4	5
27	The Epilepsy Surgery Grading Scale: Validation in an independent population with drugâ€resistant focal epilepsy. Epilepsia, 2019, 60, e78-e82.	5.1	6
28	Single-cell selectivity and functional architecture of human lateral occipital complex. PLoS Biology, 2019, 17, e3000280.	5.6	9
29	Optimized preoperative motor cortex mapping in brain tumors using advanced processing of transcranial magnetic stimulation data. Neurolmage: Clinical, 2019, 21, 101657.	2.7	16
30	Development of temporal lobe epilepsy during maintenance electroconvulsive therapy: A case of human kindling?. Epilepsia Open, 2019, 4, 200-205.	2.4	2
31	Diagnostic implications of genetic copy number variation in epilepsy plus. Epilepsia, 2019, 60, 689-706.	5.1	61
32	Facing the hidden wall in mesial extratemporal lobe epilepsy. Epileptic Disorders, 2018, 20, 1-12.	1.3	5
33	The future of seizure detection. Lancet Neurology, The, 2018, 17, 200-202.	10.2	12
34	Dual Molecular Effects of Dominant RORA Mutations Cause Two Variants of Syndromic Intellectual Disability with Either Autism or Cerebellar Ataxia. American Journal of Human Genetics, 2018, 102, 744-759.	6.2	51
35	Posterior Quadrant Disconnection: A Fiber Dissection Study. Operative Neurosurgery, 2018, 14, 45-50.	0.8	11
36	The impact of global hemodynamics, oxygen and carbon dioxide on epileptiform EEG activity in comatose survivors of out-of-hospital cardiac arrest. Resuscitation, 2018, 123, 92-97.	3.0	9

#	Article	IF	CITATIONS
37	Live Demonstration: SeizeIT - A wearable multimodal epileptic seizure detection device. , 2018, , .		1
38	Long-term seizure outcomes in patients with drug resistant epilepsy. Seizure: the Journal of the British Epilepsy Association, 2018, 62, 74-78.	2.0	21
39	Anterior Temporal Lobectomy Impairs Neural Classification of Body Emotions in Right Superior Temporal Sulcus and Reduces Emotional Enhancement in Distributed Brain Areas without Affecting Behavioral Classification. Journal of Neuroscience, 2018, 38, 9263-9274.	3.6	11
40	Comparison between Scalp EEG and Behind-the-Ear EEG for Development of a Wearable Seizure Detection System for Patients with Focal Epilepsy. Sensors, 2018, 18, 29.	3.8	78
41	On the optimal z-score threshold for SISCOM analysis to localize the ictal onset zone. EJNMMI Research, 2018, 8, 34.	2.5	13
42	Correlation of neuropsychological and metabolic changes after epilepsy surgery in patients with left mesial temporal lobe epilepsy with hippocampal sclerosis. EJNMMI Research, 2018, 8, 31.	2.5	8
43	Positron emission tomography imaging of cerebral glucose metabolism and type 1 cannabinoid receptor availability during temporal lobe epileptogenesis in the amygdala kindling model in rhesus monkeys. Epilepsia, 2018, 59, 959-970.	5.1	17
44	Artifact Detection of Wrist Photoplethysmograph Signals. , 2018, , .		10
45	Callosotopy: leg motor connections illustrated by fiber dissection. Brain Structure and Function, 2017, 222, 661-667.	2.3	14
46	Clinical predictors and differential diagnosis of posterior reversible encephalopathy syndrome. Acta Neurologica Belgica, 2017, 117, 469-475.	1.1	27
47	Online Automated Seizure Detection in Temporal Lobe Epilepsy Patients Using Single-lead ECG. International Journal of Neural Systems, 2017, 27, 1750022.	5.2	42
48	Connectivity in ictal single photon emission computed tomography perfusion: a cortico-cortical evoked potential study. Brain, 2017, 140, 1872-1884.	7.6	22
49	Tensor decompositions and data fusion in epileptic electroencephalography and functional magnetic resonance imaging data. Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery, 2017, 7, e1197.	6.8	37
50	Posterior reversible encephalopathy syndrome possibly induced by pemetrexed maintenance therapy for lung cancer: a case report and literature review. Acta Clinica Belgica, 2017, 73, 1-7.	1.2	10
51	Automated Epileptic Seizure Detection Based on Wearable ECG and PPG in a Hospital Environment. Sensors, 2017, 17, 2338.	3.8	133
52	Electrocorticography of Spatial Shifting and Attentional Selection in Human Superior Parietal Cortex. Frontiers in Human Neuroscience, 2017, 11, 240.	2.0	6
53	Fusion of electroencephalography and functional magnetic resonance imaging to explore epileptic network activity. , 2016, , .		14
54	Response to "Safety of repetitive transcranial magnetic stimulation in patients with epilepsy: A systematic review―by Luisa Santos Pereira and colleagues. Epilepsy and Behavior, 2016, 62, 308.	1.7	1

#	Article	IF	CITATIONS
55	Randomized crossover shamâ€controlled clinical trial of targeted lowâ€frequency transcranial magnetic stimulation comparing a figureâ€8 and a round coil to treat refractory neocortical epilepsy. Epilepsia, 2016, 57, 141-150.	5.1	27
56	The effective connectivity of the seizure onset zone and ictal perfusion changes in amygdala kindled rhesus monkeys. NeuroImage: Clinical, 2016, 12, 252-261.	2.7	18
57	De novo mutations of <i>KIAA2022</i> in females cause intellectual disability and intractable epilepsy. Journal of Medical Genetics, 2016, 53, 850-858.	3.2	47
58	Stereopsis after anterior temporal lobectomy. Cortex, 2016, 82, 63-71.	2.4	2
59	Outcome after epilepsy surgery at the University Hospitals Leuven 1998–2012. Acta Neurologica Belgica, 2016, 116, 271-278.	1.1	15
60	The spectrum of epilepsy caused by POLG mutations. Acta Neurologica Belgica, 2016, 116, 17-25.	1.1	17
61	Ictal perfusion changes associated with seizure progression in the amygdala kindling model in the rhesus monkey. Epilepsia, 2015, 56, 1366-1375.	5.1	13
62	Estimation of the maximal heart rate to improve online tonic-clonic seizure detection using ECG. , 2015, , .		0
63	Correspondence between largeâ€scale ictal and interictal epileptic networks revealed by single photon emission computed tomography (SPECT) and electroencephalography (EEG)–functional magnetic resonance imaging (fMRI). Epilepsia, 2015, 56, 382-392.	5.1	32
64	Infliximab-associated autoimmune limbic encephalitis: a case report. Acta Neurologica Belgica, 2015, 115, 161-163.	1.1	3
65	Homozygous missense mutation in STYXL1 associated with moderate intellectual disability, epilepsy and behavioural complexities. European Journal of Medical Genetics, 2015, 58, 205-210.	1.3	11
66	A prospective fMRI-based technique for localising the epileptogenic zone in presurgical evaluation of epilepsy. NeuroImage, 2015, 113, 329-339.	4.2	25
67	Positron Emission Tomography (PET) Quantification of GABAA Receptors in the Brain of Fragile X Patients. PLoS ONE, 2015, 10, e0131486.	2.5	52
68	Block term decomposition for modelling epileptic seizures. Eurasip Journal on Advances in Signal Processing, 2014, 2014, .	1.7	49
69	Automatic selection of epileptic independent fMRI components. , 2014, 2014, 3853-6.		2
70	Sensitivity and Specificity of Interictal EEG-fMRI for Detecting the Ictal Onset Zone at Different Statistical Thresholds. Frontiers in Neurology, 2014, 5, 131.	2.4	16
71	A reliable and timeâ€saving semiautomatic spikeâ€template–based analysis of interictal <scp>EEG</scp> –f <scp>MRI</scp> . Epilepsia, 2014, 55, 2048-2058.	5.1	22
72	PRRT2 mutations: exploring the phenotypical boundaries. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 462-465.	1.9	27

#	Article	IF	CITATIONS
73	Adjunctive brivaracetam for uncontrolled focal and generalized epilepsies: Results of a phase <scp>III</scp> , doubleâ€blind, randomized, placeboâ€controlled, flexibleâ€dose trial. Epilepsia, 2014, 55, 38-46.	5.1	141
74	Mutations in GRIN2A cause idiopathic focal epilepsy with rolandic spikes. Nature Genetics, 2013, 45, 1067-1072.	21.4	391
75	SPECT and PET. Medical Radiology, 2013, , 63-71.	0.1	1
76	Efficacy and tolerability of adjunctive brivaracetam in adults with uncontrolled partialâ€onset seizures: A phase IIb, randomized, controlled trial. Epilepsia, 2013, 54, 89-97.	5.1	123
77	Duplications of 17q12 can cause familial fever-related epilepsy syndromes. Neurology, 2013, 81, 1434-1440.	1.1	18
78	KOMET: an unblinded, randomised, two parallel-group, stratified trial comparing the effectiveness of levetiracetam with controlled-release carbamazepine and extended-release sodium valproate as monotherapy in patients with newly diagnosed epilepsy. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 1138-1147.	1.9	103
79	ICA Extracts Epileptic Sources from fMRI in EEG-Negative Patients: A Retrospective Validation Study. PLoS ONE, 2013, 8, e78796.	2.5	23
80	ICA Component Selection Based on Sparse Activelet Reconstruction for fMRI Analysis in Refractory Focal Epilepsy. , 2012, , .		0
81	Ring chromosome 20 syndrome: Electroclinical description of six patients and review of the literature. Epilepsy and Behavior, 2012, 23, 409-414.	1.7	28
82	Incorporating structural information from the multichannel EEG improves patient-specific seizure detection. Clinical Neurophysiology, 2012, 123, 2352-2361.	1.5	58
83	Autoimmune-mediated encephalitis. Neuroradiology, 2011, 53, 837-851.	2.2	44
84	In vivo amyloid imaging in cortical superficial siderosis. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 469-471.	1.9	11
85	In vivo activation of endocannabinoid system in temporal lobe epilepsy with hippocampal sclerosis. Brain, 2011, 134, 1033-1040.	7.6	84
86	Automatic Seizure Detection Incorporating Structural Information. Lecture Notes in Computer Science, 2011, , 233-240.	1.3	2
87	Anatomy-based reconstruction of FDG-PET images with implicit partial volume correction improves detection of hypometabolic regions in patients with epilepsy due to focal cortical dysplasia diagnosed on MRI. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 1148-1155.	6.4	40
88	Defective membrane expression of the Na ⁺ -HCO ₃ ^{â^'} cotransporter NBCe1 is associated with familial migraine. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 15963-15968.	7.1	135
89	Single Photon Emission Computed Tomography in Epilepsies. , 2010, , 787-794.		0
90	Fear conditioning following a unilateral anterior temporal lobectomy: reduced autonomic responding and stimulus contingency knowledge. Acta Neurologica Belgica, 2010, 110, 36-48.	1.1	4

WIM VAN PAESSCHEN

#	Article	IF	CITATIONS
91	Classically conditioned fear responses are preserved following unilateral temporal lobectomy in humans when concurrent US-expectancy ratings are used. Neuropsychologia, 2009, 47, 2496-2503.	1.6	16
92	The use of generic medication in epilepsy: A review of potential issues and challenges. European Journal of Paediatric Neurology, 2009, 13, 87-92.	1.6	19
93	Paroxysmal nonkinesigenic dyskinesias due to recurrent hypoglycemia caused by an insulinoma. Movement Disorders, 2009, 24, 460-461.	3.9	14
94	Dynamic perfusion patterns in temporal lobe epilepsy. European Journal of Nuclear Medicine and Molecular Imaging, 2009, 36, 823-830.	6.4	42
95	Longitudinal microPET imaging of brain glucose metabolism in rat lithium–pilocarpine model of epilepsy. Experimental Neurology, 2009, 217, 205-209.	4.1	54
96	Removing muscle and eye artifacts using blind source separation techniques in ictal EEG source imaging. Clinical Neurophysiology, 2009, 120, 1262-1272.	1.5	34
97	Detection of inter-hemispheric metabolic asymmetries in FDG-PET images using prior anatomical information. Neurolmage, 2009, 44, 35-42.	4.2	7
98	Epilepsy as part of the phenotype associated with <i>ATP1A2</i> mutations. Epilepsia, 2008, 49, 500-508.	5.1	83
99	Author's Reply: Familial Phenotype in Migraine and Epilepsy. Cephalalgia, 2008, 28, 409-409.	3.9	0
100	An in vivo [18F]MK-9470 microPET study of type 1 cannabinoid receptor binding in Wistar rats after chronic administration of valproate and levetiracetam. Neuropharmacology, 2008, 54, 1103-1106.	4.1	34
101	Neuronuclear Assessment of Patients With Epilepsy. Seminars in Nuclear Medicine, 2008, 38, 227-239.	4.6	133
102	Paroxysmal exercise-induced dyskinesia and epilepsy is due to mutations in SLC2A1, encoding the glucose transporter GLUT1. Brain, 2008, 131, 1831-1844.	7.6	340
103	Normalization of 14-3-3 in CJD. Acta Neurologica Belgica, 2008, 108, 64-6.	1.1	6
104	Canonical Decomposition of scalp EEG as preprocessing for source localisation. , 2007, , .		0
105	The use of SPECT and PET in routine clinical practice in epilepsy. Current Opinion in Neurology, 2007, 20, 194-202.	3.6	129
106	Canonical decomposition of ictal scalp EEG reliably detects the seizure onset zone. NeuroImage, 2007, 37, 844-854.	4.2	113
107	Can dipole modelling be improved by removing muscular and ocular artifacts from ictal scalp EEG?. , 2007, , .		1
108	Interaction Between Valproate and Meropenem: A Retrospective Study. Annals of Pharmacotherapy, 2007, 41, 1130-1136.	1.9	75

#	Article	IF	CITATIONS
109	Epilepsy? Video monitoring of long QT syndrome–related aborted sudden death. Heart Rhythm, 2007, 4, 1366-1367.	0.7	14
110	The SKATEâ,"¢ study: An open-label community-based study of levetiracetam as add-on therapy for adults with uncontrolled partial epilepsy. Epilepsy Research, 2007, 76, 6-14.	1.6	38
111	Improving the Interpretation of Ictal Scalp EEG: BSS?CCA Algorithm for Muscle Artifact Removal. Epilepsia, 2007, 48, 950-958.	5.1	86
112	Cognitive Deficits during Status Epilepticus and Time Course of Recovery: A Case Report. Epilepsia, 2007, 48, 1979-1983.	5.1	27
113	Automatic affective stimulus processing is intact after unilateral resection of the anterior temporal lobe in humans. Neuropsychologia, 2007, 45, 431-434.	1.6	4
114	Correlations of interictal FDG-PET metabolism and ictal SPECT perfusion changes in human temporal lobe epilepsy with hippocampal sclerosis. NeuroImage, 2006, 32, 684-695.	4.2	134
115	Automatic Removal of Ocular Artifacts in the EEG without an EOG Reference Channel. , 2006, , .		159
116	Muscle and eye movement artifact removal prior to EEG source localization. , 2006, 2006, 1002-5.		12
117	Canonical Correlation Analysis Applied to Remove Muscle Artifacts From the Electroencephalogram. IEEE Transactions on Biomedical Engineering, 2006, 53, 2583-2587.	4.2	418
118	Efficacy and safety of levetiracetam in clinical practice: Results of the SKATEâ,,¢ trial from Belgium and The Netherlands. Seizure: the Journal of the British Epilepsy Association, 2006, 15, 434-442.	2.0	24
119	Ictal Perfusion Patterns Associated with Single MRI-Visible Focal Dysplastic Lesions: Implications for the Epileptogenic Zone. Epilepsia, 2006, 47, 1550-1557.	5.1	64
120	Levetiracetam in a broad population of patients with refractory epilepsy: interim results of the international SKATE trial. Acta Neurologica Scandinavica, 2006, 113, 387-394.	2.1	18
121	Determination of dominant simulated spindle frequency with different methods. Journal of Neuroscience Methods, 2006, 156, 275-283.	2.5	24
122	Genome-wide linkage of febrile seizures and epilepsy to the FEB4 locus at 5q14.3-q23.1 and no MASS1 mutation. Human Genetics, 2006, 118, 618-625.	3.8	19
123	Evaluative conditioning is intact after unilateral resection of the anterior temporal lobe in humans. Neuropsychologia, 2006, 44, 840-843.	1.6	13
124	Muscle and eye movement artifact removal prior to EEG source localization. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2006, , .	0.5	0
125	Status Gelasticus after Temporal Lobectomy: Ictal FDG-PET Findings and the Question of Dual Pathology Involving Hypothalamic Hamartomas. Epilepsia, 2005, 46, 1313-1316.	5.1	55
126	Modeling common dynamics in multichannel signals with applications to artifact and background removal in EEG recordings. IEEE Transactions on Biomedical Engineering, 2005, 52, 2006-2015.	4.2	20

#	Article	IF	CITATIONS
127	A new muscle artifact removal technique to improve the interpretation of the ictal scalp electroencephalogram. , 2005, 2006, 944-7.		18
128	A novel susceptibility locus at 2p24 for generalised epilepsy with febrile seizures plus. Journal of Medical Genetics, 2005, 42, 947-952.	3.2	36
129	Removing Artifacts and Background Activity in Multichannel Electroencephalograms by Enhancing Common Activity. , 2005, 2005, 3699-702.		1
130	Feature-based statistical analysis of structural MR data for automatic detection of focal cortical dysplastic lesions. NeuroImage, 2005, 27, 253-266.	4.2	23
131	Novel locus on chromosome 12q22-q23.3 responsible for familial temporal lobe epilepsy associated with febrile seizures. Journal of Medical Genetics, 2004, 41, 710-714.	3.2	55
132	Anatomical-Based FDG-PET Reconstruction for the Detection of Hypo-Metabolic Regions in Epilepsy. IEEE Transactions on Medical Imaging, 2004, 23, 510-519.	8.9	110
133	Qualitative and quantitative imaging of the hippocampus in mesial temporal lobe epilepsy with hippocampal sclerosis. Neuroimaging Clinics of North America, 2004, 14, 373-400.	1.0	56
134	Marchiafava–Bignami Disease. New England Journal of Medicine, 2004, 351, e10.	27.0	4
135	Evaluation of anatomy based reconstruction for partial volume correction in brain FDG-PET. NeuroImage, 2004, 23, 305-317.	4.2	113
136	Effects of Anatomical Asymmetry in Spatial Priors on Model-Based Segmentation of the Brain MRI: A Validation Study. Lecture Notes in Computer Science, 2004, , 327-334.	1.3	2
137	SPECT perfusion changes during complex partial seizures in patients with hippocampal sclerosis. Brain, 2003, 126, 1103-1111.	7.6	159
138	Use of excess height and cluster extent in subtraction SPECT. IEEE Transactions on Nuclear Science, 2002, 49, 2332-2337.	2.0	3
139	Episodic ataxia type 2. Journal of Neurology, 2002, 249, 1515-1519.	3.6	34
140	The Amygdala and Temporal Lobe Simple Partial Seizures: A Prospective and Quantitative MRI Study. Epilepsia, 2001, 42, 857-862.	5.1	64
141	The Relationship Between Quantitative MRI and Neuropsychological Functioning in Temporal Lobe Epilepsy. Epilepsia, 1998, 39, 158-166.	5.1	148
142	Longitudinal Quantitative Hippocampal Magnetic Resonance Imaging Study of Adults with Newly Diagnosed Partial Seizures: One-Year Follow-Up Results. Epilepsia, 1998, 39, 633-639.	5.1	92
143	A test of spatial memory and its clinical utility in the pre-surgical investigation of temporal lobe epilepsy patients. Neuropsychologia, 1998, 36, 591-602.	1.6	59
144	In vivo [11C] flumazenil-PET correlates with ex vivo [3H] flumazenil autoradiography in hippocampal sclerosis. Annals of Neurology, 1998, 43, 618-626.	5.3	69

#	Article	IF	CITATIONS
145	A comparison of the neuropathological effects of vigabatrin and carbamazepine in patients with newly diagnosed localization-related epilepsy using MR-based cerebral T2 relaxation time measurements. Epilepsy Research, 1998, 29, 155-160.	1.6	6
146	Successful treatment of intractable epilepsia partialis continua with multiple subpial transections. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 65, 137a-138a.	1.9	30
147	Differential Effects of Early Hippocampal Pathology on Episodic and Semantic Memory. Science, 1997, 277, 376-380.	12.6	1,600
148	Quantitative MRI of Mesial Temporal Structures in Temporal Lobe Epilepsy. Epilepsia, 1997, 38, 3-12.	5.1	33
149	The Relation Between Quantitative MRI Measures of Hippocampal Structure and the Intracarotid Amobarbital Test. Epilepsia, 1997, 38, 998-1007.	5.1	32
150	Central benzodiazepine receptor autoradiography in hippocampal sclerosis. British Journal of Pharmacology, 1997, 122, 358-364.	5.4	55
151	Quantitative neuropathology and quantitative magnetic resonance imaging of the hippocampus in temporal lobe epilepsy. Annals of Neurology, 1997, 42, 756-766.	5.3	197
152	Medial temporal pathology and global anterograde amnesia during childhood. NeuroImage, 1996, 3, S567.	4.2	0
153	Metabolic Abnormalities and New-Onset Seizures in Human Immunodeficiency Virus-Seropositive Patients. Epilepsia, 1995, 36, 146-150.	5.1	52