Peter Mollee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6480680/publications.pdf

Version: 2024-02-01

218677 175258 3,001 96 26 52 h-index citations g-index papers 97 97 97 3836 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Sequential treatment with rituximab followed by CHOP chemotherapy in adult B-cell post-transplant lymphoproliferative disorder (PTLD): the prospective international multicentre phase 2 PTLD-1 trial. Lancet Oncology, The, 2012, 13, 196-206.	10.7	349
2	The evaluation of monoclonal gammopathy of renal significance: a consensus report of the International Kidney and Monoclonal Gammopathy Research Group. Nature Reviews Nephrology, 2019, 15, 45-59.	9.6	330
3	Daratumumab-Based Treatment for Immunoglobulin Light-Chain Amyloidosis. New England Journal of Medicine, 2021, 385, 46-58.	27.0	268
4	Response to Rituximab Induction Is a Predictive Marker in B-Cell Post-Transplant Lymphoproliferative Disorder and Allows Successful Stratification Into Rituximab or R-CHOP Consolidation in an International, Prospective, Multicenter Phase II Trial. Journal of Clinical Oncology, 2017, 35, 536-543.	1.6	168
5	Plasma Epstein-Barr Virus (EBV) DNA Is a Biomarker for EBV-Positive Hodgkin's Lymphoma. Clinical Cancer Research, 2006, 12, 460-464.	7.0	129
6	Catheter-associated bloodstream infection incidence and risk factors in adults with cancer: a prospective cohort study. Journal of Hospital Infection, 2011, 78, 26-30.	2.9	121
7	Autologous stem cell transplant for relapsed and refractory peripheral Tâ€eell lymphoma: variable outcome according to pathological subtype. British Journal of Haematology, 2003, 120, 978-985.	2.5	98
8	Analytical performance of serum free light-chain assay during monitoring of patients with monoclonal light-chain diseases. Clinica Chimica Acta, 2007, 376, 30-36.	1.1	89
9	Dual epigenetic targeting with panobinostat and azacitidine in acute myeloid leukemia and high-risk myelodysplastic syndrome. Blood Cancer Journal, 2014, 4, e170-e170.	6.2	80
10	Recommendations for standardized reporting of protein electrophoresis in Australia and New Zealand. Annals of Clinical Biochemistry, 2012, 49, 242-256.	1.6	71
11	How to diagnose amyloidosis. Internal Medicine Journal, 2014, 44, 7-17.	0.8	67
12	Quantitative serum free light chain assay-analytical issues. Clinical Biochemist Reviews, 2009, 30, 131-40.	3. 3	66
13	CCL2 and CXCL2 enhance survival of primary chronic lymphocytic leukemia cellsin vitro. Leukemia and Lymphoma, 2012, 53, 1988-1998.	1.3	62
14	Pure red cell aplasia due to parvovirus following treatment with CHOP and rituximab for B-cell lymphoma*. British Journal of Haematology, 2002, 119, 125-127.	2. 5	58
15	Effects of Hyperlipidemia on Plasma Sodium, Potassium, and Chloride Measurements by an Indirect Ion-Selective Electrode Measuring System. Clinical Chemistry, 2006, 52, 155-156.	3.2	56
16	A 3% ¥1 log rise in RQ-PCR transcript levels defines molecular relapse in core binding factor acute myeloid leukemia and predicts subsequent morphologic relapse. Leukemia and Lymphoma, 2008, 49, 517-523.	1.3	48
17	International Prognostic Index, Type of Transplant and Response to Rituximab Are Key Parameters to Tailor Treatment in Adults With CD20-Positive B Cell PTLD: Clues From the PTLD-1 Trial. American Journal of Transplantation, 2015, 15, 1091-1100.	4.7	48
18	Validation of whole blood impedance aggregometry as a new diagnostic tool for HIT. Thrombosis and Haemostasis, 2012, 107, 575-583.	3.4	43

#	Article	IF	CITATIONS
19	A Randomized Phase III Trial of Melphalan and Dexamethasone (MDex) Versus Bortezomib, Melphalan and Dexamethasone (BMDex) for Untreated Patients with AL Amyloidosis. Blood, 2016, 128, 646-646.	1.4	37
20	Significance of abnormal protein bands in patients with multiple myeloma following autologous stem cell transplantation. Clinical Biochemist Reviews, 2009, 30, 113-8.	3.3	33
21	Increased Lipid Concentration Is Associated with Increased Hemolysis. Clinical Chemistry, 2005, 51, 2425-2425.	3.2	32
22	Outcomes and prognostic factors for patients with acute myeloid leukemia admitted to the intensive care unit. Leukemia and Lymphoma, 2014, 55, 97-104.	1.3	31
23	Cyclophosphamide, etoposide and G-CSF to mobilize peripheral blood stem cells for autologous stem cell transplantation in patients with lymphoma. Bone Marrow Transplantation, 2002, 30, 273-278.	2.4	27
24	Outcome of treatment of adult acute lymphoblastic leukemia with hyperfractionated cyclophosphamide, doxorubicin, vincristine, dexamethasone/methotrexate, cytarabine: results from an Australian population. Leukemia and Lymphoma, 2011, 52, 85-91.	1.3	27
25	Evaluation of the N Latex free light chain assay in the diagnosis and monitoring of AL amyloidosis. Clinical Chemistry and Laboratory Medicine, 2013, 51, 2303-2310.	2.3	27
26	Diagnostic and prognostic utility of the serum free light chain assay in patients with AL amyloidosis. Internal Medicine Journal, 2007, 37, 456-463.	0.8	26
27	WT1 expression as a marker of minimal residual disease predicts outcome in acute myeloid leukemia when measured post-consolidation. Leukemia Research, 2012, 36, 453-458.	0.8	26
28	CD62L as a Therapeutic Target in Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2013, 19, 5675-5685.	7.0	26
29	Combination therapy with tacrolimus and anti-thymocyte globulin for the treatment of steroid-resistant acute graft-versus-host disease developing during cyclosporine prophylaxis. British Journal of Haematology, 2001, 113, 217-223.	2.5	24
30	Homozygous <i>><scp>FCGR3A</scp>â€158<scp>V</scp></i> alleles predispose to late onset neutropenia after <scp>CHOPâ€R</scp> for diffuse large <scp>B</scp> â€cell lymphoma. Internal Medicine Journal, 2012, 42, 1113-1119.	0.8	23
31	The Utility of 99m Tc-DPD Scintigraphy in the Diagnosis of Cardiac Amyloidosis: An Australian Experience. Heart Lung and Circulation, 2017, 26, 1183-1190.	0.4	23
32	The Hyper-CVAD chemotherapy regimen has an adverse long-term impact on the ability to mobilize peripheral blood stem cells, which can be readily circumvented by using the early cycles for mobilization. Hematological Oncology, 2006, 24, 159-163.	1.7	19
33	A phase II study of thalidomide and vinblastine for palliative patients with Hodgkin's lymphoma. Hematology, 2006, 11, 25-29.	1.5	19
34	A global call to arms for clinical laboratories $\hat{a}\in$ Harmonised quantification and reporting of monoclonal proteins. Clinical Biochemistry, 2018, 51, 4-9.	1.9	19
35	Epstein-Barr virus-positive diffuse large B-cell lymphoma of the elderly expresses EBNA3A with conserved CD8 T-cell epitopes. American Journal of Blood Research, 2011, 1, 146-59.	0.6	19
36	Palifermin-induced acanthosis nigricans. Internal Medicine Journal, 2007, 37, 417-418.	0.8	18

#	Article	IF	CITATIONS
37	Rapid Molecular Profiling of Myeloproliferative Neoplasms Using Targeted Exon Resequencing of 86 Genes Involved in JAK-STAT Signaling and Epigenetic Regulation. Journal of Molecular Diagnostics, 2016, 18, 707-718.	2.8	18
38	Current trends in the diagnosis, therapy and monitoring of the monoclonal gammopathies. Clinical Biochemist Reviews, 2009, 30, 93-103.	3.3	18
39	Long-term outcome after intensive therapy with etoposide, melphalan, total body irradiation and autotransplant for acute myeloid leukemia. Bone Marrow Transplantation, 2004, 33, 1201-1208.	2.4	16
40	Valproic acid combined with cytosine arabinoside in elderly patients with acute myeloid leukemia has in vitro but limited clinical activity. Leukemia and Lymphoma, 2012, 53, 1077-1083.	1.3	16
41	Using HitAlert flow cytometry to detect heparin-induced thrombocytopenia antibodies in a tertiary care hospital. Blood Coagulation and Fibrinolysis, 2013, 24, 365-370.	1.0	16
42	Why aren't we performing more allografts for aggressive non-Hodgkin's lymphoma?. Bone Marrow Transplantation, 2003, 31, 953-960.	2.4	15
43	Borderline High Serum Free Light Chain κ/λ Ratios Are Seen Not Only in Dialysis Patients but Also in Non–Dialysis-Dependent Renal Impairment and Inflammatory States. American Journal of Clinical Pathology, 2009, 132, 309-309.	0.7	15
44	Cardiac amyloid imaging with ¹⁸ F-florbetaben positron emission tomography: a pilot study. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2017, 24, 162-162.	3.0	15
45	Serum free light chains for monitoring multiple myeloma. British Journal of Haematology, 2005, 128, 405-406.	2.5	14
46	Epstein?Barr virus T-cell immunity despite rituximab. British Journal of Haematology, 2007, 136, 628-632.	2.5	14
47	Free light chain testing for the diagnosis, monitoring and prognostication of AL amyloidosis. Clinical Chemistry and Laboratory Medicine, 2016, 54, 921-7.	2.3	14
48	Treatment of patients with multiple myeloma who are eligible for stem cell transplantation: position statement of the <scp>M</scp> yeloma <scp>F</scp> oundation of <scp>A</scp> ustralia <scp>M</scp> edical and <scp>S</scp> cientific <scp>A</scp> dvisory <scp>G</scp> roup. Internal Medicine Journal, 2015, 45, 94-105.	0.8	13
49	Cessation of immunosuppression during chemotherapy for post-transplant lymphoproliferative disorders in renal transplant patients. Nephrology Dialysis Transplantation, 2015, 30, 1774-1779.	0.7	13
50	Renal Impairment at Diagnosis in Myeloma: Patient Characteristics, Treatment, and Impact on Outcomes. Results From the Australia and New Zealand Myeloma and Related Diseases Registry. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e415-e424.	0.4	13
51	Stem cell transplantation for mantle cell lymphoma: if, when and how?. Bone Marrow Transplantation, 2005, 36, 655-661.	2.4	11
52	Allogeneic stem cell transplantation for mantle cell lymphoma-does it deserve a better look?. Leukemia and Lymphoma, 2005, 46, 217-223.	1.3	11
53	Immunosuppression Is Associated With Clinical Features and Relapse Risk of B Cell Posttransplant Lymphoproliferative Disorder: A Retrospective Analysis Based on the Prospective, International, Multicenter PTLD-1 Trials. Transplantation, 2018, 102, 1914-1923.	1.0	11
54	Treatment of patients with Waldenström macroglobulinaemia: clinical practice guidelines from the Myeloma Foundation of Australia Medical and Scientific Advisory Group. Internal Medicine Journal, 2017, 47, 35-49.	0.8	10

#	Article	IF	Citations
55	Safe mobilization of normal progenitors in advanced chronic myeloid leukemia with intensive chemotherapy and granulocyte-colony stimulating factor. Leukemia Research, 1999, 23, 177-183.	0.8	9
56	A phase <scp>II</scp> study of riskâ€adapted intravenous melphalan in patients with <scp>AL</scp> amyloidosis. British Journal of Haematology, 2012, 157, 766-769.	2.5	9
57	The Clinical Impact of Proteomics in Amyloid Typing. Mayo Clinic Proceedings, 2021, 96, 1122-1127.	3.0	9
58	Successful Treatment of latrogenic Multicentric Castleman's Disease Arising Due to Recrudescence of HHV-8 in a Liver Transplant Patient. American Journal of Transplantation, 2014, 14, 1207-1213.	4.7	8
59	PI3K-p $110\hat{l}$ contributes to antibody responses by macrophages in chronic lymphocytic leukemia. Leukemia, 2020, 34, 451-461.	7.2	8
60	Interferon-α-2b and oral cytarabine ocfosfate for newly diagnosed chronic myeloid leukaemia. Annals of Oncology, 2004, 15, 1810-1815.	1.2	6
61	The reporting of serum protein electrophoresis to clinicians. Clinica Chimica Acta, 2005, 358, 204-205.	1.1	6
62	Treatment of acute promyelocytic leukaemia in the Jehovah's Witness population. Annals of Hematology, 2011, 90, 359-360.	1.8	6
63	Intensive chemotherapy and reducedâ€intensity allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia in elderly patients. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 246-254.	1.1	6
64	Treatment of patients with multiple myeloma who are not eligible for stem cell transplantation: position statement of the myeloma foundation of <scp>A</scp> ustralia <scp>M</scp> edical and <scp>S</scp> cientific <scp>A</scp> dvisory <scp>G</scp> roup. Internal Medicine Journal, 2015, 45, 335-343.	0.8	6
65	Sequential Treatment with Rituximab and CHOP Chemotherapy in B-Cell PTLD - Moving Forward to a First Standard of Care: Results From a Prospective International Multicenter Trial Blood, 2009, 114, 100-100.	1.4	6
66	Malabsorption Secondary to Gout-Induced Amyloidosis. ACG Case Reports Journal, 2017, 4, e32.	0.4	5
67	The use of monocyte subset repartitioning by flow cytometry for diagnosis of chronic myelomonocytic leukaemia. Blood Cancer Journal, 2021, 11, 6.	6.2	5
68	The association of mobilising regimen on immune reconstitution and survival in myeloma patients treated with bortezomib, cyclophosphamide and dexamethasone induction followed by a melphalan autograft. Bone Marrow Transplantation, 2021, 56, 2152-2159.	2.4	5
69	Prognostic value of ZAP-70 expression in chronic lymphocytic leukemia as assessed by quantitative polymerase chain reaction and flow cytometry., 2014, 86, 80-90.		4
70	Report of the Survey Conducted by RCPAQAP on Current Practice for Paraprotein and Serum Free Light Chain Measurement and Reporting: a Need for Harmonisation. Clinical Biochemist Reviews, 2019, 40, 31-42.	3.3	4
71	Single institution outcomes of treatment of severe aplastic anaemia. Internal Medicine Journal, 2001, 31, 337-342.	0.8	3
72	Management and Outcomes of Diffuse Large B-cell Lymphoma Post-transplant Lymphoproliferative Disorder in the Era of PET and Rituximab: A Multicenter Study From the Australasian Lymphoma Alliance. HemaSphere, 2021, 5, e648.	2.7	3

#	Article	IF	Citations
73	Proposed Addendum to 2012 Recommendations for Standardised Reporting of Protein Electrophoresis in Australia and New Zealand. Clinical Biochemist Reviews, 2019, 40, 23-30.	3.3	3
74	Paraprotein Sample Exchange in Australia and New Zealand - 2018. Clinical Biochemist Reviews, 2019, 40, 43-54.	3.3	3
75	Measurement of Immunoglobulin Free Light Chains in Serum: Response. Clinical Chemistry, 2003, 49, 1958-1958.	3.2	2
76	Analytical performance of serum free light-chains assay. Clinica Chimica Acta, 2007, 380, 250-251.	1,1	2
77	Addition of etoposide to standard acute myeloid leukaemia induction chemotherapy does not improve survival. Internal Medicine Journal, 2013, 43, 953-954.	0.8	2
78	Identifying an obinutuzumab resistant subpopulation of monocyte-derived-macrophages from patients with CLL. Leukemia and Lymphoma, 2020, 61, 2738-2742.	1.3	2
79	Receiving four or fewer cycles of therapy predicts poor survival in newly diagnosed transplantâ€ineligible patients with myeloma who are treated with bortezomibâ€based induction. European Journal of Haematology, 2021, 107, 497-499.	2.2	2
80	CD62L Expression Is Associated With Chronic Lymphocytic Leukemia (CLL) Cell Survival In Vitro and Represents a Novel Therapeutic Target In CLL. Blood, 2013, 122, 4136-4136.	1.4	2
81	Prognostic utility of spontaneous erythroid colony formation and JAK2 mutational analysis for thrombotic events in essential thrombocythaemia. Internal Medicine Journal, 2011, 41, 408-415.	0.8	1
82	Report of the Survey Conducted by RCPAQAP on Current Practices for Beta-Migrating Paraprotein Reporting., 2021, 42, 11-16.		1
83	Tissue Microarray in DLBCL Patients receiving R-CHOP Chemo-Immunotherapy Shows Survival Benefit for Coexpression of LMO2/BCL6. Blood, 2011, 118, 1585-1585.	1.4	1
84	Diagnosis Of Amyloidosis Subtype By Laser-Capture Microdissection (LCM) and Tandem Mass Spectrometry (MS) Proteomic Analysis. Blood, 2013, 122, 5295-5295.	1.4	1
85	A Randomized Study of Bortezomib, Cyclophosphamide and Dexamethasone Induction (VCD) Versus VCD and Daratumumab Induction Followed By Daratumumab Maintenance (VCDD) for the Initial Treatment of Transplant-Ineligible Patients with Multiple Myeloma (AMaRC 03-16). Blood, 2021, 138, 2728-2728.	1.4	1
86	A Cost-Effectiveness Analysis of Front-Line Treatment Strategies in Early Stage Follicular Lymphoma. Blood, 2020, 136, 54-55.	1.4	1
87	Amyloidosis in Australia. Expert Opinion on Orphan Drugs, 2019, 7, 37-39.	0.8	0
88	Pomalidomide – Author Reply. Leukemia and Lymphoma, 2019, 60, 1105-1105.	1.3	0
89	Optimal Timing of Peripheral Blood Stem Cell Mobilisation in Patients with Hematological Malignancies Treated with the Hyper-CVAD Chemotherapy Regimen Blood, 2004, 104, 5213-5213.	1.4	0
90	Myeloablative Allogeneic Stem Cell Transplantation for Non-Hodgkin's Lymphoma. , 2010, , 89-108.		O

#	Article	IF	CITATIONS
91	Immunosuppression (IST) Can Be Safely Ceased During Chemotherapy For Post-Transplant Lymphoproliferative Disorders (PTLD) In Renal Transplant Patients. Blood, 2013, 122, 1780-1780.	1.4	O
92	Serum Levels Of CD178 (Soluble FasL) Predict Treatment Response and Survival In Chronic Lymphocytic Leukaemia (CLL). Blood, 2013, 122, 2866-2866.	1.4	0
93	Diagnosis of Amyloidosis Subtype By Laser-Capture Microdissection (LCM) and Tandem Mass Spectrometry (MS/MS) Proteomic Analysis. Blood, 2015, 126, 1779-1779.	1.4	O
94	Management and Outcomes of Testicular Lymphoma in the Rituximab Era at an Australian Tertiary Centre. Blood, 2020, 136, 25-26.	1.4	0
95	The Use of Monocyte Subset Repartitioning By Flow Cytometry for Diagnosis of Chronic Myelomonocytic Leukemia. Blood, 2020, 136, 41-42.	1.4	O
96	Management and Outcomes of Diffuse Large B Cell Lymphoma Post-Transplant Lymphoproliferative Disorder in the PET/CT Era: A Multicentre Study from the Australasian Lymphoma Alliance. Blood, 2020, 136, 36-38.	1.4	0