

Toshinori Tsuru

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6492434/publications.pdf>

Version: 2024-02-01

337
papers

11,193
citations

28274

55
h-index

51608

86
g-index

342
all docs

342
docs citations

342
times ranked

5473
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced production of butyl acetate via methanol-extracting transesterification membrane reactors using organosilica membrane: Experiment and modeling. <i>Chemical Engineering Journal</i> , 2022, 429, 132188.	12.7	11
2	Structural two-phase evolution of aminosilica-based silver-coordinated membranes for increased hydrogen separation. <i>Journal of Membrane Science</i> , 2022, 642, 119962.	8.2	11
3	Enhancement of the H ₂ -permselectivity of a silica-zirconia composite membrane enabled by ligand-ceramic to carbon-ceramic transformation. <i>Journal of Membrane Science</i> , 2022, 642, 119948.	8.2	6
4	Ultrahigh permeation of CO ₂ capture using composite organosilica membranes. <i>Separation and Purification Technology</i> , 2022, 282, 120061.	7.9	11
5	Effect of fluorine doping on the network pore structure of non-porous organosilica bis(triethoxysilyl)propane (BTESP) membranes for use in molecular separation. <i>Journal of Membrane Science</i> , 2022, 644, 120083.	8.2	3
6	Enhancing dehydration performance of isopropanol for flexible hybrid silica composite membranes with spray-coated active layer on polymers. <i>Separation and Purification Technology</i> , 2022, 283, 120230.	7.9	4
7	Development of PSQ-RO membranes with high water permeability by copolymerization of bis[3-(triethoxysilyl)propyl]amine and triethoxy(3-glycidyoxypropyl)silane. <i>Journal of Membrane Science</i> , 2022, 644, 120162.	8.2	8
8	Reverse osmosis and pervaporation of organic liquids using organosilica membranes: Performance analysis and predictions. <i>AIChE Journal</i> , 2022, 68, .	3.6	12
9	High-Resolution Numerical Simulation of Microfiltration of Oil-in-Water Emulsion Permeating through a Realistic Membrane Microporous Structure Generated by Focused Ion Beam Scanning Electron Microscopy Images. <i>Langmuir</i> , 2022, 38, 2094-2108.	3.5	11
10	Silicon-based subnanoporous membranes with amorphous structures. , 2022, , 305-327.		1
11	Network tailoring of organosilica membranes via aluminum doping to improve the humid-gas separation performance. <i>RSC Advances</i> , 2022, 12, 5834-5846.	3.6	4
12	Performance Evaluation and Simulation of a Dehumidifying Module using Perfluorosulfonic Acid Capillary Membranes. <i>Kagaku Kogaku Ronbunshu</i> , 2022, 48, 42-48.	0.3	0
13	Open-air plasma deposition of polymer-supported silica-based membranes for gas separation. <i>Separation and Purification Technology</i> , 2022, 291, 120908.	7.9	5
14	Microporous structure control of SiO ₂ -ZrO ₂ composite membranes via Yttrium doping and an evaluation of thermal stability. <i>Journal of Sol-Gel Science and Technology</i> , 2022, 104, 566-579.	2.4	6
15	Development of Highly Water-Permeable Robust PSQ-Based RO Membranes by Introducing Hydroxyethylurea-Based Hydrophilic Water Channels. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 21426-21435.	8.0	4
16	Structural transformation of the nickel coordination-induced subnanoporosity of aminosilica membranes for methanol-selective, high-flux pervaporation. <i>Journal of Membrane Science</i> , 2022, 656, 120613.	8.2	10
17	Development of robust and high-performance polysilsesquioxane reverse osmosis membranes modified by SiO ₂ nanoparticles for water desalination. <i>Separation and Purification Technology</i> , 2022, 296, 121421.	7.9	4
18	Nanogradient Hydrophilic/Hydrophobic Organosilica Membranes Developed by Atmospheric-Pressure Plasma to Enhance Pervaporation Performance. <i>ACS Nano</i> , 2022, 16, 10302-10313.	14.6	12

#	ARTICLE	IF	CITATIONS
19	Tailoring the structure of a sub-nano silica network via fluorine doping to enhance CO ₂ separation and evaluating CO ₂ separation performance under dry or wet conditions. <i>Journal of Membrane Science</i> , 2022, 658, 120735.	8.2	4
20	Ammonia permeation of fluorinated sulfonic acid polymer/ceramic composite membranes. <i>Journal of Membrane Science</i> , 2022, 658, 120718.	8.2	8
21	Hydrophilic behavior of methyl-terminated organosilica thin films modified by atmospheric-pressure water vapor plasma. <i>Materials Letters</i> , 2022, 325, 132841.	2.6	2
22	Transesterification membrane reactor with organosilica membrane in batch and continuous flow modes. <i>Chemical Engineering Journal</i> , 2022, 450, 137862.	12.7	2
23	Organic solvent reverse osmosis membranes for organic liquid mixture separation: A review. <i>Journal of Membrane Science</i> , 2021, 620, 118882.	8.2	65
24	Improved performance of organosilica membranes for steam recovery at moderate-to-high temperatures via the use of a hydrothermally stable intermediate layer. <i>Journal of Membrane Science</i> , 2021, 620, 118895.	8.2	13
25	Correlation Between Ammonia Selectivity and Temperature Dependent Functional Group Tuning of GO. <i>IEEE Nanotechnology Magazine</i> , 2021, 20, 129-136.	2.0	5
26	TiO ₂ Coatings Via Atmospheric-Pressure Plasma-Enhanced Chemical Vapor Deposition for Enhancing the UV-Resistant Properties of Transparent Plastics. <i>ACS Omega</i> , 2021, 6, 1370-1377.	3.5	15
27	Facile development of microstructure-engineered, ligand-chelated SiO ₂ -ZrO ₂ composite membranes for molecular separations. <i>Molecular Systems Design and Engineering</i> , 2021, 6, 429-444.	3.4	2
28	Pervaporation via silicon-based membranes: Correlation and prediction of performance in pervaporation and gas permeation. <i>AIChE Journal</i> , 2021, 67, e17223.	3.6	21
29	Hydrocarbon permeation properties through microporous fluorine-doped organosilica membranes with controlled pore sizes. <i>Journal of Membrane Science</i> , 2021, 619, 118787.	8.2	11
30	Multiple Amine-Contained POSS-Functionalized Organosilica Membranes for Gas Separation. <i>Membranes</i> , 2021, 11, 194.	3.0	6
31	Hydrothermal stability of fluorine-induced microporous silica membranes: Effect of steam treatment conditions. <i>AIChE Journal</i> , 2021, 67, e17292.	3.6	7
32	Progress in pervaporation membranes for dehydration of acetic acid. <i>Separation and Purification Technology</i> , 2021, 262, 118338.	7.9	56
33	Microporous Nickel-Coordinated Aminosilica Membranes for Improved Pervaporation Performance of Methanol/Toluene Separation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 23247-23259.	8.0	23
34	Design of a SiOC network structure with oxidation stability and application to hydrogen separation membranes at high temperatures. <i>Journal of Membrane Science</i> , 2021, 625, 119147.	8.2	6
35	Pore Structure Controllability and CO ₂ Permeation Properties of Silica-Derived Membranes with a Dual-Network Structure. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 8527-8537.	3.7	3
36	Preparation of polysilsesquioxane reverse osmosis membranes for water desalination from tris[(ethoxysilyl)alkyl]amines by sol-gel process and interfacial polymerization. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6374.	3.5	5

#	ARTICLE	IF	CITATIONS
37	Performance evaluation of water vapor permeation through perfluorosulfonic acid capillary membranes. Separation and Purification Technology, 2021, 266, 118508.	7.9	8
38	Effect of the Ti/Zr ratio on the hydrothermal and chemical stability of TiO ₂ -ZrO ₂ nanofiltration membranes. Separation and Purification Technology, 2021, 274, 119060.	7.9	4
39	Steam recovery via nanoporous and subnanoporous organosilica membranes: The effects of pore structure and operating conditions. Separation and Purification Technology, 2021, 275, 119191.	7.9	5
40	Facile low-temperature route toward the development of polymer-supported silica-based membranes for gas separation via atmospheric-pressure plasma-enhanced chemical vapor deposition. Journal of Membrane Science, 2021, 638, 119709.	8.2	7
41	Analysis and prediction of water vapor permeation through perfluorosulfonic acid membranes via the solution-diffusion model in a single-membrane dehumidifier module. Separation and Purification Technology, 2021, 279, 119694.	7.9	6
42	Controlled organosilica networks via metal doping for improved dehydration membranes with layered hybrid structures. Separation and Purification Technology, 2021, 278, 119561.	7.9	5
43	Metal-induced microporous aminosilica creates a highly permeable gas-separation membrane. Materials Chemistry Frontiers, 2021, 5, 3029-3042.	5.9	16
44	Ultrafast Synthesis of Silica-Based Molecular Sieve Membranes in Dielectric Barrier Discharge at Low Temperature and Atmospheric Pressure. Journal of the American Chemical Society, 2021, 143, 35-40.	13.7	16
45	Atmospheric-pressure PECVD synthesis of polymer-supported molecular sieving silica membranes for gas separation: Effect of pore size of polymeric support. Materials Letters, 2021, , 131211.	2.6	2
46	Phase inversion/sintering-induced porous ceramic microsheet membranes for high-quality separation of oily wastewater. Journal of Membrane Science, 2020, 595, 117477.	8.2	59
47	Fine-tuned, molecular-composite, organosilica membranes for highly efficient propylene/propane separation via suitable pore size. AIChE Journal, 2020, 66, e16850.	3.6	14
48	Energy-efficient separation of organic liquids using organosilica membranes via a reverse osmosis route. Journal of Membrane Science, 2020, 597, 117758.	8.2	46
49	Development of high-performance sub-nanoporous SiC-based membranes derived from polytitanocarbosilane. Journal of Membrane Science, 2020, 598, 117688.	8.2	24
50	A carbon-silica-zirconia ceramic membrane with CO ₂ flow-switching behaviour promising versatile high-temperature H ₂ /CO ₂ separation. Journal of Materials Chemistry A, 2020, 8, 23563-23573.	10.3	15
51	Evaluation of experimentally obtained permeance based on module simulation: How should permeance be evaluated?. AIChE Journal, 2020, 66, e16250.	3.6	11
52	Filtration of surfactant-stabilized oil-in-water emulsions with porous ceramic membranes: Effects of membrane pore size and surface charge on fouling behavior. Journal of Membrane Science, 2020, 610, 118210.	8.2	42
53	Pervaporation removal of methanol from methanol/organic azeotropes using organosilica membranes: Experimental and modeling. Journal of Membrane Science, 2020, 610, 118284.	8.2	43
54	Experimental study and modeling of organic solvent reverse osmosis separations through organosilica membranes. AIChE Journal, 2020, 66, e16283.	3.6	11

#	ARTICLE	IF	CITATIONS
55	Tuning the microstructure of polycarbosilane-derived SiC(O) separation membranes via thermal-oxidative cross-linking. Separation and Purification Technology, 2020, 248, 117067.	7.9	15
56	Amino-decorated organosilica membranes for highly permeable CO ₂ capture. Journal of Membrane Science, 2020, 611, 118328.	8.2	24
57	High-performance molecular separation ceramic membranes derived from oxidative cross-linked polytitanocarbosilane. Journal of the American Ceramic Society, 2020, 103, 4473-4488.	3.8	19
58	Pore subnano-environment engineering of organosilica membranes for highly selective propylene/propane separation. Journal of Membrane Science, 2020, 603, 117999.	8.2	15
59	Al ₂ O ₃ nanofiltration membranes fabricated from nanofiber sols: Preparation, characterization, and performance. Journal of Membrane Science, 2020, 611, 118401.	8.2	18
60	Microstructure evolution and enhanced permeation of SiC membranes derived from allylhydridopolycarbosilane. Journal of Membrane Science, 2020, 612, 118392.	8.2	18
61	Chemical-free cleaning of fouled reverse osmosis (RO) membranes derived from bis(triethoxysilyl)ethane (BTESE). Journal of Membrane Science, 2020, 601, 117919.	8.2	12
62	Pore size tuning of bis(triethoxysilyl)propane (BTESP)-derived membrane for gas separation: Effects of the acid molar ratio in the sol and of the calcination temperature. Separation and Purification Technology, 2020, 242, 116742.	7.9	8
63	Development of an acetylacetonate-modified silica-zirconia composite membrane applicable to gas separation. Journal of Membrane Science, 2020, 599, 117844.	8.2	15
64	Inorganic Porous Membranes for Separation in Organic Solvents. Membrane, 2020, 45, 171-176.	0.0	0
65	SiC mesoporous membranes for sulfuric acid decomposition at high temperatures in the iodine-sulfur process. RSC Advances, 2020, 10, 41883-41890.	3.6	9
66	TiO ₂ -ZrO ₂ membranes of controlled pore sizes with different Ti/Zr ratios for nanofiltration. Journal of Sol-Gel Science and Technology, 2019, 92, 12-24.	2.4	8
67	Microporous Silica Membrane Reactors. , 2019, , 127-156.		0
68	Gas Permeation Properties and Pore Size Evaluation of Microporous Silica Membranes. , 2019, , 101-126.		0
69	Selective water vapor permeation from steam/non-condensable gas mixtures via organosilica membranes at moderate-to-high temperatures. Journal of Membrane Science, 2019, 589, 117254.	8.2	24
70	Vapor-permeation dehydration of isopropanol using a flexible and thin organosilica membrane with high permeance. Journal of Membrane Science, 2019, 588, 117226.	8.2	12
71	Infrared-spectroscopic porosimetry: Development and application for characterization of hundred-nanometer-thick porous thin films. Thin Solid Films, 2019, 685, 299-305.	1.8	0
72	Ceramic-Supported Polyhedral Oligomeric Silsesquioxane-Organosilica Nanocomposite Membrane for Efficient Gas Separation. Industrial & Engineering Chemistry Research, 2019, 58, 21708-21716.	3.7	11

#	ARTICLE	IF	CITATIONS
73	Effect of Sintering Temperature on Sol-Gel Synthesis of Porous Polymeric Membrane Supported Layered Hybrid Organosilica Membranes and Their Vapor Permeation Property. <i>Kagaku Kogaku Ronbunshu</i> , 2019, 45, 177-183.	0.3	1
74	Organosilica-Based Membranes in Gas and Liquid-Phase Separation. <i>Membranes</i> , 2019, 9, 107.	3.0	32
75	Evaluating the chemical stability of metal oxides in SO ₃ and applications of SiO ₂ -based membranes to O ₂ /SO ₃ separation. <i>Journal of the American Ceramic Society</i> , 2019, 102, 6946-6956.	3.8	6
76	Tailoring Ultramicroporosity To Maximize CO ₂ Transport within Pyrimidine-Bridged Organosilica Membranes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 7164-7173.	8.0	28
77	Tailoring the microstructure and permeation properties of bridged organosilica membranes via control of the bond angles. <i>Journal of Membrane Science</i> , 2019, 584, 56-65.	8.2	35
78	Free glycerol removal from monoglyceride using TiO ₂ -ZrO ₂ nanofiltration membranes. <i>Separation and Purification Technology</i> , 2019, 224, 366-372.	7.9	2
79	Molecular dynamics simulation study on the mechanisms of liquid-phase permeation in nanopores. <i>Separation and Purification Technology</i> , 2019, 220, 259-267.	7.9	6
80	Tailoring the molecular sieving properties and thermal stability of carbonized membranes containing polyhedral oligomeric silsesquioxane (POSS)-polyimide via the introduction of norbornene. <i>Journal of Membrane Science</i> , 2019, 582, 59-69.	8.2	14
81	Hydrothermal stability and permeation properties of TiO ₂ -ZrO ₂ (5/5) nanofiltration membranes at high temperatures. <i>Separation and Purification Technology</i> , 2019, 212, 1001-1012.	7.9	16
82	Effects of Calcination Condition on the Network Structure of Triethoxysilane (TRIES) and How Si-H Groups Influence Hydrophobicity Under Hydrothermal Conditions. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 3867-3875.	3.7	4
83	Molecular Dynamics Simulation Study of Solid Vibration Permeation in Microporous Amorphous Silica Network Voids. <i>Membranes</i> , 2019, 9, 132.	3.0	7
84	Research and development on membrane IS process for hydrogen production using solar heat. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 19141-19152.	7.1	16
85	Enhanced CO ₂ separation performance for tertiary amine-silica membranes via thermally induced local liberation of CH ₃ Cl. <i>AIChE Journal</i> , 2018, 64, 1528-1539.	3.6	22
86	Facile and Scalable Flow-Induced Deposition of Organosilica on Porous Polymer Supports for Reverse Osmosis Desalination. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14070-14078.	8.0	17
87	Acid post-treatment of sol-gel-derived ethylene-bridged organosilica membranes and their filtration performances. <i>Journal of Membrane Science</i> , 2018, 556, 196-202.	8.2	9
88	Bis(triethoxysilyl)ethane (BTESE)-derived silica membranes: pore formation mechanism and gas permeation properties. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 86, 63-72.	2.4	33
89	Preparation of Amphotericin B-Ergosterol structures and molecular simulation of water adsorption and diffusion. <i>Journal of Membrane Science</i> , 2018, 545, 229-239.	8.2	10
90	Preparation of bridged silica RO membranes from copolymerization of bis(triethoxysilyl)ethene/(hydroxymethyl)triethoxysilane. Effects of ethylene-bridge enhancing water permeability. <i>Journal of Membrane Science</i> , 2018, 546, 173-178.	8.2	21

#	ARTICLE	IF	CITATIONS
91	Fluorine-induced microporous silica membranes: Dramatic improvement in hydrothermal stability and pore size controllability for highly permeable propylene/propane separation. <i>Journal of Membrane Science</i> , 2018, 549, 111-119.	8.2	31
92	Atmospheric-Pressure Plasma-Enhanced Chemical Vapor Deposition of Hybrid Silica Membranes. <i>Journal of Chemical Engineering of Japan</i> , 2018, 51, 732-739.	0.6	10
93	Improved thermal and oxidation stability of bis(triethoxysilyl)ethane (BTESE)-derived membranes, and their gas-permeation properties. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23378-23387.	10.3	29
94	UV-Protective TiO ₂ Thin Films with High Transparency in Visible Light Region Fabricated via Atmospheric-Pressure Plasma-Enhanced Chemical Vapor Deposition. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42657-42665.	8.0	32
95	Silica-Based Membranes with Molecular-Net-Sieving Properties: Development and Applications. <i>Journal of Chemical Engineering of Japan</i> , 2018, 51, 713-725.	0.6	52
96	Preparation of Hybrid Organosilica Reverse Osmosis Membranes by Interfacial Polymerization of Bis[(trialkoxysilyl)propyl]amine. <i>Chemistry Letters</i> , 2018, 47, 1210-1212.	1.3	8
97	Enhanced Permeation through CO ₂ -Stable Dual-Inorganic Composite Membranes with Tunable Nanoarchitected Channels. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8515-8524.	6.7	28
98	Atmospheric-pressure plasma-enhanced chemical vapor deposition of UV-shielding TiO ₂ coatings on transparent plastics. <i>Materials Letters</i> , 2018, 228, 479-481.	2.6	34
99	Diethylenedioxane-bridged microporous organosilica membrane for gas and water separation. <i>Separation and Purification Technology</i> , 2018, 207, 370-376.	7.9	13
100	Fluorine Doping of Microporous Organosilica Membranes for Pore Size Control and Enhanced Hydrophobic Properties. <i>ACS Omega</i> , 2018, 3, 8612-8620.	3.5	25
101	Preparation, characterization, and evaluation of TiO ₂ -ZrO ₂ nanofiltration membranes fired at different temperatures. <i>Journal of Membrane Science</i> , 2018, 564, 691-699.	8.2	28
102	Role of Amine Type in CO ₂ Separation Performance within Amine Functionalized Silica/Organosilica Membranes: A Review. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1032.	2.5	46
103	Tailoring a Thermally Stable Amorphous SiOC Structure for the Separation of Large Molecules: The Effect of Calcination Temperature on SiOC Structures and Gas Permeation Properties. <i>ACS Omega</i> , 2018, 3, 6369-6377.	3.5	12
104	Pervaporation dehydration of aqueous solutions of various types of molecules via organosilica membranes: Effect of membrane pore sizes and molecular sizes. <i>Separation and Purification Technology</i> , 2018, 207, 108-115.	7.9	47
105	Nano/subnano-tuning of Porous Silica Membranes and Application to Hydrogen Separation. <i>Membrane</i> , 2018, 43, 180-187.	0.0	0
106	Preface to the special issue for the 5th Asian Conference on Innovative Energy & Environmental Chemical Engineering (ASCON-IEEChE) 2016. <i>Journal of Chemical Engineering of Japan</i> , 2018, 51, 711-711.	0.6	0
107	Pyrimidine-bridged organoalkoxysilane membrane for high-efficiency CO ₂ transport via mild affinity. <i>Separation and Purification Technology</i> , 2017, 178, 232-241.	7.9	34
108	Photo-induced sol-gel synthesis of polymer-supported silsesquioxane membranes. <i>RSC Advances</i> , 2017, 7, 7150-7157.	3.6	5

#	ARTICLE	IF	CITATIONS
109	Fabrication and Microstructure Tuning of a Pyrimidine-Bridged Organoalkoxysilane Membrane for CO ₂ Separation. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 1316-1326.	3.7	24
110	Two-Dimensional Covalent Organic Framework (COF) Membranes Fabricated via the Assembly of Exfoliated COF Nanosheets. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8433-8436.	8.0	222
111	Preparation of bridged polysilsesquioxane-based membranes containing 1,2,3-triazole moieties for water desalination. <i>Polymer Journal</i> , 2017, 49, 401-406.	2.7	13
112	Development and permeation properties of SiO ₂ -ZrO ₂ nanofiltration membranes with a MWCO of ≤ 200. <i>Journal of Membrane Science</i> , 2017, 535, 331-341.	8.2	19
113	Preparation of Bridged Polysilsesquioxane Membranes from Bis[3-(triethoxysilyl)propyl]amine for Water Desalination. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 1035-1040.	3.2	23
114	Preparation of cyclic peptide nanotube structures and molecular simulation of water adsorption and diffusion. <i>Journal of Membrane Science</i> , 2017, 537, 101-110.	8.2	11
115	Gas permeation properties for organosilica membranes with different Si/C ratios and evaluation of microporous structures. <i>AIChE Journal</i> , 2017, 63, 4491-4498.	3.6	65
116	Organosilica bis(triethoxysilyl)ethane (BTESE) membranes for gas permeation (GS) and reverse osmosis (RO): The effect of preparation conditions on structure, and the correlation between gas and liquid permeation properties. <i>Journal of Membrane Science</i> , 2017, 526, 242-251.	8.2	15
117	Preparation of POSS-derived robust RO membranes for water desalination. <i>Desalination</i> , 2017, 404, 322-327.	8.2	20
118	SiO ₂ -ZrO ₂ nanofiltration membranes of different Si/Zr molar ratios: Stability in hot water and acid/alkaline solutions. <i>Journal of Membrane Science</i> , 2017, 524, 700-711.	8.2	41
119	Synthesis of a 12-membered cyclic siloxane possessing alkoxy-silyl groups as a nanobuilding block and its use for preparation of gas permeable membranes. <i>RSC Advances</i> , 2017, 7, 48683-48691.	3.6	11
120	Simulation and design of catalytic membrane reactor for hydrogen production via methylcyclohexane dehydrogenation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 26296-26307.	7.1	39
121	Water transport and ion rejection investigation for application of cyclic peptide nanotubes to forward osmosis process: A simulation study. <i>Desalination</i> , 2017, 424, 85-94.	8.2	16
122	Fabrication and CO ₂ permeation properties of amine-silica membranes using a variety of amine types. <i>Journal of Membrane Science</i> , 2017, 541, 447-456.	8.2	36
123	Preliminary techno-economic analysis of non-commercial ceramic and organosilica membranes for hydrogen peroxide ultrapurification. <i>Chemical Engineering Research and Design</i> , 2017, 125, 385-397.	5.6	2
124	Effect of heat treatment on the nanoporosity of silica PECVD films elucidated by low-energy positron annihilation and ellipsometric porosimetry. <i>Journal of Applied Physics</i> , 2017, 122, 185304.	2.5	5
125	Preparation and Gas Permeation Properties of Fluorine-Modified Silica Membranes with Controlled Amorphous Silica Structures: Effect of Fluorine Source and Calcination Temperature on Network Size. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 24625-24633.	8.0	18
126	Pore size tuning of sol-gel-derived triethoxysilane (TRIES) membranes for gas separation. <i>Journal of Membrane Science</i> , 2017, 524, 64-72.	8.2	14

#	ARTICLE	IF	CITATIONS
127	Synthesis of organically bridged trialkoxysilanes bearing acetoxymethyl groups and applications to reverse osmosis membranes. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3580.	3.5	14
128	Atmospheric-pressure plasma-enhanced chemical vapor deposition of microporous silica membranes for gas separation. <i>Journal of Membrane Science</i> , 2017, 524, 644-651.	8.2	38
129	“Rapid communications” Applying Amphotericin B “Ergosterol in Forward Osmosis : a simulation study. <i>Membrane</i> , 2017, 42, 250-254.	0.0	2
130	Silica Membrane Application for Pervaporation Process. , 2017, , 217-241.		4
131	Catalytic Ammonia Decomposition over High-Performance Ru/Graphene Nanocomposites for Efficient CO _x -Free Hydrogen Production. <i>Catalysts</i> , 2017, 7, 23.	3.5	32
132	Propylene/propane Permeation Properties of Metal-doped Organosilica Membranes with Controlled Network Sizes and Adsorptive Properties. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 140-148.	0.6	7
133	Nanofiltration performance of SiO ₂ -ZrO ₂ membranes in aqueous solutions at high temperatures. <i>Separation and Purification Technology</i> , 2016, 168, 238-247.	7.9	21
134	Tailoring the Separation Behavior of Polymer-Supported Organosilica Layered-Hybrid Membranes via Facile Post-Treatment Using HCl and HN ₃ Vapors. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11060-11069.	8.0	23
135	Enhanced decomposition of sulfur trioxide in the water-splitting iodine-sulfur process via a catalytic membrane reactor. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15316-15319.	10.3	11
136	Evaluation of non-commercial ceramic SiO ₂ -ZrO ₂ and organosilica BTESE membranes in a highly oxidative medium: Performance in hydrogen peroxide. <i>Journal of Membrane Science</i> , 2016, 520, 740-748.	8.2	6
137	Network engineering of a BTESE membrane for improved gas performance via a novel pH-swing method. <i>Journal of Membrane Science</i> , 2016, 511, 219-227.	8.2	31
138	Hybrid membrane developed to tolerate harsh conditions inside desalination plant equipment. <i>Membrane Technology</i> , 2016, 2016, 7.	0.1	5
139	Tailoring the Subnano Silica Structure via Fluorine Doping for Development of Highly Permeable CO ₂ Separation Membranes. <i>ChemNanoMat</i> , 2016, 2, 264-267.	2.8	24
140	Plasma-enhanced chemical vapor deposition of amorphous carbon molecular sieve membranes for gas separation. <i>RSC Advances</i> , 2016, 6, 59045-59049.	3.6	4
141	In Silico Evaluation of Ultrafiltration and Nanofiltration Membrane Cascades for Continuous Fractionation of Protein Hydrolysate from Tuna Processing Byproduct. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 7493-7504.	3.7	8
142	Hydrogen production from energy carriers by silica-based catalytic membrane reactors. <i>Catalysis Today</i> , 2016, 268, 3-11.	4.4	32
143	Development of Ethenylene-Bridged Organosilica Membranes for Desalination Applications. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 2183-2190.	3.7	32
144	Pervaporation and vapor permeation characteristics of BTESE-derived organosilica membranes and their long-term stability in a high-water-content IPA/water mixture. <i>Journal of Membrane Science</i> , 2016, 498, 336-344.	8.2	36

#	ARTICLE	IF	CITATIONS
145	Effect of firing temperature on the water permeability of SiO ₂ -ZrO ₂ membranes for nanofiltration. <i>Journal of Membrane Science</i> , 2016, 497, 348-356.	8.2	59
146	Chemical Vapor Deposition. , 2016, , 395-397.		0
147	Titania Membranes. , 2016, , 1906-1907.		0
148	Hybrid Silica Membranes. , 2016, , 974-975.		0
149	Ammonia Decomposition in Catalytic Membrane Reactors. , 2016, , 62-64.		0
150	Development of Membrane Separation Process for H ₂ SO ₄ Decomposition. <i>Membrane</i> , 2016, 41, 102-107.	0.0	0
151	Pore size evaluation and gas transport behaviors of microporous membranes: An experimental and theoretical study. <i>AIChE Journal</i> , 2015, 61, 2268-2279.	3.6	10
152	Photo-induced sol-gel processing for low-temperature fabrication of high-performance silsesquioxane membranes for use in molecular separation. <i>Chemical Communications</i> , 2015, 51, 9932-9935.	4.1	10
153	Catalytic membrane reactors for SO ₃ decomposition in Iodine-Sulfur thermochemical cycle: A simulation study. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 12687-12696.	7.1	18
154	Tuning the pore sizes of novel silica membranes for improved gas permeation properties via an in situ reaction between NH ₃ and Si-H groups. <i>Chemical Communications</i> , 2015, 51, 2551-2554.	4.1	9
155	Preparation and separation properties of porous norbornane-bridged silica membrane. <i>Journal of Sol-Gel Science and Technology</i> , 2015, 73, 365-370.	2.4	12
156	Reverse osmosis performance of layered-hybrid membranes consisting of an organosilica separation layer on polymer supports. <i>Journal of Membrane Science</i> , 2015, 494, 104-112.	8.2	19
157	Efficient synthesis of SiOC glasses from ethane, ethylene, and acetylene-bridged polysilsesquioxanes. <i>Journal of Non-Crystalline Solids</i> , 2015, 408, 137-141.	3.1	18
158	Evaluating the gas permeation properties and hydrothermal stability of organosilica membranes under different hydrosilylation conditions. <i>Journal of Membrane Science</i> , 2015, 493, 664-672.	8.2	8
159	Plasma-assisted multi-layered coating towards improved gas permeation properties for organosilica membranes. <i>RSC Advances</i> , 2015, 5, 59837-59844.	3.6	10
160	Plasma treatment of hydrophobic sub-layers to prepare uniform multi-layered films and high-performance gas separation membranes. <i>Applied Surface Science</i> , 2015, 349, 415-419.	6.1	9
161	Preparation and separation properties of oxalylurea-bridged silica membranes. <i>Applied Organometallic Chemistry</i> , 2015, 29, 433-438.	3.5	16
162	Microporous organosilica membranes for gas separation prepared via PECVD using different O/Si ratio precursors. <i>Journal of Membrane Science</i> , 2015, 489, 11-19.	8.2	37

#	ARTICLE	IF	CITATIONS
163	Microporous membrane reactors for hydrogen production. <i>Current Opinion in Chemical Engineering</i> , 2015, 8, 83-88.	7.8	21
164	Methylcyclohexane dehydrogenation for hydrogen production via a bimodal catalytic membrane reactor. <i>AIChE Journal</i> , 2015, 61, 1628-1638.	3.6	44
165	Robust organosilica membranes for high temperature reverse osmosis (RO) application: Membrane preparation, separation characteristics of solutes and membrane regeneration. <i>Journal of Membrane Science</i> , 2015, 493, 515-523.	8.2	29
166	Permeation properties of BTESEâ€“TEOS organosilica membranes and application to O ₂ /SO ₂ gas separation. <i>Journal of Membrane Science</i> , 2015, 496, 211-218.	8.2	30
167	Preparation of hydroxyl group containing bridged organosilica membranes for water desalination. <i>Separation and Purification Technology</i> , 2015, 156, 396-402.	7.9	20
168	Preparation of organosilica membranes on hydrophobic intermediate layers and evaluation of gas permeation in the presence of water vapor. <i>Journal of Membrane Science</i> , 2015, 496, 156-164.	8.2	24
169	Recent Progresses in Inorganic Reverse Osmosis/nanofiltration Membranes. <i>Membrane</i> , 2015, 40, 191-196.	0.0	0
170	Gas permeability of thin dense films from polymer blend of thermoplastic elastomer and polyolefin. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	3
171	Porous Al ₂ O ₃ /TiO ₂ tubes in combination with 1-ethyl-3-methylimidazolium acetate ionic liquid for CO ₂ /N ₂ separation. <i>Separation and Purification Technology</i> , 2014, 122, 440-448.	7.9	78
172	Development and gas permeation properties of microporous amorphous TiO ₂ â€“ZrO ₂ â€“organic composite membranes using chelating ligands. <i>Journal of Membrane Science</i> , 2014, 461, 96-105.	8.2	29
173	Fabrication of a layered hybrid membrane using an organosilica separation layer on a porous polysulfone support, and the application to vapor permeation. <i>Journal of Membrane Science</i> , 2014, 464, 140-148.	8.2	31
174	Polymerization behavior and gel properties of ethane, ethylene and acetylene-bridged polysilsesquioxanes. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 71, 24-30.	2.4	16
175	Application of interfacially polymerized polyamide composite membranes to isopropanol dehydration: Effect of membrane pre-treatment and temperature. <i>Journal of Membrane Science</i> , 2014, 453, 384-393.	8.2	81
176	High-temperature stability of PECVD-derived organosilica membranes deposited on TiO ₂ and SiO ₂ â€“ZrO ₂ intermediate layers using HMDSO/Ar plasma. <i>Separation and Purification Technology</i> , 2014, 121, 13-19.	7.9	16
177	A closer look at the development and performance of organicâ€“inorganic membranes using 2,4,6-tris[3(triethoxysilyl)-1-propoxyl]-1,3,5-triazine (TTESPT). <i>RSC Advances</i> , 2014, 4, 12404.	3.6	12
178	Preparation and gas permeation properties of thermally stable organosilica membranes derived by hydrosilylation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 672-680.	10.3	21
179	Modified gasâ€“translation model for prediction of gas permeation through microporous organosilica membranes. <i>AIChE Journal</i> , 2014, 60, 4199-4210.	3.6	52
180	Insight into the pore tuning of triazine-based nitrogen-rich organoalkoxysilane membranes for use in water desalination. <i>RSC Advances</i> , 2014, 4, 23759-23769.	3.6	25

#	ARTICLE	IF	CITATIONS
181	Experimental and Theoretical Study on Small Gas Permeation Properties through Amorphous Silica Membranes Fabricated at Different Temperatures. <i>Journal of Physical Chemistry C</i> , 2014, 118, 20323-20331.	3.1	36
182	Graphene nanosheets supporting Ru nanoparticles with controlled nanoarchitectures form a high-performance catalyst for CO _x -free hydrogen production from ammonia. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9185-9192.	10.3	47
183	Structural Characterization of Thin-Film Polyamide Reverse Osmosis Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 1442-1451.	3.7	83
184	New Insights into the Microstructure-Separation Properties of Organosilica Membranes with Ethane, Ethylene, and Acetylene Bridges. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 9357-9364.	8.0	69
185	Synthesis and characterization of a layered-hybrid membrane consisting of an organosilica separation layer on a polymeric nanofiltration membrane. <i>Journal of Membrane Science</i> , 2014, 472, 19-28.	8.2	24
186	CO ₂ Permeation through Hybrid Organosilica Membranes in the Presence of Water Vapor. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 6113-6120.	3.7	43
187	Controlled surface morphology of polyamide membranes via the addition of co-solvent for improved permeate flux. <i>Journal of Membrane Science</i> , 2014, 467, 303-312.	8.2	105
188	Gas transport properties of interfacially polymerized polyamide composite membranes under different pre-treatments and temperatures. <i>Journal of Membrane Science</i> , 2014, 449, 109-118.	8.2	95
189	Gas permeation properties through Al-doped organosilica membranes with controlled network size. <i>Journal of Membrane Science</i> , 2014, 466, 246-252.	8.2	34
190	Preparation of BTESE-derived organosilica membranes for catalytic membrane reactors of methylcyclohexane dehydrogenation. <i>Journal of Membrane Science</i> , 2014, 455, 375-383.	8.2	96
191	Optimizing the preparation of multi-layered polyamide membrane via the addition of a co-solvent. <i>Journal of Membrane Science</i> , 2014, 453, 489-497.	8.2	80
192	Gas-permeable composite hollow-fiber membrane with a three-layered structure. <i>Journal of Membrane Science</i> , 2014, 467, 175-187.	8.2	6
193	Thin Ionic Liquid Membranes Based on Inorganic Supports with Different Pore Sizes. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 8045-8056.	3.7	65
194	Supercritical water gasification of ethanol fermentation residue of seaweed: effect of sodium chloride salt. <i>International Journal of Nano and Biomaterials</i> , 2014, 5, 3.	0.1	0
195	Ammonia Decomposition in Catalytic Membrane Reactors. , 2014, , 1-3.		0
196	Ammonia decomposition in catalytic membrane reactors: Simulation and experimental studies. <i>AIChE Journal</i> , 2013, 59, 168-179.	3.6	63
197	Multilayered polyamide membranes by spray-assisted 2-step interfacial polymerization for increased performance of trimesoyl chloride (TMC)/m-phenylenediamine (MPD)-derived polyamide membranes. <i>Journal of Membrane Science</i> , 2013, 446, 504-512.	8.2	48
198	Sol-gel spin coating process to fabricate a new type of uniform and thin organosilica coating on polysulfone film. <i>Materials Letters</i> , 2013, 109, 130-133.	2.6	15

#	ARTICLE	IF	CITATIONS
199	Reverse osmosis performance of organosilica membranes and comparison with the pervaporation and gas permeation properties. <i>AIChE Journal</i> , 2013, 59, 1298-1307.	3.6	53
200	Hydrogen Permeation Properties and Hydrothermal Stability of Sol-gel-Derived Amorphous Silica Membranes Fabricated at High Temperatures. <i>Journal of the American Ceramic Society</i> , 2013, 96, 2950-2957.	3.8	35
201	Methylcyclohexane Dehydrogenation in Catalytic Membrane Reactors for Efficient Hydrogen Production. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 13325-13332.	3.7	26
202	Micropore size estimation on gas separation membranes: A study in experimental and molecular dynamics. <i>AIChE Journal</i> , 2013, 59, 2179-2194.	3.6	47
203	Control of Pd dispersion in sol-gel-derived amorphous silica membranes for hydrogen separation at high temperatures. <i>Journal of Membrane Science</i> , 2013, 439, 78-86.	8.2	39
204	Pore size control of Al-doping into bis (triethoxysilyl) methane (BTESM)-derived membranes for improved gas permeation properties. <i>RSC Advances</i> , 2013, 3, 12080.	3.6	11
205	Molecular dynamics simulation study on characterization of bis(triethoxysilyl)-ethane and bis(triethoxysilyl)ethylene derived silica-based membranes. <i>Desalination and Water Treatment</i> , 2013, 51, 5248-5253.	1.0	9
206	Characterization and gas permeation properties of amorphous silica membranes prepared via plasma enhanced chemical vapor deposition. <i>Journal of Membrane Science</i> , 2013, 441, 45-53.	8.2	46
207	Equilibrium shift of methylcyclohexane dehydrogenation in a thermally stable organosilica membrane reactor for high-purity hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 15302-15306.	7.1	35
208	Pervaporation performance and characterization of organosilica membranes with a tuned pore size by solid-phase HCl post-treatment. <i>Journal of Membrane Science</i> , 2013, 441, 120-128.	8.2	24
209	Tailoring the Affinity of Organosilica Membranes by Introducing Polarizable Ethenylene Bridges and Aqueous Ozone Modification. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 6147-6154.	8.0	46
210	Preparation and characterization of methyl-modified hybrid silica membranes for gas separation. <i>Desalination and Water Treatment</i> , 2013, 51, 5149-5154.	1.0	8
211	Thin dense films from polymer blend of thermoplastic elastomer and polyolefin by uniaxial stretching. <i>Journal of Applied Polymer Science</i> , 2013, 128, 2447-2457.	2.6	2
212	Micropore Filling Phase Permeation of a Condensable Vapor in Silica Membranes: A Molecular Dynamics Study. <i>Journal of Chemical Engineering of Japan</i> , 2013, 46, 659-671.	0.6	9
213	Permeation Model through Subnanoporous Membranes and Pore Size Evaluation based on Normalized Knudsen-based Permeance (NKP). <i>Membrane</i> , 2013, 38, 2-8.	0.0	1
214	Titania Membranes. , 2013, , 1-2.		0
215	Pore-size Tuning of Highly Selective Organic-Inorganic Hybrid Silica Membranes by Solid-phase Post-treatment at Low Temperature. <i>Chemistry Letters</i> , 2012, 41, 1663-1665.	1.3	7
216	Separation of propylene/propane binary mixtures by bis(triethoxysilyl) methane (BTESM)-derived silica membranes fabricated at different calcination temperatures. <i>Journal of Membrane Science</i> , 2012, 415-416, 478-485.	8.2	47

#	ARTICLE	IF	CITATIONS
217	Effect of calcination temperature on the PV dehydration performance of alcohol aqueous solutions through BTESE-derived silica membranes. <i>Journal of Membrane Science</i> , 2012, 415-416, 810-815.	8.2	50
218	Preparation of a novel bimodal catalytic membrane reactor and its application to ammonia decomposition for CO _x -free hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 12105-12113.	7.1	54
219	Pervaporation of acetic acid aqueous solutions by organosilica membranes. <i>Journal of Membrane Science</i> , 2012, 421-422, 25-31.	8.2	54
220	Organic-Inorganic Hybrid Silica Membranes with Controlled Silica Network Size for Propylene/Propane Separation. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 944-953.	3.7	95
221	Gas permeation properties of silica membranes with uniform pore sizes derived from polyhedral oligomeric silsesquioxane. <i>AIChE Journal</i> , 2012, 58, 1733-1743.	3.6	45
222	Synthesis and Characterization of Microporous ZrO ₂ Membranes for Gas Permeation at 200°C. <i>Separation Science and Technology</i> , 2011, 46, 1224-1230.	2.5	26
223	2-Step plasma-enhanced CVD for low-temperature fabrication of silica membranes with high gas-separation performance. <i>Chemical Communications</i> , 2011, 47, 8070.	4.1	39
224	Gas Permeation Properties of Helium, Hydrogen, and Polar Molecules Through Microporous Silica Membranes at High Temperatures. <i>Membrane Science and Technology</i> , 2011, 14, 117-136.	0.5	3
225	Development of Robust Organosilica Membranes for Reverse Osmosis. <i>Langmuir</i> , 2011, 27, 13996-13999.	3.5	118
226	Highly enhanced ammonia decomposition in a bimodal catalytic membrane reactor for CO-free hydrogen production. <i>Catalysis Communications</i> , 2011, 15, 60-63.	3.3	57
227	Evaluation and fabrication of pore-size-tuned silica membranes with tetraethoxydimethyl disiloxane for gas separation. <i>AIChE Journal</i> , 2011, 57, 2755-2765.	3.6	119
228	Development of Metal-doped Silica Membranes for Increased Hydrothermal Stability and Their Applications to Membrane Reactors for Steam Reforming of Methane. <i>Journal of the Japan Petroleum Institute</i> , 2011, 54, 277-286.	0.6	23
229	Molecular simulation of micro-structures and gas diffusion behavior of organic-inorganic hybrid amorphous silica membranes. <i>Journal of Membrane Science</i> , 2011, 381, 90-101.	8.2	47
230	Pore-size-controlled silica membranes with disiloxane alkoxides for gas separation. <i>Journal of Membrane Science</i> , 2011, 383, 152-158.	8.2	36
231	Co-solvent-mediated synthesis of thin polyamide membranes. <i>Journal of Membrane Science</i> , 2011, 384, 10-16.	8.2	116
232	Preparation of hydrophobic nanoporous methylated SiO ₂ membranes and application to nanofiltration of hexane solutions. <i>Journal of Membrane Science</i> , 2011, 384, 149-156.	8.2	43
233	Enhanced performance of inorganic-polyamide nanocomposite membranes prepared by metal-alkoxide-assisted interfacial polymerization. <i>Journal of Membrane Science</i> , 2011, 366, 382-388.	8.2	77
234	Cobalt-doped silica membranes for pervaporation dehydration of ethanol/water solutions. <i>Journal of Membrane Science</i> , 2011, 369, 13-19.	8.2	52

#	ARTICLE	IF	CITATIONS
235	Permeation properties of hydrogen and water vapor through porous silica membranes at high temperatures. <i>AIChE Journal</i> , 2011, 57, 618-629.	3.6	96
236	Pervaporation of methanol/dimethyl carbonate using SiO ₂ membranes with nano-tuned pore sizes and surface chemistry. <i>AIChE Journal</i> , 2011, 57, 2079-2089.	3.6	33
237	Preparation of organic-inorganic hybrid silica membranes using organoalkoxysilanes: The effect of pendant groups. <i>Journal of Membrane Science</i> , 2011, 379, 287-295.	8.2	77
238	Membranes for Separation: Recent Progresses. <i>Journal of Fiber Science and Technology</i> , 2011, 67, P.75-P.80.	0.0	0
239	Characteristics of ammonia permeation through porous silica membranes. <i>AIChE Journal</i> , 2010, 56, 1204-1212.	3.6	41
240	Future Prospect of Inorganic Membranes for Water Treatment. <i>Membrane</i> , 2010, 35, 175-181.	0.0	0
241	Pre-seeding-assisted synthesis of a high performance polyamide-zeolite nanocomposite membrane for water purification. <i>New Journal of Chemistry</i> , 2010, 34, 2101.	2.8	55
242	Prediction of pervaporation performance of aqueous ethanol solutions by nanoporometry characterization. <i>Separation and Purification Technology</i> , 2010, 74, 310-317.	7.9	4
243	Organic-inorganic hybrid silica membranes with controlled silica network size: Preparation and gas permeation characteristics. <i>Journal of Membrane Science</i> , 2010, 348, 310-318.	8.2	133
244	Preparation of organic/inorganic hybrid silica using methyltriethoxysilane and tetraethoxysilane as co-precursors. <i>Journal of Sol-Gel Science and Technology</i> , 2010, 53, 93-99.	2.4	28
245	Controlled synthesis of high performance polyamide membrane with thin dense layer for water desalination. <i>Journal of Membrane Science</i> , 2010, 362, 76-80.	8.2	169
246	Zeolite nanocrystals prepared from zeolite microparticles by a centrifugation-assisted grinding method. <i>Chemical Engineering and Processing: Process Intensification</i> , 2010, 49, 809-814.	3.6	29
247	Preparation of hydrogen separation membranes using disiloxane compounds. <i>Desalination and Water Treatment</i> , 2010, 17, 120-126.	1.0	5
248	Aseania 2009 Recent Progresses in Membrane Science and Technology Fifth Conference of the Aseanian Membrane Society 12-14 July 2009, Kobe, Japan. <i>Desalination and Water Treatment</i> , 2010, 17, 1-1.	1.0	1
249	Preparation of nanoporous inorganic membrane on supports with graded structure. <i>Desalination and Water Treatment</i> , 2010, 17, 99-105.	1.0	5
250	Extremely thin Pd-silica mixed-matrix membranes with nano-dispersion for improved hydrogen permeability. <i>Chemical Communications</i> , 2010, 46, 6171.	4.1	41
251	A molecular dynamics simulation of a homogeneous organic-inorganic hybrid silica membrane. <i>Chemical Communications</i> , 2010, 46, 9140.	4.1	63
252	Prediction of pervaporation performance of aqueous ethanol solutions based on single gas permeation. <i>Desalination and Water Treatment</i> , 2010, 17, 106-112.	1.0	3

#	ARTICLE	IF	CITATIONS
253	Permeation Characteristics of Electrolytes and Neutral Solutes through Titania Nanofiltration Membranes at High Temperatures. <i>Langmuir</i> , 2010, 26, 10897-10905.	3.5	57
254	Molecular Dynamics Simulation Study of Bimodal Porous Structure and Gas Permeation Properties of Microporous Silica Membranes. <i>Kagaku Kogaku Ronbunshu</i> , 2010, 36, 174-180.	0.3	1
255	Hydrogen Permeation Performance and Hydrothermal Stability for Sol-gel Derived Pd-doped Silica Membranes. <i>Kagaku Kogaku Ronbunshu</i> , 2010, 36, 472-479.	0.3	5
256	Model Analysis of Separation Performance of Commercial Nanofiltration Membranes Improved by Tannic Acid. <i>Journal of Chemical Engineering of Japan</i> , 2009, 42, 95-106.	0.6	4
257	Pervaporation of water/ethanol mixtures through microporous silica membranes. <i>Separation and Purification Technology</i> , 2009, 66, 479-485.	7.9	44
258	Design of Silica Networks for Development of Highly Permeable Hydrogen Separation Membranes with Hydrothermal Stability. <i>Journal of the American Chemical Society</i> , 2009, 131, 414-415.	13.7	222
259	Preparation of Palladium Membrane for Hydrogen Separation by Self-Tuning Photocatalytic Deposition. <i>Kagaku Kogaku Ronbunshu</i> , 2009, 35, 232-238.	0.3	1
260	Membrane reactor performance of steam reforming of methane using hydrogen-permselective catalytic SiO ₂ membranes. <i>Journal of Membrane Science</i> , 2008, 316, 53-62.	8.2	67
261	Nano/subnano-tuning of porous ceramic membranes for molecular separation. <i>Journal of Sol-Gel Science and Technology</i> , 2008, 46, 349-361.	2.4	138
262	Nanoporous titania membranes for permeation and filtration of organic solutions. <i>Desalination</i> , 2008, 233, 1-9.	8.2	47
263	MD simulation studies for effect of membrane structures and dynamics on gas permeation properties through microporous amorphous silica membranes. <i>Desalination</i> , 2008, 233, 333-341.	8.2	11
264	Characterization of Co-doped Silica for Improved Hydrothermal Stability and Application to Hydrogen Separation Membranes at High Temperatures. <i>Journal of the American Ceramic Society</i> , 2008, 91, 2975-2981.	3.8	162
265	Gas Permeation Characteristics of Metal Doped Microporous Silica Membranes for CO ₂ Separation Prepared by Metal Salt-added Sol-gel Processing. <i>Membrane</i> , 2007, 32, 45-53.	0.0	1
266	A molecular dynamics simulation of pressure-driven gas permeation in a micropore potential field on silica membranes. <i>Journal of Membrane Science</i> , 2007, 293, 81-93.	8.2	35
267	Recent Development of Hydrogen Separation Membranes Prepared by Sol-Gel Processing. <i>Membrane</i> , 2006, 31, 258-262.	0.0	1
268	Photocatalytic Membrane Reactor for Enhanced Performance. <i>Membrane</i> , 2006, 31, 32-33.	0.0	0
269	A bimodal catalytic membrane having a hydrogen-permselective silica layer on a bimodal catalytic support: Preparation and application to the steam reforming of methane. <i>Applied Catalysis A: General</i> , 2006, 302, 78-85.	4.3	52
270	A photocatalytic membrane reactor for VOC decomposition using Pt-modified titanium oxide porous membranes. <i>Journal of Membrane Science</i> , 2006, 280, 156-162.	8.2	41

#	ARTICLE	IF	CITATIONS
271	Pervaporation characteristics of aqueous organic solutions with microporous SiO ₂ -ZrO ₂ membranes: Experimental study on separation mechanism. <i>Journal of Membrane Science</i> , 2006, 284, 205-213.	8.2	57
272	Reverse osmosis of nonaqueous solutions through porous silica-zirconia membranes. <i>AIChE Journal</i> , 2006, 52, 522-531.	3.6	38
273	Transport Properties of Condensable and Non-condensable Gas Mixtures through Microporous Silica Membranes Studied with Molecular Dynamics Simulation. <i>Kagaku Kogaku Ronbunshu</i> , 2006, 32, 11-17.	0.3	2
274	Preparation of porous Carbon Membranes from Phenolic resin. <i>Membrane</i> , 2005, 30, 339-343.	0.0	0
275	Photocatalytic Membrane Reaction of Methylene Blue on Nanoporous Titania Membranes. <i>Kagaku Kogaku Ronbunshu</i> , 2005, 31, 108-114.	0.3	4
276	Zeolites: <i>Separation Science</i> , 2004, , 1617-1622.		1
277	Permeation of nonaqueous solution through organic/inorganic hybrid nanoporous membranes. <i>AIChE Journal</i> , 2004, 50, 1080-1087.	3.6	29
278	Methane steam reforming by microporous catalytic membrane reactors. <i>AIChE Journal</i> , 2004, 50, 2794-2805.	3.6	143
279	Molecular dynamics study of gas permeation through amorphous silica network and inter-particle pores on microporous silica membranes. <i>Molecular Physics</i> , 2004, 102, 191-202.	1.7	30
280	Simulation of Catalytic Membrane Reaction for Methane Reforming Using a Microporous Hydrogen Separation Membrane. <i>Kagaku Kogaku Ronbunshu</i> , 2004, 30, 346-352.	0.3	2
281	Characterization of sol-gel derived membranes and zeolite membranes by nanoporometry. <i>Separation and Purification Technology</i> , 2003, 32, 23-27.	7.9	57
282	Condensable vapor permeation through microporous silica membranes studied with molecular dynamics simulation. <i>Separation and Purification Technology</i> , 2003, 32, 231-237.	7.9	18
283	A photocatalytic membrane reactor for gas-phase reactions using porous titanium oxide membranes. <i>Catalysis Today</i> , 2003, 82, 41-48.	4.4	42
284	Titanium phosphorus oxide membranes for proton conduction at intermediate temperatures. <i>Solid State Ionics</i> , 2003, 158, 343-350.	2.7	23
285	Inorganic porous membranes for nanofiltration of nonaqueous solutions. <i>Separation and Purification Technology</i> , 2003, 32, 105-109.	7.9	58
286	Photocatalytic Membrane Reactor Using Porous Titanium Oxide Membranes. <i>Journal of Chemical Engineering of Japan</i> , 2003, 36, 1063-1069.	0.6	5
287	Gas Permeation Properties and Methylation of Toluene by MFI Zeolite Membranes with Different Si/Al Ratios. <i>Kagaku Kogaku Ronbunshu</i> , 2003, 29, 427-431.	0.3	1
288	Gas Permeation Characteristics and Stability of Composite Silica-Metal Oxide Membranes. <i>Materials Research Society Symposia Proceedings</i> , 2002, 752, 1.	0.1	7

#	ARTICLE	IF	CITATIONS
289	Structurally Composite Membranes of Titanium Oxide and Titanium Phosphorus Oxide for Proton Conduction at Intermediate Temperatures. Materials Research Society Symposia Proceedings, 2002, 752, 1.	0.1	0
290	Organic/inorganic Nanohybrid Membranes for Nanofiltration of Nonaqueous Solutions. Materials Research Society Symposia Proceedings, 2002, 752, 1.	0.1	1
291	Gas permeation properties of MFI zeolite membranes prepared by the secondary growth of colloidal silicalite and application to the methylation of toluene. Microporous and Mesoporous Materials, 2002, 54, 257-268.	4.4	73
292	Effect of divalent cations on permeate volume flux through porous titania membranes. Desalination, 2002, 147, 213-216.	8.2	23
293	INORGANIC POROUS MEMBRANES FOR LIQUID PHASE SEPARATION. Separation and Purification Reviews, 2001, 30, 191-220.	0.8	137
294	Photocatalytic Reactions in a Filtration System through Porous Titanium Dioxide Membranes.. Journal of Chemical Engineering of Japan, 2001, 34, 844-847.	0.6	24
295	Hydrothermal Stability and Performance of Silica-Zirconia Membranes for Hydrogen Separation in Hydrothermal Conditions.. Journal of Chemical Engineering of Japan, 2001, 34, 523-530.	0.6	148
296	Nanofiltration in non-aqueous solutions by porous silica-zirconia membranes. Journal of Membrane Science, 2001, 185, 253-261.	8.2	87
297	Permporometry characterization of microporous ceramic membranes. Journal of Membrane Science, 2001, 186, 257-265.	8.2	151
298	Experimental studies of gas permeation through microporous silica membranes. AIChE Journal, 2001, 47, 2052-2063.	3.6	105
299	CATALYTIC MEMBRANE REACTION FOR METHANE STEAM REFORMING USING POROUS SILICA MEMBRANES. Separation Science and Technology, 2001, 36, 3721-3736.	2.5	55
300	Titania membranes for liquid phase separation: effect of surface charge on flux. Separation and Purification Technology, 2001, 25, 307-314.	7.9	86
301	Molecular dynamics studies on gas permeation properties through microporous silica membranes. Separation and Purification Technology, 2001, 25, 441-449.	7.9	34
302	Development of Silica-Zirconia Membrane for Hydrogen Separation at High Temperature and Effect of Zirconia Content on Hydrogen Permeation.. Kagaku Kogaku Ronbunshu, 2001, 27, 106-112.	0.3	5
303	An Application of Silica-Zirconia Membrane for Hydrogen Separation to Membrane Reactor.. Kagaku Kogaku Ronbunshu, 2001, 27, 657-660.	0.3	6
304	Permeation of Liquids through Inorganic Nanofiltration Membranes. Journal of Colloid and Interface Science, 2000, 228, 292-296.	9.4	85
305	Temperature effect on transport performance by inorganic nanofiltration membranes. AIChE Journal, 2000, 46, 565-574.	3.6	116
306	Preparation of microporous membranes by TEOS/O ₃ CVD in the opposing reactants geometry. Microporous and Mesoporous Materials, 2000, 37, 145-152.	4.4	78

#	ARTICLE	IF	CITATIONS
307	Preparation of hollow-fiber membranes by plasma-graft filling polymerization for organic-liquid separation. <i>Journal of Membrane Science</i> , 2000, 170, 61-70.	8.2	23
308	Analysis of Linear Macromolecule Transport through Aluminum Anodic Oxide Membranes by Pore Model.. <i>Journal of Chemical Engineering of Japan</i> , 2000, 33, 141-151.	0.6	7
309	Reverse Osmosis Performance at High Pressure with High Water Recovery.. <i>Journal of Chemical Engineering of Japan</i> , 2000, 33, 414-419.	0.6	3
310	Recovery of spent electroless nickel plating bath by electrodialysis. <i>Journal of Membrane Science</i> , 1999, 157, 241-249.	8.2	57
311	Ion separation by porous silica-zirconia nanofiltration membranes. <i>AIChE Journal</i> , 1998, 44, 765-768.	3.6	52
312	Silica-zirconia membranes for nanofiltration. <i>Journal of Membrane Science</i> , 1998, 149, 127-135.	8.2	97
313	Membrane Design for Pervaporation or Vapor Permeation Separation Using a Filling-Type Membrane Concept. <i>Industrial & Engineering Chemistry Research</i> , 1998, 37, 177-184.	3.7	35
314	The electrostatic and steric-hindrance model for the transport of charged solutes through nanofiltration membranes. <i>Journal of Membrane Science</i> , 1997, 135, 19-32.	8.2	310
315	Transport of organic electrolytes with electrostatic and steric-hindrance effects through nanofiltration membranes.. <i>Journal of Chemical Engineering of Japan</i> , 1995, 28, 372-380.	0.6	64
316	Evaluation of pore structure and electrical properties of nanofiltration membranes.. <i>Journal of Chemical Engineering of Japan</i> , 1995, 28, 186-192.	0.6	178
317	Permeators and continuous membrane columns with retentate recycle. <i>Journal of Membrane Science</i> , 1995, 98, 57-67.	8.2	20
318	Electrolyte transport through nanofiltration membranes by the space-charge model and the comparison with Teorell-Meyer-Sievers model. <i>Journal of Membrane Science</i> , 1995, 103, 117-133.	8.2	219
319	Ion separation by bipolar membranes in reverse osmosis. <i>Journal of Membrane Science</i> , 1995, 108, 269-278.	8.2	35
320	Evaluation of retentate recycle effect on enrichment of less permeable gas component in a membrane permeator. <i>Journal of Membrane Science</i> , 1994, 94, 213-224.	8.2	7
321	Production of high-purity oxygen by continuous membrane column combined with PSA oxygen generator. <i>Industrial & Engineering Chemistry Research</i> , 1994, 33, 311-316.	3.7	13
322	Peptide and Amino Acid Separation with Nanofiltration Membranes. <i>Separation Science and Technology</i> , 1994, 29, 971-984.	2.5	111
323	Bipolar reverse osmosis membrane for separating mono-and divalent ions. <i>Journal of Membrane Science</i> , 1992, 70, 153-162.	8.2	46
324	Calculation of ion rejection by extended Nernst-Planck equation with charged reverse osmosis membranes for single and mixed electrolyte solutions.. <i>Journal of Chemical Engineering of Japan</i> , 1991, 24, 511-517.	0.6	195

#	ARTICLE	IF	CITATIONS
325	Reverse osmosis of single and mixed electrolytes with charged membranes: Experiment and analysis.. Journal of Chemical Engineering of Japan, 1991, 24, 518-524.	0.6	149
326	Permeation equations developed for prediction of membrane performance in pervaporation, vapor permeation and reverse osmosis based on the solution-diffusion model.. Journal of Chemical Engineering of Japan, 1991, 24, 326-333.	0.6	67
327	Membrane transport properties of pervaporation and vapor permeation in ethanol-water system using polyacrylonitrile and cellulose acetate membranes.. Journal of Chemical Engineering of Japan, 1991, 24, 334-339.	0.6	48
328	Negative rejection of anions in the loose reverse osmosis separation of mono- and divalent ion mixtures. Desalination, 1991, 81, 219-227.	8.2	102
329	Effective charge density and pore structure of charged ultrafiltration membranes.. Journal of Chemical Engineering of Japan, 1990, 23, 604-610.	0.6	45
330	Separation of proteins by charged ultrafiltration membranes. Desalination, 1988, 70, 191-205.	8.2	159
331	Separation of amino acids and proteins by electrically enhanced membrane filtrations.. Membrane, 1988, 13, 350-358.	0.0	3
332	Flow transition in a bubble column.. Kagaku Kogaku Ronbunshu, 1987, 13, 474-480.	0.3	7
333	Study on Preparation and Hydrophobicity of MTES Derived Silica Sol and Gel. Advanced Materials Research, 0, 535-537, 2563-2566.	0.3	3
334	Aseania 2009 - Recent Progresses in Membrane Science and Technology Fifth Conference of the Aseanian Membrane Society, 12-14 July 2009, Kobe, Japan. , 0, , 1-1.		0
335	Subnanopore structural change of time-elapsd silica PECVD films elucidated by slow positron annihilation and ellipsometric porosimetry. , 0, , .		0
336	Preparation of amine- and ammonium-containing polysilsesquioxane membranes for CO2 separation. Polymer Journal, 0, , .	2.7	1
337	Design of carbon- ceramic composite membranes with tunable molecular cut-offs from a carboxylic benzoxazine ligand chelated to silica- zirconia. Molecular Systems Design and Engineering, 0, , .	3.4	2