

Deli Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6494121/publications.pdf>

Version: 2024-02-01

88
papers

4,891
citations

109321

35
h-index

95266

68
g-index

88
all docs

88
docs citations

88
times ranked

3506
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface-mediated periodate activation by nano zero-valent iron for the enhanced abatement of organic contaminants. <i>Journal of Hazardous Materials</i> , 2022, 423, 126991.	12.4	53
2	High-valent cobalt-oxo species triggers hydroxyl radical for collaborative environmental decontamination. <i>Applied Catalysis B: Environmental</i> , 2022, 300, 120722.	20.2	52
3	Sequestration of free and chelated Ni(II) by structural Fe(II): Performance and mechanisms. <i>Environmental Pollution</i> , 2022, 292, 118374.	7.5	5
4	Reduced cathodic scale and enhanced electrochemical precipitation of Ca ²⁺ and Mg ²⁺ by a novel fenced cathode structure: Formation of strong alkaline microenvironment and favorable crystallization. <i>Water Research</i> , 2022, 209, 117893.	11.3	15
5	Enhanced phosphate removal by nano-lanthanum hydroxide embedded silica aerogel composites: Superior performance and insights into specific adsorption mechanism. <i>Separation and Purification Technology</i> , 2022, 285, 120365.	7.9	25
6	Molecular understanding of aqueous electrolyte properties and dielectric effect in a CDI system. <i>Chemical Engineering Journal</i> , 2022, 435, 134750.	12.7	5
7	Biodegradation and potential effect of ranitidine during aerobic composting of human feces. <i>Chemosphere</i> , 2022, 296, 134062.	8.2	8
8	Enhancing Brackish Water Desalination using Magnetic Flow-electrode Capacitive Deionization. <i>Water Research</i> , 2022, 216, 118290.	11.3	22
9	Effect of anthraquinone-2,6-disulfonate (AQDS) on anaerobic digestion under ammonia stress: Triggering mediated interspecies electron transfer (MIET). <i>Science of the Total Environment</i> , 2022, 828, 154158.	8.0	12
10	Magnetic array for efficient and stable Flow-electrode capacitive deionization. <i>Chemical Engineering Journal</i> , 2022, 446, 137415.	12.7	10
11	Can flow-electrode capacitive deionization become a new in-situ soil remediation technology for heavy metal removal?. <i>Journal of Hazardous Materials</i> , 2021, 402, 123568.	12.4	39
12	Cu(III) generation and air sparging extend catalytic effectiveness of Cu ₂ S/H ₂ O ₂ from neutral to acidic condition: performance and mechanism in comparison with CuS/H ₂ O ₂ . <i>Journal of Cleaner Production</i> , 2021, 278, 123572.	9.3	22
13	Selective Recovery of Phosphorus from Synthetic Urine Using Flow-Electrode Capacitive Deionization (FCDI)-Based Technology. <i>ACS ES&T Water</i> , 2021, 1, 175-184.	4.6	41
14	Remarkable phosphate recovery from wastewater by a novel Ca/Fe composite: Synergistic effects of crystal structure and abundant oxygen-vacancies. <i>Chemosphere</i> , 2021, 266, 129102.	8.2	20
15	Partial nitrification performance and microbial community evolution in the membrane bioreactor for saline stream treatment. <i>Bioresource Technology</i> , 2021, 320, 124419.	9.6	11
16	Scale-up desalination: Membrane-current collector assembly in flow-electrode capacitive deionization system. <i>Water Research</i> , 2021, 190, 116782.	11.3	34
17	Enhanced Oxidation of Organic Contaminants by Iron(II)-Activated Periodate: The Significance of High-Valent Iron“Oxo Species. <i>Environmental Science & Technology</i> , 2021, 55, 7634-7642.	10.0	208
18	Insight into electrosorption behavior of monovalent ions and their selectivity in capacitive deionization: An atomic level study by molecular dynamics simulation. <i>Chemical Engineering Journal</i> , 2021, 415, 128920.	12.7	16

#	ARTICLE	IF	CITATIONS
19	Mechanistic insight into the generation of high-valent iron-oxo species via peroxymonosulfate activation: An experimental and density functional theory study. <i>Chemical Engineering Journal</i> , 2021, 420, 130477.	12.7	21
20	Membrane-Current Collector-Based Flow-Electrode Capacitive Deionization System: A Novel Stack Configuration for Scale-Up Desalination. <i>Environmental Science & Technology</i> , 2021, 55, 13286-13296.	10.0	5
21	Selective recovery of phosphorus and urea from fresh human urine using a liquid membrane chamber integrated flow-electrode electrochemical system. <i>Water Research</i> , 2021, 202, 117423.	11.3	30
22	Highly selective oxidation of organic contaminants in the Ru(III)-activated peroxymonosulfate process: The dominance of RuVO species. <i>Chemosphere</i> , 2021, 285, 131544.	8.2	13
23	Selective recovery of formic acid from wastewater using an ion-capture electrochemical system integrated with a liquid-membrane chamber. <i>Chemical Engineering Journal</i> , 2021, 425, 131429.	12.7	13
24	MOF-derived metal-free N-doped porous carbon mediated peroxydisulfate activation via radical and non-radical pathways: Role of graphitic N and C O. <i>Chemical Engineering Journal</i> , 2020, 380, 122584.	12.7	124
25	Spherical Cu ₂ O-Fe ₃ O ₄ @chitosan bifunctional catalyst for coupled Cr-organic complex oxidation and Cr(VI) capture-reduction. <i>Chemical Engineering Journal</i> , 2020, 383, 123105.	12.7	43
26	Enhanced mineralization of oxalate by highly active and Stable Ce(III)-Doped g-C ₃ N ₄ catalyzed ozonation. <i>Chemosphere</i> , 2020, 239, 124612.	8.2	50
27	Enhancing the dioxygen activation for arsenic removal by CuO nano-shell-decorated nZVI: Synergistic effects and mechanisms. <i>Chemical Engineering Journal</i> , 2020, 384, 123295.	12.7	36
28	Activation of dissolved molecular oxygen by Cu(0) for bisphenol a degradation: Role of Cu(0) and formation of reactive oxygen species. <i>Chemosphere</i> , 2020, 241, 125034.	8.2	19
29	Nonradical degradation of microorganic pollutants by magnetic N-doped graphitic carbon: A complement to the unactivated peroxymonosulfate. <i>Chemical Engineering Journal</i> , 2020, 392, 123724.	12.7	28
30	Application of Fenton pre-oxidation, Ca-induced coagulation, and sludge reclamation for enhanced treatment of ultra-high concentration poly(vinyl alcohol) wastewater. <i>Journal of Hazardous Materials</i> , 2020, 389, 121866.	12.4	14
31	Unraveling the Overlooked Involvement of High-Valent Cobalt-Oxo Species Generated from the Cobalt(II)-Activated Peroxymonosulfate Process. <i>Environmental Science & Technology</i> , 2020, 54, 16231-16239.	10.0	310
32	Non-selective degradation of organic pollutants via dioxygen activation induced by Fe(II)-tetrapolyphosphate complexes: Identification of reactive oxidant and kinetic modeling. <i>Chemical Engineering Journal</i> , 2020, 398, 125603.	12.7	34
33	Activation of peroxymonosulfate by Fe ₀ @Fe ₃ O ₄ core-shell nanowires for sulfate radical generation: Electron transfer and transformation products. <i>Separation and Purification Technology</i> , 2020, 247, 116942.	7.9	38
34	Sulfate radical-induced destruction of emerging contaminants using traces of cobalt ions as catalysts. <i>Chemosphere</i> , 2020, 256, 127061.	8.2	23
35	Enhancing the degradation of bisphenol A by dioxygen activation using bimetallic Cu/Fe@zeolite: Critical role of Cu(I) and superoxide radical. <i>Separation and Purification Technology</i> , 2020, 253, 117550.	7.9	14
36	Enhanced mineralization of dimethyl phthalate by heterogeneous ozonation over nanostructured Cu-Fe-O surfaces: Synergistic effect and radical chain reactions. <i>Separation and Purification Technology</i> , 2019, 209, 588-597.	7.9	55

#	ARTICLE	IF	CITATIONS
37	The role of structural elements and its oxidative products on the surface of ferrous sulfide in reducing the electron-withdrawing groups of tetracycline. <i>Chemical Engineering Journal</i> , 2019, 378, 122195.	12.7	24
38	TiO ₂ and SiO ₂ Nanoparticles Combined with Surfactants Mitigate the Toxicity of Cd ²⁺ to Wheat Seedlings. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1.	2.4	9
39	A crosslinking-induced precipitation process for the simultaneous removal of poly(vinyl alcohol) and reactive dye: The importance of covalent bond forming and magnesium coagulation. <i>Chemical Engineering Journal</i> , 2019, 374, 904-913.	12.7	68
40	Comparative performance of green rusts generated in Fe ⁰ -electrocoagulation for Cd ²⁺ removal from high salinity wastewater: Mechanisms and optimization. <i>Journal of Environmental Management</i> , 2019, 237, 495-503.	7.8	12
41	Role of reactive oxygen species in As(III) oxidation by carbonate structural Fe(II): A surface-mediated pathway. <i>Chemical Engineering Journal</i> , 2019, 368, 980-987.	12.7	22
42	Initial dissolved oxygen-adjusted electrochemical generation of sulfate green rust for cadmium removal using a closed-atmosphere Fe ⁰ -electrocoagulation system. <i>Chemical Engineering Journal</i> , 2019, 359, 1411-1418.	12.7	28
43	Cu(II)-enhanced activation of molecular oxygen using Fe(II): Factors affecting the yield of oxidants. <i>Chemosphere</i> , 2019, 221, 383-391.	8.2	8
44	Factors and mechanisms that influence the reactivity of trivalent copper: A novel oxidant for selective degradation of antibiotics. <i>Water Research</i> , 2019, 149, 1-8.	11.3	64
45	Highly efficient degradation of dimethyl phthalate from Cu(II) and dimethyl phthalate wastewater by EDTA enhanced ozonation: Performance, intermediates and mechanism. <i>Journal of Hazardous Materials</i> , 2019, 366, 378-385.	12.4	33
46	Activation of persulfate with metal-organic framework-derived nitrogen-doped porous Co@C nanoboxes for highly efficient p-Chloroaniline removal. <i>Chemical Engineering Journal</i> , 2019, 358, 408-418.	12.7	177
47	Enhanced As(III) Sequestration Using Sulfide-Modified Nano-Scale Zero-Valent Iron with a Characteristic Core-Shell Structure: Sulfidation and As Distribution. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3039-3048.	6.7	85
48	Activation of Persulfates Using Siderite as a Source of Ferrous Ions: Sulfate Radical Production, Stoichiometric Efficiency, and Implications. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 3624-3631.	6.7	67
49	Degradation of 1,4-dioxane via controlled generation of radicals by pyrite-activated oxidants: Synergistic effects, role of disulfides, and activation sites. <i>Chemical Engineering Journal</i> , 2018, 336, 416-426.	12.7	77
50	Facile synthesis of highly reactive and stable Fe-doped g-C ₃ N ₄ composites for peroxymonosulfate activation: A novel nonradical oxidation process. <i>Journal of Hazardous Materials</i> , 2018, 354, 63-71.	12.4	154
51	Mackinawite (FeS) activation of persulfate for the degradation of p-chloroaniline: Surface reaction mechanism and sulfur-mediated cycling of iron species. <i>Chemical Engineering Journal</i> , 2018, 333, 657-664.	12.7	234
52	Continuous-flow ozonation over modified ceramsite: implications for the degradation of cation red x-GRL. <i>Water Science and Technology</i> , 2018, 78, 2577-2585.	2.5	2
53	Supported palladium nanoparticles as highly efficient catalysts for radical production: Support-dependent synergistic effects. <i>Chemosphere</i> , 2018, 207, 27-32.	8.2	9
54	Applicability study on the degradation of acetaminophen via an H ₂ O ₂ /PDS-based advanced oxidation process using pyrite. <i>Chemosphere</i> , 2018, 212, 438-446.	8.2	42

#	ARTICLE	IF	CITATIONS
55	Oxidation of acetaminophen by Green rust coupled with Cu(II) via dioxygen activation: The role of various interlayer anions (CO ₃ ²⁻ , SO ₄ ²⁻ , Cl ⁻). <i>Chemical Engineering Journal</i> , 2018, 350, 930-938.	12.7	16
56	Rapid Selective Circumneutral Degradation of Phenolic Pollutants Using Peroxymonosulfate-Iodide Metal-Free Oxidation: Role of Iodine Atoms. <i>Environmental Science & Technology</i> , 2017, 51, 2312-2320.	10.0	86
57	Immobilization of selenite from aqueous solution by structural ferrous hydroxide complexes. <i>RSC Advances</i> , 2017, 7, 13398-13405.	3.6	10
58	Degradation of contaminants by Cu + -activated molecular oxygen in aqueous solutions: Evidence for cupryl species (Cu ³⁺). <i>Journal of Hazardous Materials</i> , 2017, 331, 81-87.	12.4	99
59	Surface-bound sulfate radical-dominated degradation of 1,4-dioxane by alumina-supported palladium (Pd/Al ₂ O ₃) catalyzed peroxymonosulfate. <i>Water Research</i> , 2017, 120, 12-21.	11.3	172
60	Ozonation of dimethyl phthalate catalyzed by highly active Cu ⁰ -Fe ₃ O ₄ nanoparticles prepared with zero-valent iron as the innovative precursor. <i>Environmental Pollution</i> , 2017, 227, 73-82.	7.5	38
61	Enhanced degradation of chloramphenicol at alkaline conditions by S(II) assisted heterogeneous Fenton-like reactions using pyrite. <i>Chemosphere</i> , 2017, 188, 557-566.	8.2	95
62	A metal-free method of generating sulfate radicals through direct interaction of hydroxylamine and peroxymonosulfate: Mechanisms, kinetics, and implications. <i>Chemical Engineering Journal</i> , 2017, 330, 906-913.	12.7	68
63	Opposite effects of dissolved oxygen on the removal of As(III) and As(V) by carbonate structural Fe(II). <i>Scientific Reports</i> , 2017, 7, 17015.	3.3	26
64	Mineral transformation of structural Fe(II) hydroxides with O ₂ , Cu(II), Cr(VI) and NO ₂ ⁻ for enhanced arsenite sequestration. <i>Chemical Engineering Journal</i> , 2017, 311, 247-254.	12.7	9
65	Magnetic pyrite cinder as an efficient heterogeneous ozonation catalyst and synergetic effect of deposited Ce. <i>Chemosphere</i> , 2016, 155, 127-134.	8.2	23
66	Continuous Bulk FeCuC Aerogel with Ultradispersed Metal Nanoparticles: An Efficient 3D Heterogeneous Electro-Fenton Cathode over a Wide Range of pH 3-9. <i>Environmental Science & Technology</i> , 2016, 50, 5225-5233.	10.0	193
67	Red mud powders as low-cost and efficient catalysts for persulfate activation: Pathways and reusability of mineralizing sulfadiazine. <i>Separation and Purification Technology</i> , 2016, 167, 136-145.	7.9	62
68	Advantages of aeration in arsenic removal and arsenite oxidation by structural Fe(II) hydroxides in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 506, 703-710.	4.7	35
69	Aqueous nickel sequestration and release during structural Fe(II) hydroxide remediation: the roles of coprecipitation, reduction and substitution. <i>RSC Advances</i> , 2016, 6, 85347-85354.	3.6	1
70	Novel iron metal matrix composite reinforced by quartz sand for the effective dechlorination of aqueous 2-chlorophenol. <i>Chemosphere</i> , 2016, 146, 308-314.	8.2	18
71	Sulfate Radical-Mediated Degradation of Sulfadiazine by CuFeO ₂ Rhombohedral Crystal-Catalyzed Peroxymonosulfate: Synergistic Effects and Mechanisms. <i>Environmental Science & Technology</i> , 2016, 50, 3119-3127.	10.0	563
72	Sequestration of chelated copper by structural Fe(II): Reductive decomplexation and transformation of CuII-EDTA. <i>Journal of Hazardous Materials</i> , 2016, 309, 116-125.	12.4	30

#	ARTICLE	IF	CITATIONS
73	Enhanced oxidation of chloramphenicol by GLDA-driven pyrite induced heterogeneous Fenton-like reactions at alkaline condition. <i>Chemical Engineering Journal</i> , 2016, 294, 49-57.	12.7	71
74	Enhanced mineralization of aqueous Reactive Black 5 by catalytic ozonation in the presence of modified GAC. <i>Desalination and Water Treatment</i> , 2016, 57, 14997-15006.	1.0	3
75	Sequestration of hexavalent chromium by Fe(II)/Fe(III) hydroxides: Structural Fe(II) reactivity and PO ₄ ³⁻ effect. <i>Chemical Engineering Journal</i> , 2016, 283, 948-955.	12.7	32
76	Pyrite-enhanced degradation of chloramphenicol by low concentrations of H ₂ O ₂ . <i>Water Science and Technology</i> , 2015, 72, 180-186.	2.5	5
77	Efficient degradation of sulfamethazine with CuCo ₂ O ₄ spinel nanocatalysts for peroxymonosulfate activation. <i>Chemical Engineering Journal</i> , 2015, 280, 514-524.	12.7	261
78	Denitrification of nitrite by ferrous hydroxy complex: Effects on nitrous oxide and ammonium formation. <i>Chemical Engineering Journal</i> , 2015, 279, 149-155.	12.7	25
79	Ferric iron enhanced chloramphenicol oxidation in pyrite (FeS ₂) induced Fenton-like reactions. <i>Separation and Purification Technology</i> , 2015, 154, 60-67.	7.9	39
80	Effects of Cu ²⁺ , Ag ⁺ , and Pd ²⁺ on the reductive debromination of 2,5-dibromoaniline by the ferrous hydroxy complex. <i>Environmental Technology (United Kingdom)</i> , 2015, 36, 901-908.	2.2	3
81	Pyrite cinder as a cost-effective heterogeneous catalyst in heterogeneous Fenton reaction: decomposition of H ₂ O ₂ and degradation of Acid Red B. <i>Water Science and Technology</i> , 2014, 70, 1548-1554.	2.5	2
82	Synthesis of ordered mesoporous iron manganese bimetal oxides for arsenic removal from aqueous solutions. <i>Microporous and Mesoporous Materials</i> , 2014, 200, 235-244.	4.4	91
83	Electrochemical reductive degradation of chlorobenzene using galvanically replaced Pd/Fe nanoscale particles. <i>Chemical Engineering Journal</i> , 2014, 241, 376-383.	12.7	21
84	Oxidation of Azo Dyes by H ₂ O ₂ in Presence of Natural Pyrite. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	2.4	30
85	Electrochemical study of nitrobenzene reduction on galvanically replaced nanoscale Fe/Au particles. <i>Journal of Hazardous Materials</i> , 2011, 197, 424-429.	12.4	38
86	Effect of struvite seed crystal on MAP crystallization. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 1394-1398.	3.2	28
87	Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. <i>Applied Catalysis B: Environmental</i> , 2009, 91, 434-440.	20.2	95
88	Electrochemical reductive dechlorination of carbon tetrachloride on nanostructured Pd thin films. <i>Electrochemistry Communications</i> , 2008, 10, 1474-1477.	4.7	20