
Rosandra N Kaplan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6501371/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Melanoma exosomes educate bone marrow progenitor cells toward a pro-metastatic phenotype through MET. Nature Medicine, 2012, 18, 883-891.	30.7	3,098
2	VEGFR1-positive haematopoietic bone marrow progenitors initiate the pre-metastatic niche. Nature, 2005, 438, 820-827.	27.8	2,841
3	4-1BB costimulation ameliorates T cell exhaustion induced by tonic signaling of chimeric antigen receptors. Nature Medicine, 2015, 21, 581-590.	30.7	1,304
4	Pre-metastatic niches: organ-specific homes for metastases. Nature Reviews Cancer, 2017, 17, 302-317.	28.4	1,272
5	Preparing the "Soilâ€: The Premetastatic Niche. Cancer Research, 2006, 66, 11089-11093.	0.9	582
6	Disruption of CXCR2-Mediated MDSC Tumor Trafficking Enhances Anti-PD1 Efficacy. Science Translational Medicine, 2014, 6, 237ra67.	12.4	579
7	KLF4-dependent perivascular cell plasticity mediates pre-metastatic niche formation and metastasis. Nature Medicine, 2017, 23, 1176-1190.	30.7	162
8	Genetically engineered myeloid cells rebalance the core immune suppression program in metastasis. Cell, 2021, 184, 2033-2052.e21.	28.9	107
9	MultiDimensional ClinOmics for Precision Therapy of Children and Adolescent Young Adults with Relapsed and Refractory Cancer: A Report from the Center for Cancer Research. Clinical Cancer Research, 2016, 22, 3810-3820.	7.0	99
10	ld1 suppresses anti-tumour immune responses and promotes tumour progression by impairing myeloid cell maturation. Nature Communications, 2015, 6, 6840.	12.8	87
11	New fusion sarcomas: histopathology and clinical significance of selected entities. Human Pathology, 2019, 86, 57-65.	2.0	63
12	Elutriated lymphocytes for manufacturing chimeric antigen receptor T cells. Journal of Translational Medicine, 2017, 15, 59.	4.4	61
13	ld1 Represses Osteoclast-Dependent Transcription and Affects Bone Formation and Hematopoiesis. PLoS ONE, 2009, 4, e7955.	2.5	29
14	Differential diagnosis and management of thrombocytopenia in childhood. Pediatric Clinics of North America, 2004, 51, 1109-1140.	1.8	26
15	Anaplastic Lymphoma Kinase Gene Rearrangement in Children and Young Adults With Mesothelioma. Journal of Thoracic Oncology, 2020, 15, 457-461.	1.1	24
16	Infectious complications of CAR T-cell therapy across novel antigen targets in the first 30 days. Blood Advances, 2021, 5, 5312-5322.	5.2	24
17	CAR TÂcells targeting tumor-associated exons of glypican 2 regress neuroblastoma in mice. Cell Reports Medicine, 2021, 2, 100297.	6.5	18
18	The functional interplay between systemic cancer and the hematopoietic stem cell niche. , 2016, 168, 53-60.		16

Rosandra N Kaplan

#	Article	IF	CITATIONS
19	Tumor Mutation Burden, Expressed Neoantigens and the Immune Microenvironment in Diffuse Gliomas. Cancers, 2021, 13, 6092.	3.7	14
20	Pediatric PK/PD Phase I Trial of Pexidartinib in Relapsed and Refractory Leukemias and Solid Tumors Including Neurofibromatosis Type I–Related Plexiform Neurofibromas. Clinical Cancer Research, 2020, 26, 6112-6121.	7.0	13
21	The Immunotherapy Landscape in Adrenocortical Cancer. Cancers, 2021, 13, 2660.	3.7	8
22	Targeting tumor microenvironment and metastasis in children with solid tumors. Current Opinion in Pediatrics, 2022, 34, 53-60.	2.0	7
23	ENABLE (Exportable Notation and Bookmark List Engine): an Interface to Manage Tumor Measurement Data from PACS to Cancer Databases. Journal of Digital Imaging, 2017, 30, 275-286.	2.9	6
24	Infectious Complications Associated with CAR T-Cell Therapy. Blood, 2019, 134, 4449-4449.	1.4	6
25	Phase I study of pexidartinib (PLX3397) in children with refractory leukemias and solid tumors including neurofibromatosis type I (NF1) related plexiform neurofibromas (PN) Journal of Clinical Oncology, 2017, 35, 10546-10546.	1.6	5
26	Ataxia telangiectasia mutated germline pathogenic variant in adrenocortical carcinoma. Cancer Genetics, 2021, 256-257, 21-25.	0.4	4
27	Phase 1 trial of lyso-thermosensitive liposomal doxorubicin (LTLD) and magnetic resonance guided high intensity focused ultrasound (MR-HIFU) for pediatric refractory solid tumors Journal of Clinical Oncology, 2017, 35, TPS10579-TPS10579.	1.6	4
28	Mapping the switch that drives the pre-metastatic niche. Nature Cancer, 2020, 1, 577-579.	13.2	3
29	Results of a phase I trial of ganitumab plus dasatinib in patients with rhabdomyosarcoma (RMS) Journal of Clinical Oncology, 2022, 40, 11561-11561.	1.6	2
30	Exploring the Earliest Steps in Metastasis: The Pre-metastatic Niche. , 0, , 199-203.		0
31	EPEN-26. Chemokine receptor blockade reverses CCL2 mediated immunosuppression and restores CAR-T cell function in posterior fossa ependymoma. Neuro-Oncology, 2022, 24, i44-i44.	1.2	0