

# Guy A Rutter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/650738/publications.pdf>

Version: 2024-02-01

336  
papers

21,013  
citations

7096

78  
h-index

16650

123  
g-index

369  
all docs

369  
docs citations

369  
times ranked

22455  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Mechanisms of Weight Loss After Obesity Surgery. <i>Endocrine Reviews</i> , 2022, 43, 19-34.   | 20.1 | 43        |
| 2  | Lack of ZnT8 protects pancreatic islets from hypoxia- and cytokine induced cell death. <i>Journal of Endocrinology</i> , 2022, , .   | 2.6  | 6         |
| 3  | Destabilization of $\beta^2$ Cell FIT2 by saturated fatty acids alter lipid droplet numbers and contribute to ER stress and diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2113074119. | 7.1  | 15        |
| 4  | Opposing effects on regulated insulin secretion of acute vs chronic stimulation of AMP-activated protein kinase. <i>Diabetologia</i> , 2022, 65, 997-1011.   | 6.3  | 4         |
| 5  | Autotaxin signaling facilitates $\beta^2$ cell dedifferentiation and dysfunction induced by Sirtuin 3 deficiency. <i>Molecular Metabolism</i> , 2022, 60, 101493.  | 6.5  | 4         |
| 6  | Mitofusins <i>Mfn1</i> and <i>Mfn2</i> Are Required to Preserve Glucose- but Not Incretin-Stimulated $\beta^2$ -Cell Connectivity and Insulin Secretion. <i>Diabetes</i> , 2022, 71, 1472-1489.  | 0.6  | 14        |
| 7  | Glucose-Dependent miR-125b Is a Negative Regulator of $\beta^2$ -Cell Function. <i>Diabetes</i> , 2022, 71, 1525-1545.   | 0.6  | 10        |
| 8  | Homocysteine Metabolism Pathway Is Involved in the Control of Glucose Homeostasis: A Cystathionine Beta Synthase Deficiency Study in Mouse. <i>Cells</i> , 2022, 11, 1737.   | 4.1  | 5         |
| 9  | Vertical Sleeve Gastrectomy Lowers SGLT2/ <i>Slc5a2</i> Expression in the Mouse Kidney. <i>Diabetes</i> , 2022, 71, 1623-1635.   | 0.6  | 2         |
| 10 | In vivo and in vitro characterization of <i>GL0034</i> , a novel long-acting glucagon-like peptide-1 receptor agonist. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2090-2101.  | 4.4  | 4         |
| 11 | Adipocyte-specific deletion of <i>Tcf7l2</i> induces dysregulated lipid metabolism and impairs glucose tolerance in mice. <i>Diabetologia</i> , 2021, 64, 129-141.   | 6.3  | 17        |
| 12 | Genetic and biased agonist-mediated reductions in $\beta^2$ -arrestin recruitment prolong cAMP signaling at glucagon family receptors. <i>Journal of Biological Chemistry</i> , 2021, 296, 100133.   | 3.4  | 41        |
| 13 | Pancreatic Sirtuin 3 Deficiency Promotes Hepatic Steatosis by Enhancing 5-Hydroxytryptamine Synthesis in Mice With Diet-Induced Obesity. <i>Diabetes</i> , 2021, 70, 119-131.  | 0.6  | 10        |
| 14 | Importance of Both Imprinted Genes and Functional Heterogeneity in Pancreatic Beta Cells: Is There a Link?. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1000.   | 4.1  | 10        |
| 15 | Sexually dimorphic roles for the type 2 diabetes-associated <i>C2cd4b</i> gene in murine glucose homeostasis. <i>Diabetologia</i> , 2021, 64, 850-864.   | 6.3  | 7         |
| 16 | Chromatin 3D interaction analysis of the <i>STARD10</i> locus unveils <i>FCHSD2</i> as a regulator of insulin secretion. <i>Cell Reports</i> , 2021, 34, 108703.   | 6.4  | 4         |
| 17 | Consequences for Pancreatic $\beta^2$ -Cell Identity and Function of Unregulated Transcript Processing. <i>Frontiers in Endocrinology</i> , 2021, 12, 625235.  | 3.5  | 7         |
| 18 | The $\text{Ca}^{2+}$ -binding protein sorcin stimulates transcriptional activity of the unfolded protein response mediator ATF6. <i>FEBS Letters</i> , 2021, 595, 1782-1796.   | 2.8  | 4         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Dysregulation of the Pdx1/Ovol2/Zeb2 axis in dedifferentiated $\beta^2$ -cells triggers the induction of genes associated with epithelial $\rightarrow$ mesenchymal transition in diabetes. <i>Molecular Metabolism</i> , 2021, 53, 101248.  | 6.5  | 14        |
| 20 | Replication and cross-validation of type 2 diabetes subtypes based on clinical variables: an IMI-RHAPSODY study. <i>Diabetologia</i> , 2021, 64, 1982-1989.  | 6.3  | 44        |
| 21 | Paired box 6 programs essential exocytotic genes in the regulation of glucose-stimulated insulin secretion and glucose homeostasis. <i>Science Translational Medicine</i> , 2021, 13, .  | 12.4 | 13        |
| 22 | 38-OR: Deletion of the Mitofusins 1 and 2 (Mfn1 and Mfn2) from the Pancreatic Beta Cell Disrupts Mitochondrial Structure and Impairs Glucose-, but Not Incretin-, Stimulated Insulin Secretion. <i>Diabetes</i> , 2021, 70, 38-OR.           | 0.6  | 0         |
| 23 | 124-OR: Repetitive Ca <sup>2+</sup> Waves Emanate from a Stable Leader Cell in Mouse Islets. <i>Diabetes</i> , 2021, 70, 124-OR.   | 0.6  | 0         |
| 24 | 87-LB: Binding Kinetics, Bias, Receptor Internalization, and Effects on Insulin Secretion for a Novel GLP1R-GIPR Dual Agonist, HSHS-2001. <i>Diabetes</i> , 2021, 70, .  | 0.6  | 2         |
| 25 | 228-LB: $\gamma$ -arrestin-2 Deletion Influences GLP-1 Receptor Signaling in Pancreatic $\beta$ Cells In Vivo. <i>Diabetes</i> , 2021, 70, .   | 0.6  | 0         |
| 26 | Evaluation of efficacy- versus affinity-driven agonism with biased GLP-1R ligands P5 and exendin-F1. <i>Biochemical Pharmacology</i> , 2021, 190, 114656.  | 4.4  | 8         |
| 27 | Distinct Molecular Signatures of Clinical Clusters in People With Type 2 Diabetes: An IMI-RHAPSODY Study. <i>Diabetes</i> , 2021, 70, 2683-2693.   | 0.6  | 26        |
| 28 | Intravital imaging of islet Ca <sup>2+</sup> dynamics reveals enhanced $\beta^2$ cell connectivity after bariatric surgery in mice. <i>Nature Communications</i> , 2021, 12, 5165.   | 12.8 | 17        |
| 29 | Macrophage monocarboxylate transporter 1 promotes peripheral nerve regeneration after injury in mice. <i>Journal of Clinical Investigation</i> , 2021, 131, .  | 8.2  | 29        |
| 30 | PDX1LOW MAFALOW $\beta^2$ -cells contribute to islet function and insulin release. <i>Nature Communications</i> , 2021, 12, 674.   | 12.8 | 51        |
| 31 | Metabolic and Functional Heterogeneity in Pancreatic $\beta^2$ Cells. <i>Journal of Molecular Biology</i> , 2020, 432, 1395-1406.  | 4.2  | 24        |
| 32 | Effects on pancreatic Beta and other Islet cells of the glucose-dependent insulintropic polypeptide. <i>Peptides</i> , 2020, 125, 170201.  | 2.4  | 15        |
| 33 | Control by Ca <sup>2+</sup> of mitochondrial structure and function in pancreatic $\beta^2$ -cells. <i>Cell Calcium</i> , 2020, 91, 102282.  | 2.4  | 14        |
| 34 | Ligand-Specific Factors Influencing GLP-1 Receptor Post-Endocytic Trafficking and Degradation in Pancreatic Beta Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8404.   | 4.1  | 28        |
| 35 | Persistent or Transient Human $\beta^2$ Cell Dysfunction Induced by Metabolic Stress: Specific Signatures and Shared Gene Expression with Type 2 Diabetes. <i>Cell Reports</i> , 2020, 33, 108466.   | 6.4  | 65        |
| 36 | The roles of cytosolic and intramitochondrial Ca <sup>2+</sup> and the mitochondrial Ca <sup>2+</sup> -uniporter (MCU) in the stimulation of mammalian oxidative phosphorylation. <i>Journal of Biological Chemistry</i> , 2020, 295, 10506. | 3.4  | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A surrogate of Roux-en-Y gastric bypass (the enterogastro anastomosis surgery) regulates multiple beta-cell pathways during resolution of diabetes in ob/ob mice. <i>EBioMedicine</i> , 2020, 58, 102895.  | 6.1 | 8         |
| 38 | Comment on Satin et al. "Take Me To Your Leader": An Electrophysiological Appraisal of the Role of Hub Cells in Pancreatic Islets. <i>Diabetes</i> 2020;69:830-836. <i>Diabetes</i> , 2020, 69, e10-e11.   | 0.6 | 21        |
| 39 | Loss of $\beta^2$ -cell identity and diabetic phenotype in mice caused by disruption of CNOT3-dependent mRNA deadenylation. <i>Communications Biology</i> , 2020, 3, 476.  | 4.4 | 13        |
| 40 | Metabolic and functional specialisations of the pancreatic beta cell: gene disallowance, mitochondrial metabolism and intercellular connectivity. <i>Diabetologia</i> , 2020, 63, 1990-1998.   | 6.3 | 63        |
| 41 | Covid-19 and Diabetes: A Complex Bidirectional Relationship. <i>Frontiers in Endocrinology</i> , 2020, 11, 582936.   | 3.5 | 67        |
| 42 | Functional Genomics in Pancreatic $\beta^2$ Cells: Recent Advances in Gene Deletion and Genome Editing Technologies for Diabetes Research. <i>Frontiers in Endocrinology</i> , 2020, 11, 576632.   | 3.5 | 13        |
| 43 | The type 2 diabetes gene product STARD10 is a phosphoinositide-binding protein that controls insulin secretory granule biogenesis. <i>Molecular Metabolism</i> , 2020, 40, 101015.   | 6.5 | 22        |
| 44 | Synthesis and <i>in vivo</i> behaviour of an exendin-4-based MRI probe capable of $\beta^2$ -cell-dependent contrast enhancement in the pancreas. <i>Dalton Transactions</i> , 2020, 49, 4732-4740.  | 3.3 | 5         |
| 45 | Dietary substitution of SFA with MUFA within high-fat diets attenuates hyperinsulinaemia and pancreatic islet dysfunction. <i>British Journal of Nutrition</i> , 2020, 124, 247-255.   | 2.3 | 13        |
| 46 | A polysaccharide extract from the medicinal plant Maidong inhibits the IKK $\alpha$ -NF- $\kappa$ B pathway and IL-1 $\beta$ -induced islet inflammation and increases insulin secretion. <i>Journal of Biological Chemistry</i> , 2020, 295, 12573-12587. | 3.4 | 13        |
| 47 | Age matters: Grading granule secretion in beta cells. <i>Journal of Biological Chemistry</i> , 2020, 295, 8912-8913.   | 3.4 | 2         |
| 48 | Glucocorticoid Metabolism in Obesity and Following Weight Loss. <i>Frontiers in Endocrinology</i> , 2020, 11, 59.  | 3.5 | 56        |
| 49 | The pore-forming subunit MCU of the mitochondrial Ca <sup>2+</sup> uniporter is required for normal glucose-stimulated insulin secretion <i>in vitro</i> and <i>in vivo</i> in mice. <i>Diabetologia</i> , 2020, 63, 1368-1381.                            | 6.3 | 37        |
| 50 | Disconnect between signalling potency and <i>in vivo</i> efficacy of pharmacokinetically optimised biased glucagon-like peptide-1 receptor agonists. <i>Molecular Metabolism</i> , 2020, 37, 100991.   | 6.5 | 32        |
| 51 | The Influence of Peptide Context on Signaling and Trafficking of Glucagon-like Peptide-1 Receptor Biased Agonists. <i>ACS Pharmacology and Translational Science</i> , 2020, 3, 345-360.   | 4.9 | 32        |
| 52 | Long Non-Coding RNAs as Key Modulators of Pancreatic $\beta^2$ -Cell Mass and Function. <i>Frontiers in Endocrinology</i> , 2020, 11, 610213.  | 3.5 | 15        |
| 53 | Signalling, trafficking and glucoregulatory properties of glucagon-like peptide-1 receptor agonists exendin-4 and lixisenatide. <i>British Journal of Pharmacology</i> , 2020, 177, 3905-3923.   | 5.4 | 36        |
| 54 | Glucose in the hypothalamic paraventricular nucleus regulates GLP-1 release. <i>JCI Insight</i> , 2020, 5, .   | 5.0 | 5         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | 1683-P: Upregulation of Pancreatic Islet EGF Receptor Improves Beta-Cell Identity and In Vivo Vascularisation in a Directly Observed Transplant Model. Diabetes, 2020, 69, 1683-P.   | 0.6  | 0         |
| 56 | 1912-P: Bariatric Surgery Downregulates Glucocorticoid Signaling in Mice. Diabetes, 2020, 69, .  | 0.6  | 0         |
| 57 | 2100-P: Binding Kinetics, GLP-1 Receptor Internalization, and Effects on Insulin Secretion for GL0034 and Related GLP-1R Agonists. Diabetes, 2020, 69, .   | 0.6  | 0         |
| 58 | 320-OR: Bariatric Surgery Improves Ca <sup>2+</sup> Dynamics across Pancreatic Islets In Vivo. Diabetes, 2020, 69, 320-OR.   | 0.6  | 0         |
| 59 | 2072-P: Deletion of the Mitofusins 1 and 2 (Mfn1 and Mfn2) in the Pancreatic Beta Cell Disrupts Mitochondrial Structure and Function In Vitro and Strongly Impairs Glucose-Stimulated Insulin Secretion In Vivo. Diabetes, 2020, 69, 2072-P. | 0.6  | 0         |
| 60 | 1798-P: Chronic Administration of a Long-Acting Glucagon Analogue Results in Enhanced Insulin Secretory Activity in a Directly-Observed Murine Model. Diabetes, 2020, 69, 1798-P.  | 0.6  | 0         |
| 61 | Convolutional neural networks for reconstruction of undersampled optical projection tomography data applied to in vivo imaging of zebrafish. Journal of Biophotonics, 2019, 12, e201900128.  | 2.3  | 13        |
| 62 | Fostering improved human islet research: a European perspective. Diabetologia, 2019, 62, 1514-1516.  | 6.3  | 13        |
| 63 | Pancreatic islet secretion: gabbling via GABA. Nature Metabolism, 2019, 1, 1032-1033.  | 11.9 | 0         |
| 64 | Loss of ZnT8 function protects against diabetes by enhanced insulin secretion. Nature Genetics, 2019, 51, 1596-1606.   | 21.4 | 96        |
| 65 | Agonist-induced membrane nanodomain clustering drives GLP-1 receptor responses in pancreatic beta cells. PLoS Biology, 2019, 17, e3000097.   | 5.6  | 61        |
| 66 | An essential role for the Zn <sup>2+</sup> transporter ZIP7 in B cell development. Nature Immunology, 2019, 20, 350-361.   | 14.5 | 92        |
| 67 | Leader $\beta^2$ -cells coordinate Ca <sup>2+</sup> dynamics across pancreatic islets in vivo. Nature Metabolism, 2019, 1, 615-629.  | 11.9 | 128       |
| 68 | Contributions of Mitochondrial Dysfunction to $\beta^2$ Cell Failure in Diabetes Mellitus. , 2019, , 217-243.  |      | 2         |
| 69 | Zn <sup>2+</sup> -transporters ZIP7 and ZnT7 play important role in progression of cardiac dysfunction via affecting sarco(endo)plasmic reticulum-mitochondria coupling in hyperglycemic cardiomyocytes. Mitochondrion, 2019, 44, 41-52.     | 3.4  | 40        |
| 70 | Abstract 5294: The PanNET-related histone H3.3 chaperone Daxx regulates lineage specification and tissue homeostasis in the pancreas. , 2019, , .  |      | 1         |
| 71 | mTORC1-to-AMPK switching underlies $\beta^2$ cell metabolic plasticity during maturation and diabetes. Journal of Clinical Investigation, 2019, 129, 4124-4137.  | 8.2  | 80        |
| 72 | 2183-P: miR-125b Is Regulated by Glucose via AMPK and Impairs $\beta^2$ -Cell Function. Diabetes, 2019, 68, .  | 0.6  | 4         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | 161-LB: Inhibition of Kidney SGLT2 Expression following Bariatric Surgery in Mice. Diabetes, 2019, 68, 161-LB.  | 0.6  | 0         |
| 74 | Targeting GLP-1 receptor trafficking to improve agonist efficacy. Nature Communications, 2018, 9, 1602.   | 12.8 | 162       |
| 75 | Sensors for measuring subcellular zinc pools. Metallomics, 2018, 10, 229-239.   | 2.4  | 34        |
| 76 | Control of insulin secretion by GLP-1. Peptides, 2018, 100, 75-84.  | 2.4  | 69        |
| 77 | MIR184 expression is regulated by AMPK in pancreatic islets. FASEB Journal, 2018, 32, 2587-2600.  | 0.5  | 39        |
| 78 | A Targeted RNAi Screen Identifies Endocytic Trafficking Factors That Control GLP-1 Receptor Signaling in Pancreatic Î²-Cells. Diabetes, 2018, 67, 385-399.  | 0.6  | 41        |
| 79 | Adrenaline Stimulates Glucagon Secretion by Tpc2-Dependent Ca <sup>2+</sup> Mobilization From Acidic Stores in Pancreatic Î±-Cells. Diabetes, 2018, 67, 1128-1139.  | 0.6  | 61        |
| 80 | Systems biology of the IMIDIA biobank from organ donors and pancreatectomised patients defines a novel transcriptomic signature of islets from individuals with type 2 diabetes. Diabetologia, 2018, 61, 641-657.           | 6.3  | 131       |
| 81 | Glucocorticoids Reprogram Î²-Cell Signaling to Preserve Insulin Secretion. Diabetes, 2018, 67, 278-290.   | 0.6  | 52        |
| 82 | The Impact of Pancreatic Beta Cell Heterogeneity on Type 1 Diabetes Pathogenesis. Current Diabetes Reports, 2018, 18, 112.  | 4.2  | 17        |
| 83 | The Î±-cell in diabetes mellitus. Nature Reviews Endocrinology, 2018, 14, 694-704.  | 9.6  | 103       |
| 84 | Age-related islet inflammation marks the proliferative decline of pancreatic beta-cells in zebrafish. ELife, 2018, 7, .   | 6.0  | 25        |
| 85 | Transcription factor-7â€‘like 2 (TCF7L2) gene acts downstream of the Lkb1/Stk11 kinase to control mTOR signaling, Î² cell growth, and insulin secretion. Journal of Biological Chemistry, 2018, 293, 14178-14189.           | 3.4  | 19        |
| 86 | Mice harboring the human <i>SLC30A8</i> R138X loss-of-function mutation have increased insulin secretory capacity. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E7642-E7649. | 7.1  | 45        |
| 87 | Down-regulation of vascular GLP-1 receptor expression in human subjects with obesity. Scientific Reports, 2018, 8, 10644.   | 3.3  | 19        |
| 88 | The effects of kisspeptin on Î²-cell function, serum metabolites and appetite in humans. Diabetes, Obesity and Metabolism, 2018, 20, 2800-2810.   | 4.4  | 74        |
| 89 | Hypothalamic arcuate nucleus glucokinase regulates insulin secretion and glucose homeostasis. Diabetes, Obesity and Metabolism, 2018, 20, 2246-2254.  | 4.4  | 11        |
| 90 | Chronic d-serine supplementation impairs insulin secretion. Molecular Metabolism, 2018, 16, 191-202.  | 6.5  | 29        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Obesity, diabetes and zinc: A workshop promoting knowledge and collaboration between the UK and Israel, november 28â€“30, 2016 â€“ Israel. Journal of Trace Elements in Medicine and Biology, 2018, 49, 79-85.  | 3.0  | 1         |
| 92  | Manipulation and Measurement of AMPK Activity in Pancreatic Islets. Methods in Molecular Biology, 2018, 1732, 413-431.  | 0.9  | 4         |
| 93  | Neuronatin regulates pancreatic $\beta^2$ cell insulin content and secretion. Journal of Clinical Investigation, 2018, 128, 3369-3381.  | 8.2  | 47        |
| 94  | Zinc Transport in the Pancreatic $\beta^2$ -Cell: Roles of ZnT (SLC30A) and ZiP (SLC39A) Family Members. , 2018, , 6047-6053.   |      | 0         |
| 95  | Real-Time In Vivo Imaging of Whole Islet $Ca^{2+}$ Dynamics Reveals Glucose-Induced Changes in Beta-Cell Connectivity in Mouse and Human Islets. Diabetes, 2018, 67, 249-LB.                                    | 0.6  | 1         |
| 96  | The Role of Oxidative Stress and Hypoxia in Pancreatic Beta-Cell Dysfunction in Diabetes Mellitus. Antioxidants and Redox Signaling, 2017, 26, 501-518.   | 5.4  | 433       |
| 97  | Controlling the identity of the adult pancreatic $\beta^2$ cell. Nature Reviews Endocrinology, 2017, 13, 129-130.   | 9.6  | 5         |
| 98  | Decreased STARD10 Expression Is Associated with Defective Insulin Secretion in Humans and Mice. American Journal of Human Genetics, 2017, 100, 238-256.   | 6.2  | 60        |
| 99  | Hyperglycemia-Induced Changes in ZIP7 and ZnT7 Expression Cause $Zn^{2+}$ Release From the Sarco(endo)plasmic Reticulum and Mediate ER Stress in the Heart. Diabetes, 2017, 66, 1346-1358.                      | 0.6  | 66        |
| 100 | GABA signaling: A route to new pancreatic $\beta^2$ cells. Cell Research, 2017, 27, 309-310.  | 12.0 | 11        |
| 101 | The transcription factor Pax6 is required for pancreatic $\beta^2$ cell identity, glucose-regulated ATP synthesis, and $Ca^{2+}$ dynamics in adult mice. Journal of Biological Chemistry, 2017, 292, 8892-8906. | 3.4  | 48        |
| 102 | Local and regional control of calcium dynamics in the pancreatic islet. Diabetes, Obesity and Metabolism, 2017, 19, 30-41.  | 4.4  | 49        |
| 103 | SLC30A9 mutation affecting intracellular zinc homeostasis causes a novel cerebro-renal syndrome. Brain, 2017, 140, 928-939.   | 7.6  | 72        |
| 104 | Molecular phenotyping of multiple mouse strains under metabolic challenge uncovers a role for Elov12 in glucose-induced insulin secretion. Molecular Metabolism, 2017, 6, 340-351.                              | 6.5  | 42        |
| 105 | Pancreatic alpha cell-selective deletion of Tcf7l2 impairs glucagon secretion and counter-regulatory responses to hypoglycaemia in mice. Diabetologia, 2017, 60, 1043-1050.                                     | 6.3  | 18        |
| 106 | Remote control of glucose homeostasis in vivo using photopharmacology. Scientific Reports, 2017, 7, 291.  | 3.3  | 33        |
| 107 | Analysis of Purified Pancreatic Islet Beta and Alpha Cell Transcriptomes Reveals 11 $\beta^2$ -Hydroxysteroid Dehydrogenase (Hsd11b1) as a Novel Disallowed Gene. Frontiers in Genetics, 2017, 08, 41.          | 2.3  | 60        |
| 108 | Over-expression of Slc30a8/ZnT8 selectively in the mouse $\beta^2$ cell impairs glucagon release and responses to hypoglycemia. Nutrition and Metabolism, 2016, 13, 46.   | 3.0  | 20        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Allosterische optische Steuerung eines Klasse-B-Protein-gekoppelten Rezeptors. Angewandte Chemie, 2016, 128, 5961-5965.  | 2.0  | 10        |
| 110 | Changes in the expression of the type 2 diabetes-associated gene <i>VPS13C</i> in the $\beta$ -cell are associated with glucose intolerance in humans and mice. American Journal of Physiology - Endocrinology and Metabolism, 2016, 311, E488-E507. | 3.5  | 21        |
| 111 | Intracellular zinc in insulin secretion and action: a determinant of diabetes risk?. Proceedings of the Nutrition Society, 2016, 75, 61-72.  | 1.0  | 61        |
| 112 | The two pore channel TPC2 is dispensable in pancreatic $\beta$ -cells for normal $Ca^{2+}$ dynamics and insulin secretion. Cell Calcium, 2016, 59, 32-40.  | 2.4  | 26        |
| 113 | Chronic Activation of $\beta$ 2 AMPK Induces Obesity and Reduces $\beta$ 2 Cell Function. Cell Metabolism, 2016, 23, 821-836.  | 16.2 | 87        |
| 114 | Modeling Type 2 Diabetes GWAS Candidate Gene Function in hESCs. Cell Stem Cell, 2016, 19, 281-282.   | 11.1 | 5         |
| 115 | Beta Cell Hubs Dictate Pancreatic Islet Responses to Glucose. Cell Metabolism, 2016, 24, 389-401.  | 16.2 | 370       |
| 116 | Lipid-tuned Zinc Transport Activity of Human ZnT8 Protein Correlates with Risk for Type-2 Diabetes. Journal of Biological Chemistry, 2016, 291, 26950-26957.   | 3.4  | 64        |
| 117 | Proglucagon-Derived Peptides Do Not Significantly Affect Acute Exocrine Pancreas in Rats. Pancreas, 2016, 45, 967-973.   | 1.1  | 1         |
| 118 | Photoswitchable diacylglycerols enable optical control of protein kinase C. Nature Chemical Biology, 2016, 12, 755-762.  | 8.0  | 112       |
| 119 | Molecular Genetic Regulation of Slc30a8/ZnT8 Reveals a Positive Association With Glucose Tolerance. Molecular Endocrinology, 2016, 30, 77-91.  | 3.7  | 59        |
| 120 | Allosteric Optical Control of a Class B G-Protein-Coupled Receptor. Angewandte Chemie - International Edition, 2016, 55, 5865-5868.  | 13.8 | 45        |
| 121 | Cell type-specific deletion in mice reveals roles for PAS kinase in insulin and glucagon production. Diabetologia, 2016, 59, 1938-1947.  | 6.3  | 10        |
| 122 | Calcium-insensitive splice variants of mammalian E1 subunit of 2-oxoglutarate dehydrogenase complex with tissue-specific patterns of expression. Biochemical Journal, 2016, 473, 1165-1178.  | 3.7  | 26        |
| 123 | Zinc and diabetes. Archives of Biochemistry and Biophysics, 2016, 611, 79-85.  | 3.0  | 131       |
| 124 | Pancreatic $\beta$ -cell imaging in humans: fiction or option?. Diabetes, Obesity and Metabolism, 2016, 18, 6-15.  | 4.4  | 33        |
| 125 | Disallowance of <i>Acot7</i> in $\beta$ -Cells Is Required for Normal Glucose Tolerance and Insulin Secretion. Diabetes, 2016, 65, 1268-1282.  | 0.6  | 23        |
| 126 | Sorcin Links Pancreatic $\beta$ -Cell Lipotoxicity to ER $Ca^{2+}$ Stores. Diabetes, 2016, 65, 1009-1021.  | 0.6  | 45        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Role of microRNAs in the age-associated decline of pancreatic beta cell function in rat islets. <i>Diabetologia</i> , 2016, 59, 161-169.   | 6.3  | 44        |
| 128 | MiRNAs in $\beta^2$ -Cell Development, Identity, and Disease. <i>Frontiers in Genetics</i> , 2016, 7, 226.   | 2.3  | 49        |
| 129 | Proglucagon Promoter Cre-Mediated AMPK Deletion in Mice Increases Circulating GLP-1 Levels and Oral Glucose Tolerance. <i>PLoS ONE</i> , 2016, 11, e0149549.   | 2.5  | 13        |
| 130 | Dual-Modal Magnetic Resonance/Fluorescent Zinc Probes for Pancreatic $\beta^2$ -Cell Mass Imaging. <i>Chemistry - A European Journal</i> , 2015, 21, 5023-5033.  | 3.3  | 57        |
| 131 | Defects in mitophagy promote redox-driven metabolic syndrome in the absence of $\alpha$ -TP 53 $\alpha$ -INP 1. <i>EMBO Molecular Medicine</i> , 2015, 7, 802-818.   | 6.9  | 38        |
| 132 | LKB1 and AMPK $\beta$ 1 are required in pancreatic alpha cells for the normal regulation of glucagon secretion and responses to hypoglycemia. <i>Molecular Metabolism</i> , 2015, 4, 277-286.  | 6.5  | 23        |
| 133 | DICER Inactivation Identifies Pancreatic $\beta^2$ -Cell $\alpha$ -Disallowed-Genes Targeted by MicroRNAs. <i>Molecular Endocrinology</i> , 2015, 29, 1067-1079.   | 3.7  | 63        |
| 134 | Optical Control of Insulin Secretion Using an Incretin Switch. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15565-15569.   | 13.8 | 80        |
| 135 | Loss of Liver Kinase B1 (LKB1) in Beta Cells Enhances Glucose-stimulated Insulin Secretion Despite Profound Mitochondrial Defects. <i>Journal of Biological Chemistry</i> , 2015, 290, 20934-20946.  | 3.4  | 36        |
| 136 | The Zinc Transporter Slc30a8/ZnT8 Is Required in a Subpopulation of Pancreatic $\beta^2$ -Cells for Hypoglycemia-induced Glucagon Secretion. <i>Journal of Biological Chemistry</i> , 2015, 290, 21432-21442.  | 3.4  | 40        |
| 137 | Pancreas micromanages autophagy. <i>Science</i> , 2015, 347, 826-827.  | 12.6 | 2         |
| 138 | Pancreatic $\beta^2$ -cell identity, glucose sensing and the control of insulin secretion. <i>Biochemical Journal</i> , 2015, 466, 203-218.  | 3.7  | 299       |
| 139 | eZinCh-2: A Versatile, Genetically Encoded FRET Sensor for Cytosolic and Intraorganelle Zn <sup>2+</sup> Imaging. <i>ACS Chemical Biology</i> , 2015, 10, 2126-2134.   | 3.4  | 82        |
| 140 | Metformin activates a duodenal Ampk-dependent pathway to lower hepatic glucose production in rats. <i>Nature Medicine</i> , 2015, 21, 506-511.   | 30.7 | 313       |
| 141 | Limited impact on glucose homeostasis of leptin receptor deletion from insulin- or proglucagon-expressing cells. <i>Molecular Metabolism</i> , 2015, 4, 619-630.   | 6.5  | 40        |
| 142 | The zinc transporter ZIP12 regulates the pulmonary vascular response to chronic hypoxia. <i>Nature</i> , 2015, 524, 356-360.   | 27.8 | 113       |
| 143 | Changes in microRNA expression during differentiation of embryonic and induced pluripotent stem cells to definitive endoderm. <i>Gene Expression Patterns</i> , 2015, 19, 70-82.   | 0.8  | 5         |
| 144 | Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) and Endolysosomal Two-pore Channels Modulate Membrane Excitability and Stimulus-Secretion Coupling in Mouse Pancreatic $\beta^2$ Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 21376-21392. | 3.4  | 48        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Beta cell connectivity in pancreatic islets: a type 2 diabetes target?. Cellular and Molecular Life Sciences, 2015, 72, 453-467.  | 5.4  | 64        |
| 146 | Selective disruption of Tcf7l2 in the pancreatic $\beta^2$ cell impairs secretory function and lowers $\beta^2$ cell mass. Human Molecular Genetics, 2015, 24, 1390-1399.         | 2.9  | 89        |
| 147 | Sarco(endo)plasmic reticulum ATPase is a molecular partner of Wolfram syndrome 1 protein, which negatively regulates its expression. Human Molecular Genetics, 2015, 24, 814-827. | 2.9  | 46        |
| 148 | SLC30A8 mutations in type 2 diabetes. Diabetologia, 2015, 58, 31-36.  | 6.3  | 92        |
| 149 | Dynamic imaging of compartmentalised intracellular free Zn <sup>2+</sup> concentrations in rat ventricular cardiomyocytes. FASEB Journal, 2015, 29, 951.3.                        | 0.5  | 0         |
| 150 | Rfx6 Maintains the Functional Identity of Adult Pancreatic $\beta^2$ Cells. Cell Reports, 2014, 9, 2219-2232.   | 6.4  | 114       |
| 151 | The Peutz-Jeghers kinase LKB1 suppresses polyp growth from intestinal cells of a proglucagon-expressing lineage. DMM Disease Models and Mechanisms, 2014, 7, 1275-86.             | 2.4  | 10        |
| 152 | Incretin-Modulated Beta Cell Energetics in Intact Islets of Langerhans. Molecular Endocrinology, 2014, 28, 860-871.   | 3.7  | 66        |
| 153 | Hypothalamic glucagon signals through the KATP channels to regulate glucose production. Molecular Metabolism, 2014, 3, 202-208.   | 6.5  | 27        |
| 154 | Calcium signaling in pancreatic $\beta^2$ -cells in health and in Type 2 diabetes. Cell Calcium, 2014, 56, 340-361.   | 2.4  | 158       |
| 155 | Biologically targeted probes for Zn <sup>2+</sup> : a diversity oriented modular $\alpha$ -click-S <sub>N</sub> Ar-click approach. Chemical Science, 2014, 5, 3528-3535.          | 7.4  | 49        |
| 156 | LKB1 and AMPK differentially regulate pancreatic $\beta^2$ cell identity. FASEB Journal, 2014, 28, 4972-4985.   | 0.5  | 71        |
| 157 | Optical control of insulin release using a photoswitchable sulfonylurea. Nature Communications, 2014, 5, 5116.  | 12.8 | 106       |
| 158 | ADCY5 Couples Glucose to Insulin Secretion in Human Islets. Diabetes, 2014, 63, 3009-3021.  | 0.6  | 124       |
| 159 | <i>Dorothy Hodgkin Lecture 2014</i> Understanding genes identified by genome-wide association studies for Type 2 diabetes. Diabetic Medicine, 2014, 31, 1480-1487.                | 2.3  | 29        |
| 160 | Mitochondria-Associated Endoplasmic Reticulum Membranes in Insulin Signaling. Diabetes, 2014, 63, 3163-3165.  | 0.6  | 25        |
| 161 | Mitochondrial and ER-Targeted eCALWY Probes Reveal High Levels of Free Zn <sup>2+</sup> . ACS Chemical Biology, 2014, 9, 2111-2120.   | 3.4  | 102       |
| 162 | Hypoxia lowers SLC30A8/ZnT8 expression and free cytosolic Zn <sup>2+</sup> in pancreatic beta cells. Diabetologia, 2014, 57, 1635-1644.   | 6.3  | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Pancreatic $\beta$ -cell $\text{Na}^+$ channels control global $\text{Ca}^{2+}$ signaling and oxidative metabolism by inducing $\text{Na}^+$ and $\text{Ca}^{2+}$ responses that are propagated into mitochondria. <i>FASEB Journal</i> , 2014, 28, 3301-3312. | 0.5 | 49        |
| 164 | Use of Genetically Encoded Sensors to Monitor Cytosolic ATP/ADP Ratio in Living Cells. <i>Methods in Enzymology</i> , 2014, 542, 289-311.  | 1.0 | 19        |
| 165 | Roles of lncRNAs in pancreatic beta cell identity and diabetes susceptibility. <i>Frontiers in Genetics</i> , 2014, 5, 193.  | 2.3 | 34        |
| 166 | Divergent Effects of Liraglutide, Exendin-4, and Sitagliptin on Beta-Cell Mass and Indicators of Pancreatitis in a Mouse Model of Hyperglycaemia. <i>PLoS ONE</i> , 2014, 9, e104873.  | 2.5 | 28        |
| 167 | The Role of MicroRNAs in the Pancreatic Differentiation of Pluripotent Stem Cells. <i>MicroRNA</i> (Sharjah, United Arab Emirates), 2014, 3, 54-63.  | 1.2 | 10        |
| 168 | Ring1b bookmarks genes in pancreatic embryonic progenitors for repression in adult $\beta$ cells. <i>Genes and Development</i> , 2013, 27, 52-63.  | 5.9 | 33        |
| 169 | Could lncRNAs contribute to $\beta$ -cell identity and its loss in Type 2 diabetes?. <i>Biochemical Society Transactions</i> , 2013, 41, 797-801.  | 3.4 | 15        |
| 170 | Cellular and animal models of type 2 diabetes GWAS gene polymorphisms: what can we learn?. <i>Drug Discovery Today: Disease Models</i> , 2013, 10, e59-e64.  | 1.2 | 0         |
| 171 | Frequency-dependent mitochondrial $\text{Ca}^{2+}$ accumulation regulates ATP synthesis in pancreatic $\beta$ cells. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 543-554.   | 2.8 | 73        |
| 172 | Live-Cell Imaging of Vesicle Trafficking and Divalent Metal Ions by Total Internal Reflection Fluorescence (TIRF) Microscopy. <i>Methods in Molecular Biology</i> , 2013, 950, 13-26.  | 0.9 | 7         |
| 173 | Lanthanide(III) Complexes of Rhodamine-DO3A Conjugates as Agents for Dual-Modal Imaging. <i>Inorganic Chemistry</i> , 2013, 52, 14284-14293.   | 4.0 | 43        |
| 174 | When less is more: the forbidden fruits of gene repression in the adult $\beta$ -cell. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 503-512.  | 4.4 | 96        |
| 175 | Minireview: Intra-islet Regulation of Insulin Secretion in Humans. <i>Molecular Endocrinology</i> , 2013, 27, 1984-1995.   | 3.7 | 66        |
| 176 | Animal Models of GWAS-Identified Type 2 Diabetes Genes. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-12.  | 2.3 | 28        |
| 177 | Lipotoxicity disrupts incretin-regulated human $\beta$ cell connectivity. <i>Journal of Clinical Investigation</i> , 2013, 123, 4182-4194.   | 8.2 | 203       |
| 178 | Roles of $\text{Ca}^{2+}$ ions in the control of ChREBP nuclear translocation. <i>Journal of Endocrinology</i> , 2012, 213, 115-122.   | 2.6 | 10        |
| 179 | Comment on: Schuit et al. $\beta$ -Cell-Specific Gene Repression: A Mechanism to Protect Against Inappropriate or Maladjusted Insulin Secretion? <i>Diabetes</i> 2012;61:969-975. <i>Diabetes</i> , 2012, 61, e16-e16.   | 0.6 | 4         |
| 180 | Overexpression of Monocarboxylate Transporter-1 ( <i>Slc16a1</i> ) in Mouse Pancreatic $\beta$ -Cells Leads to Relative Hyperinsulinism During Exercise. <i>Diabetes</i> , 2012, 61, 1719-1725.  | 0.6 | 86        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Glucose-Induced Nuclear Shuttling of ChREBP Is Mediated by Sorcin and Ca <sup>2+</sup> Ions in Pancreatic $\beta$ -Cells. <i>Diabetes</i> , 2012, 61, 574-585.   | 0.6 | 52        |
| 182 | Overexpression of ZAC impairs glucose-stimulated insulin translation and secretion in clonal pancreatic beta-cells. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 645-653.   | 4.0 | 11        |
| 183 | Abnormal glucose tolerance and insulin secretion in pancreas-specific Tcf7l2-null mice. <i>Diabetologia</i> , 2012, 55, 2667-2676.   | 6.3 | 103       |
| 184 | The Mitochondrial Na <sup>+</sup> /Ca <sup>2+</sup> Exchanger Upregulates Glucose Dependent Ca <sup>2+</sup> Signalling Linked to Insulin Secretion. <i>PLoS ONE</i> , 2012, 7, e46649.  | 2.5 | 64        |
| 185 | Regulation of ATP production by mitochondrial Ca <sup>2+</sup> . <i>Cell Calcium</i> , 2012, 52, 28-35.  | 2.4 | 262       |
| 186 | PPAR $\beta$ affects pancreatic $\beta$ cell mass and insulin secretion in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 4105-4117.  | 8.2 | 45        |
| 187 | The Mitochondrial Ca <sup>2+</sup> Uniporter MCU Is Essential for Glucose-Induced ATP Increases in Pancreatic $\beta$ -Cells. <i>PLoS ONE</i> , 2012, 7, e39722.   | 2.5 | 146       |
| 188 | Targeting the AMP-regulated kinase family to treat diabetes: a research update. <i>Diabetes Management</i> , 2011, 1, 333-347.   | 0.5 | 0         |
| 189 | AMP-activated protein kinase regulates glucagon secretion from mouse pancreatic alpha cells. <i>Diabetologia</i> , 2011, 54, 125-134.  | 6.3 | 54        |
| 190 | Per-arnt-sim (PAS) domain-containing protein kinase is downregulated in human islets in type 2 diabetes and regulates glucagon secretion. <i>Diabetologia</i> , 2011, 54, 819-827.   | 6.3 | 46        |
| 191 | miR-29a and miR-29b Contribute to Pancreatic $\beta$ -Cell-Specific Silencing of Monocarboxylate Transporter 1 (Mct1). <i>Molecular and Cellular Biology</i> , 2011, 31, 3182-3194.  | 2.3 | 245       |
| 192 | Class II Phosphoinositide 3-Kinase Regulates Exocytosis of Insulin Granules in Pancreatic $\beta$ Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 4216-4225.  | 3.4 | 130       |
| 193 | Nucleo-cytosolic Shuttling of FoxO1 Directly Regulates Mouse Ins2 but Not Ins1 Gene Expression in Pancreatic Beta Cells (MIN6). <i>Journal of Biological Chemistry</i> , 2011, 286, 13647-13656.                                       | 3.4 | 30        |
| 194 | Human Mutation within Per-Arnt-Sim (PAS) Domain-containing Protein Kinase (PASK) Causes Basal Insulin Hypersecretion*. <i>Journal of Biological Chemistry</i> , 2011, 286, 44005-44014.  | 3.4 | 21        |
| 195 | RIP2-mediated LKB1 deletion causes axon degeneration in the spinal cord and hind-limb paralysis. <i>DMM Disease Models and Mechanisms</i> , 2011, 4, 193-202.  | 2.4 | 23        |
| 196 | Glucose Regulates Free Cytosolic Zn <sup>2+</sup> Concentration, Slc39 (ZiP), and Metallothionein Gene Expression in Primary Pancreatic Islet $\beta$ -Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 25778-25789.         | 3.4 | 102       |
| 197 | Imaging dynamic insulin release using a fluorescent zinc indicator for monitoring induced exocytotic release (ZIMIR). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 21063-21068. | 7.1 | 133       |
| 198 | Ablation of AMP-activated protein kinase $\beta$ 1 and $\beta$ 2 from mouse pancreatic beta cells and RIP2.Cre neurons suppresses insulin release in vivo. <i>Diabetologia</i> , 2010, 53, 924-936.                                    | 6.3 | 99        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | Think zinc: New roles for zinc in the control of insulin secretion. <i>Islets</i> , 2010, 2, 49-50.  | 1.8  | 77        |
| 200 | Insulin Gene Mutations Resulting in Early-Onset Diabetes: Marked Differences in Clinical Presentation, Metabolic Status, and Pathogenic Effect Through Endoplasmic Reticulum Retention. <i>Diabetes</i> , 2010, 59, 653-661.   | 0.6  | 132       |
| 201 | Carbohydrate-Responsive Element-Binding Protein (ChREBP) Is a Negative Regulator of ARNT/HIF-1 $\beta$ Gene Expression in Pancreatic Islet $\beta$ -Cells. <i>Diabetes</i> , 2010, 59, 153-160.  | 0.6  | 61        |
| 202 | Hypothalamic AMP-Activated Protein Kinase Regulates Glucose Production. <i>Diabetes</i> , 2010, 59, 2435-2443.   | 0.6  | 74        |
| 203 | Cell-wide analysis of secretory granule dynamics in three dimensions in living pancreatic $\beta$ -cells: evidence against a role for AMPK-dependent phosphorylation of KLC1 at Ser517/Ser520 in glucose-stimulated insulin granule movement. <i>Biochemical Society Transactions</i> , 2010, 38, 205-208. | 3.4  | 11        |
| 204 | LKB1 deletion with the <i>RIP2.Cre</i> transgene modifies pancreatic $\beta$ -cell morphology and enhances insulin secretion in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 298, E1261-E1273.   | 3.5  | 63        |
| 205 | Identification of genes selectively disallowed in the pancreatic islet. <i>Islets</i> , 2010, 2, 89-95.  | 1.8  | 140       |
| 206 | Dynamic Changes in Cytosolic and Mitochondrial ATP Levels in Pancreatic Acinar Cells. <i>Gastroenterology</i> , 2010, 138, 1976-1987.e5.   | 1.3  | 120       |
| 207 | Pancreatic and duodenal homeobox 1 (PDX1) phosphorylation at serine-269 is HIPK2-dependent and affects PDX1 subnuclear localization. <i>Biochemical and Biophysical Research Communications</i> , 2010, 399, 155-161.  | 2.1  | 30        |
| 208 | ChREBP regulates Pdx-1 and other glucose-sensitive genes in pancreatic $\beta$ -cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 402, 252-257.  | 2.1  | 23        |
| 209 | Isolation and Culture of Mouse Pancreatic Islets for Ex Vivo Imaging Studies with Trappable or Recombinant Fluorescent Probes. <i>Methods in Molecular Biology</i> , 2010, 633, 171-184.   | 0.9  | 48        |
| 210 | Insulin Storage and Glucose Homeostasis in Mice Null for the Granule Zinc Transporter ZnT8 and Studies of the Type 2 Diabetes-Associated Variants. <i>Diabetes</i> , 2009, 58, 2070-2083.  | 0.6  | 347       |
| 211 | Control of insulin granule dynamics by AMPK dependent KLC1 phosphorylation. <i>Islets</i> , 2009, 1, 198-209.  | 1.8  | 17        |
| 212 | Regulating Glucagon Secretion: Somatostatin in the Spotlight. <i>Diabetes</i> , 2009, 58, 299-301.   | 0.6  | 33        |
| 213 | Mitochondrial calcium as a key regulator of mitochondrial ATP production in mammalian cells. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2009, 1787, 1324-1333.   | 1.0  | 311       |
| 214 | A role for the CREB co-activator CRTC2 in the hypothalamic mechanisms linking glucose sensing with gene regulation. <i>EMBO Reports</i> , 2009, 10, 1175-1181.   | 4.5  | 36        |
| 215 | Genetically encoded FRET sensors to monitor intracellular Zn <sup>2+</sup> homeostasis. <i>Nature Methods</i> , 2009, 6, 737-740.  | 19.0 | 395       |
| 216 | TCF7L2 Regulates Late Events in Insulin Secretion From Pancreatic Islet $\beta$ -Cells. <i>Diabetes</i> , 2009, 58, 894-905.   | 0.6  | 185       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | The AMP-regulated kinase family: Enigmatic targets for diabetes therapy. <i>Molecular and Cellular Endocrinology</i> , 2009, 297, 41-49.  | 3.2 | 69        |
| 218 | ATP depletion inhibits Ca <sup>2+</sup> release, influx and extrusion in pancreatic acinar cells but not pathological Ca <sup>2+</sup> responses induced by bile. <i>Pflugers Archiv European Journal of Physiology</i> , 2008, 455, 1025-1039. | 2.8 | 37        |
| 219 | Imaging a target of Ca <sup>2+</sup> signalling: Dense core granule exocytosis viewed by total internal reflection fluorescence microscopy. <i>Methods</i> , 2008, 46, 233-238.   | 3.8 | 20        |
| 220 | A Rare Mutation in <i>ABCC8</i> /SUR1 Leading to Altered ATP-Sensitive K <sup>+</sup> Channel Activity and $\beta$ -Cell Glucose Sensing Is Associated With Type 2 Diabetes in Adults. <i>Diabetes</i> , 2008, 57, 1595-1604.                   | 0.6 | 60        |
| 221 | SREBP1 is required for the induction by glucose of pancreatic $\beta$ -cell genes involved in glucose sensing. <i>Journal of Lipid Research</i> , 2008, 49, 814-822.  | 4.2 | 28        |
| 222 | Initiation and execution of lipotoxic ER stress in pancreatic $\beta$ -cells. <i>Journal of Cell Science</i> , 2008, 121, 2308-2318.  | 2.0 | 512       |
| 223 | Inhibition of AMP-Activated Protein Kinase Protects Pancreatic $\beta$ -Cells From Cytokine-Mediated Apoptosis and CD8 <sup>+</sup> T-Cell-Induced Cytotoxicity. <i>Diabetes</i> , 2008, 57, 415-423.   | 0.6 | 71        |
| 224 | Ca <sup>2+</sup> signalling: a new route to NAADP. <i>Biochemical Journal</i> , 2008, 411, e1-e3.   | 3.7 | 7         |
| 225 | TCF7L2 controls insulin gene expression and insulin secretion in mature pancreatic $\beta$ -cells. <i>Biochemical Society Transactions</i> , 2008, 36, 357-359.   | 3.4 | 61        |
| 226 | The $\beta$ -Cell in Type 2 Diabetes and in Obesity. , 2008, 36, 118-134.   |     | 38        |
| 227 | Glucose Is Necessary for Embryonic Pancreatic Endocrine Cell Differentiation. <i>Journal of Biological Chemistry</i> , 2007, 282, 15228-15237.  | 3.4 | 61        |
| 228 | MicroRNA-124a Regulates Foxa2 Expression and Intracellular Signaling in Pancreatic $\beta$ -Cell Lines. <i>Journal of Biological Chemistry</i> , 2007, 282, 19575-19588.  | 3.4 | 318       |
| 229 | Luciferase Expression for ATP Imaging: Application to Cardiac Myocytes. <i>Methods in Cell Biology</i> , 2007, 80, 341-352.   | 1.1 | 29        |
| 230 | The relationship between p38 mitogen-activated protein kinase and AMP-activated protein kinase during myocardial ischemia. <i>Cardiovascular Research</i> , 2007, 76, 465-472.  | 3.8 | 21        |
| 231 | Sodium-potassium ATPase 1 subunit is a molecular partner of Wolframin, an endoplasmic reticulum protein involved in ER stress. <i>Human Molecular Genetics</i> , 2007, 17, 190-200.   | 2.9 | 85        |
| 232 | Glucose-Dependent Regulation of $\gamma$ -Aminobutyric Acid (GABAA) Receptor Expression in Mouse Pancreatic Islet $\beta$ -Cells. <i>Diabetes</i> , 2007, 56, 320-327.  | 0.6 | 64        |
| 233 | Generating New Candidate Genes for Neonatal Diabetes: Functional and Genetic Studies of Insulin Secretion in Type 2 Diabetes. , 2007, 12, 75-85.  |     | 2         |
| 234 | The relationship between P38 $\alpha$ -MAPK and AMPK during myocardial ischaemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S52.  | 1.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Physical Exerciseâ€“Induced Hypoglycemia Caused by Failed Silencing of Monocarboxylate Transporter 1 in Pancreatic Î² Cells. American Journal of Human Genetics, 2007, 81, 467-474.  | 6.2 | 213       |
| 236 | Glucose sensing by hypothalamic neurones and pancreatic islet cells: AMPle evidence for common mechanisms?. Experimental Physiology, 2007, 92, 311-319.  | 2.0 | 43        |
| 237 | Mitochondrial Calcium: Role in the Normal and Ischaemic/Reperfused Myocardium. , 2007, , 197-220.  |     | 1         |
| 238 | FoxO1 Is Required for the Regulation of Preproglucagon Gene Expression by Insulin in Pancreatic Î±TC1-9 Cells. Journal of Biological Chemistry, 2006, 281, 39358-39369.  | 3.4 | 36        |
| 239 | Use of the mitochondrial Ca2+-transport inhibitors Ru360 and clonazepam to investigate cell Ca2+-signalling in adult cardiomyocytes: A cautionary tale. Journal of Molecular and Cellular Cardiology, 2006, 40, 924.                           | 1.9 | 0         |
| 240 | Expanding role of AMPK in endocrinology. Trends in Endocrinology and Metabolism, 2006, 17, 205-215.  | 7.1 | 190       |
| 241 | Insulin Vesicle Release: Walk, Kiss, Pause â€¦ Then Run. Physiology, 2006, 21, 189-196.  | 3.1 | 42        |
| 242 | Inhibition by glucose or leptin of hypothalamic neurons expressing neuropeptide Y requires changes in AMP-activated protein kinase activity. Diabetologia, 2006, 50, 168-177.  | 6.3 | 100       |
| 243 | Ca2+ microdomains and the control of insulin secretion. Cell Calcium, 2006, 40, 539-551.   | 2.4 | 100       |
| 244 | Limited role for SREBP-1c in defective glucose-induced insulin secretion from Zucker diabetic fatty rat islets: a functional and gene profiling analysis. American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E982-E994. | 3.5 | 47        |
| 245 | ChREBP binding to fatty acid synthase and L-type pyruvate kinase genes is stimulated by glucose in pancreatic Î²-cells. Journal of Lipid Research, 2006, 47, 2482-2491.  | 4.2 | 76        |
| 246 | Sustained Exposure to High Glucose Concentrations Modifies Glucose Signaling and the Mechanics of Secretory Vesicle Fusion in Primary Rat Pancreatic Î±-Cells. Diabetes, 2006, 55, 1057-1065.  | 0.6 | 62        |
| 247 | Stimulation of AMP-Activated Protein Kinase Is Essential for the Induction of Drug Metabolizing Enzymes by Phenobarbital in Human and Mouse Liver. Molecular Pharmacology, 2006, 70, 1925-1934.  | 2.3 | 84        |
| 248 | ATP Regulation in Adult Rat Cardiomyocytes. Journal of Biological Chemistry, 2006, 281, 28058-28067.   | 3.4 | 81        |
| 249 | Insulin Secretion Is Controlled by mGlu5 Metabotropic Glutamate Receptors. Molecular Pharmacology, 2006, 69, 1234-1241.  | 2.3 | 54        |
| 250 | Mammalian Exocyst Complex Is Required for the Docking Step of Insulin Vesicle Exocytosis. Journal of Biological Chemistry, 2005, 280, 25565-25570.   | 3.4 | 62        |
| 251 | Myosin Va Transports Dense Core Secretory Vesicles in Pancreatic MIN6 Î²-Cells. Molecular Biology of the Cell, 2005, 16, 2670-2680.  | 2.1 | 150       |
| 252 | Metformin Prevents Glucose-Induced Protein Kinase C-Î² Activation in Human Umbilical Vein Endothelial Cells Through an Antioxidant Mechanism. Diabetes, 2005, 54, 1123-1131.   | 0.6 | 97        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Glucose or Insulin, but not Zinc Ions, Inhibit Glucagon Secretion From Mouse Pancreatic $\hat{A}$ -Cells. Diabetes, 2005, 54, 1789-1797.   | 0.6 | 247       |
| 254 | Ca <sup>2+</sup> -Induced Ca <sup>2+</sup> Release in Pancreatic Islet $\hat{I}^2$ -Cells: Critical Evaluation of the Use of Endoplasmic Reticulum-Targeted "Cameleons". Endocrinology, 2004, 145, 4540-4549.  | 2.8 | 44        |
| 255 | Mechanisms of Dense Core Vesicle Recapture following "Kiss and Run" ("Cavicle") Exocytosis in Insulin-secreting Cells. Journal of Biological Chemistry, 2004, 279, 47115-47124.  | 3.4 | 178       |
| 256 | Role for Plasma Membrane-Related Ca <sup>2+</sup> -ATPase-1 (ATP2C1) in Pancreatic $\hat{A}$ -Cell Ca <sup>2+</sup> Homeostasis Revealed by RNA Silencing. Diabetes, 2004, 53, 393-400.  | 0.6 | 74        |
| 257 | Inhibition of Mitochondrial Na <sup>+</sup> -Ca <sup>2+</sup> Exchange Restores Agonist-induced ATP Production and Ca <sup>2+</sup> Handling in Human Complex I Deficiency. Journal of Biological Chemistry, 2004, 279, 40328-40336.   | 3.4 | 101       |
| 258 | Impact of PPAR $\hat{I}^3$ overexpression and activation on pancreatic islet gene expression profile analyzed with oligonucleotide microarrays. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E390-E404.   | 3.5 | 34        |
| 259 | Involvement of Per-Arnt-Sim (PAS) kinase in the stimulation of preproinsulin and pancreatic duodenum homeobox 1 gene expression by glucose. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 8319-8324.                                     | 7.1 | 66        |
| 260 | ATP-dependent interaction of the cytosolic domains of the inwardly rectifying K <sup>+</sup> channel Kir6.2 revealed by fluorescence resonance energy transfer. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 76-81.                     | 7.1 | 54        |
| 261 | AMP-Activated Protein Kinase: A New Beta-Cell Glucose Sensor?: Regulation by Amino Acids and Calcium Ions. Diabetes, 2004, 53, S67-S74.  | 0.6 | 78        |
| 262 | Cytoplasmic dynein regulates the subcellular distribution of mitochondria by controlling the recruitment of the fission factor dynamin-related protein-1. Journal of Cell Science, 2004, 117, 4389-4400.   | 2.0 | 208       |
| 263 | Temperature-Sensitive Random Insulin Granule Diffusion is a Prerequisite for Recruiting Granules for Release. Traffic, 2004, 5, 750-762.   | 2.7 | 35        |
| 264 | Identification of a Ras GTPase-activating protein regulated by receptor-mediated Ca <sup>2+</sup> oscillations. EMBO Journal, 2004, 23, 1749-1760.   | 7.8 | 77        |
| 265 | Mitochondrial localization as a determinant of capacitative Ca <sup>2+</sup> entry in HeLa cells. Cell Calcium, 2004, 36, 499-508.   | 2.4 | 61        |
| 266 | Imaging glucose-regulated insulin secretion and gene expression in single islet $\hat{I}^2$ -cells. Cell Biochemistry and Biophysics, 2004, 40, 179-190.   | 1.8 | 3         |
| 267 | Imaging glucose-regulated insulin secretion and gene expression in single islet $\hat{I}^2$ -cells. Cell Biochemistry and Biophysics, 2004, 2004, 179-190.   | 1.8 | 0         |
| 268 | Impact of Adenoviral Transduction With SREBP1c or AMPK on Pancreatic Islet Gene Expression Profile: Analysis With Oligonucleotide Microarrays. Diabetes, 2004, 53, S84-S91.  | 0.6 | 32        |
| 269 | Over-expression of sterol-regulatory-element-binding protein-1c (SREBP1c) in rat pancreatic islets induces lipogenesis and decreases glucose-stimulated insulin release: modulation by 5-aminoimidazole-4-carboxamide ribonucleoside (AICAR). Biochemical Journal, 2004, 378, 769-778. | 3.7 | 97        |
| 270 | Kiss and run exocytosis of dense core secretory vesicles. NeuroReport, 2004, 15, 79-81.  | 1.2 | 37        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Distinct roles for insulin and insulin-like growth factor-1 receptors in pancreatic beta-cell glucose sensing revealed by RNA silencing. <i>Biochemical Journal</i> , 2004, 377, 149-158.  | 3.7 | 81        |
| 272 | Importin beta1 mediates the glucose-stimulated nuclear import of pancreatic and duodenal homeobox-1 in pancreatic islet beta-cells (MIN6). <i>Biochemical Journal</i> , 2004, 378, 219-227.  | 3.7 | 23        |
| 273 | Metformin, but not leptin, regulates AMP-activated protein kinase in pancreatic islets: impact on glucose-stimulated insulin secretion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E1023-E1031.   | 3.5 | 150       |
| 274 | Impaired glucose homeostasis in transgenic mice expressing the human transient neonatal diabetes mellitus locus, TNDM. <i>Journal of Clinical Investigation</i> , 2004, 114, 339-348.  | 8.2 | 77        |
| 275 | Impaired glucose homeostasis in transgenic mice expressing the human transient neonatal diabetes mellitus locus, TNDM. <i>Journal of Clinical Investigation</i> , 2004, 114, 339-348.  | 8.2 | 126       |
| 276 | Multiple Forms of "Kiss-and-Run" Exocytosis Revealed by Evanescent Wave Microscopy. <i>Current Biology</i> , 2003, 13, 563-567.  | 3.9 | 194       |
| 277 | Insulin Secretion: Fatty Acid Signalling via Serpentine Receptors. <i>Current Biology</i> , 2003, 13, R403-R405.   | 3.9 | 11        |
| 278 | Kinesin I and cytoplasmic dynein orchestrate glucose-stimulated insulin-containing vesicle movements in clonal MIN6 $\beta$ -cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 272-282.   | 2.1 | 79        |
| 279 | Role for AMP-activated protein kinase in glucose-stimulated insulin secretion and preproinsulin gene expression. <i>Biochemical Journal</i> , 2003, 371, 761-774.  | 3.7 | 253       |
| 280 | Ryanodine Receptor Type I and Nicotinic Acid Adenine Dinucleotide Phosphate Receptors Mediate $\text{Ca}^{2+}$ Release from Insulin-containing Vesicles in Living Pancreatic $\beta$ -Cells (MIN6). <i>Journal of Biological Chemistry</i> , 2003, 278, 11057-11064.                   | 3.4 | 163       |
| 281 | 5'-AMP-activated Protein Kinase Controls Insulin-containing Secretory Vesicle Dynamics. <i>Journal of Biological Chemistry</i> , 2003, 278, 52042-52051.   | 3.4 | 94        |
| 282 | Glucagon-like peptide-1 mobilizes intracellular $\text{Ca}^{2+}$ and stimulates mitochondrial ATP synthesis in pancreatic MIN6 beta-cells. <i>Biochemical Journal</i> , 2003, 369, 287-299.  | 3.7 | 179       |
| 283 | Roles of 5'-AMP-activated protein kinase (AMPK) in mammalian glucose homeostasis. <i>Biochemical Journal</i> , 2003, 375, 1-16.  | 3.7 | 310       |
| 284 | Calcium signalling: NAADP comes out of the shadows. <i>Biochemical Journal</i> , 2003, 373, e3-e4.   | 3.7 | 20        |
| 285 | Glucose metabolism and glutamate analog acutely alkalinize pH of insulin secretory vesicles of pancreatic $\beta$ -cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E262-E271.   | 3.5 | 39        |
| 286 | Stimulation of Acetyl-CoA Carboxylase Gene Expression by Glucose Requires Insulin Release and Sterol Regulatory Element Binding Protein 1c in Pancreatic MIN6 $\beta$ -Cells. <i>Diabetes</i> , 2002, 51, 2536-2545.   | 0.6 | 64        |
| 287 | Dynamic Imaging of Endoplasmic Reticulum $\text{Ca}^{2+}$ Concentration in Insulin-Secreting MIN6 Cells Using Recombinant Targeted Cameleons: Roles of Sarco(endo)plasmic Reticulum $\text{Ca}^{2+}$ -ATPase (SERCA)-2 and Ryanodine Receptors. <i>Diabetes</i> , 2002, 51, S190-S201. | 0.6 | 85        |
| 288 | Glucose-Stimulated Oscillations in Free Cytosolic ATP Concentration Imaged in Single Islet $\beta$ -Cells: Evidence for a $\text{Ca}^{2+}$ -Dependent Mechanism. <i>Diabetes</i> , 2002, 51, S162-S170.  | 0.6 | 127       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Involvement of conventional kinesin in glucose-stimulated secretory granule movements and exocytosis in clonal pancreatic $\beta$ -cells. <i>Journal of Cell Science</i> , 2002, 115, 4177-4189.  | 2.0 | 137       |
| 290 | AMP- and stress-activated protein kinases: Key regulators of glucose-dependent gene transcription in mammalian cells?. <i>Progress in Molecular Biology and Translational Science</i> , 2002, 71, 69-90.  | 1.9 | 15        |
| 291 | Green Fluorescent Protein Calcium Biosensors: Calcium Imaging with GFP Cameleons. , 2002, 183, 255-264.   |     | 6         |
| 292 | Insulin-Stimulated Fatty Acid Synthase Gene Expression Does Not Require Increased Sterol Response Element Binding Protein 1 Transcription in Primary Adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2002, 291, 439-443.   | 2.1 | 38        |
| 293 | Glucose-Stimulated Insulin Secretion Does Not Require Activation of Pyruvate Dehydrogenase: Impact of Adenovirus-Mediated Overexpression of PDH Kinase and PDH Phosphate Phosphatase in Pancreatic Islets. <i>Biochemical and Biophysical Research Communications</i> , 2002, 291, 1081-1088. | 2.1 | 21        |
| 294 | Dynamics of Glucose-induced Membrane Recruitment of Protein Kinase C $\beta$ II in Living Pancreatic Islet $\beta$ -Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 37702-37710.   | 3.4 | 86        |
| 295 | Dynamic imaging of free cytosolic ATP concentration during fuel sensing by rat hypothalamic neurones: evidence for ATP-independent control of ATP-sensitive K <sup>+</sup> channels. <i>Journal of Physiology</i> , 2002, 544, 429-445.   | 2.9 | 173       |
| 296 | Nutrient-secretion coupling in the pancreatic islet $\beta$ -cell: recent advances. <i>Molecular Aspects of Medicine</i> , 2001, 22, 247-284.   | 6.4 | 165       |
| 297 | Targeting of reporter molecules to mitochondria to measure calcium, ATP, and pH. <i>Methods in Cell Biology</i> , 2001, 65, 353-380.  | 1.1 | 29        |
| 298 | Mitochondrial priming modifies Ca <sup>2+</sup> oscillations and insulin secretion in pancreatic islets. <i>Biochemical Journal</i> , 2001, 353, 175.   | 3.7 | 64        |
| 299 | Mitochondrial priming modifies Ca <sup>2+</sup> oscillations and insulin secretion in pancreatic islets. <i>Biochemical Journal</i> , 2001, 353, 175-180.   | 3.7 | 80        |
| 300 | Dense core secretory vesicles revealed as a dynamic Ca <sup>2+</sup> store in neuroendocrine cells with a vesicle-associated membrane protein aequorin chimera. <i>Journal of Cell Biology</i> , 2001, 155, 41-52.  | 5.2 | 188       |
| 301 | Diabetes: The importance of the liver. <i>Current Biology</i> , 2000, 10, R736-R738.  | 3.9 | 26        |
| 302 | Simultaneous evanescent wave imaging of insulin vesicle membrane and cargo during a single exocytotic event. <i>Current Biology</i> , 2000, 10, 1307-1310.  | 3.9 | 131       |
| 303 | Regulation of mitochondrial metabolism by ER Ca <sup>2+</sup> release: an intimate connection. <i>Trends in Biochemical Sciences</i> , 2000, 25, 215-221.   | 7.5 | 192       |
| 304 | Regulation of Mammalian Gene Expression by Glucose. <i>Physiology</i> , 2000, 15, 149-154.  | 3.1 | 17        |
| 305 | Regulation of Gene Expression by Glucose in Pancreatic $\beta$ -Cells (MIN6) via Insulin Secretion and Activation of Phosphatidylinositol 3 <sup>rd</sup> -Kinase. <i>Journal of Biological Chemistry</i> , 2000, 275, 36269-36277.   | 3.4 | 77        |
| 306 | Glucose-stimulated Preproinsulin Gene Expression and Nucleartrans-Location of Pancreatic Duodenum Homeobox-1 Require Activation of Phosphatidylinositol 3-Kinase but Not p38 MAPK/SAPK2. <i>Journal of Biological Chemistry</i> , 2000, 275, 15977-15984.                                     | 3.4 | 102       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Glucose Generates Sub-plasma Membrane ATP Microdomains in Single Islet $\beta$ -Cells. Journal of Biological Chemistry, 1999, 274, 13281-13291.  | 3.4 | 293       |
| 308 | Insulin secretion: Feed-forward control of insulin biosynthesis?. Current Biology, 1999, 9, R443-R445.   | 3.9 | 47        |
| 309 | Imaging $Ca^{2+}$ concentration changes at the secretory vesicle surface with a recombinant targetedameleon. Current Biology, 1999, 9, 915-S1.   | 3.9 | 91        |
| 310 | Glucose enhances insulin promoter activity in MIN6 $\beta$ -cells independently of changes in intracellular $Ca^{2+}$ concentration and insulin secretion. Biochemical Journal, 1999, 342, 275.                          | 3.7 | 5         |
| 311 | Glucose enhances insulin promoter activity in MIN6 $\beta$ -cells independently of changes in intracellular $Ca^{2+}$ concentration and insulin secretion. Biochemical Journal, 1999, 342, 275-280.                      | 3.7 | 19        |
| 312 | Luminescence Imaging of Gene Expression in Single Living Cells. , 1999, , 273-283.   |     | 0         |
| 313 | Analysis of Regulated Gene Expression by Microinjection and Digital Luminescence Imaging of Single Living Cells. , 1999, , 299-326.  |     | 0         |
| 314 | Real-time imaging of gene expression in single living cells. Chemistry and Biology, 1998, 5, R285-R290.  | 6.0 | 52        |
| 315 | Coupling between cytosolic and mitochondrial calcium oscillations: role in the regulation of hepatic metabolism. Biochimica Et Biophysica Acta - Bioenergetics, 1998, 1366, 17-32.                                       | 1.0 | 107       |
| 316 | Overexpression of lactate dehydrogenase A attenuates glucose-induced insulin secretion in stable MIN-6 $\beta$ -cell lines. FEBS Letters, 1998, 430, 213-216.  | 2.8 | 58        |
| 317 | Calcium and Organelles: A Two-Sided Story. Biochemical and Biophysical Research Communications, 1998, 253, 549-557.  | 2.1 | 24        |
| 318 | Glucose-dependent Translocation of Insulin Promoter Factor-1 (IPF-1) between the Nuclear Periphery and the Nucleoplasm of Single MIN6 $\beta$ -Cells. Journal of Biological Chemistry, 1998, 273, 23241-23247.           | 3.4 | 89        |
| 319 | Insulin targeting to the regulated secretory pathway after fusion with green fluorescent protein and firefly luciferase. Biochemical Journal, 1998, 331, 669-675.  | 3.7 | 83        |
| 320 | Secretory-granule dynamics visualized in vivo with a phogrinâ€“green fluorescent protein chimera. Biochemical Journal, 1998, 333, 193-199.   | 3.7 | 135       |
| 321 | Mitochondrial $Ca^{2+}$ Signalling. , 1998, , 163-175.   |     | 0         |
| 322 | Upstream Stimulatory Factor-2 (USF2) Activity Is Required for Glucose Stimulation of L-Pyruvate Kinase Promoter Activity in Single Living Islet $\beta$ -Cells. Journal of Biological Chemistry, 1997, 272, 20636-20640. | 3.4 | 71        |
| 323 | Current Applications in Bioluminescenceâ€”21 September 1995, University of Wales College of Medicine, Cardiff, UK. Luminescence, 1996, 11, 49-54.  | 0.0 | 0         |
| 324 | Involvement of MAP kinase in insulin signalling revealed by non-invasive imaging of luciferase gene expression in single living cells. Current Biology, 1995, 5, 890-899.  | 3.9 | 69        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Mitochondrial Ca <sup>2+</sup> transport and the role of matrix Ca <sup>2+</sup> in mammalian tissues. Biochemical Society Transactions, 1992, 20, 153-159.   | 3.4 | 19        |
| 326 | Regulation of mitochondrial glycerol-phosphate dehydrogenase by Ca <sup>2+</sup> within electropermeabilized insulin-secreting cells (INS-1). Biochimica Et Biophysica Acta - Molecular Cell Research, 1992, 1175, 107-113. | 4.1 | 72        |
| 327 | Measurement of matrix Mg <sup>2+</sup> concentration of rat heart mitochondria using fluorescent probes. Biochemical Society Transactions, 1990, 18, 894-895.   | 3.4 | 1         |
| 328 | Ca <sup>2+</sup> binding to citrate cycle dehydrogenases. International Journal of Biochemistry & Cell Biology, 1990, 22, 1081-1088.  | 0.5 | 48        |
| 329 | Regulation of the pyruvate dehydrogenase complex by Ca <sup>2+</sup> within toluene-permeabilized heart mitochondria. Biochimica Et Biophysica Acta - Molecular Cell Research, 1989, 1014, 263-270.                         | 4.1 | 22        |
| 330 | The Role of Ca <sup>2+</sup> in the Hormonal Regulation of the Activities of Pyruvate Dehydrogenase and Oxoglutarate Dehydrogenase Complexes. Annals of the New York Academy of Sciences, 1989, 573, 206-217.               | 3.8 | 16        |
| 331 | Studies into the Mechanism Whereby Insulin Activates Pyruvate Dehydrogenase Complex in Adipose Tissue. Annals of the New York Academy of Sciences, 1989, 573, 285-296.  | 3.8 | 41        |
| 332 | Effects of Ca <sup>2+</sup> on the Activities of the Calcium-Sensitive Dehydrogenases Within the Mitochondria of Mammalian Tissues. Journal of Cardiovascular Pharmacology, 1988, 12, 69-72.                                | 1.9 | 12        |
| 333 | Rapid purification and properties of pig heart NAD <sup>+</sup> -isocitrate dehydrogenase. Biochemical Society Transactions, 1988, 16, 873-874.   | 3.4 | 1         |
| 334 | Regulation of 2-oxoglutarate dehydrogenase and NAD-linked isocitrate dehydrogenase within toluene-permeabilized mitochondria. Biochemical Society Transactions, 1987, 15, 834-835.  | 3.4 | 0         |
| 335 | The control of pyruvate dehydrogenase phosphate phosphatase by Ca <sup>2+</sup> and Mg <sup>2+</sup> ions. Biochemical Society Transactions, 1987, 15, 835-836.   | 3.4 | 2         |
| 336 | Glucose regulates pancreatic [beta] cell Ca <sup>2+</sup> dynamics and connectivity in vivo in the anterior chamber of the mouse eye. Endocrine Abstracts, 0, , .   | 0.0 | 0         |