

Willem Kuyken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6509276/publications.pdf>

Version: 2024-02-01

160
papers

12,929
citations

34105

52
h-index

26613

107
g-index

168
all docs

168
docs citations

168
times ranked

10248
citing authors

#	ARTICLE	IF	CITATIONS
1	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression.. Journal of Consulting and Clinical Psychology, 2008, 76, 966-978.	2.0	635
2	How does mindfulness-based cognitive therapy work?. Behaviour Research and Therapy, 2010, 48, 1105-1112.	3.1	633
3	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. JAMA Psychiatry, 2016, 73, 565.	11.0	558
4	What is compassion and how can we measure it? A review of definitions and measures. Clinical Psychology Review, 2016, 47, 15-27.	11.4	525
5	What defines mindfulness-based programs? The warp and the weft. Psychological Medicine, 2017, 47, 990-999.	4.5	493
6	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880.	13.7	427
7	Systematic review and meta-analysis of transdiagnostic psychological treatments for anxiety and depressive disorders in adulthood. Clinical Psychology Review, 2015, 40, 91-110.	11.4	411
8	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73.	13.7	390
9	Home practice in Mindfulness-Based Cognitive Therapy and Mindfulness-Based Stress Reduction: A systematic review and meta-analysis of participants' mindfulness practice and its association with outcomes. Behaviour Research and Therapy, 2017, 95, 29-41.	3.1	370
10	A systematic review of mechanisms of change in mindfulness-based cognitive therapy in the treatment of recurrent major depressive disorder. Clinical Psychology Review, 2015, 37, 26-39.	11.4	345
11	Autobiographical memory functioning in depression and reports of early abuse.. Journal of Abnormal Psychology, 1995, 104, 585-591.	1.9	299
12	Research Review: The effects of mindfulness-based interventions on cognition and mental health in children and adolescents – a meta-analysis of randomized controlled trials. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 244-258.	5.2	294
13	Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. British Journal of Psychiatry, 2013, 203, 126-131.	2.8	284
14	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBalT randomised controlled trial. Lancet, The, 2013, 381, 375-384.	13.7	278
15	Examining the factor structure of the 39-item and 15-item versions of the Five Facet Mindfulness Questionnaire before and after mindfulness-based cognitive therapy for people with recurrent depression.. Psychological Assessment, 2016, 28, 791-802.	1.5	255
16	Effectiveness of mindfulness-based stress reduction and mindfulness based cognitive therapy in vascular disease: A systematic review and meta-analysis of randomised controlled trials. Journal of Psychosomatic Research, 2014, 76, 341-351.	2.6	253
17	Examining the factor structures of the Five Facet Mindfulness Questionnaire and the Self-Compassion Scale.. Psychological Assessment, 2014, 26, 407-418.	1.5	244
18	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. Clinical Psychology Review, 2015, 41, 16-26.	11.4	217

#	ARTICLE	IF	CITATIONS
19	Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review. <i>Clinical Psychology Review</i> , 2017, 55, 74-91.	11.4	211
20	Developing methods for assessing quality of life in different cultural settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 1-8.	3.1	177
21	Development and Validation of the Mindfulness-Based Interventions " Teaching Assessment Criteria (MBI:TAC). <i>Assessment</i> , 2013, 20, 681-688.	3.1	175
22	Competence in Teaching Mindfulness-Based Courses: Concepts, Development and Assessment. <i>Mindfulness</i> , 2012, 3, 76-84.	2.8	169
23	Compassion in the landscape of suffering. <i>Contemporary Buddhism</i> , 2011, 12, 143-155.	0.1	158
24	Doing no harm in mindfulness-based programs: Conceptual issues and empirical findings. <i>Clinical Psychology Review</i> , 2019, 71, 101-114.	11.4	152
25	Training Teachers to Deliver Mindfulness-Based Interventions: Learning from the UK Experience. <i>Mindfulness</i> , 2010, 1, 74-86.	2.8	147
26	Intrusive memories of childhood abuse during depressive episodes. <i>Behaviour Research and Therapy</i> , 1994, 32, 525-528.	3.1	133
27	Quality of Life Assessment across Cultures. <i>International Journal of Mental Health</i> , 1994, 23, 5-27.	1.3	131
28	The reliability and quality of cognitive case formulation. <i>Behaviour Research and Therapy</i> , 2005, 43, 1187-1201.	3.1	129
29	Is cognitive case formulation science or science fiction?. <i>Clinical Psychology: Science and Practice</i> , 2003, 10, 52-69.	0.9	126
30	Participants' Experiences of Mindfulness-Based Cognitive Therapy: "It Changed Me in Just about Every Way Possible". <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 413-430.	1.2	123
31	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 335-340.	1.9	115
32	Autobiographical memory and depression. <i>British Journal of Clinical Psychology</i> , 1995, 34, 89-92.	3.5	104
33	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaT randomised controlled trial. <i>Lancet Psychiatry</i> , 2016, 3, 137-144.	7.4	103
34	Autobiographical memory functioning in depression and reports of early abuse.. <i>Journal of Abnormal Psychology</i> , 1995, 104, 585-591.	1.9	99
35	Rumination in adolescents at risk for depression. <i>Journal of Affective Disorders</i> , 2006, 96, 39-47.	4.1	94
36	Development and Psychometric Properties of the Sussex-Oxford Compassion Scales (SOCS). <i>Assessment</i> , 2020, 27, 3-20.	3.1	90

#	ARTICLE	IF	CITATIONS
37	The Implementation of Mindfulness-Based Cognitive Therapy: Learning From the UK Health Service Experience. <i>Mindfulness</i> , 2013, 4, 246-254.	2.8	88
38	A Non-Randomised Feasibility Trial Assessing the Efficacy of a Mindfulness-Based Intervention for Teachers to Reduce Stress and Improve Well-Being. <i>Mindfulness</i> , 2016, 7, 198-208.	2.8	87
39	Mindfulness-based cognitive therapy: a promising new approach to preventing depressive relapse. <i>British Journal of Psychiatry</i> , 2012, 200, 359-360.	2.8	84
40	Disorder specific and trans-diagnostic case conceptualisation. <i>Clinical Psychology Review</i> , 2011, 31, 213-224.	11.4	82
41	The Science and Practice of Case Conceptualization. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 757-768.	1.2	81
42	Overgeneral autobiographical memory in depressed adolescents with, versus without, a reported history of trauma.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 387-396.	1.9	79
43	Therapist Competence, Comorbidity and Cognitive-Behavioral Therapy for Depression. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 42-48.	8.8	75
44	Facets of autobiographical memory in adolescents with major depressive disorder and never depressed controls. <i>Cognition and Emotion</i> , 2006, 20, 466-487.	2.0	73
45	Remembering as an observer: How is autobiographical memory retrieval vantage perspective linked to depression?. <i>Memory</i> , 2009, 17, 624-634.	1.7	73
46	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaIT randomised controlled trial. <i>Health Technology Assessment</i> , 2014, 18, 1-167, vii-viii.	2.8	69
47	Soothing Your Heart and Feeling Connected: A New Experimental Paradigm to Study the Benefits of Self-Compassion. <i>Clinical Psychological Science</i> , 2019, 7, 545-565.	4.0	65
48	Causal beliefs about depression in depressed patients, clinical psychologists and lay persons. <i>The British Journal of Medical Psychology</i> , 1992, 65, 257-268.	0.5	62
49	Psychometric properties of the Beck Self-Esteem Scales. <i>Behaviour Research and Therapy</i> , 2001, 39, 115-124.	3.1	62
50	Effectiveness and cost-effectiveness of universal school-based mindfulness training compared with normal school provision in reducing risk of mental health problems and promoting well-being in adolescence: the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 99-109.	4.5	62
51	The Psychometric Properties of the Kentucky Inventory of Mindfulness Skills in Clinical Populations. <i>Assessment</i> , 2010, 17, 220-229.	3.1	59
52	Overgeneral autobiographical memory in adolescents at risk for depression. <i>Memory</i> , 2011, 19, 241-250.	1.7	59
53	Intraclass Correlation Associated with Therapists: Estimates and Applications in Planning Psychotherapy Research. <i>Cognitive Behaviour Therapy</i> , 2011, 40, 15-33.	3.5	59
54	Sudden gains in cognitive-behavior therapy for treatment-resistant depression: Processes of change.. <i>Journal of Consulting and Clinical Psychology</i> , 2016, 84, 726-737.	2.0	55

#	ARTICLE	IF	CITATIONS
55	The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 194.	1.6	54
56	The characteristics of involuntary and voluntary autobiographical memories in depressed and never depressed individuals. <i>Consciousness and Cognition</i> , 2012, 21, 1382-1392.	1.5	52
57	Involuntary and voluntary autobiographical memory specificity as a function of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 7-13.	1.2	52
58	Self-Compassion and Parenting in Mothers and Fathers with Depression. <i>Mindfulness</i> , 2016, 7, 896-908.	2.8	51
59	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016, 208, 366-373.	2.8	51
60	The Relation of Early Abuse to Cognition and Coping in Depression. <i>Cognitive Therapy and Research</i> , 1999, 23, 665-677.	1.9	49
61	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015, 19, 1-124.	2.8	49
62	No pain, no gain: Depressed clients' experiences of cognitive behavioural therapy. <i>British Journal of Clinical Psychology</i> , 2013, 52, 347-364.	3.5	48
63	Stress and coping in depressed women. <i>Cognitive Therapy and Research</i> , 1994, 18, 403-412.	1.9	47
64	Mindfulness Training in UK Secondary Schools: a Multiple Case Study Approach to Identification of Cornerstones of Implementation. <i>Mindfulness</i> , 2019, 10, 376-389.	2.8	47
65	Bringing light into darkness: A multiple baseline mixed methods case series evaluation of Augmented Depression Therapy (ADepT). <i>Behaviour Research and Therapy</i> , 2019, 120, 103418.	3.1	47
66	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 560-566.	2.0	46
67	Cognitive therapy outcome: the effects of hopelessness in a naturalistic outcome study. <i>Behaviour Research and Therapy</i> , 2004, 42, 631-646.	3.1	46
68	Self-Compassion and Cultural Values: A Cross-Cultural Study of Self-Compassion Using a Multitrait-Multimethod (MTMM) Analytical Procedure. <i>Frontiers in Psychology</i> , 2018, 9, 2638.	2.1	46
69	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012, 12, 125.	2.6	45
70	School-based mindfulness training in early adolescence: what works, for whom and how in the MYRIAD trial?. <i>Evidence-Based Mental Health</i> , 2022, 25, 117-124.	4.5	45
71	The prevalence of depressive symptoms among fathers and associated risk factors during the first seven years of their child's life: findings from the Millennium Cohort Study. <i>BMC Public Health</i> , 2016, 16, 509.	2.9	41
72	The Effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in Real-World Healthcare Services. <i>Mindfulness</i> , 2020, 11, 279-290.	2.8	41

#	ARTICLE	IF	CITATIONS
73	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010, 11, 99.	1.6	40
74	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015, 187, 54-61.	4.1	36
75	Assessing the validity of the ICECAP-A capability measure for adults with depression. <i>BMC Psychiatry</i> , 2017, 17, 46.	2.6	35
76	Do mindfulness-based programmes improve the cognitive skills, behaviour and mental health of children and adolescents? An updated meta-analysis of randomised controlled trials. <i>Evidence-Based Mental Health</i> , 2022, 25, 135-142.	4.5	35
77	Frequency of Self-reported Unpleasant Events and Harm in a Mindfulness-Based Program in Two General Population Samples. <i>Mindfulness</i> , 2021, 12, 763-774.	2.8	34
78	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression. <i>JAMA Psychiatry</i> , 2021, 78, 868.	11.0	33
79	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: The CoBaIT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012, 33, 312-319.	1.8	32
80	Reducing stress and promoting well-being in healthcare workers using mindfulness-based cognitive therapy for life. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100227.	5.1	32
81	The Role of Schools in Early Adolescents' Mental Health: Findings From the MYRIAD Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1467-1478.	0.5	31
82	Mindfulness-Based Programs: Why, When, and How to Adapt?. <i>Global Advances in Health and Medicine</i> , 2022, 11, 216495612110688.	1.6	31
83	The Mental Regulation of Autobiographical Recollection in the Aftermath of Trauma. <i>Current Directions in Psychological Science</i> , 2008, 17, 259-263.	5.3	30
84	Exploring patients' reasons for declining contact in a cognitive behavioural therapy randomised controlled trial in primary care. <i>British Journal of General Practice</i> , 2012, 62, e371-e377.	1.4	30
85	Trainee clinical psychologists' adaptation and professional functioning: a longitudinal study. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 41-54.	2.7	29
86	Teacher Competence in Mindfulness-Based Cognitive Therapy for Depression and Its Relation to Treatment Outcome. <i>Mindfulness</i> , 2017, 8, 960-972.	2.8	28
87	"Mind the gaps": the accessibility and implementation of an effective depression relapse prevention programme in UK NHS services: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>BMJ Open</i> , 2019, 9, e026244.	1.9	28
88	The psychosocial context of depressive rumination: Ruminative brooding predicts diminished relationship satisfaction in individuals with a history of past major depression. <i>British Journal of Clinical Psychology</i> , 2010, 49, 275-280.	3.5	27
89	Cost-effectiveness of cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBaIT Trial. <i>British Journal of Psychiatry</i> , 2014, 204, 69-76.	2.8	27
90	Decentering as a core component in the psychological treatment and prevention of youth anxiety and depression: a narrative review and insight report. <i>Translational Psychiatry</i> , 2021, 11, 288.	4.8	27

#	ARTICLE	IF	CITATIONS
91	Autobiographical memory style in seasonal affective disorder and its relationship to future symptom remission.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 335-340.	1.9	27
92	Universal Mindfulness Training in Schools for Adolescents: a Scoping Review and Conceptual Model of Moderators, Mediators, and Implementation Factors. <i>Prevention Science</i> , 2022, 23, 934-953.	2.6	26
93	Does mindfulness based cognitive therapy prevent relapse of depression?. <i>BMJ, The</i> , 2012, 345, e7194-e7194.	6.0	25
94	Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 29.	1.6	25
95	Processes of change in cognitive behavioral therapy for treatment-resistant depression: psychological flexibility, rumination, avoidance, and emotional processing. <i>Psychotherapy Research</i> , 2020, 30, 983-997.	1.8	25
96	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	2.8	24
97	Advances in Cognitive-Behavioural Therapy for Unipolar Depression. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 5-13.	1.9	21
98	Does father-child conflict mediate the association between fathers' postnatal depressive symptoms and children's adjustment problems at 7 years old?. <i>Psychological Medicine</i> , 2016, 46, 1719-1733.	4.5	21
99	Teachers "finding peace in a frantic world": An experimental study of self-taught and instructor-led mindfulness program formats on acceptability, effectiveness, and mechanisms.. <i>Journal of Educational Psychology</i> , 2021, 113, 1689-1708.	2.9	21
100	The Mental Health and Wellbeing of University Students: Acceptability, Effectiveness, and Mechanisms of a Mindfulness-Based Course. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6023.	2.6	20
101	Postnatal paternal depressive symptoms associated with fathers' subsequent parenting: Findings from the Millennium Cohort Study. <i>British Journal of Psychiatry</i> , 2015, 207, 558-559.	2.8	19
102	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	1.6	19
103	The experiences of parents in mindfulness-based cognitive therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2012, 17, 103-119.	1.6	18
104	The HARMONIC trial: study protocol for a randomised controlled feasibility trial of Shaping Healthy Minds—a modular transdiagnostic intervention for mood, stressor-related and anxiety disorders in adults. <i>BMJ Open</i> , 2018, 8, e024546.	1.9	18
105	Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2019, 5, 63.	1.2	18
106	Susceptibility to prosocial and antisocial influence in adolescence. <i>Journal of Adolescence</i> , 2020, 84, 56-68.	2.4	18
107	Effectiveness of universal school-based mindfulness training compared with normal school provision on teacher mental health and school climate: results of the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 125-134.	4.5	18
108	The psychological sequelae of childhood sexual abuse: A review of the literature and implications for treatment. <i>Clinical Psychology and Psychotherapy</i> , 1995, 2, 108-121.	2.7	17

#	ARTICLE	IF	CITATIONS
109	Accessibility and implementation in UK services of an effective depression relapse prevention programme – mindfulness-based cognitive therapy (MBCT): ASPIRE study protocol. <i>Implementation Science</i> , 2014, 9, 62.	6.9	17
110	Dispositional self-compassion and responses to mood challenge in people at risk for depressive relapse/recurrence. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 621-633.	2.7	17
111	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. <i>Journal of Affective Disorders</i> , 2015, 174, 272-280.	4.1	16
112	A Framework for Supervision for Mindfulness-Based Teachers: a Space for Embodied Mutual Inquiry. <i>Mindfulness</i> , 2015, 6, 572-581.	2.8	16
113	Children's emotion understanding in relation to attachment to mother and father. <i>British Journal of Developmental Psychology</i> , 2018, 36, 557-572.	1.7	16
114	The Mindfulness-Based Interventions: Teaching Assessment Criteria (MBI:TAC): reflections on implementation and development. <i>Current Opinion in Psychology</i> , 2019, 28, 6-10.	4.9	16
115	Accessibility and implementation in the UK NHS services of an effective depression relapse prevention programme: learning from mindfulness-based cognitive therapy through a mixed-methods study. <i>Health Services and Delivery Research</i> , 2017, 5, 1-190.	1.4	16
116	Training School Teachers to Deliver a Mindfulness Program: Exploring Scalability, Acceptability, Effectiveness, and Cost-effectiveness. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096473.	1.6	16
117	Why do GPs exclude patients from participating in research? An exploration of adherence to and divergence from trial criteria. <i>Family Practice</i> , 2014, 31, 364-370.	1.9	15
118	Mindfulness-Based Cognitive Therapy for Young People and Their Carers: a Mixed-Method Feasibility Study. <i>Mindfulness</i> , 2018, 9, 1063-1075.	2.8	14
119	Recovery from recurrent depression: Randomized controlled trial of the efficacy of mindfulness-based compassionate living compared with treatment-as-usual on depressive symptoms and its consolidation at longer term follow-up. <i>Journal of Affective Disorders</i> , 2020, 273, 265-273.	4.1	14
120	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020, 10, e033892.	1.9	14
121	The psychological adaptation of psychologists in clinical training: the role of cognition, coping and social support. , 1998, 5, 238-252.		13
122	Evaluation of mindfulness-based cognitive therapy for life and a cognitive behavioural therapy stress-management workshop to improve healthcare staff stress: study protocol for two randomised controlled trials. <i>Trials</i> , 2018, 19, 209.	1.6	13
123	Feasibility and Acceptability of Mindfulness-based Cognitive Therapy Compared with Mindfulness-based Stress Reduction and Treatment as Usual in People with Depression and Cardiovascular Disorders: a Three-Arm Randomised Controlled Trial. <i>Mindfulness</i> , 2020, 11, 30-50.	2.8	13
124	A longitudinal study of the psychological adaptation of trainee clinical psychologists. <i>Clinical Psychology and Psychotherapy</i> , 2000, 7, 394-400.	2.7	12
125	Benefits and Barriers to Attending MBCT Reunion Meetings: An Insider Perspective. <i>Mindfulness</i> , 2012, 3, 139-150.	2.8	12
126	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014, 15, 217.	1.6	12

#	ARTICLE	IF	CITATIONS
127	Manual Development and Pilot Randomised Controlled Trial of Mindfulness-Based Cognitive Therapy Versus Usual Care for Parents with a History of Depression. <i>Mindfulness</i> , 2016, 7, 1024-1033.	2.8	12
128	Assessing Competence in Collaborative Case Conceptualization: Development and Preliminary Psychometric Properties of the Collaborative Case Conceptualization Rating Scale (CCC-RS). <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 179-192.	1.2	12
129	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	1.6	12
130	The psychometric properties of the cognitive emotion regulation questionnaire (CERQ) in a clinical sample of adults with recurrent depression. <i>Journal of Affective Disorders</i> , 2020, 276, 212-219.	4.1	12
131	Update to the effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 254.	1.6	12
132	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 560-566.	2.0	12
133	Individuals'™ Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 46-57.	1.2	11
134	Feasibility and Effectiveness of a Workplace-Adapted Mindfulness-Based Programme to Reduce Stress in Workers at a Private Sector Logistics Company: An Exploratory Mixed Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1643.	2.6	11
135	Under/over-recruitment to mental health trials. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 158-158.	4.5	10
136	A parallel-group, randomized controlled trial into the effectiveness of Mindfulness-Based Compassionate Living (MBCL) compared to treatment-as-usual in recurrent depression: Trial design and protocol. <i>Contemporary Clinical Trials</i> , 2016, 50, 77-83.	1.8	10
137	Sudden gains and patterns of symptom change in cognitive-behavioral therapy for treatment-resistant depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 106-118.	2.0	10
138	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	2.8	10
139	Assessing health care students'™ intentions and motivations for learning: the Healthcare Learning and Studying Inventory (HLSI). <i>Advances in Health Sciences Education</i> , 2013, 18, 451-462.	3.3	9
140	Can We Agree What Skilled Mindfulness-Based Teaching Looks Like? Lessons From Studying the MBI:TAC. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096473.	1.6	8
141	Anxiety and Depression during COVID-19 in Elite Rugby Players: The Role of Mindfulness Skills. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11940.	2.6	8
142	The impact of mindfulness training in early adolescence on affective executive control, and on later mental health during the COVID-19 pandemic: a randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 110-116.	4.5	8
143	Anna: A 26-year-old woman with major depression and borderline personality disorder. <i>Cognitive and Behavioral Practice</i> , 1999, 6, 50-53.	1.5	7
144	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020, 10, e034158.	1.9	7

#	ARTICLE	IF	CITATIONS
145	Power and Clinical Psychology: A Model for Resolving Power-Related Ethical Dilemmas. <i>Ethics and Behavior</i> , 1999, 9, 21-37.	1.8	6
146	The Impact of Affective Context on Autobiographical Recollection in Depression. <i>Clinical Psychological Science</i> , 2018, 6, 315-324.	4.0	6
147	Developing stepped care treatment for depression (STEPS): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2014, 15, 452.	1.6	5
148	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020, 10, e033892.	1.9	5
149	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.	4.0	5
150	Cognitive behavioural therapy for treatment-resistant depression – Authors' reply. <i>Lancet</i> , 2013, 381, 1814-1815.	13.7	4
151	Do Females with Bulimia Nervosa and Eating Disorder Not Otherwise Specified Have Selective Memory Biases?. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 602-613.	1.2	4
152	A developmental psychopathology approach. <i>Cognitive and Behavioral Practice</i> , 1999, 6, 78-83.	1.5	3
153	Could mindfulness-based cognitive therapy prevent a lifelong recurrent course of depression or anxiety by addressing key mechanisms of vulnerability in high-risk adolescents?. <i>British Journal of Psychiatry</i> , 2020, 216, 175-177.	2.8	3
154	Mindfulness-Based Compassionate Living (MBCL): a Qualitative Study into the Added Value of Compassion in Recurrent Depression. <i>Mindfulness</i> , 2021, 12, 2196-2206.	2.8	3
155	Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis. <i>Behaviour Research and Therapy</i> , 2022, 151, 104048.	3.1	3
156	A Biobehavioural Approach to Understand How Mindfulness-Based Cognitive Therapy Reduces Dispositional Negative Self-Bias in Recurrent Depression. <i>Mindfulness</i> , 2022, 13, 928-941.	2.8	2
157	Mindfulness-Based Cognitive Therapy: A Promising New Approach to Preventing Depressive Relapse. <i>Focus (American Psychiatric Publishing)</i> , 2012, 10, 489-491.	0.8	1
158	Mindfulness-Based Cognitive Therapy for Recurrent Depression. , 2014, , 29-60.		1
159	Conditional Beliefs of Primary-Care Patients with Treatment-Resistant Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 513-526.	1.2	0
160	Protocol for a randomised controlled trial investigating an intervention to boost decentering in response to distressing mental experiences during adolescence: the decentering in adolescence study (DECADES). <i>BMJ Open</i> , 2022, 12, e056864.	1.9	0