

James F Pankow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6512391/publications.pdf>

Version: 2024-02-01

62
papers

7,544
citations

117625

34
h-index

118850

62
g-index

65
all docs

65
docs citations

65
times ranked

5387
citing authors

#	ARTICLE	IF	CITATIONS
1	'Menthol-Plus™': a major category of cigarette found among "concept" descriptor cigarettes from Mexico. <i>Tobacco Control</i> , 2022, 31, e18-e24.	3.2	15
2	Flavour chemicals, synthetic coolants and pulegone in popular mint-flavoured and menthol-flavoured e-cigarettes. <i>Tobacco Control</i> , 2022, 31, e3-e9.	3.2	37
3	Tracing the movement of electronic cigarette flavor chemicals and nicotine from refill fluids to aerosol, lungs, exhale, and the environment. <i>Chemosphere</i> , 2022, 286, 131494.	8.2	10
4	The interaction of mechanically generated turbulence and interfacial films with a liquid phase controlled gas-liquid transport process. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 38, 305.	1.6	22
5	Disposable Puff Bar Electronic Cigarettes: Chemical Composition and Toxicity of E-liquids and a Synthetic Coolant. <i>Chemical Research in Toxicology</i> , 2022, 35, 1344-1358.	3.3	17
6	Do Not Steal. The Commons Tale of win "lose, win "win "LOSE, and lose "lose "LOSE. <i>Environmental Science & Technology</i> , 2021, 55, 14333-14337.	10.0	2
7	E-cigarette fluids and aerosol residues cause oxidative stress and an inflammatory response in human keratinocytes and 3D skin models. <i>Toxicology in Vitro</i> , 2021, 77, 105234.	2.4	11
8	Measurement of the Free-Base Nicotine Fraction (f_{fb}) in Electronic Cigarette Liquids by Headspace Solid-Phase Microextraction. <i>Chemical Research in Toxicology</i> , 2021, 34, 2227-2233.	3.3	2
9	Nicotine in tobacco product aerosols: "It's dÃ©jÃ© vu all over again"™. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2019-055275.	3.2	36
10	Menthol in electronic cigarettes: A contributor to respiratory disease?. <i>Toxicology and Applied Pharmacology</i> , 2020, 407, 115238.	2.8	30
11	Electronic Cigarette Refill Fluids Sold Worldwide: Flavor Chemical Composition, Toxicity, and Hazard Analysis. <i>Chemical Research in Toxicology</i> , 2020, 33, 2972-2987.	3.3	16
12	Free-Base Nicotine Fraction f_{fb} in Non-Aqueous versus Aqueous Solutions: Electronic Cigarette Fluids Without versus With Dilution with Water. <i>Chemical Research in Toxicology</i> , 2020, 33, 1729-1735.	3.3	10
13	High-Nicotine Electronic Cigarette Products: Toxicity of JUUL Fluids and Aerosols Correlates Strongly with Nicotine and Some Flavor Chemical Concentrations. <i>Chemical Research in Toxicology</i> , 2019, 32, 1058-1069.	3.3	161
14	High concentrations of flavor chemicals are present in electronic cigarette refill fluids. <i>Scientific Reports</i> , 2019, 9, 2468.	3.3	105
15	Identification of Cytotoxic Flavor Chemicals in Top-Selling Electronic Cigarette Refill Fluids. <i>Scientific Reports</i> , 2019, 9, 2782.	3.3	104
16	Flavour chemicals in a sample of non-cigarette tobacco products without explicit flavour names sold in New York City in 2015. <i>Tobacco Control</i> , 2018, 27, 170-176.	3.2	37
17	Free-Base Nicotine Determination in Electronic Cigarette Liquids by ¹ H NMR Spectroscopy. <i>Chemical Research in Toxicology</i> , 2018, 31, 431-434.	3.3	73
18	Analytical and toxicological evaluation of flavor chemicals in electronic cigarette refill fluids. <i>Scientific Reports</i> , 2018, 8, 8288.	3.3	118

#	ARTICLE	IF	CITATIONS
19	Boiling points of the propylene glycol+glycerol system at 1 atmosphere pressure: 188.6â€“292â€“C without and with added water or nicotine. Chemical Engineering Communications, 2018, 205, 1691-1700.	2.6	28
20	Gas/Particle Partitioning Constants of Nicotine, Selected Toxicants, and Flavor Chemicals in Solutions of 50/50 Propylene Glycol/Glycerol As Used in Electronic Cigarettes. Chemical Research in Toxicology, 2018, 31, 985-990.	3.3	21
21	Calculating compound dependent gas-droplet distributions in aerosols of propylene glycol and glycerol from electronic cigarettes. Journal of Aerosol Science, 2017, 107, 9-13.	3.8	37
22	Benzene formation in electronic cigarettes. PLoS ONE, 2017, 12, e0173055.	2.5	149
23	Distribution, quantification and toxicity of cinnamaldehyde in electronic cigarette refill fluids and aerosols. Tobacco Control, 2016, 25, ii94-ii102.	3.2	120
24	Flavour chemicals in electronic cigarette fluids. Tobacco Control, 2016, 25, e10-e15.	3.2	283
25	Water uptake by organic aerosol and its influence on gas/particle partitioning of secondary organic aerosol in the United States. Atmospheric Environment, 2016, 129, 142-154.	4.1	39
26	Hidden Formaldehyde in E-Cigarette Aerosols. New England Journal of Medicine, 2015, 372, 392-394.	27.0	496
27	Molecular view modeling of atmospheric organic particulate matter: Incorporating molecular structure and co-condensation of water. Atmospheric Environment, 2015, 122, 400-408.	4.1	27
28	Phase considerations in the gas/particle partitioning of organic amines in the atmosphere. Atmospheric Environment, 2015, 122, 448-453.	4.1	18
29	Modeling regional secondary organic aerosol using the Master Chemical Mechanism. Atmospheric Environment, 2015, 102, 52-61.	4.1	70
30	The Atmosphere can be a Source of Certain Water Soluble Volatile Organic Compounds in Urban Streams. Journal of the American Water Resources Association, 2014, 50, 1124-1137.	2.4	2
31	Candy Flavorings in Tobacco. New England Journal of Medicine, 2014, 370, 2250-2252.	27.0	75
32	Combinatorial variation of structure in considerations of compound lumping in one- and two-dimensional property representations of condensable atmospheric organic compounds. 1. Lumping by 1-D volatility with $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.. Atmospheric Environment,$	4.1	3
33	Equations for the sensitivity of the equilibrium mass concentration of organic particulate matter with respect to changes in ambient parameters: A technical note. Atmospheric Environment, 2013, 64, 374-379.	4.1	5
34	Nonequilibrium atmospheric secondary organic aerosol formation and growth. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 2836-2841.	7.1	261
35	On the ability of the gas/particle partitioning constant K_p to consider the effects of mean MW and the presence of high MW compounds. Atmospheric Environment, 2011, 45, 1213-1216.	4.1	6
36	Application of the np+mP modeling approach for simulating secondary organic particulate matter formation from α -pinene oxidation. Atmospheric Environment, 2011, 45, 6812-6819.	4.1	20

#	ARTICLE	IF	CITATIONS
37	Thirdhand Tobacco Smoke: Emerging Evidence and Arguments for a Multidisciplinary Research Agenda. <i>Environmental Health Perspectives</i> , 2011, 119, 1218-1226.	6.0	355
38	Organic particulate material levels in the atmosphere: Conditions favoring sensitivity to varying relative humidity and temperature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6682-6686.	7.1	24
39	The carbon number-polarity grid: A means to manage the complexity of the mix of organic compounds when modeling atmospheric organic particulate matter. <i>Atmospheric Environment</i> , 2009, 43, 2829-2835.	4.1	100
40	Variation in the Sensitivity of Predicted Levels of Atmospheric Organic Particulate Matter (OPM). <i>Environmental Science & Technology</i> , 2008, 42, 7321-7329.	10.0	41
41	Calculated Cancer Risks for Conventional and "Potentially Reduced Exposure Product" Cigarettes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 584-592.	2.5	49
42	SOURCE APPORTIONMENT MODELING OF VOLATILE ORGANIC COMPOUNDS IN STREAMS. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 921.	4.3	1
43	Thermodynamics of the formation of atmospheric organic particulate matter by accretion reactions"Part 3: Carboxylic and dicarboxylic acids. <i>Atmospheric Environment</i> , 2006, 40, 6676-6686.	4.1	122
44	Thermodynamics of the formation of atmospheric organic particulate matter by accretion reactions"2. Dialdehydes, methylglyoxal, and diketones. <i>Atmospheric Environment</i> , 2005, 39, 6597-6607.	4.1	105
45	Gas/particle partitioning of neutral and ionizing compounds to single- and multi-phase aerosol particles. 2. Phase separation in liquid particulate matter containing both polar and low-polarity organic compounds. <i>Atmospheric Environment</i> , 2004, 38, 1005-1013.	4.1	69
46	Thermodynamics of the formation of atmospheric organic particulate matter by accretion reactions"Part 1: aldehydes and ketones. <i>Atmospheric Environment</i> , 2004, 38, 4371-4382.	4.1	166
47	Delivery Levels and Behavior of 1,3-Butadiene, Acrylonitrile, Benzene, and Other Toxic Volatile Organic Compounds in Mainstream Tobacco Smoke from Two Brands of Commercial Cigarettes. <i>Chemical Research in Toxicology</i> , 2004, 17, 805-813.	3.3	38
48	Gas/particle partitioning of neutral and ionizing compounds to single and multi-phase aerosol particles. 1. Unified modeling framework. <i>Atmospheric Environment</i> , 2003, 37, 3323-3333.	4.1	113
49	Percent Free Base Nicotine in the Tobacco Smoke Particulate Matter of Selected Commercial and Reference Cigarettes. <i>Chemical Research in Toxicology</i> , 2003, 16, 1014-1018.	3.3	77
50	Fraction of Free-Base Nicotine in Fresh Smoke Particulate Matter from the Eclipse "Cigarette" by 1H NMR Spectroscopy. <i>Chemical Research in Toxicology</i> , 2003, 16, 23-27.	3.3	21
51	ORGANIC ATMOSPHERIC PARTICULATE MATERIAL. <i>Annual Review of Physical Chemistry</i> , 2003, 54, 121-140.	10.8	536
52	Modeling the Formation of Secondary Organic Aerosol (SOA). 2. The Predicted Effects of Relative Humidity on Aerosol Formation in the 1±-Pinene-, 1²-Pinene-, Sabinene-, 1³3-Carene-, and Cyclohexene-Ozone Systems. <i>Environmental Science & Technology</i> , 2001, 35, 1806-1817.	10.0	180
53	Modeling the Formation of Secondary Organic Aerosol. 1. Application of Theoretical Principles to Measurements Obtained in the 1±-Pinene/, 1²-Pinene/, Sabinene/, 1³3-Carene/, and Cyclohexene/Ozone Systems. <i>Environmental Science & Technology</i> , 2001, 35, 1164-1172.	10.0	129
54	A Consideration of the Role of Gas/Particle Partitioning in the Deposition of Nicotine and Other Tobacco Smoke Compounds in the Respiratory Tract. <i>Chemical Research in Toxicology</i> , 2001, 14, 1465-1481.	3.3	194

#	ARTICLE	IF	CITATIONS
55	Determination of a Wide Range of Volatile Organic Compounds in Ambient Air Using Multisorbent Adsorption/Thermal Desorption and Gas Chromatography/Mass Spectrometry. <i>Analytical Chemistry</i> , 1998, 70, 5213-5221.	6.5	92
56	Conversion of Nicotine in Tobacco Smoke to Its Volatile and Available Free-Base Form through the Action of Gaseous Ammonia. <i>Environmental Science & Technology</i> , 1997, 31, 2428-2433.	10.0	74
57	Gas/Particle Partitioning of Organic Compounds to Environmental Tobacco Smoke: Partition Coefficient Measurements by Desorption and Comparison to Urban Particulate Material. <i>Environmental Science & Technology</i> , 1996, 30, 2800-2805.	10.0	103
58	An absorption model of the gas/aerosol partitioning involved in the formation of secondary organic aerosol. <i>Atmospheric Environment</i> , 1994, 28, 189-193.	4.1	896
59	An absorption model of gas/particle partitioning of organic compounds in the atmosphere. <i>Atmospheric Environment</i> , 1994, 28, 185-188.	4.1	1,426
60	Air Sparging in Gate Wells in Cutoff Walls and Trenches for Control of Plumes of Volatile Organic Compounds (VOCs). <i>Ground Water</i> , 1993, 31, 654-663.	1.3	45
61	Dissolution of Dense Chlorinated Solvents into Ground Water: 1. Dissolution from a Well-Defined Residual Source. <i>Ground Water</i> , 1992, 30, 250-256.	1.3	105
62	Design of a Ground-Water Sampler for Collecting Volatile Organics and Dissolved Gases in Small-Diameter Wells. <i>Ground Water</i> , 1987, 25, 448-454.	1.3	10