

# Nathalie Chavarot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/651248/publications.pdf>

Version: 2024-02-01

19  
papers

960  
citations

840776

11  
h-index

888059

17  
g-index

19  
all docs

19  
docs citations

19  
times ranked

1581  
citing authors

#	ARTICLE	IF	CITATIONS
1	An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants. <i>Kidney International</i> , 2020, 98, 1549-1558.	5.2	213
2	Is COVID-19 infection more severe in kidney transplant recipients?. <i>American Journal of Transplantation</i> , 2021, 21, 1295-1303.	4.7	190
3	Poor Anti-SARS-CoV-2 Humoral and T-cell Responses After 2 Injections of mRNA Vaccine in Kidney Transplant Recipients Treated With Belatacept. <i>Transplantation</i> , 2021, 105, e94-e95.	1.0	105
4	Occurrence of severe COVID-19 in vaccinated transplant patients. <i>Kidney International</i> , 2021, 100, 477-479.	5.2	101
5	Weak antibody response to three doses of mRNA vaccine in kidney transplant recipients treated with belatacept. <i>American Journal of Transplantation</i> , 2021, 21, 4043-4051.	4.7	84
6	COVID-19 severity in kidney transplant recipients is similar to nontransplant patients with similar comorbidities. <i>American Journal of Transplantation</i> , 2021, 21, 1285-1294.	4.7	69
7	Opportunistic infections after conversion to belatacept in kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 336-345.	0.7	54
8	Increased incidence and unusual presentations of CMV disease in kidney transplant recipients after conversion to belatacept. <i>American Journal of Transplantation</i> , 2021, 21, 2448-2458.	4.7	31
9	Decline and loss of anti-SARS-CoV-2 antibodies in kidney transplant recipients in the 6 months following SARS-CoV-2 infection. <i>Kidney International</i> , 2021, 99, 486-488.	5.2	30
10	Rituximab alone as induction therapy for membranous lupus nephritis. <i>Medicine (United States)</i> , 2017, 96, e7429.	1.0	28
11	Early treatment with sotrovimab monoclonal antibody in kidney transplant recipients with Omicron infection. <i>Kidney International</i> , 2022, 101, 1290-1293.	5.2	25
12	Severe relapse of SARS-CoV-2 infection in a kidney transplant recipient with negative nasopharyngeal SARS-CoV-2 RT-PCR after rituximab. <i>American Journal of Transplantation</i> , 2022, 22, 2099-2103.	4.7	14
13	Clinical Utility of Biochemical Markers for the Prediction of COVID-19-Related Mortality in Kidney Transplant Recipients. <i>Kidney International Reports</i> , 2021, 6, 2689-2693.	0.8	8
14	Ig-responsive relapsing inflammatory syndrome following COVID-19 in a kidney transplant recipient. <i>Kidney International</i> , 2021, 99, 767-768.	5.2	3
15	Cutis laxa for diagnosis of IgG heavy chain deposition disease: Report of four cases. <i>Journal of Dermatology</i> , 2018, 45, 1211-1215.	1.2	2
16	Belatacept as maintenance therapy in kidney transplant recipients with ANCA-associated vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 194-195.	0.8	2
17	COVID-19: A One-center Experience in Paris. <i>Transplantation Direct</i> , 2021, 7, e647.	1.6	1
18	The Case   Cardiac tamponade in a kidney transplant recipient with chronic inflammation. <i>Kidney International</i> , 2021, 100, 487-488.	5.2	0

#	ARTICLE	IF	CITATIONS
19	Belatacept as maintenance therapy in kidney transplant recipients with ANCA-associated vasculitis. Clinical and Experimental Rheumatology, 2021, 39 Suppl 129, 194-195.	0.8	0