
## Nathalie Chavarot

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/651248/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Severe relapse of SARS-CoV-2 infection in a kidney transplant recipient with negative nasopharyngeal SARS-CoV-2 RT-PCR after rituximab. American Journal of Transplantation, 2022, 22, 2099-2103. | 4.7 | 14        |
| 2  | Early treatment with sotrovimab monoclonal antibody in kidney transplant recipients with Omicron infection. Kidney International, 2022, 101, 1290-1293.   | 5.2 | 25        |
| 3  | COVID-19 severity in kidney transplant recipients is similar to nontransplant patients with similar comorbidities. American Journal of Transplantation, 2021, 21, 1285-1294.                      | 4.7 | 69        |
| 4  | ls COVID-19 infection more severe in kidney transplant recipients?. American Journal of Transplantation, 2021, 21, 1295-1303.   | 4.7 | 190       |
| 5  | Increased incidence and unusual presentations of CMV disease in kidney transplant recipients after conversion to belatacept. American Journal of Transplantation, 2021, 21, 2448-2458.            | 4.7 | 31        |
| 6  | Decline and loss of anti–SARS-CoV-2 antibodies in kidney transplant recipients inÂthe 6 months<br>following SARS-CoV-2 infection. Kidney International, 2021, 99, 486-488.                        | 5.2 | 30        |
| 7  | lg-responsive relapsing inflammatory syndrome following COVID-19 in a kidney transplant recipient.<br>Kidney International, 2021, 99, 767-768.  | 5.2 | 3         |
| 8  | Poor Anti-SARS-CoV-2 Humoral and T-cell Responses After 2 Injections of mRNA Vaccine in Kidney<br>Transplant Recipients Treated With Belatacept. Transplantation, 2021, 105, e94-e95.             | 1.0 | 105       |
| 9  | Clinical Utility of Biochemical Markers for the Prediction of COVID-19â <sup>-3</sup> Related Mortality in Kidney<br>Transplant Recipients. Kidney International Reports, 2021, 6, 2689-2693.     | 0.8 | 8         |
| 10 | The Case   Cardiac tamponade in a kidney transplant recipient with chronic inflammation. Kidney International, 2021, 100, 487-488.  | 5.2 | 0         |
| 11 | Occurrence of severe COVID-19 in vaccinated transplant patients. Kidney International, 2021, 100, 477-479.  | 5.2 | 101       |
| 12 | Weak antibody response to three doses of mRNA vaccine in kidney transplant recipients treated with belatacept. American Journal of Transplantation, 2021, 21, 4043-4051.                          | 4.7 | 84        |
| 13 | COVID-19: A One-center Experience in Paris. Transplantation Direct, 2021, 7, e647.  | 1.6 | 1         |
| 14 | Belatacept as maintenance therapy in kidney transplant recipients with ANCA-associated vasculitis.<br>Clinical and Experimental Rheumatology, 2021, 39 Suppl 129, 194-195.                        | 0.8 | 0         |
| 15 | Belatacept as maintenance therapy in kidney transplant recipients with ANCA-associated vasculitis.<br>Clinical and Experimental Rheumatology, 2021, 39, 194-195.                                  | 0.8 | 2         |
| 16 | An initial report from the French SOT COVID Registry suggests high mortality due to COVID-19 in recipients of kidney transplants. Kidney International, 2020, 98, 1549-1558.                      | 5.2 | 213       |
| 17 | Opportunistic infections after conversion to belatacept in kidney transplantation. Nephrology<br>Dialysis Transplantation, 2020, 35, 336-345.   | 0.7 | 54        |
| 18 | Cutis laxa for diagnosis of γ1â€heavy hain deposition disease: Report of four cases. Journal of<br>Dermatology, 2018, 45, 1211-1215.  | 1.2 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Rituximab alone as induction therapy for membranous lupus nephritis. Medicine (United States), 2017, 96, e7429. | 1.0 | 28        |