

Hedvig Nordeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/651322/publications.pdf>

Version: 2024-02-01

172
papers

5,726
citations

61984

43
h-index

102487

66
g-index

190
all docs

190
docs citations

190
times ranked

5433
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal exposure to nitrofurantoin and risk of childhood leukaemia: a registry-based cohort study in four Nordic countries. <i>International Journal of Epidemiology</i> , 2022, 51, 778-788.	1.9	3
2	Prenatal medication exposure and epigenetic outcomes: a systematic literature review and recommendations for prenatal pharmacoepigenetic studies. <i>Epigenetics</i> , 2022, 17, 357-380.	2.7	9
3	Longitudinal Methods for Modeling Exposures in Pharmacoepidemiologic Studies in Pregnancy. <i>Epidemiologic Reviews</i> , 2022, 43, 130-146.	3.5	13
4	Antihistamine use during breastfeeding with focus on breast milk transfer and safety in humans: A systematic literature review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 171-181.	2.5	11
5	Association between antidepressant use in pregnancy and gestational diabetes mellitus: Results from the Norwegian Mother, Father and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 247-256.	1.9	7
6	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 321-331.	4.7	30
7	Incidence, antibiotic treatment and outcomes of lactational mastitis: Findings from The Norwegian Mother, Father and Child Cohort Study (MoBa). <i>Paediatric and Perinatal Epidemiology</i> , 2022, 36, 254-263.	1.7	4
8	Self-Reported Medication Use among Pregnant and Breastfeeding Women during the COVID-19 Pandemic: A Cross-Sectional Study in Five European Countries. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1389.	2.6	16
9	Perinatal antidepressant use and breastfeeding outcomes: Findings from the Norwegian Mother, Father and Child Cohort Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 344-354.	2.8	7
10	Impact of a Mobile Application for Tracking Nausea and Vomiting During Pregnancy (NVP) on NVP Symptoms, Quality of Life, and Decisional Conflict Regarding NVP Treatments: MinSafeStart Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2022, 10, e36226.	3.7	5
11	Antidepressant and mental health care utilization in pregnant women with depression and/or anxiety: An interrupted time-series analysis. <i>Journal of Affective Disorders</i> , 2022, 308, 458-465.	4.1	9
12	Self-Reported Medication Use among Pregnant and Postpartum Women during the Third Wave of the COVID-19 Pandemic: A European Multinational Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5335.	2.6	14
13	Comment to "Pregnancy and COVID-19, focus on vaccine and pharmacological treatment". <i>Journal of Reproductive Immunology</i> , 2022, 152, 103639.	1.9	0
14	Ondansetron use in nausea and vomiting during pregnancy: A descriptive analysis of prescription patterns and patient characteristics in UK general practice. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4526-4539.	2.4	3
15	Does Intrapartum Epidural Analgesia Increase the Risk of Autism Spectrum Disorder in Offspring? Most Likely Not. <i>JAMA Network Open</i> , 2022, 5, e2214279.	5.9	0
16	Association of Maternal Use of Triptans During Pregnancy With Risk of Attention-Deficit/Hyperactivity Disorder in Offspring. <i>JAMA Network Open</i> , 2022, 5, e2215333.	5.9	3
17	Low reliability of DNA methylation across Illumina Infinium platforms in cord blood: implications for replication studies and meta-analyses of prenatal exposures. <i>Clinical Epigenetics</i> , 2022, 14, .	4.1	6
18	Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. <i>Journal of Health Psychology</i> , 2021, 26, 1293-1306.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Thyroid hormone replacement therapy in pregnancy and motor function, communication skills, and behavior of preschool children: The Norwegian Mother, Father, and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 716-726.	1.9	2
20	Mental health status of pregnant and breastfeeding women during the COVID-19 pandemic – A multinational cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1219-1229.	2.8	140
21	Antiemetic Prescription Fills in Pregnancy: A Drug Utilization Study Among 762,437 Pregnancies in Norway. <i>Clinical Epidemiology</i> , 2021, Volume 13, 161-174.	3.0	9
22	Vaccine Willingness and Impact of the COVID-19 Pandemic on Women's Perinatal Experiences and Practices – A Multinational, Cross-Sectional Study Covering the First Wave of the Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3367.	2.6	83
23	Antithyroid drug use during pregnancy and the risk of birth defects in offspring: systematic review and meta-analysis of observational studies with methodological considerations. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 3890-3900.	2.4	14
24	Transfer of triptans into human breast milk and estimation of infant drug exposure through breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 795-804.	2.5	4
25	A comprehensive review on non-clinical methods to study transfer of medication into breast milk – A contribution from the ConcePTION project. <i>Biomedicine and Pharmacotherapy</i> , 2021, 136, 111038.	5.6	19
26	Genetic Susceptibility to Drug Teratogenicity: A Systematic Literature Review. <i>Frontiers in Genetics</i> , 2021, 12, 645555.	2.3	11
27	Management of cluster headache and other trigeminal autonomic cephalalgias in pregnancy and breastfeeding. <i>European Journal of Neurology</i> , 2021, 28, 2443-2455.	3.3	4
28	Prenatal exposure to non-steroidal anti-inflammatory drugs and risk of attention-deficit/hyperactivity disorder: A follow-up study in the Norwegian mother, father and child cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1380-1390.	1.9	2
29	SARS-CoV-2 Vaccine Willingness among Pregnant and Breastfeeding Women during the First Pandemic Wave: A Cross-Sectional Study in Switzerland. <i>Viruses</i> , 2021, 13, 1199.	3.3	54
30	Acetaminophen use during pregnancy and offspring attention deficit hyperactivity disorder – a longitudinal sibling control study. <i>JCPP Advances</i> , 2021, 1, e12020.	2.4	8
31	Attention-deficit/hyperactivity disorder in children following prenatal exposure to antidepressants: results from the Norwegian mother, father and child cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1917-1927.	2.3	10
32	Medicinal plants used among pregnant women in a tertiary teaching hospital in Jimma, Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e046495.	1.9	8
33	Perinatal use of triptans and other drugs for migraine – A nationwide drug utilization study. <i>PLoS ONE</i> , 2021, 16, e0256214.	2.5	1
34	Association of Timing and Duration of Prenatal Analgesic Opioid Exposure With Attention-Deficit/Hyperactivity Disorder in Children. <i>JAMA Network Open</i> , 2021, 4, e2124324.	5.9	5
35	Association between Antidepressant Treatment during Pregnancy and Postpartum Self-Harm Ideation in Women with Psychiatric Disorders: A Cross-Sectional, Multinational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 46.	2.6	3
36	Use of interrupted time-series analysis to characterise antibiotic prescription fills across pregnancy: a Norwegian nationwide cohort study. <i>BMJ Open</i> , 2021, 11, e050569.	1.9	4

#	ARTICLE	IF	CITATIONS
37	Prenatal paracetamol exposure and neurodevelopmental outcomes in preschool-aged children. <i>Paediatric and Perinatal Epidemiology</i> , 2020, 34, 247-256.	1.7	16
38	Thyroid hormone replacement therapy patterns in pregnant women and perinatal outcomes in the offspring. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 111-121.	1.9	4
39	Response to: Modelling paternal exposure as a negative control. <i>International Journal of Epidemiology</i> , 2020, 49, 1054-1055.	1.9	0
40	Fertility treatment and oral contraceptive discontinuation for identification of pregnancy planning in routinely collected health data – an application to analgesic and antibiotic utilisation. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 731.	2.4	1
41	Medication-related problems among hospitalized pregnant women in a tertiary teaching hospital in Ethiopia: a prospective observational study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 737.	2.4	3
42	Modeling exposures of medications used episodically during pregnancy: Triptans as a motivating example. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1111-1119.	1.9	4
43	The effect of a pharmacist consultation on pregnant women's quality of life with a special focus on nausea and vomiting: an intervention study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 766.	2.4	3
44	Associations of Maternal Use of Benzodiazepines or Benzodiazepine-like Hypnotics During Pregnancy With Immediate Pregnancy Outcomes in Norway. <i>JAMA Network Open</i> , 2020, 3, e205860.	5.9	24
45	Differences in medication beliefs between pregnant women using medication, or not, for chronic diseases: a cross-sectional, multinational, web-based study. <i>BMJ Open</i> , 2020, 10, e034529.	1.9	11
46	Use and Intentional Avoidance of Prescribed Medications in Pregnancy: A Cross-Sectional, Web-Based Study among 926 Women in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3830.	2.6	8
47	Extending balance assessment for the generalized propensity score under multiple imputation. <i>Epidemiologic Methods</i> , 2020, 9, .	0.9	1
48	Use of Decision Support Tools to Empower Pregnant Women: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e19436.	4.3	20
49	Register-based study showed that the age when children were prescribed antibiotic tablets and capsules instead of liquids increased from 2004 to 2016. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 699-706.	1.5	0
50	Social media monitoring on the perceived safety of medication use during pregnancy: A case study from the Netherlands. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2580-2590.	2.4	13
51	Paternal antidepressant use as a negative control for maternal use: assessing familial confounding on gestational length and anxiety traits in offspring. <i>International Journal of Epidemiology</i> , 2019, 48, 1665-1672.	1.9	13
52	Community pharmacist counseling in early pregnancy – Results from the SafeStart feasibility study. <i>PLoS ONE</i> , 2019, 14, e0219424.	2.5	10
53	Use and validity of child neurodevelopment outcome measures in studies on prenatal exposure to psychotropic and analgesic medications – A systematic review. <i>PLoS ONE</i> , 2019, 14, e0219778.	2.5	22
54	Maternal Thyroid Hormone Replacement Therapy Exposure and Language and Communication Skills of Offspring at 8 Years of Age. <i>JAMA Network Open</i> , 2019, 2, e1912424.	5.9	2

#	ARTICLE	IF	CITATIONS
55	Impact of prenatal exposure to benzodiazepines and z-hypnotics on behavioral problems at 5 years of age: A study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2019, 14, e0217830.	2.5	16
56	Perceived sensitivity to medicines: a study among chronic medicine users in Norway. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 804-812.	2.1	8
57	Risk perception, beliefs about medicines and medical adherence among pregnant and breastfeeding women with migraine: findings from a cross-sectional study in Norway. <i>BMJ Open</i> , 2019, 9, e026690.	1.9	14
58	Women's perspectives on the management and consequences of hyperemesis gravidarum – a descriptive interview study. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 30-40.	1.5	33
59	Association of Maternal Use of Benzodiazepines and Z-Hypnotics During Pregnancy With Motor and Communication Skills and Attention-Deficit/Hyperactivity Disorder Symptoms in Preschoolers. <i>JAMA Network Open</i> , 2019, 2, e191435.	5.9	34
60	Knowledge of antibiotics and antibiotic resistance among Norwegian pharmacy customers – a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 66.	2.9	52
61	Analyzing Missing Data in Perinatal Pharmacoepidemiology Research: Methodological Considerations to Limit the Risk of Bias. <i>Clinical Therapeutics</i> , 2019, 41, 2477-2487.	2.5	13
62	Medicinal Plants and Concomitant Use with Pharmaceutical Drugs Among Pregnant Women. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 427-434.	2.1	18
63	Women's Beliefs About Medicines and Adherence to Pharmacotherapy in Pregnancy: Opportunities for Community Pharmacists. <i>Current Pharmaceutical Design</i> , 2019, 25, 469-482.	1.9	26
64	Risk factors for discontinuation of thyroid hormone replacement therapy in early pregnancy: a study from the Norwegian Mother and Child Cohort Study and the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 852-860.	2.8	3
65	Agreement between paternal self-reported medication use and records from a national prescription database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 413-421.	1.9	16
66	Prenatal triptan exposure and neurodevelopmental outcomes in 5-year-old children: Follow-up from the Norwegian Mother and Child Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 247-255.	1.7	13
67	Reported time to onset of neurological adverse drug reactions among different age and gender groups using metoclopramide: an analysis of the global database Vigibase®. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 627-636.	1.9	9
68	Effect of Time-Dependent Selective Serotonin Reuptake Inhibitor Antidepressants During Pregnancy on Behavioral, Emotional, and Social Development in Preschool-Aged Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 200-208.	0.5	49
69	Making fair comparisons in pregnancy medication safety studies: An overview of advanced methods for confounding control. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 140-147.	1.9	33
70	The Impact of Nondifferential Exposure Misclassification on the Performance of Propensity Scores for Continuous and Binary Outcomes. <i>Medical Care</i> , 2018, 56, e46-e53.	2.4	7
71	Maternal use of thyroid hormone replacement therapy before, during, and after pregnancy: agreement between self-report and prescription records and group-based trajectory modeling of prescription patterns. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1801-1816.	3.0	18
72	Dr. Lupattelli et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 699-700.	0.5	0

#	ARTICLE	IF	CITATIONS
73	The use of medicinal plants by pregnant women in Africa: A systematic review. <i>Journal of Ethnopharmacology</i> , 2018, 224, 297-313.	4.1	54
74	Learning the effects of psychotropic drugs during pregnancy using real-world safety data: a paradigm shift toward modern pharmacovigilance. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 783-786.	2.1	5
75	Self-reported perinatal depressive symptoms and postnatal symptom severity after treatment with antidepressants in pregnancy: a cross-sectional study across 12 European countries using the Edinburgh Postnatal Depression Scale. <i>Clinical Epidemiology</i> , 2018, Volume 10, 655-669.	3.0	20
76	Requests for new oral antibiotic prescriptions in children within 2 days: a Norwegian population-based study. <i>Family Practice</i> , 2018, 35, 690-697.	1.9	8
77	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. <i>Archives of Women's Mental Health</i> , 2017, 20, 397-404.	2.6	32
78	Consumption of alcohol during pregnancy—A multinational European study. <i>Women and Birth</i> , 2017, 30, e207-e213.	2.0	75
79	The burden of nausea and vomiting during pregnancy: severe impacts on quality of life, daily life functioning and willingness to become pregnant again — results from a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 75.	2.4	77
80	Safety profile of medication used during pregnancy: results of a multinational European study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 802-811.	1.9	29
81	Prenatal Exposure to Acetaminophen and Risk of ADHD. <i>Pediatrics</i> , 2017, 140, .	2.1	138
82	SafeStart — An intervention study to promote healthier pregnancies. <i>Reproductive Toxicology</i> , 2017, 72, 213-214.	2.9	0
83	Prenatal exposure to antidepressants and increased risk of psychiatric disorders. <i>BMJ: British Medical Journal</i> , 2017, 358, j3950.	2.3	5
84	Patterns and predictors of analgesic use in pregnancy: a longitudinal drug utilization study with special focus on women with migraine. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 224.	2.4	22
85	Risk of preeclampsia after gestational exposure to selective serotonin reuptake inhibitors and other antidepressants: A study from The Norwegian Mother and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1266-1276.	1.9	23
86	Sick leave and medication use in pregnancy: a European web-based study. <i>BMJ Open</i> , 2017, 7, e014934.	1.9	16
87	Counselling pregnant women at the crossroads of Europe and Asia: effect of Teratology Information Service in Turkey. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 783-790.	2.1	9
88	Administrative Claims Data Versus Augmented Pregnancy Data for the Study of Pharmaceutical Treatments in Pregnancy. <i>Current Epidemiology Reports</i> , 2017, 4, 106-116.	2.4	30
89	Complex patterns of concomitant medication use: A study among Norwegian women using paracetamol during pregnancy. <i>PLoS ONE</i> , 2017, 12, e0190101.	2.5	3
90	Long-term prenatal exposure to paracetamol is associated with DNA methylation differences in children diagnosed with ADHD. <i>Clinical Epigenetics</i> , 2017, 9, 77.	4.1	51

#	ARTICLE	IF	CITATIONS
91	Hypnotics use in children 0â€“18Âmonths: moderate agreement between mother-reported survey data and prescription registry data. <i>Journal of Pharmaceutical Policy and Practice</i> , 2017, 10, 28.	2.4	1
92	Association of prenatal exposure to benzodiazepines and child internalizing problems: A sibling-controlled cohort study. <i>PLoS ONE</i> , 2017, 12, e0181042.	2.5	28
93	Does progestin-only contraceptive use after pregnancy affect recovery from pelvic girdle pain? A prospective population study. <i>PLoS ONE</i> , 2017, 12, e0184071.	2.5	2
94	Prenatal triptan exposure and parentâ€reported early childhood neurodevelopmental outcomes: an application of propensity score calibration to adjust for unmeasured confounding by migraine severity. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 493-502.	1.9	14
95	Prenatal Triptan Exposure and Internalising and Externalising Behaviour Problems in 3â€Yearâ€Old Children: Results from the <scp>N</scp>orwegian <scp>M</scp>other and <scp>C</scp>hild <scp>C</scp>ohort <scp>S</scp>tudy. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 190-200.	1.7	26
96	Womenâ€™s beliefs about medication use during their pregnancy: a UK perspective. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 968-976.	2.1	48
97	Longitudinal changes in neurodevelopmental outcomes between 18 and 36â€...months in children with prenatal triptan exposure: findings from the Norwegian Mother and Child Cohort Study. <i>BMJ Open</i> , 2016, 6, e011971.	1.9	7
98	Medication use and drug-related problems among women at maternity wardsâ€”a cross-sectional study from two Norwegian hospitals. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 849-857.	1.9	22
99	Effect of prenatal selective serotonin reuptake inhibitor (SSRI) exposure on birthweight and gestational age: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, dyw049.	1.9	11
100	Medication adherence among pregnant women with hypothyroidismâ€”missed opportunities to improve reproductive health? A cross-sectional, web-based study. <i>Patient Education and Counseling</i> , 2016, 99, 1699-1707.	2.2	21
101	Neurodevelopmental problems at 18 months among children exposed to paracetamol<i>in utero</i>: a propensity score matched cohort study. <i>International Journal of Epidemiology</i> , 2016, 45, dyw192.	1.9	37
102	Cell type specific DNA methylation in cord blood: A 450K-reference data set and cell count-based validation of estimated cell type composition. <i>Epigenetics</i> , 2016, 11, 690-698.	2.7	69
103	Use of antimigraine medications and information needs during pregnancy and breastfeeding: a cross-sectional study among 401 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 1525-1535.	1.9	21
104	Drug utilization in pregnant women. , 2016, , 240-247.		3
105	Safety classification of herbal medicines used in pregnancy in a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 102.	3.7	73
106	Pharmacists counselling of pregnant women: Web-based, comparative study between Serbia and Norway. <i>Midwifery</i> , 2016, 40, 79-86.	2.3	15
107	Treatment of nausea and vomiting during pregnancyâ€”a cross-sectional study among 712 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 593-604.	1.9	23
108	Pregnancy outcomes after prenatal exposure to echinacea: the Norwegian Mother and Child Cohort Study. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 623-630.	1.9	16

#	ARTICLE	IF	CITATIONS
109	Safety of Psychotropic Drugs in Pregnancy and Breastfeeding. , 2016, , 299-319.		6
110	Association of Prenatal Ibuprofen Exposure with Birth Weight and Gestational Age: A Population-Based Sibling Study. PLoS ONE, 2016, 11, e0166971.	2.5	9
111	Use of macrolides during pregnancy and the risk of birth defects: a population-based study. Pharmacoepidemiology and Drug Safety, 2015, 24, 1241-1248.	1.9	31
112	Treatment of nausea in pregnancy: a cross-sectional multinational web-based study of pregnant women and new mothers. BMC Pregnancy and Childbirth, 2015, 15, 321.	2.4	19
113	Attitudes and use of medicinal plants during pregnancy among women at health care centers in three regions of Mali, West-Africa. Journal of Ethnobiology and Ethnomedicine, 2015, 11, 73.	2.6	46
114	Behavioural effects of fetal antidepressant exposure in a Norwegian cohort of discordant siblings. International Journal of Epidemiology, 2015, 44, 1397-1407.	1.9	65
115	Factors associated with the need for information about medicines among pregnant women – A multinational internet-based survey. Research in Social and Administrative Pharmacy, 2015, 11, 297-302.	3.0	17
116	PATTERNS AND FACTORS ASSOCIATED WITH LOW ADHERENCE TO PSYCHOTROPIC MEDICATIONS DURING PREGNANCY-A CROSS-SECTIONAL, MULTINATIONAL WEB-BASED STUDY. Depression and Anxiety, 2015, 32, 426-436.	4.1	47
117	Annotations and Reflections. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 6-8.	2.5	3
118	Translation and factor analysis of structural models of Edinburgh Postnatal Depression Scale in Serbian pregnant and postpartum women – Web-based study. Women and Birth, 2015, 28, e31-e35.	2.0	18
119	Pharmacological treatment of migraine during pregnancy and breastfeeding. Nature Reviews Neurology, 2015, 11, 209-219.	10.1	66
120	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. BMJ Open, 2015, 5, e007390-e007390.	1.9	72
121	The relationship between maternal depression and smoking cessation during pregnancy—a cross-sectional study of pregnant women from 15 European countries. Archives of Women's Mental Health, 2015, 18, 73-84.	2.6	46
122	Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. PLoS ONE, 2015, 10, e0133045.	2.5	11
123	Echinacea and elderberry—should they be used against upper respiratory tract infections during pregnancy?. Frontiers in Pharmacology, 2014, 5, 31.	3.5	11
124	Factors associated with alcohol consumption during pregnancy – a cross-sectional study in 15 European countries. European Journal of Public Health, 2014, 24, .	0.3	1
125	Medication use in pregnancy: a cross-sectional, multinational web-based study. BMJ Open, 2014, 4, e004365.	1.9	311
126	Authors' Response: More research on paracetamol is required. International Journal of Epidemiology, 2014, 43, 975-976.	1.9	5

#	ARTICLE	IF	CITATIONS
127	Transfer of Aripiprazole to Breast Milk. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 272-275.	1.4	19
128	Adherence to medication for chronic disorders during pregnancy: results from a multinational study. <i>International Journal of Clinical Pharmacy</i> , 2014, 36, 145-153.	2.1	81
129	Short- and Long-term Mortality Risk Associated with the Use of Antipsychotics Among 26,940 Dementia Outpatients: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 321-331.	1.2	64
130	Health literacy and its association with perception of teratogenic risks and health behavior during pregnancy. <i>Patient Education and Counseling</i> , 2014, 96, 171-178.	2.2	67
131	Risk of Vaginal Bleeding and Postpartum Hemorrhage After Use of Antidepressants in Pregnancy. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 143-148.	1.4	36
132	Multiple Information Sources and Consequences of Conflicting Information About Medicine Use During Pregnancy: A Multinational Internet-Based Survey. <i>Journal of Medical Internet Research</i> , 2014, 16, e60.	4.3	73
133	Predictors of the use of medications before and during pregnancy. <i>International Journal of Clinical Pharmacy</i> , 2013, 35, 408-416.	2.1	17
134	Safety of ginger use in pregnancy: results from a large population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 269-277.	1.9	65
135	Triptan safety during pregnancy: a Norwegian population registry study. <i>European Journal of Epidemiology</i> , 2013, 28, 759-769.	5.7	40
136	Prenatal paracetamol exposure and child neurodevelopment: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2013, 42, 1702-1713.	1.9	227
137	Traditional medicine practitioners' knowledge and views on treatment of pregnant women in three regions of Mali. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2013, 9, 67.	2.6	29
138	Herbal medicine use in pregnancy: results of a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 355.	3.7	158
139	Pregnancy outcome after use of cranberry in pregnancy – the Norwegian mother and child cohort study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 345.	3.7	19
140	Effects of ibuprofen, diclofenac, naproxen, and piroxicam on the course of pregnancy and pregnancy outcome: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 948-959.	2.3	84
141	Medicines information needs during pregnancy: a multinational comparison. <i>BMJ Open</i> , 2013, 3, e002594.	1.9	67
142	Neonatal Outcomes After Gestational Exposure to Nitrofurantoin. <i>Obstetrics and Gynecology</i> , 2013, 121, 306-313.	2.4	45
143	Pregnancy Outcome After Exposure to Antidepressants and the Role of Maternal Depression. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 186-194.	1.4	119
144	Pregnancy outcome after gestational exposure to erythromycin – a population-based register study from Norway. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 1053-1062.	2.4	47

#	ARTICLE	IF	CITATIONS
145	Antidepressant use during pregnancy: the benefit-risk ratio. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 157-163.	1.3	79
146	Effects of personality on use of medications, alcohol, and cigarettes during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 845-851.	1.9	29
147	Fear of childbirth, mental health, and medication use during pregnancy. <i>Archives of Women's Mental Health</i> , 2012, 15, 203-209.	2.6	44
148	Legemiddelbruk ved amming. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012, 132, 1089-1093.	0.2	18
149	Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. <i>Complementary Therapies in Clinical Practice</i> , 2011, 17, 147-151.	1.7	95
150	Safety and efficacy of herbal remedies in obstetricsâ€”review and clinical implications. <i>Midwifery</i> , 2011, 27, 80-86.	2.3	76
151	Concomitant use of anti-dementia drugs with psychotropic drugs in Norwayâ€”a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1319-1326.	1.9	9
152	Exposure to Non-Steroidal Anti-Inflammatory Drugs during Pregnancy and the Risk of Selected Birth Defects: A Prospective Cohort Study. <i>PLoS ONE</i> , 2011, 6, e22174.	2.5	61
153	Perception of risk regarding the use of medications and other exposures during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 207-214.	1.9	191
154	Post natal use of analgesics: comparisons between conventional postnatal wards and a maternity hotel. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 206-211.	1.4	1
155	Cardiovascular co-medication among users of antiobesity drugs: a population-based study. <i>International Journal of Clinical Pharmacy</i> , 2010, 32, 752-758.	1.4	7
156	Use of psychotropic drugs and analgesics among users of antiobesity drugsâ€”a population based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 273-279.	1.9	3
157	Triptan Exposure During Pregnancy and the Risk of Major Congenital Malformations and Adverse Pregnancy Outcomes: Results From The Norwegian Mother and Child Cohort Study. <i>Headache</i> , 2010, 50, 563-575.	3.9	96
158	Pregnant Women's Beliefs About Medicationsâ€”A Study Among 866 Norwegian Women. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1478-1484.	1.9	61
159	Safety of triptans for migraine headaches during pregnancy and breastfeeding. <i>Canadian Family Physician</i> , 2010, 56, 537-9.	0.4	17
160	Maternal Characteristics and Migraine Pharmacotherapy During Pregnancy: Cross-Sectional Analysis of Data from a Large Cohort Study. <i>Cephalalgia</i> , 2009, 29, 1267-1276.	3.9	37
161	The Use and the User of Herbal Remedies During Pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2009, 15, 787-792.	2.1	121
162	Use of herbal preparations during pregnancy: Focus group discussion among expectant mothers attending a hospital antenatal clinic in Norwich, UK. <i>Complementary Therapies in Clinical Practice</i> , 2009, 15, 225-229.	1.7	60

#	ARTICLE	IF	CITATIONS
163	Raspberry leaf – Should it be recommended to pregnant women?. Complementary Therapies in Clinical Practice, 2009, 15, 204-208.	1.7	41
164	Use of herbal drugs during early pregnancy in relation to maternal characteristics and pregnancy outcome. Pharmacoepidemiology and Drug Safety, 2008, 17, 151-159.	1.9	68
165	Treatment with Selective Serotonin Reuptake Inhibitors in the Third Trimester of Pregnancy. Drug Safety, 2005, 28, 565-581.	3.2	61
166	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 2005, 84, 26-33.	2.8	70
167	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 2005, 84, 26-33.	2.8	15
168	Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. Pharmacoepidemiology and Drug Safety, 2004, 13, 371-380.	1.9	206
169	Transfer of Carisoprodol to Breast Milk. Therapeutic Drug Monitoring, 2001, 23, 298-300.	2.0	11
170	Drug use during early pregnancy. European Journal of Clinical Pharmacology, 2001, 57, 259-263.	1.9	20
171	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 288-291.	1.5	58
172	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 288-91.	1.5	33