

# Anthony W F Harris

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6519425/publications.pdf>

Version: 2024-02-01

158  
papers

5,929  
citations

81900

39  
h-index

85541

71  
g-index

163  
all docs

163  
docs citations

163  
times ranked

7250  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Intrinsic Functional Connectomes Characterize Neuroticism in Major Depressive Disorder and Predict Antidepressant Treatment Outcomes. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 276-284. | 1.5 | 3         |
| 2  | Abnormal habenula functional connectivity characterizes treatment-resistant depression. <i>NeuroImage: Clinical</i> , 2022, 34, 102990.   | 2.7 | 12        |
| 3  | Using a mobile health device to monitor physiological stress for serious mental illness: A qualitative analysis of patient and clinician-related acceptability.. <i>Psychiatric Rehabilitation Journal</i> , 2022, 45, 219-225. | 1.1 | 2         |
| 4  | The impact of online brain training exercises on experiences of depression, anxiety and emotional wellbeing in a twin sample. <i>Journal of Psychiatric Research</i> , 2021, 134, 138-149.                                      | 3.1 | 7         |
| 5  | Investigating neural circuits of emotion regulation to distinguish euthymic patients with bipolar disorder and major depressive disorder. <i>Bipolar Disorders</i> , 2021, 23, 284-294.   | 1.9 | 12        |
| 6  | Resting State Connectivity Differentiates Asymptomatic Patients With Bipolar Disorder and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2021, 89, S362-S363.  | 1.3 | 0         |
| 7  | Abnormalities in Habenula Functional Connectivity Characterize Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2021, 89, S352.   | 1.3 | 0         |
| 8  | Impulsivity and Its Relationship With Lisdexamfetamine Dimesylate Treatment in Binge Eating Disorder. <i>Frontiers in Psychology</i> , 2021, 12, 716010.  | 2.1 | 9         |
| 9  | Antidepressant side effects and their impact on treatment outcome in people with major depressive disorder: an iSPOT-D report. <i>Translational Psychiatry</i> , 2021, 11, 417.   | 4.8 | 33        |
| 10 | Default-mode and fronto-parietal network connectivity during rest distinguishes asymptomatic patients with bipolar disorder and major depressive disorder. <i>Translational Psychiatry</i> , 2021, 11, 547.                     | 4.8 | 29        |
| 11 | Does Adding Social Cognitive Remediation Therapy to Neurocognitive Remediation Therapy Improve Outcomes in Young People With a Severe Mental Illness?â€”The Advantage Trial. <i>Frontiers in Psychiatry</i> , 2021, 12, 789628. | 2.6 | 2         |
| 12 | Does the clozapine/norclozapine ratio predict cognitive performance in patients with clozapine-resistant schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110628.                     | 2.3 | 3         |
| 13 | Evaluation of Neurofeedback for Posttraumatic Stress Disorder Related to Refugee Experiences Using Self-Report and Cognitive ERP Measures. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 79-86.                              | 1.7 | 12        |
| 14 | Dimensions of anxiety in Major depressive disorder and their use in predicting antidepressant treatment outcome: an iSPOT-D report. <i>Psychological Medicine</i> , 2020, 50, 1032-1042.  | 4.5 | 7         |
| 15 | Improvement of cognitive function in schizophrenia with <i>N</i> -acetylcysteine: A theoretical review. <i>Nutritional Neuroscience</i> , 2020, 23, 139-148.  | 3.1 | 29        |
| 16 | Recovery Assessment Scaleâ€”Domains and Stages: Measurement capacity, relevance, acceptability and feasibility of use with young people. <i>Microbial Biotechnology</i> , 2020, 14, 179-187.                                    | 1.7 | 9         |
| 17 | Verbal memory predicts treatment outcome in syndromal anxious depression: An iSPOT-D report. <i>Journal of Affective Disorders</i> , 2020, 260, 245-253.  | 4.1 | 7         |
| 18 | A Brief Guide to Medications for Psychosis. , 2020, , 537-560.  |     | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Investigating the neural basis of cognitive control dysfunction in mood disorders. <i>Bipolar Disorders</i> , 2020, 22, 286-295.   | 1.9 | 22        |
| 20 | Meta-analysis of randomised controlled trials with N-acetylcysteine in the treatment of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 453-466.  | 2.3 | 58        |
| 21 | Intrinsic functional connectivity of the default mode and cognitive control networks relate to change in behavioral performance over two years. <i>Cortex</i> , 2020, 132, 180-190.  | 2.4 | 8         |
| 22 | Using a mobile health device to manage severe mental illness in the community: What is the potential and what are the challenges?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 964-969.  | 2.3 | 6         |
| 23 | Monitoring for post-injection delirium/sedation syndrome with long-acting olanzapine during the COVID-19 pandemic. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 759-761.  | 2.3 | 6         |
| 24 | Neural Circuits Underlying Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2020, 87, S311.  | 1.3 | 1         |
| 25 | Neurophysiological markers of attention distinguish bipolar disorder and unipolar depression. <i>Journal of Affective Disorders</i> , 2020, 274, 411-419.  | 4.1 | 9         |
| 26 | Integrating a Mobile Health Device Into a Community Youth Mental Health Team to Manage Severe Mental Illness: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e19510.  | 1.0 | 3         |
| 27 | F117. Intrinsic Brain Functional Connectomes in Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 85, S258-S259.  | 1.3 | 1         |
| 28 | S119. Electrophysiological Differences Between Individuals With Remitted Bipolar Disorder and Major Depression Compared to Healthy Controls. <i>Biological Psychiatry</i> , 2019, 85, S343.  | 1.3 | 0         |
| 29 | Characterizing neurocognitive markers of familial risk for depression using multi-modal imaging, behavioral and self-report measures. <i>Journal of Affective Disorders</i> , 2019, 253, 336-342.  | 4.1 | 18        |
| 30 | Inner speech is accompanied by a temporally-precise and content-specific corollary discharge. <i>NeuroImage</i> , 2019, 198, 170-180.  | 4.2 | 34        |
| 31 | Characterising anxiety in major depressive disorder and its use in predicting antidepressant treatment outcome: An iSPOT-D report. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 782-793.  | 2.3 | 13        |
| 32 | 1837. Considerations for a Targeted Approach to Contact Precautions for Patients with MRSA in Hospitals: A Multicenter Cohort Study to Identify High-Risk Patient Characteristics and Healthcare Personnel Interactions. <i>Open Forum Infectious Diseases</i> , 2019, 6, S45-S45. | 0.9 | 0         |
| 33 | Amygdala Activation and Connectivity to Emotional Processing Distinguishes Asymptomatic Patients With Bipolar Disorders and Unipolar Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 361-370.   | 1.5 | 30        |
| 34 | Community treatment orders increase community care and delay readmission while in force: Results from a large population-based study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 228-235.   | 2.3 | 17        |
| 35 | Cumulative childhood interpersonal trauma is associated with reduced cortical differentiation between threat and non-threat faces in posttraumatic stress disorder adults. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 48-58.                              | 2.3 | 6         |
| 36 | O43. Cognitive and Emotional Biomarkers of Anxious Major Depressive Disorder: An iSPOT-D Report. <i>Biological Psychiatry</i> , 2018, 83, S126.  | 1.3 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A comparison between Right Unilateral Ultrabrief electroconvulsive therapy and bilateral electroconvulsive therapy in the elderly: a pilot naturalistic observational study. <i>Australasian Psychiatry</i> , 2018, 26, 394-397. | 0.7 | 1         |
| 38 | “Motoring in idle” The default mode and somatomotor networks are overactive in children and adolescents with functional neurological symptoms. <i>NeuroImage: Clinical</i> , 2018, 18, 730-743.                                  | 2.7 | 32        |
| 39 | Genetic correlations between wellbeing, depression and anxiety symptoms and behavioral responses to the emotional faces task in healthy twins. <i>Psychiatry Research</i> , 2018, 264, 385-393.                                  | 3.3 | 19        |
| 40 | Intrinsic, task-evoked and absolute gamma synchrony during cognitive processing in first onset schizophrenia. <i>Journal of Psychiatric Research</i> , 2018, 99, 10-21.  | 3.1 | 6         |
| 41 | Profiling risk for depressive disorder by circuit, behavior and self-report measures of emotion function. <i>Journal of Affective Disorders</i> , 2018, 227, 595-602.  | 4.1 | 10        |
| 42 | T195. GAMMA SYNCHRONY IS DYSFUNCTIONAL DURING COGNITIVE PROCESSING IN FIRST ONSET SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S192-S192.  | 4.3 | 0         |
| 43 | A negative association between brainstem pontine grey-matter volume, well-being and resilience in healthy twins. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 386-395.  | 2.4 | 15        |
| 44 | Electrocortical reactivity to negative and positive facial expressions in individuals with a family history of major depression. <i>Biological Psychology</i> , 2018, 136, 127-135.  | 2.2 | 8         |
| 45 | NEUROPHYSIOLOGICAL CORRELATES OF EXCITEMENT IN MEN WITH RECENT-ONSET PSYCHOSIS. <i>Psychiatria Danubina</i> , 2018, 30, 64-71.   | 0.4 | 2         |
| 46 | 531. Effect of Antidepressant Treatment on Cognitive Impairments Associated with Depression: A Randomized Longitudinal Study. <i>Biological Psychiatry</i> , 2017, 81, S215.   | 1.3 | 0         |
| 47 | Neurofeedback as an adjunct therapy for treatment of chronic posttraumatic stress disorder related to refugee trauma and torture experiences: two case studies. <i>Australasian Psychiatry</i> , 2017, 25, 358-363.              | 0.7 | 27        |
| 48 | The shared and unique genetic relationship between mental well-being, depression and anxiety symptoms and cognitive function in healthy twins. <i>Cognition and Emotion</i> , 2017, 31, 1465-1479.                               | 2.0 | 24        |
| 49 | Web-Based Cognitive Remediation Improves Supported Employment Outcomes in Severe Mental Illness: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2017, 4, e30.  | 3.3 | 9         |
| 50 | Neurophysiological evidence of efference copies to inner speech. <i>ELife</i> , 2017, 6, .   | 6.0 | 56        |
| 51 | A quasi-randomized feasibility pilot study of specific treatments to improve emotion recognition and mental-state reasoning impairments in schizophrenia. <i>BMC Psychiatry</i> , 2016, 16, 360.                                 | 2.6 | 11        |
| 52 | Shared versus distinct genetic contributions of mental wellbeing with depression and anxiety symptoms in healthy twins. <i>Psychiatry Research</i> , 2016, 244, 65-70.   | 3.3 | 45        |
| 53 | Selection of cognitive tests for trials of therapeutic agents “ Authors' reply. <i>Lancet Psychiatry</i> , the, 2016, 3, 499-500.  | 7.4 | 0         |
| 54 | N-acetylcysteine (NAC) in schizophrenia resistant to clozapine: a double blind randomised placebo controlled trial targeting negative symptoms. <i>BMC Psychiatry</i> , 2016, 16, 320.   | 2.6 | 34        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Failure to differentiate between threat-related and positive emotion cues in healthy adults with childhood interpersonal or adult trauma. <i>Journal of Psychiatric Research</i> , 2016, 78, 31-41.                      | 3.1 | 27        |
| 56 | Effect of antidepressant treatment on cognitive impairments associated with depression: a randomised longitudinal study. <i>Lancet Psychiatry</i> , 2016, 3, 425-435.  | 7.4 | 171       |
| 57 | 500-mA ECT – A Proof of Concept Report. <i>Journal of ECT</i> , 2015, 31, e23-e26.   | 0.6 | 8         |
| 58 | Impairment and distress patterns distinguishing the melancholic depression subtype: An iSPOT-D report. <i>Journal of Affective Disorders</i> , 2015, 174, 493-502.   | 4.1 | 16        |
| 59 | Amygdala Reactivity to Emotional Faces in the Prediction of General and Medication-Specific Responses to Antidepressant Treatment in the Randomized iSPOT-D Trial. <i>Neuropsychopharmacology</i> , 2015, 40, 2398-2408. | 5.4 | 168       |
| 60 | Frontal and rostral anterior cingulate (rACC) theta EEG in depression: Implications for treatment outcome?. <i>European Neuropsychopharmacology</i> , 2015, 25, 1190-1200.   | 0.7 | 106       |
| 61 | Efficacy, safety, and impact on hospitalizations of paliperidone palmitate in recent-onset schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 657.   | 2.2 | 48        |
| 62 | Emotion circuits differentiate symptoms of psychosis versus mania in adolescents. <i>Neurocase</i> , 2015, 21, 592-600.  | 0.6 | 0         |
| 63 | Sex differences in the shared genetics of dimensions of self-reported depression and anxiety. <i>Journal of Affective Disorders</i> , 2015, 188, 35-42.  | 4.1 | 13        |
| 64 | Major depressive disorder with melancholia displays robust alterations in resting state heart rate and its variability: implications for future morbidity and mortality. <i>Frontiers in Psychology</i> , 2014, 5, 1387. | 2.1 | 67        |
| 65 | Facial emotion identification in early-onset psychosis. <i>Schizophrenia Research</i> , 2014, 160, 150-156.  | 2.0 | 12        |
| 66 | The impact of melancholia versus non-melancholia on resting-state, EEG alpha asymmetry: Electrophysiological evidence for depression heterogeneity. <i>Psychiatry Research</i> , 2014, 215, 614-617.                     | 3.3 | 31        |
| 67 | Systematic meta-analysis of outcomes associated with psychosis and co-morbid substance use. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 418-432.   | 2.3 | 75        |
| 68 | Electrocortical reactivity to emotional faces distinguishes first degree relatives of individuals with major depression. <i>International Journal of Psychophysiology</i> , 2014, 94, 172.                               | 1.0 | 0         |
| 69 | Neural processing of facial expressions of emotion in first onset psychosis. <i>Psychiatry Research</i> , 2014, 219, 477-485.  | 3.3 | 20        |
| 70 | Facial emotion identification in early-onset and first-episode psychosis: A systematic review with meta-analysis. <i>Schizophrenia Research</i> , 2014, 159, 62-69.  | 2.0 | 86        |
| 71 | How Doctors View and Use Social Media: A National Survey. <i>Journal of Medical Internet Research</i> , 2014, 16, e267.  | 4.3 | 157       |
| 72 | Functional dysconnectivity in schizophrenia and its relationship to neural synchrony. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 755-765.   | 2.8 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Psychiatrists and GPs: diagnostic decision making, personality profiles and attitudes toward depression and anxiety. <i>Australasian Psychiatry</i> , 2013, 21, 231-237.   | 0.7 | 3         |
| 74 | Cognitive remediation: The foundation of psychosocial treatment of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 505-507.   | 2.3 | 6         |
| 75 | Brain imaging predictors and the international study to predict optimized treatment for depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 224.   | 1.6 | 34        |
| 76 | Early life trauma predicts self-reported levels of depressive and anxiety symptoms in nonclinical community adults: Relative contributions of early life stressor types and adult trauma exposure. <i>Journal of Psychiatric Research</i> , 2013, 47, 23-32. | 3.1 | 92        |
| 77 | Using multiple methods to characterize the phenotype of individuals with a family history of major depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 474-480.  | 4.1 | 15        |
| 78 | Acute antidepressant effects of right unilateral ultra-brief ECT: A double-blind randomised controlled trial. <i>Journal of Affective Disorders</i> , 2013, 149, 426-429.  | 4.1 | 19        |
| 79 | The presentation of early-onset psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 43-50.  | 2.3 | 14        |
| 80 | Autobiographical and Subjective Memory With Right Unilateral High-Dose 0.3-millisecond Ultrabrief-Pulse and 1-millisecond Brief-Pulse Electroconvulsive Therapy. <i>Journal of ECT</i> , 2013, 29, 277-282.  | 0.6 | 16        |
| 81 | The case for social-cognitive remediation in schizophrenia: A life well lived is more than remission from psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 512-515.  | 2.3 | 5         |
| 82 | An open clinical trial assessing a novel training program for social cognitive impairment in schizophrenia. <i>Australasian Psychiatry</i> , 2013, 21, 122-126.  | 0.7 | 20        |
| 83 | Declaring conflicting interests. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 193-194.  | 2.3 | 3         |
| 84 | Why do we not use psychosocial interventions in the treatment of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 501-504.  | 2.3 | 13        |
| 85 | Systematic meta-analysis of the risk factors for deliberate self-harm before and after treatment for first-episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 442-454.  | 4.5 | 122       |
| 86 | Do former substance users with psychosis differ in their symptoms or function from non-substance users? A systematic meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 524-537.   | 2.3 | 16        |
| 87 | Assessment and Treatment of Psychotic Disorders in Adolescence. , 2013, , 357-372.   |     | 0         |
| 88 | The Interdependence of Subtype and Severity: Contributions of Clinical and Neuropsychological Features to Melancholia and Non-melancholia in an Outpatient Sample. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 361-369.       | 1.8 | 23        |
| 89 | Comparison of Ictal Electroencephalogram Between Ultrabrief- and Brief-Pulse Right Unilateral Electroconvulsive Therapy. <i>Journal of ECT</i> , 2012, 28, 229-233.  | 0.6 | 7         |
| 90 | Does giving up substance use work for patients with psychosis? A systematic meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 826-839.  | 2.3 | 42        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Psychiatry and online social media: potential, pitfalls and ethical guidelines for psychiatrists and trainees. <i>Australasian Psychiatry</i> , 2012, 20, 181-187.  | 0.7 | 33        |
| 92  | The impact of depression heterogeneity on cognitive control in major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1079-1088.  | 2.3 | 23        |
| 93  | The TWIN-E Project in Emotional Wellbeing: Study Protocol and Preliminary Heritability Results Across Four MRI and DTI Measures. <i>Twin Research and Human Genetics</i> , 2012, 15, 419-441.                             | 0.6 | 40        |
| 94  | The impact of depression heterogeneity on inhibitory control. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 374-383.  | 2.3 | 28        |
| 95  | The contribution of BDNF and 5-HTT polymorphisms and early life stress to the heterogeneity of major depressive disorder: A preliminary study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 55-63. | 2.3 | 30        |
| 96  | Absolute Level of Gamma Synchrony is Increased in First Episode Schizophrenia during Face Processing. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 702-723.  | 0.8 | 9         |
| 97  | Comparison of Antidepressant Effects Between Brief and Ultrabrief Pulse Unilateral Electroconvulsive Therapy. <i>Journal of ECT</i> , 2011, 27, e59-e60.  | 0.6 | 5         |
| 98  | Clinical reasoning sessions: back to the patient. <i>Clinical Teacher</i> , 2011, 8, 13-16.   | 0.8 | 9         |
| 99  | Childhood Adversity, Trauma and Abuse: Context and Consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 608-610.   | 2.3 | 5         |
| 100 | Impact of depression heterogeneity on attention: An auditory oddball event related potential study. <i>Journal of Affective Disorders</i> , 2010, 123, 202-207.   | 4.1 | 48        |
| 101 | A Randomized Controlled Trial of Cognitive Remediation in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2010, 36, 419-427.   | 4.3 | 73        |
| 102 | Body integrity identity disorder: response to Patrone. <i>Journal of Medical Ethics</i> , 2010, 36, 189-190.  | 1.8 | 6         |
| 103 | Remediation of Facial Emotion Recognition in Schizophrenia: Functional Predictors, Generalizability, and Durability. <i>American Journal of Psychiatric Rehabilitation</i> , 2010, 13, 143-170.                           | 0.7 | 34        |
| 104 | Clinical and Cognitive Associations with Aggression in the First Episode of Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 85-93.   | 2.3 | 63        |
| 105 | The effect of music on brain wave functioning during an acute psychotic episode: A pilot study. <i>Psychiatry Research</i> , 2010, 178, 446-448.  | 3.3 | 6         |
| 106 | Narrabeen Lagoon Catchment - Past, Present and Future. , 2010, , 248-262.   |     | 0         |
| 107 | Delusions and dorso-medial frontal cortex volume in first-episode schizophrenia: A voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2009, 172, 175-179.   | 1.8 | 19        |
| 108 | Small-world properties of nonlinear brain activity in schizophrenia. <i>Human Brain Mapping</i> , 2009, 30, 403-416.  | 3.6 | 412       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Factors associated with functional psychosocial status in first-episode psychosis. <i>Microbial Biotechnology</i> , 2009, 3, 35-43.  | 1.7 | 5         |
| 110 | Spatio-temporal EEG waves in first episode schizophrenia. <i>Clinical Neurophysiology</i> , 2009, 120, 1667-1682.  | 1.5 | 23        |
| 111 | Neural synchrony in patients with a first episode of schizophrenia: tracking relations with grey matter and symptom profile. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 21-9.   | 2.4 | 23        |
| 112 | Emotion-elicited gamma synchrony in patients with first-episode schizophrenia: a neural correlate of social cognition outcomes. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 303-13.  | 2.4 | 31        |
| 113 | Measurement and reporting of the duration of untreated psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 201-211.   | 1.7 | 47        |
| 114 | Case reports: an opportunity for early intervention: velo-cardio-facial syndrome and psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 262-267.   | 1.7 | 5         |
| 115 | General and social cognition in first episode schizophrenia: Identification of separable factors and prediction of functional outcome using the IntegNeuro test battery. <i>Schizophrenia Research</i> , 2008, 99, 182-191.                            | 2.0 | 92        |
| 116 | Increased absolute magnitude of gamma synchrony in first-episode psychosis. <i>Schizophrenia Research</i> , 2008, 105, 262-271.  | 2.0 | 65        |
| 117 | Predictors of outcome three years after diagnosis of first episode psychosis. <i>Psychiatry Research</i> , 2008, 161, 11-18.   | 3.3 | 17        |
| 118 | Investigating the neuropsychological and neuroanatomical changes that occur over the first 3 years of illness in patients with first-episode schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 531-538. | 4.8 | 37        |
| 119 | Delusions and reasoning: A study involving cognitive behavioural therapy. <i>Cognitive Neuropsychiatry</i> , 2008, 13, 148-165.  | 1.3 | 23        |
| 120 | No prescription yet to counter the roadkill of our native fauna: a study of roadkill in the Narrabeen Catchment of Sydney. , 2008, , 96-102.   |     | 2         |
| 121 | Stop Using Stuff: Trial of a Drug and Alcohol Intervention for Young People with Comorbid Mental Illness and Drug and Alcohol Problems. <i>Australasian Psychiatry</i> , 2007, 15, 490-493.  | 0.7 | 37        |
| 122 | Volumetric White Matter Abnormalities in First-Episode Schizophrenia: A Longitudinal, Tensor-Based Morphometry Study. <i>American Journal of Psychiatry</i> , 2007, 164, 1082-1089.  | 7.2 | 83        |
| 123 | Longitudinal changes in neuroanatomy and neural activity in early schizophrenia. <i>NeuroReport</i> , 2007, 18, 435-439.   | 1.2 | 13        |
| 124 | Expectation maximization classification and Laplacian based thickness measurement for cerebral cortex thickness estimation. , 2007, , .  |     | 0         |
| 125 | RBANS neuropsychological profiles within schizophrenia samples recruited from non-clinical settings. <i>Schizophrenia Research</i> , 2007, 89, 232-242.  | 2.0 | 39        |
| 126 | Functional disconnections in the direct and indirect amygdala pathways for fear processing in schizophrenia. <i>Schizophrenia Research</i> , 2007, 90, 284-294.  | 2.0 | 167       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | INTEGRATING OBJECTIVE GENE-BRAIN-BEHAVIOR MARKERS OF PSYCHIATRIC DISORDERS. Journal of Integrative Neuroscience, 2007, 06, 1-34.   | 1.7 | 24        |
| 128 | Fronto-limbic and autonomic disjunctions to negative emotion distinguish schizophrenia subtypes. Psychiatry Research - Neuroimaging, 2007, 155, 29-44.   | 1.8 | 130       |
| 129 | DYNAMIC SPECTRAL ANALYSIS FINDINGS IN FIRST EPISODE AND CHRONIC SCHIZOPHRENIA. International Journal of Neuroscience, 2006, 116, 223-246.  | 1.6 | 39        |
| 130 | Progressive grey matter atrophy over the first 2-3 years of illness in first-episode schizophrenia: A tensor-based morphometry study. NeuroImage, 2006, 32, 511-519.   | 4.2 | 151       |
| 131 | Event-related potential correlates of depression, insight and negative symptoms in males with recent-onset psychosis. Clinical Neurophysiology, 2006, 117, 1715-1727.  | 1.5 | 31        |
| 132 | Brainwaves. Acta Neuropsychiatrica, 2006, 18, 234-235.   | 2.1 | 2         |
| 133 | Grey matter deficits and symptom profile in first episode schizophrenia. Psychiatry Research - Neuroimaging, 2005, 139, 229-238.   | 1.8 | 65        |
| 134 | Clinical Profiles, Scope and General Findings of the Western Sydney First Episode Psychosis Project. Australian and New Zealand Journal of Psychiatry, 2005, 39, 36-43.  | 2.3 | 30        |
| 135 | Gamma Synchrony in First-Episode Schizophrenia: A Disorder of Temporal Connectivity?. American Journal of Psychiatry, 2005, 162, 459-465.  | 7.2 | 168       |
| 136 | Diagnosis-Related Regional Gray Matter Loss Over Two Years in First Episode Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2005, 58, 713-723.  | 1.3 | 208       |
| 137 | Clinical profiles, scope and general findings of the Western Sydney First Episode Psychosis Project. Australian and New Zealand Journal of Psychiatry, 2005, 39, 36-43.  | 2.3 | 17        |
| 138 | Relative contributions of psychiatric symptoms and neuropsychological functioning to quality of life in first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2005, 39, 487-492.  | 2.3 | 8         |
| 139 | Sex Differences in Functional Connectivity in First-Episode and Chronic Schizophrenia Patients. American Journal of Psychiatry, 2004, 161, 1595-1602.  | 7.2 | 50        |
| 140 | NEUROPHYSIOLOGICALLY-BASED MEAN-FIELD MODELLING OF TONIC CORTICAL ACTIVITY IN POST-TRAUMATIC STRESS DISORDER (PTSD), SCHIZOPHRENIA, FIRST EPISODE SCHIZOPHRENIA AND ATTENTION DEFICIT HYPERACTIVITY DISORDER (ADHD). Journal of Integrative Neuroscience, 2004, 03, 453-487. | 1.7 | 21        |
| 141 | Cognitive Functioning in Young People with First Episode Psychosis: Relationship to Diagnosis and Clinical Characteristics. Australian and New Zealand Journal of Psychiatry, 2004, 38, 501-510.   | 2.3 | 85        |
| 142 | Visual scanpath dysfunction in first-degree relatives of schizophrenia probands: evidence for a vulnerability marker?. Schizophrenia Research, 2004, 67, 11-21.  | 2.0 | 82        |
| 143 | Neuropsychological correlates of symptom profiles in first episode schizophrenia. Schizophrenia Research, 2004, 71, 323-330.   | 2.0 | 49        |
| 144 | Dysregulation of Arousal and Amygdala-Prefrontal Systems in Paranoid Schizophrenia. American Journal of Psychiatry, 2004, 161, 480-489.  | 7.2 | 298       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Cognitive functioning in young people with first episode psychosis: relationship to diagnosis and clinical characteristics. Australian and New Zealand Journal of Psychiatry, 2004, 38, 501-510. | 2.3 | 13        |
| 146 | Origins of Early Intervention in First-Episode Psychosis. Australasian Psychiatry, 2003, 11, 215-219.  | 0.7 | 7         |
| 147 | Electrodermal responsivity distinguishes ERP activity and symptom profile in schizophrenia. Schizophrenia Research, 2003, 59, 115-125.   | 2.0 | 15        |
| 148 | A disturbance of nonlinear interdependence in scalp EEG of subjects with first episode schizophrenia. NeuroImage, 2003, 20, 466-478.   | 4.2 | 93        |
| 149 | Emotion perception in schizophrenia: an eye movement study comparing the effectiveness of risperidone vs. haloperidol. Psychiatry Research, 2003, 120, 13-27.                                    | 3.3 | 71        |
| 150 | The Five Symptom Dimensions and Depression in Schizophrenia. Psychopathology, 2003, 36, 226-233.   | 1.5 | 38        |
| 151 | Target and non-target ERP disturbances in first episode vs. chronic schizophrenia. Clinical Neurophysiology, 2002, 113, 1754-1763.   | 1.5 | 79        |
| 152 | Misattribution of sensory input reflected in dysfunctional target[ ratio ]non-target ERPs in schizophrenia. Psychological Medicine, 2000, 30, 1443-1449.   | 4.5 | 22        |
| 153 | Gamma activity in schizophrenia: evidence of impaired network binding?. Clinical Neurophysiology, 2000, 111, 1461-1468.  | 1.5 | 190       |
| 154 | Electrodermal activity in schizophrenia: a quantitative study using a short interstimulus paradigm. Biological Psychiatry, 1999, 45, 127-135.  | 1.3 | 17        |
| 155 | Different psychopathological models and quantified EEG in schizophrenia. Psychological Medicine, 1999, 29, 1175-1181.  | 4.5 | 38        |
| 156 | Evoked Response Potentials and Regional Cerebral Blood Flow in Somatization Disorder. Psychotherapy and Psychosomatics, 1987, 47, 190-196.   | 8.8 | 30        |
| 157 | The differential diagnosis of dementia using P300 latency. Biological Psychiatry, 1986, 21, 1123-1132.   | 1.3 | 122       |
| 158 | Disrupted Auditory N1 Suppression and Fronto-Temporal Theta Coherence Suppression to Willed Speech in People with Schizophrenia. SSRN Electronic Journal, 0, , .                                 | 0.4 | 0         |