

Gunnar Engström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6520082/publications.pdf>

Version: 2024-02-01

313
papers

15,481
citations

14655

66
h-index

25787

108
g-index

318
all docs

318
docs citations

318
times ranked

21612
citing authors

#	ARTICLE	IF	CITATIONS
1	Aortic Stiffness, Inflammation, and Incidence of Cardiovascular Events in Elderly Participants From the General Population. <i>Angiology</i> , 2022, 73, 51-59.	1.8	4
2	High levels of autoantibodies against apoB100 p210 are associated with lower incidence of atrial fibrillation in women. <i>Journal of Internal Medicine</i> , 2022, 291, 207-217.	6.0	3
3	Incident cardiovascular disease and long-term exposure to source-specific air pollutants in a Swedish cohort. <i>Environmental Research</i> , 2022, 209, 112698.	7.5	12
4	Metabolic Profiling of Obesity With and Without the Metabolic Syndrome: A Multisample Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	3.6	9
5	Thrombotic Risk Determined by Protein C Receptor (PROCR) Variants among Middle-Aged and Older Adults: A Population-Based Cohort Study. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1326-1332.	3.4	5
6	Thrombomodulin (THBD) gene variants and thrombotic risk in a population-based cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 929-935.	3.8	15
7	Associations between long-term exposure to low-level air pollution and risk of chronic kidney disease—findings from the Malmö Diet and Cancer cohort. <i>Environment International</i> , 2022, 160, 107085.	10.0	18
8	Classic Thrombophilias and Thrombotic Risk Among Middle-Aged and Older Adults: A Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2022, 11, e023018.	3.7	11
9	Skin autofluorescence, a measure of tissue accumulation of advanced glycation end products, is associated with subclinical atherosclerosis in coronary and carotid arteries. <i>Atherosclerosis</i> , 2022, 345, 26-32.	0.8	4
10	Circulating Biomarkers Predict Symptomatic but Not Asymptomatic Carotid Artery Stenosis. <i>Cerebrovascular Diseases</i> , 2022, 51, 623-629.	1.7	1
11	The value of combining individual and small area sociodemographic data for assessing and handling selective participation in cohort studies: Evidence from the Swedish CardioPulmonary biomImage Study. <i>PLoS ONE</i> , 2022, 17, e0265088.	2.5	6
12	Common physiologic and proteomic biomarkers in pulmonary and coronary artery disease. <i>PLoS ONE</i> , 2022, 17, e0264376.	2.5	3
13	Proteomic Profiles of Body Mass Index and Waist-to-Hip Ratio and Their Role in Incidence of Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2982-e2990.	3.6	8
14	Seasonal variation of vasopressin and its relevance for the winter peak of cardiometabolic disease: A pooled analysis of five cohorts. <i>Journal of Internal Medicine</i> , 2022, 292, 365-376.	6.0	4
15	Thrombotic risk determined by rare and common SERPINA1 variants in a population-based cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 1421-1427.	3.8	5
16	Cardiovascular Function Measured by the Deep Breathing Test: Relationships With Coronary Atherosclerosis. <i>Journal of the American Heart Association</i> , 2022, 11, e024053.	3.7	3
17	Prevalence and severity of differing dimensions of breathlessness among elderly males in the population. <i>ERJ Open Research</i> , 2022, 8, 00553-2021.	2.6	8
18	Air pollution and biomarkers of cardiovascular disease and inflammation in the Malmö Diet and Cancer cohort. <i>Environmental Health</i> , 2022, 21, 39.	4.0	14

#	ARTICLE	IF	CITATIONS
19	Exploring and comparing definitions of healthy vascular ageing in the population: characteristics and prospective cardiovascular risk. <i>Journal of Human Hypertension</i> , 2021, 35, 428-436.	2.2	8
20	The Malmö Offspring Study (MOS): design, methods and first results. <i>European Journal of Epidemiology</i> , 2021, 36, 103-116.	5.7	41
21	Pro B-type Natriuretic Peptide and Midregional Proadrenomedullin are Associated with Incident Carotid Stenosis During Long Term Follow-up. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105403.	1.6	3
22	Circulating Vimentin Is Associated With Future Incidence of Stroke in a Population-Based Cohort Study. <i>Stroke</i> , 2021, 52, 937-944.	2.0	9
23	Methodological considerations for identifying multiple plasma proteins associated with all-cause mortality in a population-based prospective cohort. <i>Scientific Reports</i> , 2021, 11, 6734.	3.3	2
24	The associations between red cell distribution width and plasma proteins in a general population. <i>Clinical Proteomics</i> , 2021, 18, 12.	2.1	2
25	Growth differentiation factor-15 is a biomarker for all-cause mortality but less evident for cardiovascular outcomes: A prospective study. <i>American Heart Journal</i> , 2021, 234, 81-89.	2.7	9
26	Cardiovascular risk factors and autonomic indices in relation to fatal and non-fatal coronary events. <i>Open Heart</i> , 2021, 8, e001445.	2.3	3
27	Blood pressure phenotypes based on ambulatory monitoring in a general middle-aged population. <i>Blood Pressure</i> , 2021, 30, 237-249.	1.5	4
28	Within-session reproducibility of forced oscillometry. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 401-407.	1.2	9
29	Plasma Protein Profile of Carotid Artery Atherosclerosis and Atherosclerotic Outcomes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1777-1788.	2.4	18
30	Circulating Growth Differentiation Factor 15 Levels Are Associated With Risk of Both Intracerebral and Subarachnoid Hemorrhage. <i>Frontiers in Neurology</i> , 2021, 12, 664010.	2.4	5
31	Fibroblast growth factor 23 is an independent marker of COPD and is associated with impairment of pulmonary function and diffusing capacity. <i>Respiratory Medicine</i> , 2021, 182, 106404.	2.9	7
32	Cadmium Exposure and Coronary Artery Atherosclerosis: A Cross-Sectional Population-Based Study of Swedish Middle-Aged Adults. <i>Environmental Health Perspectives</i> , 2021, 129, 67007.	6.0	24
33	Is Cadmium a Risk Factor for Breast Cancer? Results from a Nested Case-Control Study Using Data from the Malmö Diet and Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1744-1752.	2.5	7
34	Hyperglycaemia-associated Caspase-3 predicts diabetes and coronary artery disease events. <i>Journal of Internal Medicine</i> , 2021, 290, 855-865.	6.0	11
35	VAScular and Chronic Obstructive Lung disease (VASCOL): a longitudinal study on morbidity, symptoms and quality of life among older men in Blekinge county, Sweden. <i>BMJ Open</i> , 2021, 11, e046473.	1.9	7
36	The association between carotid-femoral pulse-wave velocity and lung function in the Swedish CARDioPulmonary bioImage study (SCAPIS) cohort. <i>Respiratory Medicine</i> , 2021, 185, 106504.	2.9	8

#	ARTICLE	IF	CITATIONS
37	Cadmium exposure and coronary artery atherosclerosis. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
38	Environmental exposure to lead and risk of subclinical atherosclerosis. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
39	Cadmium and lead exposure and risk of dementia in a Swedish population-based cohort: The Malmö Diet and Cancer Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
40	Thrombotic Risk Determined by <i>STAB2</i> Variants in a Population-Based Cohort Study. Circulation Genomic and Precision Medicine, 2021, 14, e003449.	3.6	5
41	LVS-CHARMED Risk Score for Incident Heart Failure in Patients With Atrial Fibrillation Who Present to the Emergency Department: Data from a Worldwide Registry. Journal of the American Heart Association, 2021, 10, e017735.	3.7	4
42	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. Circulation, 2021, 144, 916-929.	1.6	164
43	Carotid-Femoral Pulse Transit Time Variability Predicted Mortality and Improved Risk Stratification in the Elderly. Hypertension, 2021, 78, 1287-1295.	2.7	8
44	Low lung function, sudden cardiac death and non-fatal coronary events in the general population. BMJ Open Respiratory Research, 2021, 8, e001043.	3.0	2
45	The risk of chronic kidney disease in relation to anthropometric measures of obesity: A Swedish cohort study. BMC Nephrology, 2021, 22, 330.	1.8	5
46	Proteomic and Metabolomic Characterization of Metabolically Healthy Obesity: A Descriptive Study from a Swedish Cohort. Journal of Obesity, 2021, 2021, 1-9.	2.7	3
47	Growth differentiation factor-15 and incident chronic kidney disease: a population-based cohort study. BMC Nephrology, 2021, 22, 351.	1.8	9
48	Comparison of risk factors for ischemic stroke and coronary events in a population-based cohort. BMC Cardiovascular Disorders, 2021, 21, 536.	1.7	14
49	Prospective Comparison of Plasma Biomarker and Traditional Risk Factor Profiles for Incident Isolated Atherosclerotic Disease and Incident Isolated Abdominal Aortic Aneurysm. Frontiers in Cardiovascular Medicine, 2021, 8, 818656.	2.4	2
50	Anthropometric measures and the risk of developing atrial fibrillation: a Swedish Cohort Study. BMC Cardiovascular Disorders, 2021, 21, 602.	1.7	7
51	Plasma kidney injury molecule-1 (p-KIM-1) levels and deterioration of kidney function over 16 years. Nephrology Dialysis Transplantation, 2020, 35, 265-273.	0.7	43
52	Difference in the risk profiles of carotid-femoral pulse wave velocity: results from two community-based studies in China and Sweden. Journal of Human Hypertension, 2020, 34, 207-213.	2.2	5
53	Midlife Atherosclerosis and Development of Alzheimer or Vascular Dementia. Annals of Neurology, 2020, 87, 52-62.	5.3	46
54	Periodontal disease is associated with carotid plaque area: the Malmö Offspring Dental Study (MODS). Journal of Internal Medicine, 2020, 287, 301-309.	6.0	15

#	ARTICLE	IF	CITATIONS
55	Association of coronary calcium score with endothelial dysfunction and arterial stiffness. <i>Atherosclerosis</i> , 2020, 313, 70-75.	0.8	10
56	Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. <i>Nature Metabolism</i> , 2020, 2, 1135-1148.	11.9	327
57	Measures of lung function and their relationship with advanced glycation end-products. <i>ERJ Open Research</i> , 2020, 6, 00356-2019.	2.6	8
58	Long-term exposure to air pollution and atherosclerosis in the carotid arteries in the Malmö diet and cancer cohort. <i>Environmental Research</i> , 2020, 191, 110095.	7.5	19
59	Evidence for a protective role of placental growth factor in cardiovascular disease. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	12
60	Risk factors for intracerebral haemorrhage – Results from a prospective population-based study. <i>European Stroke Journal</i> , 2020, 5, 278-285.	5.5	8
61	Identification of Inflammatory and Disease-Associated Plasma Proteins that Associate with Intake of Added Sugar and Sugar-Sweetened Beverages and Their Role in Type 2 Diabetes Risk. <i>Nutrients</i> , 2020, 12, 3129.	4.1	12
62	Early and Supernormal Vascular Aging. <i>Hypertension</i> , 2020, 76, 1616-1624.	2.7	103
63	Red Cell Distribution Width is Associated with Future Incidence of Abdominal Aortic Aneurysm in a Population-Based Cohort Study. <i>Scientific Reports</i> , 2020, 10, 7230.	3.3	6
64	Incretin hormones, insulin, glucagon and advanced glycation end products in relation to cognitive function in older people with and without diabetes, a population-based study. <i>Diabetic Medicine</i> , 2020, 37, 1157-1166.	2.3	11
65	Amputation-free survival in patients with diabetic foot ulcer and peripheral arterial disease: Endovascular versus open surgery in a propensity score adjusted analysis. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107551.	2.3	12
66	The plasma protein profile and cardiovascular risk differ between intima-media thickness of the common carotid artery and the bulb: A meta-analysis and a longitudinal evaluation. <i>Atherosclerosis</i> , 2020, 295, 25-30.	0.8	18
67	Low lung function and the risk of incident chronic kidney disease in the Malmö Preventive Project cohort. <i>BMC Nephrology</i> , 2020, 21, 124.	1.8	7
68	Assessment of Global Lung Function Initiative (GLI) reference equations for diffusing capacity in relation to respiratory burden in the Swedish CARDioPulmonary bioImage Study (SCAPIS). <i>European Respiratory Journal</i> , 2020, 56, 1901995.	6.7	9
69	Comparing Self-Reported Sugar Intake With the Sucrose and Fructose Biomarker From Overnight Urine Samples in Relation to Cardiometabolic Risk Factors. <i>Frontiers in Nutrition</i> , 2020, 7, 62.	3.7	13
70	Genetic Predisposition for Renal Dysfunction and Incidence of CKD in the Malmö Diet and Cancer Study. <i>Kidney International Reports</i> , 2019, 4, 1143-1151.	0.8	4
71	A Vascular Aging Index as Independent Predictor of Cardiovascular Events and Total Mortality in an Elderly Urban Population. <i>Angiology</i> , 2019, 70, 929-937.	1.8	34
72	The relationship between red cell distribution width and all-cause and cause-specific mortality in a general population. <i>Scientific Reports</i> , 2019, 9, 16208.	3.3	31

#	ARTICLE	IF	CITATIONS
73	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. <i>Thorax</i> , 2019, 74, 958-964.	5.6	21
74	Proteomic Analysis of Longitudinal Changes in Blood Pressure. <i>Journal of Clinical Medicine</i> , 2019, 8, 1585.	2.4	3
75	A genetic risk score for hypertension is associated with risk of thoracic aortic aneurysm. <i>Journal of Human Hypertension</i> , 2019, 33, 658-663.	2.2	3
76	Smoking-induced risk of future cardiovascular disease is partly mediated by cadmium in tobacco: Malmö Diet and Cancer Cohort Study. <i>Environmental Health</i> , 2019, 18, 56.	4.0	39
77	Copeptin, B-type natriuretic peptide and cystatin C are associated with incident symptomatic PAD. <i>Biomarkers</i> , 2019, 24, 615-621.	1.9	18
78	Circulating HER2/ErbB2 Levels Are Associated With Increased Incidence of Diabetes: A Population-Based Cohort Study. <i>Diabetes Care</i> , 2019, 42, 1582-1588.	8.6	16
79	Skin autofluorescence as a measure of advanced glycation end product levels is associated with carotid atherosclerotic plaque burden in an elderly population. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 466-473.	2.0	9
80	Biomarkers of blood cadmium and incidence of cardiovascular events in non-smokers: results from a population-based proteomics study. <i>Clinical Proteomics</i> , 2019, 16, 21.	2.1	15
81	Breathlessness and incidence of COPD, cardiac events and all-cause mortality: A 44-year follow-up from middle age throughout life. <i>PLoS ONE</i> , 2019, 14, e0214083.	2.5	21
82	High Plasma sRAGE (Soluble Receptor for Advanced Glycation End Products) Is Associated With Slower Carotid Intima-Media Thickness Progression and Lower Risk for First-Time Coronary Events and Mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 925-933.	2.4	22
83	Lp-PLA2 activity and mass and CRP are associated with incident symptomatic peripheral arterial disease. <i>Scientific Reports</i> , 2019, 9, 5609.	3.3	14
84	The co-predictive value of a cardiovascular score for CV outcomes in diabetic patients with no atrial fibrillation. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3145.	4.0	5
85	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285.	1.9	47
86	Complement C3 and incident hospitalization due to chronic kidney disease: a population-based cohort study. <i>BMC Nephrology</i> , 2019, 20, 61.	1.8	12
87	Matrix Metalloproteinases in COPD and atherosclerosis with emphasis on the effects of smoking. <i>PLoS ONE</i> , 2019, 14, e0211987.	2.5	24
88	High Levels of Soluble Lectinlike Oxidized Low-Density Lipoprotein Receptor-1 Are Associated With Carotid Plaque Inflammation and Increased Risk of Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2019, 8, e009874.	3.7	37
89	Profiling of the plasma proteome across different stages of human heart failure. <i>Nature Communications</i> , 2019, 10, 5830.	12.8	53
90	Blood Lead Levels and Risk of Atherosclerosis in the Carotid Artery: Results from a Swedish Cohort. <i>Environmental Health Perspectives</i> , 2019, 127, 127002.	6.0	28

#	ARTICLE	IF	CITATIONS
91	Association between added sugar intake and mortality is nonlinear and dependent on sugar source in 2 Swedish population-based prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 411-423.	4.7	69
92	AXIN1 in Plasma or Serum Is a Potential New Biomarker for Endometriosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 189.	4.1	13
93	Increased vascular endothelial growth factor D is associated with atrial fibrillation and ischaemic stroke. <i>Heart</i> , 2019, 105, 553-558.	2.9	29
94	Growth differentiation factor 15 is positively associated with incidence of diabetes mellitus: the Malmö Diet and Cancer Cardiovascular Cohort. <i>Diabetologia</i> , 2019, 62, 78-86.	6.3	71
95	Partial Mediation by Cadmium Exposure of the Association Between Tobacco Smoking and Atherosclerotic Plaques in the Carotid Artery. <i>American Journal of Epidemiology</i> , 2018, 187, 806-816.	3.4	16
96	Plasma Concentration of Caspase-8 Is Associated With Short Sleep Duration and the Risk of Incident Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1592-1600.	3.6	5
97	Markers of cardiovascular autonomic dysfunction predict COPD in middle-aged subjects. <i>European Respiratory Journal</i> , 2018, 51, 1702481.	6.7	14
98	Irregularity and lack of p waves in short tachycardia episodes predict atrial fibrillation and ischemic stroke. <i>Heart Rhythm</i> , 2018, 15, 805-811.	0.7	22
99	Factor V Leiden paradox in a middle-aged Swedish population: A prospective study. <i>Vascular Medicine</i> , 2018, 23, 52-59.	1.5	17
100	Blood Lead Levels and Decreased Kidney Function in a Population-Based Cohort. <i>American Journal of Kidney Diseases</i> , 2018, 72, 381-389.	1.9	120
101	Role of Blood Lipids in the Development of Ischemic Stroke and its Subtypes. <i>Stroke</i> , 2018, 49, 820-827.	2.0	132
102	ST segment depression on 24-hour electrocardiography predicts incident atrial fibrillation in two population-based cohorts. <i>Europace</i> , 2018, 20, 429-434.	1.7	5
103	Brain natriuretic peptide levels in middle aged subjects with normal left ventricular function in relation to mild-moderate COPD. <i>Clinical Respiratory Journal</i> , 2018, 12, 1061-1067.	1.6	0
104	Incident diabetes mellitus may explain the association between sleep duration and incident coronary heart disease. <i>Diabetologia</i> , 2018, 61, 331-341.	6.3	17
105	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	2.2	209
106	Pre-diabetes and diabetes are independently associated with adverse cognitive test results: a cross-sectional, population-based study. <i>BMC Endocrine Disorders</i> , 2018, 18, 91.	2.2	35
107	FADD (Fas-Associated Protein With Death Domain), Caspase-3, and Caspase-8 and Incidence of Ischemic Stroke. <i>Stroke</i> , 2018, 49, 2224-2226.	2.0	21
108	Measures of low lung function and the prediction of incident COPD events and acute coronary events. <i>Respiratory Medicine</i> , 2018, 144, 68-73.	2.9	9

#	ARTICLE	IF	CITATIONS
109	Comparing the inflammatory profiles for incidence of diabetes mellitus and cardiovascular diseases: a prospective study exploring the "common soil" hypothesis. <i>Cardiovascular Diabetology</i> , 2018, 17, 87.	6.8	40
110	Fixed ratio or lower limit of normal for the FEV ₁ /VC ratio: relation to symptoms and extended lung function tests. <i>Clinical Physiology and Functional Imaging</i> , 2017, 37, 263-269.	1.2	13
111	Soluble Urokinase-type Plasminogen Activator Receptor (suPAR) and Impaired Kidney Function in the Population-based Malmö Diet and Cancer Study. <i>Kidney International Reports</i> , 2017, 2, 239-247.	0.8	33
112	Echocardiographic consequences of smoking status in middle-aged subjects. <i>Echocardiography</i> , 2017, 34, 14-19.	0.9	2
113	Psychological stress and risk of incident atrial fibrillation in men and women with known atrial fibrillation genetic risk scores. <i>Scientific Reports</i> , 2017, 7, 42613.	3.3	21
114	Lp-PLA2 activity and mass for prediction of incident abdominal aortic aneurysms: A prospective longitudinal cohort study. <i>Atherosclerosis</i> , 2017, 262, 14-18.	0.8	11
115	The Association of Lung Clearance Index with COPD and FEV ₁ Reduction in Men Born in 1914. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017, 14, 324-329.	1.6	8
116	Circulating cadmium concentration and risk of aortic aneurysms: A nested case-control study within the Malmö Diet and Cancer cohort. <i>Atherosclerosis</i> , 2017, 261, 37-43.	0.8	14
117	FADD, Caspase-3, and Caspase-8 and Incidence of Coronary Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 983-989.	2.4	21
118	Arterial Stiffness and Incidence of Diabetes: A Population-Based Cohort Study. <i>Diabetes Care</i> , 2017, 40, 1739-1745.	8.6	79
119	Complement C3 Associates With Incidence of Diabetes, but No Evidence of a Causal Relationship. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4477-4485.	3.6	22
120	Tumor Necrosis Factor Receptor 1 and 2 Are Associated With Risk of Intracerebral Hemorrhage. <i>Stroke</i> , 2017, 48, 2710-2715.	2.0	15
121	Eosinophil Cationic Protein, Carotid Plaque, and Incidence of Stroke. <i>Stroke</i> , 2017, 48, 2686-2692.	2.0	16
122	Elevated Markers of Death Receptor-Activated Apoptosis are Associated with Increased Risk for Development of Diabetes and Cardiovascular Disease. <i>EBioMedicine</i> , 2017, 26, 187-197.	6.1	43
123	Cadmium, Carotid Atherosclerosis, and Incidence of Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	48
124	Increased blood cadmium levels were not associated with increased fracture risk but with increased total mortality in women: the Malmö Diet and Cancer Study. <i>Osteoporosis International</i> , 2017, 28, 2401-2408.	3.1	21
125	Cadmium exposure is associated with soluble urokinase plasminogen activator receptor, a circulating marker of inflammation and future cardiovascular disease. <i>Environmental Research</i> , 2017, 152, 185-191.	7.5	36
126	Personality factors and depression as predictors of hospital-based health care utilization following acute myocardial infarction. <i>European Journal of Cardiovascular Nursing</i> , 2017, 16, 318-325.	0.9	3

#	ARTICLE	IF	CITATIONS
127	Parity, weight change, and maternal risk of cardiovascular events. American Journal of Obstetrics and Gynecology, 2017, 216, 172.e1-172.e15.	1.3	20
128	Clustering of cardiovascular risk factors and carotid intima-media thickness: The USE-IMT study. PLoS ONE, 2017, 12, e0173393.	2.5	13
129	Acute phase proteins as prospective risk markers for arterial stiffness: The Malmö Diet and Cancer cohort. PLoS ONE, 2017, 12, e0181718.	2.5	15
130	Blood Cadmium Levels and Incident Cardiovascular Events during Follow-up in a Population-Based Cohort of Swedish Adults: The Malmö Diet and Cancer Study. Environmental Health Perspectives, 2016, 124, 594-600.	6.0	81
131	Vital capacity and COPD: the Swedish CARDioPulmonary bioImage Study (SCAPIS). International Journal of COPD, 2016, 11, 927.	2.3	30
132	Soluble urokinase plasminogen activator receptor and incidence of venous thromboembolism. Thrombosis and Haemostasis, 2016, 115, 657-662.	3.4	16
133	Diet Quality and Change in Blood Lipids during 16 Years of Follow-up and Their Interaction with Genetic Risk for Dyslipidemia. Nutrients, 2016, 8, 274.	4.1	26
134	A stop-codon of the phosphodiesterase 11A gene is associated with elevated blood pressure and measures of obesity. Journal of Hypertension, 2016, 34, 445-451.	0.5	7
135	Exome Genotyping Identifies Pleiotropic Variants Associated with Red Blood Cell Traits. American Journal of Human Genetics, 2016, 99, 8-21.	6.2	60
136	Association between sucrose intake and acute coronary event risk and effect modification by lifestyle factors: Malmö Diet and Cancer Cohort Study. British Journal of Nutrition, 2016, 116, 1611-1620.	2.3	17
137	Low-level exposure to lead, blood pressure, and hypertension in a population-based cohort. Environmental Research, 2016, 149, 157-163.	7.5	97
138	Acute-phase proteins and incidence of diabetes: a population-based cohort study. Acta Diabetologica, 2016, 53, 981-989.	2.5	23
139	Exome array analysis of ischaemic stroke: results from a southern Swedish study. European Journal of Neurology, 2016, 23, 1722-1728.	3.3	16
140	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. Health and Quality of Life Outcomes, 2016, 14, 121.	2.4	45
141	The restrictive-obstructive continuum and the failing heart. Thorax, 2016, 71, 487-488.	5.6	5
142	Genetic susceptibility to dyslipidemia and incidence of cardiovascular disease depending on a diet quality index in the Malmö Diet and Cancer cohort. Genes and Nutrition, 2016, 11, 20.	2.5	6
143	Orosomucoid, Carotid Plaque, and Incidence of Stroke. Stroke, 2016, 47, 1858-1863.	2.0	22
144	Platelet-Related Variants Identified by Exomechip Meta-analysis in 157,293 Individuals. American Journal of Human Genetics, 2016, 99, 40-55.	6.2	82

#	ARTICLE	IF	CITATIONS
145	Smoking Cessation After Acute Myocardial Infarction in Relation to Depression and Personality Factors. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 234-242.	1.7	6
146	The temporal relationship between poor lung function and the risk of diabetes. <i>BMC Pulmonary Medicine</i> , 2016, 16, 75.	2.0	29
147	Risk factor changes and incident atrial fibrillation among middle-aged men in the Malmö Preventive Project cohort. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016, 2, 81-87.	3.0	15
148	Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. <i>Lancet Neurology</i> , 2016, 15, 174-184.	10.2	217
149	Lung function, forced expiratory volume in 1 s decline and COPD hospitalisations over 44 years of follow-up. <i>European Respiratory Journal</i> , 2016, 47, 742-750.	6.7	11
150	The effect of smoking on carotid intima-media thickness progression rate and rate of lumen diameter reduction. <i>European Journal of Internal Medicine</i> , 2016, 28, 74-79.	2.2	35
151	Incidence of stroke and stroke subtypes in chronic obstructive pulmonary disease. <i>European Journal of Epidemiology</i> , 2016, 31, 159-168.	5.7	39
152	Genome wide association study identifies two loci associated with cadmium in erythrocytes among never-smokers. <i>Human Molecular Genetics</i> , 2016, 25, 2342-2348.	2.9	9
153	Total and Differential Leukocyte Counts in Relation to Incidence of Diabetes Mellitus: A Prospective Population-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0148963.	2.5	11
154	Cystatin C and Risk of Diabetes and the Metabolic Syndrome – Biomarker and Genotype Association Analyses. <i>PLoS ONE</i> , 2016, 11, e0155735.	2.5	11
155	Low-Grade Inflammation, Oxidative Stress and Risk of Invasive Post-Menopausal Breast Cancer - A Nested Case-Control Study from the Malmö Diet and Cancer Cohort. <i>PLoS ONE</i> , 2016, 11, e0158959.	2.5	30
156	Non-hemodynamic predictors of arterial stiffness after 17 years of follow-up. <i>Journal of Hypertension</i> , 2015, 33, 957-965.	0.5	68
157	Red Cell Distribution Width in Relation to Incidence of Stroke and Carotid Atherosclerosis: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0124957.	2.5	85
158	Race/Ethnic Differences in the Associations of the Framingham Risk Factors with Carotid IMT and Cardiovascular Events. <i>PLoS ONE</i> , 2015, 10, e0132321.	2.5	141
159	The Swedish CARDioPulmonary Biolmage Study: objectives and design. <i>Journal of Internal Medicine</i> , 2015, 278, 645-659.	6.0	239
160	Risk Profiles for Aortic Dissection and Ruptured or Surgically Treated Aneurysms: A Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2015, 4, e001513.	3.7	250
161	Fibroblast Growth Factor 23 and Incidence of Subarachnoid Hemorrhage. <i>Stroke</i> , 2015, 46, 3260-3262.	2.0	9
162	GWAS-identified loci for coronary heart disease are associated with intima-media thickness and plaque presence at the carotid artery bulb. <i>Atherosclerosis</i> , 2015, 239, 304-310.	0.8	31

#	ARTICLE	IF	CITATIONS
163	Cadmium exposure and atherosclerotic carotid plaques – Results from the Malmö diet and Cancer study. <i>Environmental Research</i> , 2015, 136, 67-74.	7.5	86
164	Fixed ratio or lower limit of normal as cut-off value for FEV1 /VC: Response to the letter by Vaz Fragoso et al.. <i>Respiratory Medicine</i> , 2015, 109, 929.	2.9	0
165	Risk factors for the progression of carotid intima-media thickness over a 16-year follow-up period: The Malmö Diet and Cancer Study. <i>Atherosclerosis</i> , 2015, 239, 615-621.	0.8	113
166	Multiple anthropometric measures in relation to incidence of diabetes: a Swedish population-based cohort study. <i>European Journal of Public Health</i> , 2015, 25, 1100-1105.	0.3	16
167	Stable Peptide of the Endogenous Opioid Enkephalin Precursor and Breast Cancer Risk. <i>Journal of Clinical Oncology</i> , 2015, 33, 2632-2638.	1.6	15
168	Dimethylglycine Deficiency and the Development of Diabetes. <i>Diabetes</i> , 2015, 64, 3010-3016.	0.6	61
169	Copeptin is an independent predictor of diabetic heart disease and death. <i>American Heart Journal</i> , 2015, 169, 549-556.e1.	2.7	85
170	A prospective study of supraventricular activity and incidence of atrial fibrillation. <i>Heart Rhythm</i> , 2015, 12, 1898-1904.	0.7	35
171	Prevalence of knee pain and knee OA in southern Sweden and the proportion that seeks medical care. <i>Rheumatology</i> , 2015, 54, 827-835.	1.9	105
172	Intakes of omega-3 polyunsaturated fatty acids and blood pressure change over time: Possible interaction with genes involved in 20-HETE and EETs metabolism. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 120, 126-133.	1.9	19
173	A genetic risk score for hypertension associates with the risk of ischemic stroke in a Swedish case-control study. <i>European Journal of Human Genetics</i> , 2015, 23, 969-974.	2.8	30
174	Cystatin C Is Not Causally Related to Coronary Artery Disease. <i>PLoS ONE</i> , 2015, 10, e0129269.	2.5	26
175	Smoking Modifies the Associated Increased Risk of Future Cardiovascular Disease by Genetic Variation on Chromosome 9p21. <i>PLoS ONE</i> , 2014, 9, e85893.	2.5	24
176	Atrial Natriuretic Peptide and Type 2 Diabetes Development – Biomarker and Genotype Association Study. <i>PLoS ONE</i> , 2014, 9, e89201.	2.5	38
177	Response to letter to the editor – Is red cell distribution width a biomarker in risk assessment of diabetes mellitus? <i>Journal of Internal Medicine</i> , 2014, 276, 538-538.	6.0	1
178	Red cell distribution width in relation to incidence of coronary events and case fatality rates: a population-based cohort study. <i>Heart</i> , 2014, 100, 1119-1124.	2.9	54
179	Reduced forced expiratory volume is associated with increased incidence of atrial fibrillation: the Malmo Preventive Project. <i>Europace</i> , 2014, 16, 182-188.	1.7	37
180	Anthropometric measures in relation to risk of heart failure hospitalization: a Swedish population-based cohort study. <i>European Journal of Public Health</i> , 2014, 24, 215-220.	0.3	11

#	ARTICLE	IF	CITATIONS
181	A meta-analysis of genome-wide association studies identifies novel variants associated with osteoarthritis of the hip. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2130-2136.	0.9	108
182	Increased plasma level of soluble urokinase plasminogen activator receptor is associated with incidence of heart failure but not atrial fibrillation. <i>European Journal of Heart Failure</i> , 2014, 16, 377-383.	7.1	46
183	Red cell distribution width, haemoglobin <sc>A</sc>1c and incidence of diabetes mellitus. <i>Journal of Internal Medicine</i> , 2014, 276, 174-183.	6.0	82
184	Red blood cell distribution width is associated with incidence of atrial fibrillation. <i>Journal of Internal Medicine</i> , 2014, 275, 84-92.	6.0	88
185	Pathogenic Ischemic Stroke Phenotypes in the NINDS-Stroke Genetics Network. <i>Stroke</i> , 2014, 45, 3589-3596.	2.0	45
186	Cardiovascular consequences of a polygenetic component of blood pressure in an urban-based longitudinal study. <i>Journal of Hypertension</i> , 2014, 32, 1424-1428.	0.5	7
187	Carotid Plaque, Intima-Media Thickness, and Incident Aortic Stenosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2343-2348.	2.4	33
188	Red cell distribution width and risk for venous thromboembolism: A population-based cohort study. <i>Thrombosis Research</i> , 2014, 133, 334-339.	1.7	72
189	Ceruloplasmin and atrial fibrillation: evidence of causality from a population-based Mendelian randomization study. <i>Journal of Internal Medicine</i> , 2014, 275, 164-171.	6.0	14
190	Validation of Plasma Proneurotensin as a Novel Biomarker for the Prediction of Incident Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1672-1676.	2.5	18
191	Leukocyte count and incidence of subarachnoid haemorrhage: a prospective cohort study. <i>BMC Neurology</i> , 2014, 14, 71.	1.8	11
192	Carotid intima-media thickness is associated with incidence of hospitalized atrial fibrillation. <i>Atherosclerosis</i> , 2014, 233, 673-678.	0.8	31
193	Associations between lung function and alcohol consumption – Assessed by both a questionnaire and a blood marker. <i>Respiratory Medicine</i> , 2014, 108, 114-121.	2.9	29
194	Response to the Authors. <i>Thrombosis Research</i> , 2014, 133, 1164-1165.	1.7	0
195	Soluble Urokinase Plasminogen Activator Receptor. <i>Stroke</i> , 2014, 45, 18-23.	2.0	86
196	Cadmium Exposure and Incidence of Diabetes Mellitus - Results from the Malmö Diet and Cancer Study. <i>PLoS ONE</i> , 2014, 9, e112277.	2.5	48
197	Are 25 <sc>SNP</sc>s from the CARDIoGRAM study associated with ischaemic stroke?. <i>European Journal of Neurology</i> , 2013, 20, 1284-1291.	3.3	16
198	Common carotid intima-media thickness does not add to Framingham risk score in individuals with diabetes mellitus: the USE-IMT initiative. <i>Diabetologia</i> , 2013, 56, 1494-1502.	6.3	61

#	ARTICLE	IF	CITATIONS
199	High levels of arginine, citrulline and ADMA are independent predictors of cardiovascular disease. <i>European Heart Journal</i> , 2013, 34, P5687-P5687.	2.2	6
200	Chromosome 9p21 genetic variation explains 13% of cardiovascular disease incidence but does not improve risk prediction. <i>Journal of Internal Medicine</i> , 2013, 274, 233-240.	6.0	23
201	A diabetes-predictive amino acid score and future cardiovascular disease. <i>European Heart Journal</i> , 2013, 34, 1982-1989.	2.2	223
202	Vanin-1 T26I polymorphism, hypertension and cardiovascular events in two large urban-based prospective studies in Swedes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 53-60.	2.6	6
203	Atrial natriuretic peptide and type 2 diabetes development, evidence of causal association from the prospective Malmö diet and cancer study. <i>European Heart Journal</i> , 2013, 34, P5048-P5048.	2.2	0
204	Prediction of Blood Pressure Changes Over Time and Incidence of Hypertension by a Genetic Risk Score in Swedes. <i>Hypertension</i> , 2013, 61, 319-326.	2.7	103
205	High levels of cystatin C predict the metabolic syndrome: the prospective Malmö Diet and Cancer Study. <i>Journal of Internal Medicine</i> , 2013, 274, 192-199.	6.0	44
206	Response to letter to the editor "Serum cystatin C levels correlate with endothelial dysfunction in patients with the metabolic syndrome". <i>Journal of Internal Medicine</i> , 2013, 274, 496-498.	6.0	0
207	Plasma Proneurotensin and Incidence of Diabetes, Cardiovascular Disease, Breast Cancer, and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 1469.	7.4	116
208	A large-sample assessment of possible association between ischaemic stroke and rs12188950 in the PDE4D gene. <i>European Journal of Human Genetics</i> , 2012, 20, 783-789.	2.8	15
209	Validation of a COPD diagnosis from the Swedish Inpatient Registry. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 773-776.	2.3	36
210	Low Plasma Level of Atrial Natriuretic Peptide Predicts Development of Diabetes: The Prospective Malmö Diet and Cancer Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 638-645.	3.6	123
211	Common Carotid Intima-Media Thickness Measurements in Cardiovascular Risk Prediction. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 796.	7.4	622
212	Lung Function as a Risk Factor for Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 2598-2603.	2.0	22
213	Orthostatic blood pressure response, carotid intima-media thickness, and plasma fibrinogen in older nondiabetic adults. <i>Journal of Hypertension</i> , 2012, 30, 522-529.	0.5	34
214	Soluble urokinase plasminogen activator receptor in plasma is associated with incidence of CVD. Results from the Malmö Diet and Cancer Study. <i>Atherosclerosis</i> , 2012, 220, 502-505.	0.8	83
215	Incidence of Coronary Events and Case Fatality Rate in Relation to Blood Lymphocyte and Neutrophil Counts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 533-539.	2.4	47
216	Atherosclerotic plaques in the internal carotid artery and associations with lung function assessed by different methods. <i>Clinical Physiology and Functional Imaging</i> , 2012, 32, 120-125.	1.2	20

#	ARTICLE	IF	CITATIONS
217	The Renalase Asp37Glu polymorphism is not associated with hypertension and cardiovascular events in an urban-based prospective cohort: the Malmö Diet and cancer study. <i>BMC Medical Genetics</i> , 2012, 13, 57.	2.1	22
218	Effect of leisure time physical activity on severe knee or hip osteoarthritis leading to total joint replacement: a population-based prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 73.	1.9	43
219	Blood biomarkers and measures of pulmonary function – A study from the Swedish twin registry. <i>Respiratory Medicine</i> , 2012, 106, 1250-1257.	2.9	19
220	A Common Missense Variant in the ATP Receptor P2X7 Is Associated with Reduced Risk of Cardiovascular Events. <i>PLoS ONE</i> , 2012, 7, e37491.	2.5	47
221	A myocardial infarction genetic risk score is associated with markers of carotid atherosclerosis. <i>Journal of Internal Medicine</i> , 2012, 271, 271-281.	6.0	18
222	Total and differential leucocyte counts in relation to incidence of stroke subtypes and mortality: a prospective cohort study. <i>Journal of Internal Medicine</i> , 2012, 272, 298-304.	6.0	42
223	The functional variant V433M of the CYP4F2 and the metabolic syndrome in Swedes. <i>Prostaglandins and Other Lipid Mediators</i> , 2012, 98, 31-36.	1.9	19
224	Immigrant status and increased risk of heart failure: the role of hypertension and life-style risk factors. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 20.	1.7	13
225	Meta-analysis of genome-wide association studies confirms a susceptibility locus for knee osteoarthritis on chromosome 7q22. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 349-355.	0.9	126
226	A Variant Upstream of the CDH13 Adiponectin Receptor Gene and Metabolic Syndrome in Swedes. <i>American Journal of Cardiology</i> , 2011, 108, 1432-1437.	1.6	43
227	Inflammation-sensitive proteins and risk of atrial fibrillation: a population-based cohort study. <i>European Journal of Epidemiology</i> , 2011, 26, 449-455.	5.7	37
228	Genetic Variant on Chromosome 12p13 Does Not Show Association to Ischemic Stroke in 3 Swedish Case-Control Studies. <i>Stroke</i> , 2011, 42, 214-216.	2.0	26
229	Red cell distribution width and risk for first hospitalization due to heart failure: a population-based cohort study. <i>European Journal of Heart Failure</i> , 2011, 13, 1355-1361.	7.1	95
230	Inflammation, obesity and risk of hypertension: shared pathways or independent risk factors?. <i>Journal of Human Hypertension</i> , 2011, 25, 71-72.	2.2	5
231	The common functional polymorphism -50G>T of the CYP2J2 gene is not associated with ischemic coronary and cerebrovascular events in an urban-based sample of Swedes. <i>Journal of Hypertension</i> , 2010, 28, 294-299.	0.5	27
232	Homozygosity for the EPHX2 K55R polymorphism increases the long-term risk of ischemic stroke in men: a study in Swedes. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 94-103.	1.5	46
233	Atrial fibrillation in the Malmö diet and cancer study: a study of occurrence, risk factors and diagnostic validity. <i>European Journal of Epidemiology</i> , 2010, 25, 95-102.	5.7	236
234	Marital status and occupation in relation to short-term case fatality after a first coronary event - a population based cohort. <i>BMC Public Health</i> , 2010, 10, 235.	2.9	23

#	ARTICLE	IF	CITATIONS
235	Population-based study of lung function and incidence of heart failure hospitalisations. <i>Thorax</i> , 2010, 65, 633-638.	5.6	55
236	Assessment of Conventional Cardiovascular Risk Factors and Multiple Biomarkers for the Prediction of Incident Heart Failure and Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1712-1719.	2.8	273
237	Total adiponectin does not predict cardiovascular events in middle-aged men in a prospective, long-term follow-up study. <i>Diabetes and Metabolism</i> , 2010, 36, 137-143.	2.9	22
238	Incidence of severe knee and hip osteoarthritis in relation to different measures of body mass: a population-based prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 490-496.	0.9	304
239	Carotid Intima-Media Thickness, Systemic Inflammation, and Incidence of Heart Failure Hospitalizations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1691-1695.	2.4	28
240	Common Genetic Variants on Chromosome 9p21 Confers Risk of Ischemic Stroke. <i>Circulation: Cardiovascular Genetics</i> , 2009, 2, 159-164.	5.1	83
241	Leukocyte Count and Incidence of Hospitalizations Due to Heart Failure. <i>Circulation: Heart Failure</i> , 2009, 2, 217-222.	3.9	86
242	BP Variability and Cardiovascular Autonomic Function in Relation to Forced Expiratory Volume. <i>Chest</i> , 2009, 136, 177-183.	0.8	14
243	Plasma markers of inflammation and incidence of hospitalisations for COPD: results from a population-based cohort study. <i>Thorax</i> , 2009, 64, 211-215.	5.6	58
244	Novel and Conventional Biomarkers for Prediction of Incident Cardiovascular Events in the Community. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 49.	7.4	474
245	C-reactive protein, metabolic syndrome and incidence of severe hip and knee osteoarthritis. A population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 168-173.	1.3	154
246	Inflammation-sensitive plasma proteins are associated with increased incidence of heart failure: A population-based cohort study. <i>Atherosclerosis</i> , 2009, 202, 617-622.	0.8	48
247	Twins studies as a model for studies on the interaction between smoking and genetic factors in the development of chronic bronchitis. <i>Biochemical Society Transactions</i> , 2009, 37, 814-818.	3.4	7
248	The Pro12Ala polymorphism of the <i>PPARG</i> gene is not associated with the metabolic syndrome in an urban population of middle-aged Swedish individuals. <i>Diabetic Medicine</i> , 2008, 25, 902-908.	2.3	23
249	C-reactive protein, established risk factors and social inequalities in cardiovascular disease – the significance of absolute versus relative measures of disease. <i>BMC Public Health</i> , 2008, 8, 189.	2.9	7
250	Incidence of Ischemic Stroke in Relation to Asymptomatic Carotid Artery Atherosclerosis in Subjects with Normal Blood Pressure. <i>Cerebrovascular Diseases</i> , 2008, 26, 297-303.	1.7	49
251	Stroke Incidence, Recurrence, and Case-Fatality in Relation to Socioeconomic Position. <i>Stroke</i> , 2008, 39, 2191-2196.	2.0	85
252	The V433M Variant of the <i>CYP4F2</i> Is Associated With Ischemic Stroke in Male Swedes Beyond Its Effect on Blood Pressure. <i>Hypertension</i> , 2008, 52, 373-380.	2.7	114

#	ARTICLE	IF	CITATIONS
253	Complement C3 and C4 in plasma and incidence of myocardial infarction and stroke: a population-based cohort study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 392-397.	2.8	89
254	Plasma levels of complement C3 is associated with development of hypertension: a longitudinal cohort study. <i>Journal of Human Hypertension</i> , 2007, 21, 276-282.	2.2	71
255	Blood Pressure in Relation to the Incidence of Cerebral Infarction and Intracerebral Hemorrhage. <i>Stroke</i> , 2007, 38, 2681-2685.	2.0	134
256	Long-Term Change in Cholesterol in Relation to Inflammation-Sensitive Plasma Proteins: A Longitudinal Study. <i>Annals of Epidemiology</i> , 2007, 17, 57-63.	1.9	12
257	The metabolic syndrome and incidence of cardiovascular disease in non-diabetic subjects—a population-based study comparing three different definitions. <i>Diabetic Medicine</i> , 2007, 24, 464-472.	2.3	168
258	Reduced lung function predicts increased fatality in future cardiac events. A population-based study. <i>Journal of Internal Medicine</i> , 2006, 260, 560-567.	6.0	26
259	Fatality of acute coronary events in relation to hypertension and low-grade inflammation: a population-based cohort study. <i>Journal of Human Hypertension</i> , 2006, 20, 581-586.	2.2	14
260	Sex differences in the relationships between BMI, WHR and incidence of cardiovascular disease: a population-based cohort study. <i>International Journal of Obesity</i> , 2006, 30, 1775-1781.	3.4	76
261	COHb% as a marker of cardiovascular risk in never smokers: Results from a population-based cohort study. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 609-615.	2.3	26
262	Occupation, Marital Status, and Low-Grade Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 643-648.	2.4	54
263	Plasma Adiponectin Levels in Relation to Carotid Intima Media Thickness and Markers of Insulin Resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2758-2762.	2.4	81
264	Effects of body fatness and physical activity on cardiovascular risk: Risk prediction using the bioelectrical impedance method. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 568-575.	2.3	54
265	Incident coronary events and case fatality in relation to common carotid intima-media thickness. <i>Journal of Internal Medicine</i> , 2005, 257, 430-437.	6.0	232
266	Weight gain in relation to plasma levels of complement factor 3: results from a population-based cohort study. <i>Diabetologia</i> , 2005, 48, 2525-2531.	6.3	47
267	Incidence of Myocardial Infarction and Death in Relation to Walking-Induced Calf Pain and Plasma Levels of Inflammation-Sensitive Proteins. <i>Angiology</i> , 2005, 56, 507-516.	1.8	2
268	Blood Pressure Control and Risk of Stroke. <i>Stroke</i> , 2005, 36, 725-730.	2.0	137
269	Complement C3 Is a Risk Factor for the Development of Diabetes. <i>Diabetes</i> , 2005, 54, 570-575.	0.6	196
270	Incidence of stroke is related to carotid IMT even in the absence of plaque. <i>Atherosclerosis</i> , 2005, 179, 325-331.	0.8	184

#	ARTICLE	IF	CITATIONS
271	Fatality of Future Coronary Events Is Related to Inflammation-Sensitive Plasma Proteins. <i>Circulation</i> , 2004, 110, 27-31.	1.6	151
272	Risk of Myocardial Infarction and Stroke in Smokers Is Related to Plasma Levels of Inflammation-Sensitive Proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 577-582.	2.4	42
273	Incidence of Diabetes in Middle-Aged Men Is Related to Sleep Disturbances. <i>Diabetes Care</i> , 2004, 27, 2464-2469.	8.6	274
274	Marital Dissolution Is Followed by an Increased Incidence of Stroke. <i>Cerebrovascular Diseases</i> , 2004, 18, 318-324.	1.7	56
275	Incidence of Obesity-Associated Cardiovascular Disease Is Related to Inflammation-Sensitive Plasma Proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1498-1502.	2.4	72
276	Tobacco and myocardial infarction in middle-aged women: a study of factors modifying the risk. <i>Journal of Internal Medicine</i> , 2004, 256, 111-118.	6.0	23
277	Changes in blood pressure and body weight following smoking cessation in women. <i>Journal of Internal Medicine</i> , 2004, 255, 266-272.	6.0	87
278	Risk of treatment of peripheral arterial disease is related to inflammation-sensitive plasma proteins: A prospective cohort study. <i>Journal of Vascular Surgery</i> , 2004, 40, 1101-1105.	1.1	14
279	Incidence of Fatal or Repaired Abdominal Aortic Aneurysm in Relation to Inflammation-Sensitive Plasma Proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 337-341.	2.4	33
280	Incidence of Stroke and Stroke Subtypes in Malmö, Sweden, 1990-2000. <i>Stroke</i> , 2004, 35, 2054-2058.	2.0	38
281	Lung function, insulin resistance and incidence of cardiovascular disease: a longitudinal cohort study. <i>Journal of Internal Medicine</i> , 2003, 253, 574-581.	6.0	156
282	Inflammation-Sensitive Plasma Proteins, Diabetes, and Mortality and Incidence of Myocardial Infarction and Stroke. <i>Diabetes</i> , 2003, 52, 442-447.	0.6	138
283	Inflammation-Sensitive Plasma Proteins Are Associated With Future Weight Gain. <i>Diabetes</i> , 2003, 52, 2097-2101.	0.6	229
284	Increasing Stroke Incidence and Decreasing Case Fatality, 1989-1998. <i>Stroke</i> , 2003, 34, 913-918.	2.0	49
285	Inflammation-Sensitive Plasma Proteins and Incidence of Myocardial Infarction in Men With Low Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 2247-2251.	2.4	51
286	Blood Pressure Increase and Incidence of Hypertension in Relation to Inflammation-Sensitive Plasma Proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 2054-2058.	2.4	114
287	Lung Function and Cardiovascular Risk. <i>Circulation</i> , 2002, 106, 2555-2560.	1.6	240
288	Effects of Cholesterol and Inflammation-Sensitive Plasma Proteins on Incidence of Myocardial Infarction and Stroke in Men. <i>Circulation</i> , 2002, 105, 2632-2637.	1.6	180

#	ARTICLE	IF	CITATIONS
289	Long-Term Effects of Inflammation-Sensitive Plasma Proteins and Systolic Blood Pressure on Incidence of Stroke. <i>Stroke</i> , 2002, 33, 2744-2749.	2.0	84
290	Obesity and myocardial infarction - vulnerability related to occupational level and marital status. A 23-year follow-up of an urban male Swedish population. <i>Journal of Internal Medicine</i> , 2002, 252, 542-550.	6.0	37
291	Risk of developing diabetes is inversely related to lung function: a population-based cohort study. <i>Diabetic Medicine</i> , 2002, 19, 167-170.	2.3	100
292	Insulin resistance in non-diabetic subjects is associated with increased incidence of myocardial infarction and death. <i>Diabetic Medicine</i> , 2002, 19, 470-475.	2.3	169
293	Influence of obesity on cardiovascular risk. Twenty-three-year follow-up of 22 025 men from an urban Swedish population. <i>International Journal of Obesity</i> , 2002, 26, 1046-1053.	3.4	152
294	Asymptomatic leg and carotid atherosclerosis in smokers is related to degree of ventilatory capacity. <i>Atherosclerosis</i> , 2001, 155, 237-243.	0.8	38
295	Increased incidence of myocardial infarction and stroke in hypertensive men with reduced lung function. <i>Journal of Hypertension</i> , 2001, 19, 295-301.	0.5	48
296	Blood pressure increase between 55 and 68 years of age is inversely related to lung function: longitudinal results from the cohort study "Men born in 1914". <i>Journal of Hypertension</i> , 2001, 19, 1203-1208.	0.5	60
297	Geographic Distribution of Stroke Incidence Within an Urban Population. <i>Stroke</i> , 2001, 32, 1098-1103.	2.0	122
298	Asymptomatic Leg Atherosclerosis is Reduced by Regular Physical Activity. Longitudinal Results from the Cohort "Men Born in 1914". <i>European Journal of Vascular and Endovascular Surgery</i> , 2001, 21, 502-507.	1.5	15
299	Occurrence and Prognostic Significance of Ventricular Arrhythmia Is Related to Pulmonary Function. <i>Circulation</i> , 2001, 103, 3086-3091.	1.6	86
300	Respiratory Decline in Smokers and Ex-Smokers " An Independent Risk Factor for Cardiovascular Disease and Death. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2000, 7, 267-272.	2.8	52
301	Distribution and determinants of ischaemic heart disease in an urban population. A study from the myocardial infarction register in Malmö, Sweden. <i>Journal of Internal Medicine</i> , 2000, 247, 588-596.	6.0	45
302	Trends in long-term survival after myocardial infarction: less favourable patterns for patients from deprived areas. <i>Journal of Internal Medicine</i> , 2000, 248, 425-434.	6.0	26
303	Incidence of myocardial infarction in women. A cohort study of risk factors and modifiers of effect. <i>Journal of Epidemiology and Community Health</i> , 2000, 54, 104-107.	3.7	37
304	Cardiac Arrhythmias and Stroke. <i>Stroke</i> , 2000, 31, 2925-2929.	2.0	106
305	Blood folate, vitamin B12, and their relationships with cerebrospinal fluid monoamine metabolites, depression, and personality in suicide attempters. <i>Nordic Journal of Psychiatry</i> , 1999, 53, 131-137.	1.3	7
306	Ventricular arrhythmias during 24-h ambulatory ECG recording: incidence, risk factors and prognosis in men with and without a history of cardiovascular disease. <i>Journal of Internal Medicine</i> , 1999, 246, 363-372.	6.0	48

#	ARTICLE	IF	CITATIONS
307	Temperament traits in male suicide attempters and violent offenders. <i>European Psychiatry</i> , 1999, 14, 278-283.	0.2	30
308	Subjective Well-Being Associated with Improved Survival in Smoking and Hypertensive Men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999, 6, 257-261.	2.8	17
309	Are there biological predictors of suicide?. <i>European Psychiatry</i> , 1998, 13, 142s-142s.	0.2	0
310	The Marke-Nyman Temperament (MNT) Scale in suicide attempters. <i>Acta Psychiatrica Scandinavica</i> , 1996, 94, 320-325.	4.5	16
311	The Marke-Nyman Temperament (MNT) scale in relationship with monoamine metabolism and corticosteroid measures in suicide attempters. <i>Archives of Suicide Research</i> , 1996, 2, 145-159.	2.3	6
312	Serum lipids in suicide attempters. <i>Suicide and Life-Threatening Behavior</i> , 1995, 25, 393-400.	1.9	18
313	Effect of Thyroxine Treatment on Carnitine Levels in Mice. <i>Acta Pharmacologica Et Toxicologica</i> , 1978, 43, 1-5.	0.0	10