

M Bishr Omary

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6522570/publications.pdf>

Version: 2024-02-01

206
papers

13,404
citations

15504

65
h-index

25787

108
g-index

214
all docs

214
docs citations

214
times ranked

12650
citing authors

#	ARTICLE	IF	CITATIONS
1	PP2 protects from keratin mutation-associated liver injury and filament disruption via SRC kinase inhibition in male but not female mice. <i>Hepatology</i> , 2023, 77, 144-158.	7.3	4
2	The AGA 2020 Year in Review. <i>Gastroenterology</i> , 2021, 160, 982-984.	1.3	0
3	Acitretin mitigates uroporphyrin-induced bone defects in congenital erythropoietic porphyria models. <i>Scientific Reports</i> , 2021, 11, 9601.	3.3	2
4	Protein-aggregating ability of different protoporphyrin-IX nanostructures is dependent on their oxidation and protein-binding capacity. <i>Journal of Biological Chemistry</i> , 2021, 297, 100778.	3.4	6
5	Keratin 7 Is a Constituent of the Keratin Network in Mouse Pancreatic Islets and Is Upregulated in Experimental Diabetes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7784.	4.1	6
6	Geographic prevalence variation and phenotype penetrance in porphyria: insights from a Chinese population database. <i>Blood Advances</i> , 2021, 5, 12-15.	5.2	3
7	Reply. <i>Gastroenterology</i> , 2020, 159, 799.	1.3	0
8	From Intention to Action: Operationalizing AGA Diversity Policy to Combat Racism and Health Disparities in Gastroenterology. <i>Gastroenterology</i> , 2020, 159, 1637-1647.	1.3	27
9	Here's how we restore productivity and vigor to the biomedical research workforce in the midst of COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 19612-19614.	7.1	10
10	Genotype-phenotype analysis of LMNA-related diseases predicts phenotype-selective alterations in lamin phosphorylation. <i>FASEB Journal</i> , 2020, 34, 9051-9073.	0.5	17
11	Ineffectual Type 2-to Type 1 Alveolar Epithelial Cell Differentiation in Idiopathic Pulmonary Fibrosis: Persistence of the KRT8 ^{hi} Transitional State. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 1443-1447.	5.6	107
12	The COVID-19 pandemic and research shutdown: staying safe and productive. <i>Journal of Clinical Investigation</i> , 2020, 130, 2745-2748.	8.2	125
13	Trends in NIH-supported career development funding: implications for institutions, trainees, and the future research workforce. <i>JCI Insight</i> , 2020, 5, .	5.0	8
14	Tumor-Selective Altered Glycosylation and Functional Attenuation of CD73 in Human Hepatocellular Carcinoma. <i>Hepatology Communications</i> , 2019, 3, 1400-1414.	4.3	15
15	Porphyryn-Induced Protein Oxidation and Aggregation as a Mechanism of Porphyria-Associated Cell Injury. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 535-548.	4.5	44
16	Medullary thymic epithelial NF- κ B-inducing kinase (NIK)/IKK \pm pathway shapes autoimmunity and liver and lung homeostasis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 19090-19097.	7.1	25
17	Oxygen and Conformation Dependent Protein Oxidation and Aggregation by Porphyrins in Hepatocytes and Light-Exposed Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 659-682.e1.	4.5	19
18	Constitutive release of CPS1 in bile and its role as a protective cytokine during acute liver injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9125-9134.	7.1	39

#	ARTICLE	IF	CITATIONS
19	Enhancing career development of postdoctoral trainees: act locally and beyond. <i>Journal of Physiology</i> , 2019, 597, 2317-2322.	2.9	10
20	Loss of hepatocyte β -catenin protects mice from experimental porphyria-associated liver injury. <i>Journal of Hepatology</i> , 2019, 70, 108-117.	3.7	29
21	Porphyrin Nanostructures Modulates Its Protein Aggregation Ability via Differential Oxidation and Protein Binding. <i>FASEB Journal</i> , 2019, 33, 784.13.	0.5	0
22	Types I and II Keratin Intermediate Filaments. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a018275.	5.5	171
23	Lamin A/C Maintains Exocrine Pancreas Homeostasis by Regulating Stability of RB and Activity of E2F. <i>Gastroenterology</i> , 2018, 154, 1625-1629.e8.	1.3	12
24	HIF1- α Regulates Acinar Cell Function and Response to Injury in Mouse Pancreas. <i>Gastroenterology</i> , 2018, 154, 1630-1634.e3.	1.3	14
25	Pancreatic HIF2 β Stabilization Leads to Chronic Pancreatitis and Predisposes to Mucinous Cystic Neoplasm. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 169-185.e2.	4.5	12
26	Potential association of LMNA-associated generalized lipodystrophy with juvenile dermatomyositis. <i>Clinical Diabetes and Endocrinology</i> , 2018, 4, 6.	2.7	8
27	Lamins and Lamin-Associated Proteins in Gastrointestinal Health and Disease. <i>Gastroenterology</i> , 2018, 154, 1602-1619.e1.	1.3	30
28	The hepatic BMAL1/AKT/lipogenesis axis protects against alcoholic liver disease in mice via promoting PPAR α pathway. <i>Hepatology</i> , 2018, 68, 883-896.	7.3	72
29	Nuclear lamina genetic variants, including a truncated LAP2, in twins and siblings with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 1710-1725.	7.3	19
30	The sweet side of vimentin. <i>ELife</i> , 2018, 7, .	6.0	17
31	Hepatic NF- κ B-inducing kinase (NIK) suppresses mouse liver regeneration in acute and chronic liver diseases. <i>ELife</i> , 2018, 7, .	6.0	28
32	Spectrum of disease associated with partial lipodystrophy: lessons from a trial cohort. <i>Clinical Endocrinology</i> , 2017, 86, 698-707.	2.4	72
33	Intermediate filament proteins of digestive organs: physiology and pathophysiology. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, G628-G634.	3.4	31
34	Clusterin and Pycr1 alterations associate with strain and model differences in susceptibility to experimental pancreatitis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 1346-1352.	2.1	4
35	Hepatocyte-Specific Deletion of Mouse Lamin A/C Leads to Male-Selective Steatohepatitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 365-383.	4.5	27
36	Lipogenic transcription factor ChREBP mediates fructose-induced metabolic adaptations to prevent hepatotoxicity. <i>Journal of Clinical Investigation</i> , 2017, 127, 2855-2867.	8.2	79

#	ARTICLE	IF	CITATIONS
37	High-Throughput Screening for Drugs that Modulate Intermediate Filament Proteins. <i>Methods in Enzymology</i> , 2016, 568, 163-185.	1.0	16
38	Assays for Posttranslational Modifications of Intermediate Filament Proteins. <i>Methods in Enzymology</i> , 2016, 568, 113-138.	1.0	20
39	Not all mice are the same: Standardization of animal research data presentation. <i>Hepatology</i> , 2016, 63, 1752-1754.	7.3	13
40	Keratins: Biomarkers and modulators of apoptotic and necrotic cell death in the liver. <i>Hepatology</i> , 2016, 64, 966-976.	7.3	95
41	Not All Mice Are the Same: Standardization of Animal Research Data Presentation. <i>Gut</i> , 2016, 65, 894-895.	12.1	6
42	Not All Mice Are the Same: Standardization of Animal Research Data Presentation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 391-393.	4.5	8
43	Mentoring: A Necessary But Not Sufficient Ingredient for Enhancing Success. <i>Gastroenterology</i> , 2016, 150, 1067-1070.	1.3	6
44	Not All Mice Are the Same: Standardization of Animal Research Data Presentation. <i>Gastroenterology</i> , 2016, 150, 1503-1504.	1.3	7
45	A precursor-inducible zebrafish model of acute protoporphyria with hepatic protein aggregation and multiorganelle stress. <i>FASEB Journal</i> , 2016, 30, 1798-1810.	0.5	21
46	Keratin impact on PKC β /ASMase regulation of hepatocyte lipid raft size: Implication in FasR-associated apoptosis. <i>Journal of Cell Science</i> , 2016, 129, 3262-73.	2.0	12
47	Mouse genetic background contributes to hepatocyte susceptibility to Fas-mediated apoptosis. <i>Molecular Biology of the Cell</i> , 2016, 27, 3005-3012.	2.1	7
48	Gastroenterology 2011-2016: Looking Back and Forward. <i>Gastroenterology</i> , 2016, 150, 1496-1502.	1.3	1
49	E4BP4 is an insulin-induced stabilizer of nuclear SREBP-1c and promotes SREBP-1c-mediated lipogenesis. <i>Journal of Lipid Research</i> , 2016, 57, 1219-1230.	4.2	21
50	Preface. <i>Methods in Enzymology</i> , 2016, 568, xxiii-xxiv.	1.0	2
51	Cell biology to disease and back. <i>Nature Reviews Molecular Cell Biology</i> , 2016, 17, 4-4.	37.0	1
52	Ethanol and Acetaminophen Synergistically Induce Hepatic Aggregation and TCH346-Insensitive Nuclear Translocation of GAPDH. <i>PLoS ONE</i> , 2016, 11, e0160982.	2.5	2
53	Human keratin 8 variants promote mouse acetaminophen hepatotoxicity coupled with c-Jun amino-terminal kinase activation and protein adduct formation. <i>Hepatology</i> , 2015, 62, 876-886.	7.3	20
54	PKC412 normalizes mutation-related keratin filament disruption and hepatic injury in mice by promoting keratin-myosin binding. <i>Hepatology</i> , 2015, 62, 1858-1869.	7.3	26

#	ARTICLE	IF	CITATIONS
55	Ambient Light Promotes Selective Subcellular Proteotoxicity after Endogenous and Exogenous Porphyrinogenic Stress. <i>Journal of Biological Chemistry</i> , 2015, 290, 23711-23724.	3.4	27
56	Absence of keratin 8 or 18 promotes antimitochondrial autoantibody formation in aging male mice. <i>FASEB Journal</i> , 2015, 29, 5081-5089.	0.5	12
57	Why Send Your Paper to Gastroenterology: Global Outreach and Partnerships With Sister Journals, CCGH and CMGH, Among a Menu of Offerings. <i>Gastroenterology</i> , 2015, 148, 673-678.	1.3	3
58	A Multi-Journal Partnership to Highlight Joint First-Authors of Manuscripts. <i>Gastroenterology</i> , 2015, 148, 274-275.	1.3	1
59	A multi-journal partnership to highlight joint first-authors of manuscripts. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 437-438.	1.0	2
60	A multi-journal partnership to highlight joint first-authors of manuscripts. <i>Gut</i> , 2015, 64, 189-189.	12.1	7
61	A Multi-Journal Partnership to Highlight Joint First-Authors of Manuscripts. <i>Journal of Hepatology</i> , 2015, 62, 255-256.	3.7	1
62	A multi-journal partnership to highlight joint first-authors of manuscripts. <i>Hepatology</i> , 2015, 61, 416-417.	7.3	0
63	Absence of keratins 8 and 18 in rodent epithelial cell lines associates with keratin gene mutation and DNA methylation: Cell line selective effects on cell invasion. <i>Experimental Cell Research</i> , 2015, 335, 12-22.	2.6	12
64	Prevalence of genetic variants of keratins 8 and 18 in patients with drug-induced liver injury. <i>BMC Medicine</i> , 2015, 13, 196.	5.5	17
65	Tumor-selective proteotoxicity of verteporfin inhibits colon cancer progression independently of YAP1. <i>Science Signaling</i> , 2015, 8, ra98.	3.6	152
66	Keratin 8 absence down-regulates colonocyte HMGCS2 and modulates colonic ketogenesis and energy metabolism. <i>Molecular Biology of the Cell</i> , 2015, 26, 2298-2310.	2.1	41
67	Modulation of cytoskeletal dynamics by mammalian nucleoside diphosphate kinase (NDPK) proteins. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 189-197.	3.0	13
68	Reply. <i>Hepatology</i> , 2014, 60, 767-768.	7.3	1
69	Mouse hepatocyte overexpression of NF- κ B-inducing kinase (NIK) triggers fatal macrophage-dependent liver injury and fibrosis. <i>Hepatology</i> , 2014, 60, 2065-2076.	7.3	80
70	Mutation of keratin 18 caspase digestion sites interferes with filament reorganization and promotes hepatocyte leakiness and necrosis. <i>Journal of Cell Science</i> , 2014, 127, 1464-75.	2.0	29
71	Alternative splicing of human <i>NT5E</i> in cirrhosis and hepatocellular carcinoma produces a negative regulator of ecto-5'-nucleotidase (CD73). <i>Molecular Biology of the Cell</i> , 2014, 25, 4024-4033.	2.1	39
72	Post-translational modifications of intermediate filament proteins: mechanisms and functions. <i>Nature Reviews Molecular Cell Biology</i> , 2014, 15, 163-177.	37.0	409

#	ARTICLE	IF	CITATIONS
73	Carbamoyl phosphate synthetase-1 is a rapid turnover biomarker in mouse and human acute liver injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G355-G364.	3.4	33
74	CD73 (ecto-5â€²-nucleotidase) hepatocyte levels differ across mouse strains and contribute to mallory-denk body formation. <i>Hepatology</i> , 2013, 58, 1790-1800.	7.3	23
75	Glucose and SIRT2 reciprocally mediate the regulation of keratin 8 by lysine acetylation. <i>Journal of Cell Biology</i> , 2013, 200, 241-247.	5.2	34
76	Gastroenterology 's Editors-in-Chief: Historical and Personal Perspectives of Their Editorships. <i>Gastroenterology</i> , 2013, 145, 16-31.	1.3	2
77	Wnt/ β -Catenin Signaling Protects Mouse Liver against Oxidative Stress-induced Apoptosis through the Inhibition of Forkhead Transcription Factor FoxO3. <i>Journal of Biological Chemistry</i> , 2013, 288, 17214-17224.	3.4	109
78	Our New Presidentâ€™Anil K. Rustgi, MD. <i>Gastroenterology</i> , 2013, 144, 1129-1135.	1.3	1
79	A Conserved Rod Domain Phosphotyrosine That Is Targeted by the Phosphatase PTP1B Promotes Keratin 8 Protein Insolubility and Filament Organization*. <i>Journal of Biological Chemistry</i> , 2013, 288, 31329-31337.	3.4	22
80	Keratin 8 modulates β -cell stress responses and normoglycaemia. <i>Journal of Cell Science</i> , 2013, 126, 5635-44.	2.0	34
81	Lamin aggregation is an early sensor of porphyria-induced liver injury. <i>Journal of Cell Science</i> , 2013, 126, 3105-12.	2.0	32
82	Increased coâ€™first authorships in biomedical and clinical publications: a call for recognition. <i>FASEB Journal</i> , 2013, 27, 3902-3904.	0.5	30
83	Toll Like Receptor 3 Plays a Critical Role in the Progression and Severity of Acetaminophen-Induced Hepatotoxicity. <i>PLoS ONE</i> , 2013, 8, e65899.	2.5	35
84	The Hypoxia-Inducible Factorâ€™C/EBP β Axis Controls Ethanol-Mediated Hecpidin Repression. <i>Molecular and Cellular Biology</i> , 2012, 32, 4068-4077.	2.3	39
85	Keratin 8 phosphorylation regulates its transamidation and hepatocyte Malloryâ€™Denk body formation. <i>FASEB Journal</i> , 2012, 26, 2318-2326.	0.5	31
86	Acknowledging Joint First Authors of Published Work: The Time Has Come. <i>Gastroenterology</i> , 2012, 143, 879-880.	1.3	21
87	Keratin 8 phosphorylation regulates keratin reorganization and migration of epithelial tumor cells. <i>Journal of Cell Science</i> , 2012, 125, 2148-2159.	2.0	80
88	Oxidative stress, Nrf2 and keratin up-regulation associate with Mallory-Denk body formation in mouse erythropoietic protoporphyria. <i>Hepatology</i> , 2012, 56, 322-331.	7.3	34
89	Non-Coding Keratin Variants Associate with Liver Fibrosis Progression in Patients with Hemochromatosis. <i>PLoS ONE</i> , 2012, 7, e32669.	2.5	12
90	Malloryâ€™Denk Bodies Are Associated With Outcomes and Histologic Features in Patients With Chronic Hepatitis C. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 902-909.e1.	4.4	22

#	ARTICLE	IF	CITATIONS
91	Changing of the Guards: 2011–2016 Gastroenterology Team. <i>Gastroenterology</i> , 2011, 141, 4-7.	1.3	8
92	Hepatocyte-derived cultured cells with unusual cytoplasmic keratin-rich spheroid bodies. <i>Experimental Cell Research</i> , 2011, 317, 2683-2694.	2.6	1
93	Fibrinogen- α 3 proteolysis and solubility dynamics during apoptotic mouse liver injury: Heparin prevents and treats liver damage. <i>Hepatology</i> , 2011, 53, 1323-1332.	7.3	31
94	Energy determinants GAPDH and NDPK act as genetic modifiers for hepatocyte inclusion formation. <i>Journal of Cell Biology</i> , 2011, 195, 217-229.	5.2	32
95	Two strikes: limited NIH R55 and R56 retooling funds and abolishment of the A2 grant mechanism. <i>FASEB Journal</i> , 2011, 25, 4108-4110.	0.5	0
96	Panhematin provides a therapeutic benefit in experimental pancreatitis. <i>Gut</i> , 2011, 60, 671-679.	12.1	41
97	Heme oxygenase-1 is induced in peripheral blood mononuclear cells of patients with acute pancreatitis: a potential therapeutic target. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G12-G20.	3.4	23
98	Absence of keratin 8 confers a paradoxical microflora-dependent resistance to apoptosis in the colon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1445-1450.	7.1	49
99	Unique amino acid signatures that are evolutionarily conserved distinguish simple-type, epidermal and hair keratins. <i>Journal of Cell Science</i> , 2011, 124, 4221-4232.	2.0	67
100	Keratin Hypersumoylation Alters Filament Dynamics and Is a Marker for Human Liver Disease and Keratin Mutation. <i>Journal of Biological Chemistry</i> , 2011, 286, 2273-2284.	3.4	63
101	Cytoskeletal keratin glycosylation protects epithelial tissue from injury. <i>Nature Cell Biology</i> , 2010, 12, 876-885.	10.3	111
102	p38 MAP Kinase and MAPKAP Kinases MK2/3 Cooperatively Phosphorylate Epithelial Keratins*. <i>Journal of Biological Chemistry</i> , 2010, 285, 33242-33251.	3.4	28
103	Underrepresentation of Underrepresented Minorities in Academic Medicine: The Need to Enhance the Pipeline and the Pipe. <i>Gastroenterology</i> , 2010, 138, 19-26.e3.	1.3	96
104	Gender Dimorphic Formation of Mouse Mallory–Denk Bodies and the Role of Xenobiotic Metabolism and Oxidative Stress. <i>Gastroenterology</i> , 2010, 138, 1607-1617.	1.3	46
105	Keratin Variants Predispose to Acute Liver Failure and Adverse Outcome: Race and Ethnic Associations. <i>Gastroenterology</i> , 2010, 139, 828-835.e3.	1.3	72
106	Characterization of In Vivo Keratin 19 Phosphorylation on Tyrosine-391. <i>PLoS ONE</i> , 2010, 5, e13538.	2.5	15
107	Keratins provide virus-dependent protection or predisposition to injury in coxsackievirus-induced pancreatitis. <i>Cell Health and Cytoskeleton</i> , 2009, Volume 1, 51-65.	0.7	5
108	Keratins modulate the shape and function of hepatocyte mitochondria: a mechanism for protection from apoptosis. <i>Journal of Cell Science</i> , 2009, 122, 3851-3855.	2.0	64

#	ARTICLE	IF	CITATIONS
109	Rescue of atypical protein kinase C in epithelia by the cytoskeleton and Hsp70 family chaperones. <i>Journal of Cell Science</i> , 2009, 122, 2491-2503.	2.0	29
110	Keratin variants are overrepresented in primary biliary cirrhosis and associate with disease severity. <i>Hepatology</i> , 2009, 50, 546-554.	7.3	44
111	Transglutaminase Cross-Links Sp1-Mediated Transcription to Ethanol-Induced Liver Injury. <i>Gastroenterology</i> , 2009, 136, 1502-1505.	1.3	5
112	Toward unraveling the complexity of simple epithelial keratins in human disease. <i>Journal of Clinical Investigation</i> , 2009, 119, 1794-1805.	8.2	231
113	“F-pathies” a broad spectrum of intermediate filament-associated diseases. <i>Journal of Clinical Investigation</i> , 2009, 119, 1756-1762.	8.2	135
114	Autophagy activation by rapamycin eliminates mouse Mallory-Denk bodies and blocks their proteasome inhibitor-mediated formation. <i>Hepatology</i> , 2008, 47, 2026-2035.	7.3	119
115	“Toxic memory” via chaperone modification is a potential mechanism for rapid mallory-denk body reinduction. <i>Hepatology</i> , 2008, 48, 931-942.	7.3	20
116	The genetic background modulates susceptibility to mouse liver Mallory-Denk body formation and liver injury. <i>Hepatology</i> , 2008, 48, 943-952.	7.3	45
117	Keratin Mutation Predisposes to Mouse Liver Fibrosis and Unmasks Differential Effects of the Carbon Tetrachloride and Thioacetamide Models. <i>Gastroenterology</i> , 2008, 134, 1169-1179.	1.3	57
118	Mentoring the Mentor: Another Tool to Enhance Mentorship. <i>Gastroenterology</i> , 2008, 135, 13-16.	1.3	38
119	Keratin Overexpression Levels Correlate with the Extent of Spontaneous Pancreatic Injury. <i>American Journal of Pathology</i> , 2008, 172, 882-892.	3.8	34
120	Epidemiology of Alcohol-Related Liver and Pancreatic Disease in the United States. <i>Archives of Internal Medicine</i> , 2008, 168, 649.	3.8	228
121	Extracellular Transglutaminase 2 Is Catalytically Inactive, but Is Transiently Activated upon Tissue Injury. <i>PLoS ONE</i> , 2008, 3, e1861.	2.5	174
122	Reg-II Is an Exocrine Pancreas Injury-Response Product That Is Up-Regulated by Keratin Absence or Mutation. <i>Molecular Biology of the Cell</i> , 2007, 18, 4969-4978.	2.1	22
123	The pancreatic stellate cell: a star on the rise in pancreatic diseases. <i>Journal of Clinical Investigation</i> , 2007, 117, 50-59.	8.2	588
124	Absence of keratin 19 in mice causes skeletal myopathy with mitochondrial and sarcolemmal reorganization. <i>Journal of Cell Science</i> , 2007, 120, 3999-4008.	2.0	83
125	Oxidative stress induces the endoplasmic reticulum stress and facilitates inclusion formation in cultured cells. <i>Journal of Hepatology</i> , 2007, 47, 93-102.	3.7	67
126	Analysis of Keratin Polypeptides 8 and 19 Variants in Inflammatory Bowel Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 857-864.	4.4	39

#	ARTICLE	IF	CITATIONS
127	Transglutaminase 2 Regulates Mallory Body Inclusion Formation and Injury-Associated Liver Enlargement. <i>Gastroenterology</i> , 2007, 132, 1515-1526.	1.3	66
128	The NIH, Research Institutions and Industry: Working Together on a Shared Goal. <i>Gastroenterology</i> , 2007, 132, 1647-1650.	1.3	1
129	Keratin 18 overexpression but not phosphorylation or filament organization blocks mouse Mallory body formation. <i>Hepatology</i> , 2007, 45, 88-96.	7.3	32
130	Keratins let liver live: Mutations predispose to liver disease and crosslinking generates Mallory-Denk bodies. <i>Hepatology</i> , 2007, 46, 1639-1649.	7.3	148
131	Gene expression changes associated with Barrett's esophagus and Barrett's-associated adenocarcinoma cell lines after acid or bile salt exposure. <i>BMC Gastroenterology</i> , 2007, 7, 24.	2.0	16
132	From Mallory to Malloryâ€“Denk bodies: What, how and why?. <i>Experimental Cell Research</i> , 2007, 313, 2033-2049.	2.6	304
133	A mutation of keratin 18 within the coil 1A consensus motif causes widespread keratin aggregation but cell type-restricted lethality in mice. <i>Experimental Cell Research</i> , 2007, 313, 3127-3140.	2.6	26
134	Bispecific and human disease-related anti-keratin rabbit monoclonal antibodies. <i>Experimental Cell Research</i> , 2006, 312, 411-422.	2.6	15
135	Gene Expression Profiling Reveals Stromal Genes Expressed in Common Between Barrettâ€™s Esophagus and Adenocarcinoma. <i>Gastroenterology</i> , 2006, 131, 925-933.	1.3	137
136	Our New Editorâ€™ Anil K. Rustgi. <i>Gastroenterology</i> , 2006, 130, 1938-1939.	1.3	0
137	Pharmacologic transglutaminase inhibition attenuates drug-primed liver hypertrophy but not Mallory body formation. <i>FEBS Letters</i> , 2006, 580, 2351-2357.	2.8	14
138	Reciprocal keratin 18 Ser48 O-GlcNAcylation and Ser52 phosphorylation using peptide analysis. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 708-712.	2.1	13
139	Skin care by keratins. <i>Nature</i> , 2006, 441, 296-297.	27.8	13
140	New consensus nomenclature for mammalian keratins. <i>Journal of Cell Biology</i> , 2006, 174, 169-174.	5.2	630
141	â€“Heads and tailsâ€™ of intermediate filament phosphorylation: multiple sites and functional insights. <i>Trends in Biochemical Sciences</i> , 2006, 31, 383-394.	7.5	258
142	Keratin variants associate with progression of fibrosis during chronic hepatitis C infection. <i>Hepatology</i> , 2006, 43, 1354-1363.	7.3	62
143	Denaturing temperature selection may underestimate keratin mutation detection by DHPLC. <i>Human Mutation</i> , 2006, 27, 444-452.	2.5	14
144	Protein phosphatase-2A associates with and dephosphorylates keratin 8 after hyposmotic stress in a site- and cell-specific manner. <i>Journal of Cell Science</i> , 2006, 119, 1425-1432.	2.0	31

#	ARTICLE	IF	CITATIONS
145	Keratin 20 Serine 13 Phosphorylation Is a Stress and Intestinal Goblet Cell Marker*. Journal of Biological Chemistry, 2006, 281, 16453-16461.	3.4	33
146	A disease- and phosphorylation-related nonmechanical function for keratin 8. Journal of Cell Biology, 2006, 174, 115-125.	5.2	151
147	Chemistry and Biology of Dihydroisoxazole Derivatives: Selective Inhibitors of Human Transglutaminase 2. Chemistry and Biology, 2005, 12, 469-475.	6.0	154
148	Cellular integrity plus: organelle-related and protein-targeting functions of intermediate filaments. Trends in Cell Biology, 2005, 15, 608-617.	7.9	227
149	Keratin mutation primes mouse liver to oxidative injury. Hepatology, 2005, 41, 517-525.	7.3	38
150	Keratin 8 overexpression promotes mouse Mallory body formation. Journal of Cell Biology, 2005, 171, 931-937.	5.2	63
151	Human Ran Cysteine 112 Oxidation by Pervanadate Regulates Its Binding to Keratins. Journal of Biological Chemistry, 2005, 280, 12162-12167.	3.4	16
152	Keratin-8-deficient mice develop chronic spontaneous Th2 colitis amenable to antibiotic treatment. Journal of Cell Science, 2005, 118, 1971-1980.	2.0	84
153	Keratin 8 Phosphorylation by Protein Kinase C ζ Regulates Shear Stress-mediated Disassembly of Keratin Intermediate Filaments in Alveolar Epithelial Cells. Journal of Biological Chemistry, 2005, 280, 30400-30405.	3.4	114
154	Keratin-containing inclusions affect cell morphology and distribution of cytosolic cellular components. Experimental Cell Research, 2005, 304, 471-482.	2.6	14
155	Keratins as Susceptibility Genes for End-Stage Liver Disease. Gastroenterology, 2005, 129, 885-893.	1.3	62
156	Hemin-activated macrophages home to the pancreas and protect from acute pancreatitis via heme oxygenase-1 induction. Journal of Clinical Investigation, 2005, 115, 3007-3014.	8.2	113
157	Myeloid Progenitors Protect Against Radiation-Induced Intestinal Injury.. Blood, 2005, 106, 5225-5225.	1.4	0
158	Raf-1 activation disrupts its binding to keratins during cell stress. Journal of Cell Biology, 2004, 166, 479-485.	5.2	53
159	Organ-specific stress induces mouse pancreatic keratin overexpression in association with NF- κ B activation. Journal of Cell Science, 2004, 117, 1709-1719.	2.0	51
160	Keratins modulate colonocyte electrolyte transport via protein mistargeting. Journal of Cell Biology, 2004, 164, 911-921.	5.2	118
161	Functional Analysis of the Human Papillomavirus Type 16 E1 α E4 Protein Provides a Mechanism for In Vivo and In Vitro Keratin Filament Reorganization. Journal of Virology, 2004, 78, 821-833.	3.4	90
162	Intermediate Filament Proteins and Their Associated Diseases. New England Journal of Medicine, 2004, 351, 2087-2100.	27.0	434

#	ARTICLE	IF	CITATIONS
163	Keratin 8 and 18 hyperphosphorylation is a marker of progression of human liver disease. <i>Hepatology</i> , 2004, 40, 459-466.	7.3	79
164	Aggregation and loss of cytokeratin filament networks inhibit Golgi organization in liver-derived epithelial cell lines. <i>Cytoskeleton</i> , 2004, 57, 37-52.	4.4	28
165	Our new President—Emmet B. Keeffe, M.D. <i>Gastroenterology</i> , 2004, 126, 1454-1460.	1.3	1
166	Keratin 8/18 breakdown and reorganization during apoptosis. <i>Experimental Cell Research</i> , 2004, 297, 11-26.	2.6	177
167	Actin overexpression parallels severity of pancreatic injury. <i>Experimental Cell Research</i> , 2004, 299, 404-414.	2.6	18
168	Studying Simple Epithelial Keratins in Cells and Tissues. <i>Methods in Cell Biology</i> , 2004, 78, 489-517.	1.1	74
169	Keratin mutation in transgenic mice predisposes to Fas but not TNF-induced apoptosis and massive liver injury. <i>Hepatology</i> , 2003, 37, 1006-1014.	7.3	96
170	Sphingosylphosphorylcholine regulates keratin network architecture and visco-elastic properties of human cancer cells. <i>Nature Cell Biology</i> , 2003, 5, 803-811.	10.3	234
171	Proteasome inhibition induces inclusion bodies associated with intermediate filaments and fragmentation of the Golgi apparatus. <i>Experimental Cell Research</i> , 2003, 288, 60-69.	2.6	35
172	Keratin-8 null mice have different gallbladder and liver susceptibility to lithogenic diet-induced injury. <i>Journal of Cell Science</i> , 2003, 116, 4629-4638.	2.0	35
173	Keratin 20 Helps Maintain Intermediate Filament Organization in Intestinal Epithelia. <i>Molecular Biology of the Cell</i> , 2003, 14, 2959-2971.	2.1	83
174	Keratin 8 and 18 mutations are risk factors for developing liver disease of multiple etiologies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6063-6068.	7.1	95
175	Keratin 8 Phosphorylation by p38 Kinase Regulates Cellular Keratin Filament Reorganization. <i>Journal of Biological Chemistry</i> , 2002, 277, 10775-10782.	3.4	113
176	Hyposmotic Stress Induces Cell Growth Arrest via Proteasome Activation and Cyclin/Cyclin-dependent Kinase Degradation. <i>Journal of Biological Chemistry</i> , 2002, 277, 19295-19303.	3.4	26
177	The Intermediate Filament Protein Keratin 8 Is a Novel Cytoplasmic Substrate for c-Jun N-terminal Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 10767-10774.	3.4	103
178	Keratin binding to 14-3-3 proteins modulates keratin filaments and hepatocyte mitotic progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 4373-4378.	7.1	162
179	Type II Keratins Are Phosphorylated on a Unique Motif during Stress and Mitosis in Tissues and Cultured Cells. <i>Molecular Biology of the Cell</i> , 2002, 13, 1857-1870.	2.1	76
180	Identification of cytokeratins as accessory mediators of Salmonella entry into eukaryotic cells. <i>Life Sciences</i> , 2002, 70, 1415-1426.	4.3	44

#	ARTICLE	IF	CITATIONS
181	“Hard” and “soft” principles defining the structure, function and regulation of keratin intermediate filaments. <i>Current Opinion in Cell Biology</i> , 2002, 14, 110-122.	5.4	614
182	Keratins: Guardians of the liver. <i>Hepatology</i> , 2002, 35, 251-257.	7.3	143
183	Effect of Mutation and Phosphorylation of Type I Keratins on Their Caspase-mediated Degradation. <i>Journal of Biological Chemistry</i> , 2001, 276, 26792-26798.	3.4	72
184	Disturbances in hepatic cell-cycle regulation in mice with assembly-deficient keratins 8/18. <i>Hepatology</i> , 2001, 34, 1174-1183.	7.3	68
185	Keratin 8 Mutations in Patients with Cryptogenic Liver Disease. <i>New England Journal of Medicine</i> , 2001, 344, 1580-1587.	27.0	163
186	Simple epithelial keratins are dispensable for cytoprotection in two pancreatitis models. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, G1343-G1354.	3.4	38
187	Bile salts induce or blunt cell proliferation in Barrett's esophagus in an acid-dependent fashion. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, G1000-G1009.	3.4	76
188	Hepatocyte Cytokeratins Are Hyperphosphorylated at Multiple Sites in Human Alcoholic Hepatitis and in a Mallory Body Mouse Model. <i>American Journal of Pathology</i> , 2000, 156, 77-90.	3.8	89
189	Keratins Turn over by Ubiquitination in a Phosphorylation-Modulated Fashion. <i>Journal of Cell Biology</i> , 2000, 149, 547-552.	5.2	150
190	The cytoskeleton of digestive epithelia in health and disease. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, G1108-G1137.	3.4	109
191	Characterization of the Major Physiologic Phosphorylation Site of Human Keratin 19 and Its Role in Filament Organization. <i>Journal of Biological Chemistry</i> , 1999, 274, 12861-12866.	3.4	35
192	Protein phosphatase inhibition in normal and keratin 8/18 assembly-incompetent mouse strains supports a functional role of keratin intermediate filaments in preserving hepatocyte integrity. <i>Hepatology</i> , 1998, 28, 116-128.	7.3	67
193	Epitope Specificity of 30 Monoclonal Antibodies against Cytokeratin Antigens: The ISOBM TD5-1 Workshop. <i>Tumor Biology</i> , 1998, 19, 132-152.	1.8	66
194	Mutation of a Major Keratin Phosphorylation Site Predisposes to Hepatotoxic Injury in Transgenic Mice. <i>Journal of Cell Biology</i> , 1998, 143, 2023-2032.	5.2	93
195	Apoptosis Generates Stable Fragments of Human Type I Keratins. <i>Journal of Biological Chemistry</i> , 1997, 272, 33197-33203.	3.4	210
196	Stress, Apoptosis, and Mitosis Induce Phosphorylation of Human Keratin 8 at Ser-73 in Tissues and Cultured Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 17565-17573.	3.4	111
197	Phosphorylation of Human Keratin 8 in Vivo at Conserved Head Domain Serine 23 and at Epidermal Growth Factor-stimulated Tail Domain Serine 431. <i>Journal of Biological Chemistry</i> , 1997, 272, 7556-7564.	3.4	97
198	Two-dimensional gel analysis of glandular keratin intermediate filament phosphorylation. <i>Electrophoresis</i> , 1996, 17, 1671-1676.	2.4	26

#	ARTICLE	IF	CITATIONS
199	Multifocal heterogeneity in villin and Ep-CAM expression in Barrett's esophagus. , 1996, 66, 48-54.		38
200	Implications of intermediate filament protein phosphorylation. Cancer and Metastasis Reviews, 1996, 15, 429-444.	5.9	101
201	Identification and Mutational Analysis of the Glycosylation Sites of Human Keratin 18. Journal of Biological Chemistry, 1995, 270, 11820-11827.	3.4	57
202	Method of cell handling affects leakiness of cell surface labeling and detection of intracellular keratins. Cytoskeleton, 1993, 26, 77-87.	4.4	14
203	Biochemical and morphological differentiation of the human colonic epithelial cell line SW620 in the presence of dimethylsulfoxide. Journal of Cellular Biochemistry, 1992, 48, 316-323.	2.6	19
204	HIV-1 infection and expression in human colonic cells. Aids, 1991, 5, 275-282.	2.2	51
205	Structural heterogeneity of human Pgp-1 and its relationship with p85. Immunogenetics, 1988, 27, 460-464.	2.4	93
206	Human cell-surface glycoprotein with unusual properties. Nature, 1980, 286, 888-891.	27.8	196