
Deborah P M Symmons

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6523001/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Rates and predictors of methotrexate-related adverse events in patients with early rheumatoid arthritis: results from a nationwide UK study. Rheumatology, 2022, 61, 3930-3938. | 0.9 | 13 |
| 2 | Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. Programme Grants for Applied Research, 2022, 10, 1-240. | 0.4 | 0 |
| 3 | Body Fat Percentage, Waist Circumference, and Obesity As Risk Factors for Rheumatoid Arthritis: A Danish Cohort Study. Arthritis Care and Research, 2019, 71, 777-786. | 1.5 | 40 |
| 4 | Malignancy and mortality rates in patients with severe psoriatic arthritis requiring tumour-necrosis factor alpha inhibition: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2019, 58, 80-85. | 0.9 | 33 |
| 5 | Cervical screening uptake and rates of cervical dysplasia in the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2019, 59, 559-567. | 0.9 | 1 |
| 6 | Not all moderate disease is the same – Identification of disability trajectories among patients with rheumatoid arthritis and moderate disease activity. PLoS ONE, 2019, 14, e0215999. | 1.1 | 13 |
| 7 | Systematic review of the predictors of statin adherence for the primary prevention of cardiovascular disease. PLoS ONE, 2019, 14, e0201196. | 1.1 | 72 |
| 8 | Baseline patient reported outcomes are more consistent predictors of long-term functional disability than laboratory, imaging or joint count data in patients with early inflammatory arthritis: A systematic review. Seminars in Arthritis and Rheumatism, 2018, 48, 384-398. | 1.6 | 12 |
| 9 | Long-term persistence of TNF-inhibitor treatment in patients with psoriatic arthritis. Data from the British Society for Rheumatology Biologics Register. RMD Open, 2018, 4, e000596. | 1.8 | 38 |
| 10 | Risk factors for oral methotrexate failure in patients with inflammatory polyarthritis: results from a UK prospective cohort study. Arthritis Research and Therapy, 2018, 20, 50. | 1.6 | 28 |
| 11 | Long-term persistence with rituximab in patients with rheumatoid arthritis. Rheumatology, 2018, 57, 1089-1096. | 0.9 | 22 |
| 12 | Have the 10-year outcomes of patients with early inflammatory arthritis improved in the new millennium compared with the decade before? Results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2018, 77, annrheumdis-2017-212426. | 0.5 | 23 |
| 13 | 212 Multimorbidity is associated with increased disability but lower disease activity over time in patients with RA: results from the BSRBR-RA. Rheumatology, 2018, 57, . | 0.9 | 0 |
| 14 | 243 Longâ€ŧerm risk of serious infections in patients with rheumatoid arthritis treated with rituximab: five year data from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis (BSRBRâ€₽A). Rheumatology, 2018, 57, . | 0.9 | 0 |
| 15 | Prediction of primary non-response to methotrexate therapy using demographic, clinical and psychosocial variables: results from the UK Rheumatoid Arthritis Medication Study (RAMS). Arthritis Research and Therapy, 2018, 20, 147. | 1.6 | 73 |
| 16 | Serious infection risk after 1 year between patients with rheumatoid arthritis treated with rituximab or with a second TNFi after initial TNFi failure: results from The British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2018, 57, 1533-1540. | 0.9 | 20 |
| 17 | Does sex or ethnicity impact anti-tumour necrosis factor agent use in rheumatoid arthritis?. Rheumatology, 2017, 56, kew466. | 0.9 | 0 |
| 18 | Relationship between exposure to tumour necrosis factor inhibitor therapy and incidence and severity of myocardial infarction in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2017, 76, 654-660. | 0.5 | 122 |

| # | Article | IF | CITATIONS |
|----|---|-----------|-----------|
| 19 | Risk of lymphoma in patients exposed to antitumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2017, 76, 497-503. | 0.5 | 88 |
| 20 | Drug-specific risk and characteristics of lupus and vasculitis-like events in patients with rheumatoid arthritis treated with TNFi: results from BSRBR-RA. RMD Open, 2017, 3, e000314. | 1.8 | 29 |
| 21 | Twenty‥ear Outcome and Association Between Early Treatment and Mortality and Disability in an Inception Cohort of Patients With Rheumatoid Arthritis: Results From the Norfolk Arthritis Register. Arthritis and Rheumatology, 2017, 69, 1566-1575. | 2.9 | 63 |
| 22 | Use and effectiveness of tocilizumab among patients with rheumatoid arthritis: an observational study from the British Society for Rheumatology Biologics Register for rheumatoid arthritis. Clinical Rheumatology, 2017, 36, 241-250. | 1.0 | 40 |
| 23 | Predictors of and outcomes following orthopaedic joint surgery in patients with early rheumatoid arthritis followed for 20 years. Rheumatology, 2017, 56, 1510-1517. | 0.9 | 10 |
| 24 | EULAR recommendations for cardiovascular disease risk management in patients with rheumatoid arthritis and other forms of inflammatory joint disorders: 2015/2016 update. Annals of the Rheumatic Diseases, 2017, 76, 17-28. | 0.5 | 918 |
| 25 | Mortality in patients with interstitial lung disease treated with rituximab or TNFi as a first biologic. RMD Open, 2017, 3, e000473. | 1.8 | 45 |
| 26 | Risks of smoking and benefits of smoking cessation on hospitalisations for cardiovascular events and respiratory infection in patients with rheumatoid arthritis: a retrospective cohort study using the Clinical Practice Research Datalink. RMD Open, 2017, 3, e000506. | 1.8 | 11 |
| 27 | Practical Management of Respiratory Comorbidities in Patients with Rheumatoid Arthritis. Rheumatology and Therapy, 2017, 4, 309-332. | 1.1 | 20 |
| 28 | Infection rates in patients from five rheumatoid arthritis (RA) registries: contextualising an RA clinical trial programme. RMD Open, 2017, 3, e000498. | 1.8 | 25 |
| 29 | Response to: †Does the risk of lymphoma in patients with RA treated with TNF inhibitors differ according to the histological subtype and the type of TNF inhibitor?' by Nocturne et al. Annals of the Rheumatic Diseases, 2017, 76, e4-e4. | 0.5 | 2 |
| 30 | Reply. Arthritis and Rheumatology, 2017, 69, 2402-2403. | 2.9 | 0 |
| 31 | 054. TREATMENT DECISIONS FOLLOWING A DIAGNOSIS OF CANCER DURING TUMUOR NECROSIS FACTOR INHIBITOR TREATMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS. Rheumatology, 2017, 56, . | 0.9 | 0 |
| 32 | 153. ASSESSMENT OF PREDICTORS OF AND OUTCOMES FOLLOWING ORTHOPAEDIC JOINT SURGERY OVER 2 YEARS IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS RECRUITED TO THE NORFOLK ARTHRITIS REGISTER. Rheumatology, 2017, 56, . | 20 0.9 | 1 |
| 33 | HLA–DRB1 Amino Acid Positions 11/13, 71, and 74 Are Associated With Inflammation Level, Disease Activity, and the Health Assessment Questionnaire Score in Patients With Inflammatory Polyarthritis. Arthritis and Rheumatology, 2016, 68, 2618-2628. | 2.9 | 23 |
| 34 | Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. Arthritis Research and Therapy, 2016, 18, 285. | 1.6 | 43 |
| 35 | Response to: â€`Evaluation of the association between anticarbamylated protein antibodies and longitudinal course of functional ability in rheumatoid arthritis' by Ajeganova <i>et al</i> . Annals of the Rheumatic Diseases, 2016, 75, e15-e15. | 0.5 | 1 |
| 36 | Effectiveness and safety of TNF inhibitors in adults with juvenile idiopathic arthritis. RMD Open, 2016, 2, e000273. | 1.8 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | How comparable are rates of malignancies in patients with rheumatoid arthritis across the world? A comparison of cancer rates, and means to optimise their comparability, in five RA registries. Annals of the Rheumatic Diseases, 2016, 75, 1789-1796. | 0.5 | 18 |
| 38 | Predictors and outcomes of sustained, intermittent or never achieving remission in patients with recent onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. Rheumatology, 2016, 55, 1601-1609. | 0.9 | 28 |
| 39 | Risk of <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis treated with inhibitors of tumour necrosis factor l±: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis: Table 1. Rheumatology, 2016, 55, 1336-1337. | 0.9 | 15 |
| 40 | The incidence of cancer in patients with rheumatoid arthritis and a prior malignancy who receive TNF inhibitors or rituximab: results from the British Society for Rheumatology Biologics Register-Rheumatoid Arthritis. Rheumatology, 2016, 55, 2033-2039. | 0.9 | 67 |
| 41 | Association Between Ischemic Stroke and Tumor Necrosis Factor Inhibitor Therapy in Patients With Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 1337-1345. | 2.9 | 16 |
| 42 | Association Between Genetic Variation in <i>FOXO3</i> and Reductions in Inflammation and Disease Activity in Inflammatory Polyarthritis. Arthritis and Rheumatology, 2016, 68, 2629-2636. | 2.9 | 32 |
| 43 | Smokingâ€Related Mortality in Patients With Early Rheumatoid Arthritis: A Retrospective Cohort Study Using the Clinical Practice Research Datalink. Arthritis Care and Research, 2016, 68, 1598-1606. | 1.5 | 33 |
| 44 | What is the impact of biologic therapies on common co-morbidities in patients with rheumatoid arthritis?. Arthritis Research and Therapy, 2016, 18, 282. | 1.6 | 21 |
| 45 | Primary careâ€based screening for cardiovascular risk factors in patients with psoriasis. British Journal of Dermatology, 2016, 175, 348-356. | 1.4 | 26 |
| 46 | Cardiovascular risk and its modification in patients with connective tissue diseases. Best Practice and Research in Clinical Rheumatology, 2016, 30, 81-94. | 1.4 | 12 |
| 47 | Can rheumatoid arthritis (RA) registries provide contextual safety data for modern RA clinical trials? The case for mortality and cardiovascular disease. Annals of the Rheumatic Diseases, 2016, 75, 1797-1805. | 0.5 | 16 |
| 48 | Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study. Annals of the Rheumatic Diseases, 2016, 75, 317-320. | 0.5 | 19 |
| 49 | Anticarbamylated protein antibodies are associated with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2016, 75, 1139-1144. | 0.5 | 41 |
| 50 | Editorial: Do We Need a Diseaseâ€Specific Cardiovascular Risk Calculator for Patients With Rheumatoid Arthritis?. Arthritis and Rheumatology, 2015, 67, 1990-1994. | 2.9 | 10 |
| 51 | Selfâ€reported pain severity is associated with a history of coronary heart disease. European Journal of Pain, 2015, 19, 167-175. | 1.4 | 17 |
| 52 | Using epidemiological registry data to provide background rates as context for adverse events in a rheumatoid arthritis drug development program: a coordinated approach. Pharmacoepidemiology and Drug Safety, 2015, 24, 1121-1132. | 0.9 | 6 |
| 53 | Methodological Challenges When Comparing Demographic and Clinical Characteristics of International Observational Registries. Arthritis Care and Research, 2015, 67, 1637-1645. | 1.5 | 16 |
| 54 | Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. RMD Open, 2015, 1, e000026-e000026. | 1.8 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Epidemiology research in rheumatology—progress and pitfalls. Nature Reviews Rheumatology, 2015, 11, 631-638. | 3.5 | 8 |
| 56 | Direct Health Costs of Inflammatory Polyarthritis 10 Years after Disease Onset: Results from the Norfolk Arthritis Register. Journal of Rheumatology, 2015, 42, 794-798. | 1.0 | 5 |
| 57 | O10. Risk and Characteristics of Drug-Induced Lupus in Patients Exposed to Tumour Necrosis Factor-α Inhibitor Therapy: Results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2015, , . | 0.9 | 0 |
| 58 | Association of HLA-DRB1 Haplotypes With Rheumatoid Arthritis Severity, Mortality, and Treatment Response. JAMA - Journal of the American Medical Association, 2015, 313, 1645. | 3.8 | 119 |
| 59 | The Humanistic and Economic Burden of Juvenile Idiopathic Arthritis in the era of Biologic Medication. Current Rheumatology Reports, 2015, 17, 31. | 2.1 | 13 |
| 60 | Development of EULAR recommendations for the reporting of clinical trial extension studies in rheumatology. Annals of the Rheumatic Diseases, 2015, 74, 963-969. | 0.5 | 36 |
| 61 | Psoriasis and the Risk of Major Cardiovascular Events: Cohort Study Using the Clinical Practice Research Datalink. Journal of Investigative Dermatology, 2015, 135, 2189-2197. | 0.3 | 132 |
| 62 | Risk of solid cancer in patients exposed to anti-tumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2015, 74, 1087-1093. | 0.5 | 162 |
| 63 | Association of anti-carbamylated protein antibodies with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. Lancet, The, 2015, 385, S44. | 6.3 | 10 |
| 64 | The influence of behavioural and psychological factors on medication adherence over time in rheumatoid arthritis patients: a study in the biologics era. Rheumatology, 2015, 54, 1780-1791. | 0.9 | 69 |
| 65 | Association of chemokine CXC ligand 12 gene polymorphism (rs1746048) with cardiovascular mortality in patients with rheumatoid arthritis: results from the Norfolk Arthritis Register: TableÂ1. Annals of the Rheumatic Diseases, 2015, 74, 2099-2102. | 0.5 | 8 |
| 66 | The Prevalence of Individual Histopathologic Features Varies according to Autoantibody Status in Muscle Biopsies from Patients with Dermatomyositis. Journal of Rheumatology, 2015, 42, 1448-1454. | 1.0 | 75 |
| 67 | Epidemiologic concepts and classification of rheumatic and musculoskeletal conditions. , 2015, , 1-8. | | Ο |
| 68 | P2. Incidence and Severity of Myocardial Infarction in Subjects Receiving Anti-Tumour Necrosis Factor Drugs for Rheumatoid Arthritis: Results from Linking the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis and Myocardial Ischaemia National Audit Project. Rheumatology, 2014, 53, i34-i35. | 0.9 | 4 |
| 69 | O23. The Influence of Anti-TNF or Rituximab on Cancer Incidence in Patients with Rheumatoid Arthritis who Have Had a Prior Malignancy. Rheumatology, 2014, 53, i38-i38. | 0.9 | Ο |
| 70 | 39. Non-Differential Reporting of Myocardial Infarction to a National Observational Drug Safety Study Using Linked Data: Linkage of the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis and the Myocardial Ischaemia National Audit Project. Rheumatology, 2014, 53, i70-i70. | 0.9 | 0 |
| 71 | Rheumatoid factor and anti-citrullinated protein antibody positivity, but not level, are associated with increased mortality in patients with rheumatoid arthritis: results from two large independent cohorts. Arthritis Research and Therapy, 2014, 16, 483. | 1.6 | 51 |
| 72 | Has the Severity of Rheumatoid Arthritis at Presentation Diminished Over Time?. Journal of Rheumatology, 2014, 41, 1590-1599. | 1.0 | 27 |

| # | Article | IF | CITATIONS |
|----|---|-----------------|-------------------|
| 73 | Including Adverse Drug Events in Economic Evaluations of Anti-Tumour Necrosis Factor-α Drugs for Adult Rheumatoid Arthritis: A Systematic Review of Economic Decision Analytic Models. Pharmacoeconomics, 2014, 32, 109-134. | 1.7 | 14 |
| 74 | Early remission is associated with improved survival in patients with inflammatory polyarthritis: results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2014, 73, 1677-1682. | 0.5 | 34 |
| 75 | Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results) Tj ETQq1 1 0.784 | 314 rgBT 0.5 | /Overlock 1 75 |
| 76 | Investigation of an interleukin-6 receptor gene polymorphism (rs2228145) as a predictor of cardiovascular mortality in inflammatory polyarthritis: results from the Norfolk Arthritis Register: TableÂ1. Annals of the Rheumatic Diseases, 2014, 73, 787-788. | 0.5 | 8 |
| 77 | Response to: †The influence of inflammation in the development of subclinical atherosclerosis in psoriatic arthritis' by GonzÃjlez-Gayet al. Annals of the Rheumatic Diseases, 2014, 73, e28-e28. | 0.5 | 0 |
| 78 | Mortality Trends in Patients With Early Rheumatoid Arthritis Over 20 Years: Results From the Norfolk Arthritis Register. Arthritis Care and Research, 2014, 66, 1296-1301. | 1.5 | 113 |
| 79 | N-terminal pro-brain-type natriuretic peptide (NT-pro-BNP) and mortality risk in early inflammatory polyarthritis: results from the Norfolk Arthritis Registry (NOAR). Annals of the Rheumatic Diseases, 2014, 73, 684-690. | 0.5 | 31 |
| 80 | The burden of musculoskeletal conditions. Medicine, 2014, 42, 190-192. | 0.2 | 7 |
| 81 | Use of Bayesian Multivariate Meta-Analysis to Estimate the HAQ for Mapping Onto the EQ-5D Questionnaire in Rheumatoid Arthritis. Value in Health, 2014, 17, 109-115. | 0.1 | 13 |
| 82 | Health Assessment Questionnaire disability progression in early rheumatoid arthritis: Systematic review and analysis of two inception cohorts. Seminars in Arthritis and Rheumatism, 2014, 44, 131-144. | 1.6 | 59 |
| 83 | Biologics registers in rheumatoid arthritis. Medicine, 2014, 42, 262-265. | 0.2 | 0 |
| 84 | The role of genetic polymorphisms regulating vitamin D levels in rheumatoid arthritis outcome: a Mendelian randomisation approach. Annals of the Rheumatic Diseases, 2014, 73, 1430-1433. | 0.5 | 11 |
| 85 | How Do We Classify Rheumatoid Arthritis in Established Disease — Can We Apply the 2010 American College of Rheumatology/European League Against Rheumatism Classification Criteria?. Journal of Rheumatology, 2014, 41, 2347-2351. | 1.0 | 1 |
| 86 | A Threshold Hazard Model for Estimating Serious Infection Risk Following Anti-Tumor Necrosis Factor Therapy in Rheumatoid Arthritis Patients. Journal of Biopharmaceutical Statistics, 2013, 23, 461-476. | 0.4 | 3 |
| 87 | Cardiovascular comorbidities in patients with psoriatic arthritis: a systematic review. Annals of the Rheumatic Diseases, 2013, 72, 211-216. | 0.5 | 224 |
| 88 | Association of morbid obesity with disability in early inflammatory polyarthritis: Results from the Norfolk Arthritis Register. Arthritis Care and Research, 2013, 65, 122-126. | 1.5 | 19 |
| 89 | Global Epidemiology of Psoriasis: A Systematic Review of Incidence and Prevalence. Journal of Investigative Dermatology, 2013, 133, 377-385. | 0.3 | 1,827 |
| 90 | Investigation of Rheumatoid Arthritis Genetic Susceptibility Markers in the Early Rheumatoid Arthritis Study Further Replicates the <i>TRAF1</i> Association with Radiological Damage. Journal of Rheumatology, 2013, 40, 144-156. | 1.0 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Demographic and disease-related predictors of abnormal lung function in patients with established inflammatory polyarthritis and a comparison with the general population. Annals of the Rheumatic Diseases, 2013, 72, 1517-1523. | 0.5 | 5 |
| 92 | Learned helplessness predicts functional disability, pain and fatigue in patients with recent-onset inflammatory polyarthritis. Rheumatology, 2013, 52, 1233-1238. | 0.9 | 27 |
| 93 | Risk of skin and soft tissue infections (including shingles) in patients exposed to anti-tumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2013, 72, 229-234. | 0.5 | 146 |
| 94 | Risk of cancer in patients receiving non-biologic disease-modifying therapy for rheumatoid arthritis compared with the UK general population. Rheumatology, 2013, 52, 91-98. | 0.9 | 116 |
| 95 | 2010 ACR/EULAR classification criteria for rheumatoid arthritis predict increased mortality in patients with early arthritis: results from the Norfolk Arthritis Register. Rheumatology, 2013, 52, 1141-1142. | 0.9 | 5 |
| 96 | Postpublication validation of the 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis. Current Opinion in Rheumatology, 2013, 25, 157-163. | 2.0 | 16 |
| 97 | Anti-TNF therapy in women with rheumatoid arthritis with a history of carcinoma in situ of the cervix: Table 1. Annals of the Rheumatic Diseases, 2013, 72, 143-144. | 0.5 | 30 |
| 98 | Biologic treatment response among adults with juvenile idiopathic arthritis: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2013, 52, 1905-1913. | 0.9 | 30 |
| 99 | Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Largeâ€Scale General Population–Based Survey. Arthritis Care and Research, 2013, 65, 1325-1333. | 1.5 | 79 |
| 100 | Multivariate metaâ€analysis of mixed outcomes: a Bayesian approach. Statistics in Medicine, 2013, 32, 3926-3943. | 0.8 | 51 |
| 101 | The incidence of rheumatoid arthritis in the UK: comparisons using the 2010 ACR/EULAR classification criteria and the 1987 ACR classification criteria. Results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2013, 72, 1315-1320. | 0.5 | 116 |
| 102 | Investigation of C reactive protein gene polymorphisms as predictors of cardiovascular mortality in inflammatory polyarthritis: results from the Norfolk Arthritis Register: TableÂ1. Annals of the Rheumatic Diseases, 2013, 72, 1429-1430. | 0.5 | 3 |
| 103 | Influence of anti-TNF patient warning regarding avoidance of high risk foods on rates of listeria and salmonella infections in the UK. Annals of the Rheumatic Diseases, 2013, 72, 461-462. | 0.5 | 33 |
| 104 | The 2012 BSR and BHPR guideline for the treatment of psoriatic arthritis with biologics. Rheumatology, 2013, 52, 1754-1757. | 0.9 | 79 |
| 105 | OP0232â€Long-Term Effects of Cognitive Behaviour Therapy and Exercise for Chronic Widespread Pain. Annals of the Rheumatic Diseases, 2013, 72, A131.1-A131. | 0.5 | 0 |
| 106 | Cardiovascular Risk in Rheumatic Disease. , 2013, , 505-514. | | 0 |
| 107 | Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. Archives of Internal Medicine, 2012, 172, 48. | 4.3 | 106 |
| 108 | Musculoskeletal researchopportunities for all?. Rheumatology, 2012, 51, 1527-1528. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Effectiveness of Rituximab in Patients with Rheumatoid Arthritis: Observational Study from the British Society for Rheumatology Biologics Register. Journal of Rheumatology, 2012, 39, 240-246. | 1.0 | 67 |
| 110 | Modifiable risk factors for RA: prevention, better than cure?. Rheumatology, 2012, 51, 499-512. | 0.9 | 90 |
| 111 | Methodological issues when measuring paid productivity loss in patients with arthritis using biologic therapies: an overview of the literature. Rheumatology, 2012, 51, 216-229. | 0.9 | 18 |
| 112 | Multiple adverse pregnancy outcomes before symptom onset are associated with a worse disease outcome in women with recent-onset inflammatory polyarthritis. Annals of the Rheumatic Diseases, 2012, 71, 528-533. | 0.5 | 11 |
| 113 | The influence of anti-TNF therapy upon incidence of keratinocyte skin cancer in patients with rheumatoid arthritis: longitudinal results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2012, 71, 869-874. | 0.5 | 107 |
| 114 | High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. Nature Genetics, 2012, 44, 1336-1340. | 9.4 | 558 |
| 115 | Influence of Inflammatory Polyarthritis on Quantitative Heel Ultrasound Measurements. BMC Musculoskeletal Disorders, 2012, 13, 133. | 0.8 | 1 |
| 116 | Long-term stability of anti-cyclic citrullinated peptide antibody status in patients with early inflammatory polyarthritis. Arthritis Research and Therapy, 2012, 14, R109. | 1.6 | 18 |
| 117 | Rituximab or a second anti–tumor necrosis factor therapy for rheumatoid arthritis patients who have failed their first anti–tumor necrosis factor therapy? Comparative analysis from the British Society for Rheumatology Biologics Register. Arthritis Care and Research, 2012, 64, 1108-1115. | 1.5 | 81 |
| 118 | Association between socioeconomic status, learned helplessness, and disease outcome in patients with inflammatory polyarthritis. Arthritis Care and Research, 2012, 64, 1225-1232. | 1.5 | 39 |
| 119 | Anti-TNF therapy is associated with an increased risk of serious infections in patients with rheumatoid arthritis especially in the first 6 months of treatment: updated results from the British Society for Rheumatology Biologics Register with special emphasis on risks in the elderly. Rheumatology, 2011, 50, 124-131. | 0.9 | 564 |
| 120 | Risk of septic arthritis in patients with rheumatoid arthritis and the effect of anti-TNF therapy: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2011, 70, 1810-1814. | 0.5 | 173 |
| 121 | The role of rheumatoid arthritis genetic susceptibility markers in the prediction of erosive disease in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register. Rheumatology, 2011, 50, 78-84. | 0.9 | 32 |
| 122 | Seropositivity is associated with insulin resistance in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register (NOAR): an observational study. Arthritis Research and Therapy, 2011, 13, R159. | 1.6 | 26 |
| 123 | What is the outcome of RA in 2011 and can we predict it?. Best Practice and Research in Clinical Rheumatology, 2011, 25, 485-496. | 1.4 | 23 |
| 124 | Delivery of paediatric rheumatology care in the UK—the projected shortfall. Clinical Rheumatology, 2011, 30, 679-683. | 1.0 | 6 |
| 125 | Cancer risk with tumor necrosis factor alpha (TNF) inhibitors: metaâ€analysis of randomized controlled trials of adalimumab, etanercept, and infliximab using patient level data. Pharmacoepidemiology and Drug Safety, 2011, 20, 119-130. | 0.9 | 259 |
| 126 | Reduction of longâ€ŧerm disability in inflammatory polyarthritis by early and persistent suppression of joint inflammation: Results from the Norfolk Arthritis Register. Arthritis Care and Research, 2011, 63, 945-952. | 1.5 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Influence of age and sex on functional outcome over time in a cohort of patients with recentâ€onset inflammatory polyarthritis: Results from the Norfolk arthritis register. Arthritis Care and Research, 2011, 63, 1745-1752. | 1.5 | 22 |
| 128 | The relationship between oral contraceptive use and functional outcome in women with recentâ€onset inflammatory polyarthritis: Results from the Norfolk Arthritis Register. Arthritis and Rheumatism, 2011, 63, 2183-2191. | 6.7 | 21 |
| 129 | Impact of concomitant use of DMARDs on the persistence with anti-TNF therapies in patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2011, 70, 583-589. | 0.5 | 188 |
| 130 | Anti-TNF therapies and pregnancy: outcome of 130 pregnancies in the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2011, 70, 823-826. | 0.5 | 154 |
| 131 | Changes in disease characteristics and response rates among patients in the United Kingdom starting anti-tumour necrosis factor therapy for rheumatoid arthritis between 2001 and 2008. Rheumatology, 2011, 50, 117-123. | 0.9 | 77 |
| 132 | In patients with early inflammatory polyarthritis, ACPA positivity, younger age and inefficacy of the first non-biological DMARD are predictors for receiving biological therapy: results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2011, 70, 1428-1432. | 0.5 | 18 |
| 133 | Bone Health in Adult Men and Women with a History of Juvenile Idiopathic Arthritis. Journal of Rheumatology, 2011, 38, 1689-1693. | 1.0 | 29 |
| 134 | Venous thrombotic events are not increased in patients with rheumatoid arthritis treated with anti‑TNF therapy: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2011, 70, 1831-1834. | 0.5 | 62 |
| 135 | Parity, time since last live birth and long-term functional outcome: a study of women participating in the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2011, 70, 642-645. | 0.5 | 12 |
| 136 | Epidemiology of CVD in rheumatic disease, with a focus on RA and SLE. Nature Reviews Rheumatology, 2011, 7, 399-408. | 3.5 | 320 |
| 137 | Are Lipid Ratios Less Susceptible to Change With Systemic Inflammation Than Individual Lipid Components in Patients With Rheumatoid Arthritis?. Angiology, 2011, 62, 167-175. | 0.8 | 60 |
| 138 | The risk of serious infections in patients receiving anakinra for rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2011, 50, 1341-1342. | 0.9 | 43 |
| 139 | Disease Activity, Smoking, and Reproductive-related Predictors of Poor Prognosis in Patients with Very Early Inflammatory Polyarthritis. Journal of Rheumatology, 2011, 38, 429-433. | 1.0 | 2 |
| 140 | UK rheumatology consultant workforce provision 2007–9: results from the BSR/Arthritis Research UK Consultant Workforce Register. Clinical Medicine, 2011, 11, 119-124. | 0.8 | 12 |
| 141 | Antibodies to citrullinated α-enolase peptide 1 and clinical and radiological outcomes in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2011, 70, 1095-1098. | 0.5 | 48 |
| 142 | Detection and evaluation of a drug safety signal concerning pancreatic cancer: lessons from a joint approach of three European biologics registers. Rheumatology, 2011, 50, 146-151. | 0.9 | 18 |
| 143 | The Role of Anti–Tumor Necrosis Factor Receptor Agents in Cancer Survivors: Does the Risk Justify the Benefit?. Seminars in Oncology, 2010, 37, 11-19. | 0.8 | 4 |
| 144 | The burden of musculoskeletal conditions. Medicine, 2010, 38, 126-128. | 0.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Influence of arthritis and non-arthritis related factors on areal bone mineral density (BMDa) in women with longstanding inflammatory polyarthritis: a primary care based inception cohort. BMC Musculoskeletal Disorders, 2010, 11, 106. | 0.8 | 2 |
| 146 | Exploring the validity of estimating EQ-5D and SF-6D utility values from the health assessment questionnaire in patients with inflammatory arthritis. Health and Quality of Life Outcomes, 2010, 8, 21. | 1.0 | 28 |
| 147 | Improvements in quality of life and functional status in patients with psoriatic arthritis receiving anti–tumor necrosis factor therapies. Arthritis Care and Research, 2010, 62, 345-353. | 1.5 | 30 |
| 148 | Influence of anti–tumor necrosis factor therapy on cancer incidence in patients with rheumatoid arthritis who have had a prior malignancy: Results from the British Society for rheumatology biologics register. Arthritis Care and Research, 2010, 62, 755-763. | 1.5 | 168 |
| 149 | Benefit of early treatment in inflammatory polyarthritis patients with anti–cyclic citrullinated peptide antibodies versus those without antibodies. Arthritis Care and Research, 2010, 62, 664-675. | 1.5 | 38 |
| 150 | Association of a rheumatoid arthritis susceptibility variant at the CCL21 locus with premature mortality in inflammatory polyarthritis patients. Arthritis Care and Research, 2010, 62, 676-682. | 1.5 | 13 |
| 151 | The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. Arthritis and Rheumatism, 2010, 62, 2582-2591. | 6.7 | 246 |
| 152 | 2010 Rheumatoid arthritis classification criteria: An American College of Rheumatology/European League Against Rheumatism collaborative initiative. Arthritis and Rheumatism, 2010, 62, 2569-2581. | 6.7 | 6,781 |
| 153 | No evidence of association between anti–tumor necrosis factor treatment and mortality in patients with rheumatoid arthritis: Results from the British Society for Rheumatology Biologics Register. Arthritis and Rheumatism, 2010, 62, 3145-3153. | 6.7 | 72 |
| 154 | Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. Nature, 2010, 464, 713-720. | 13.7 | 737 |
| 155 | Influence of anti-TNF therapy on mortality in patients with rheumatoid arthritis-associated interstitial lung disease: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2010, 69, 1086-1091. | 0.5 | 185 |
| 156 | Beneficial effects of a 3-week course of intramuscular glucocorticoid injections in patients with very early inflammatory polyarthritis: results of the STIVEA trial. Annals of the Rheumatic Diseases, 2010, 69, 503-509. | 0.5 | 104 |
| 157 | Disease activity and severity in early inflammatory arthritis predict hand cortical bone loss. Rheumatology, 2010, 49, 1943-1948. | 0.9 | 23 |
| 158 | Predictors of response to anti-TNF therapy in ankylosing spondylitis: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2010, 49, 563-570. | 0.9 | 107 |
| 159 | Comment on: Efficacy and safety of anti-TNF therapies in psoriatic arthritis: an observational study from the British Society for Rheumatology Biologics Register: reply. Rheumatology, 2010, 49, 1794-1794. | 0.9 | 0 |
| 160 | Efficacy and safety of anti-TNF therapies in psoriatic arthritis: an observational study from the British Society for Rheumatology Biologics Register. Rheumatology, 2010, 49, 697-705. | 0.9 | 112 |
| 161 | Drug-specific risk of tuberculosis in patients with rheumatoid arthritis treated with anti-TNF therapy: results from the British Society for Rheumatology Biologics Register (BSRBR). Annals of the Rheumatic Diseases, 2010, 69, 522-528. | 0.5 | 606 |
| 162 | Early treatment with, and time receiving, first disease-modifying antirheumatic drug predicts long-term function in patients with inflammatory polyarthritis. Annals of the Rheumatic Diseases, 2010, 69, 689-695. | 0.5 | 41 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Excess risk of hospital admission for cardiovascular disease within the first 7 years from onset of inflammatory polyarthritis. Annals of the Rheumatic Diseases, 2010, 69, 1660-1664. | 0.5 | 18 |
| 164 | The relationship between post-onset pregnancy and functional outcome in women with recent onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2010, 69, 1834-1837. | 0.5 | 20 |
| 165 | Working status in patients with rheumatoid arthritis, ankylosing spondylitis and psoriatic arthritis: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2010, 49, 1570-1577. | 0.9 | 73 |
| 166 | Statin use in rheumatoid arthritis in relation to actual cardiovascular risk: evidence for substantial undertreatment of lipid-associated cardiovascular risk?. Annals of the Rheumatic Diseases, 2010, 69, 683-688. | 0.5 | 135 |
| 167 | The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Methodological Report Phase I. Annals of the Rheumatic Diseases, 2010, 69, 1589-1595. | 0.5 | 152 |
| 168 | EULAR evidence-based recommendations for cardiovascular risk management in patients with rheumatoid arthritis and other forms of inflammatory arthritis. Annals of the Rheumatic Diseases, 2010, 69, 325-331. | 0.5 | 1,157 |
| 169 | 2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. Annals of the Rheumatic Diseases, 2010, 69, 1580-1588. | O.5 | 2,994 |
| 170 | Non-steroidal anti-inflammatory drug use does not appear to be associated with increased cardiovascular mortality in patients with inflammatory polyarthritis: results from a primary care based inception cohort of patients. Annals of the Rheumatic Diseases, 2009, 68, 367-372. | 0.5 | 80 |
| 171 | Rates of new-onset psoriasis in patients with rheumatoid arthritis receiving anti-tumour necrosis factor α therapy: results from the British Society for Rheumatology Biologics Register. Annals of the Rheumatic Diseases, 2009, 68, 209-215. | 0.5 | 200 |
| 172 | Different Methods of Balancing Covariates Leading to Different Effect Estimates in the Presence of Effect Modification. American Journal of Epidemiology, 2009, 169, 909-917. | 1.6 | 71 |
| 173 | Benefit of anti-TNF therapy in rheumatoid arthritis patients with moderate disease activity. Rheumatology, 2009, 48, 1323-1327. | 0.9 | 50 |
| 174 | Association of rheumatoid factor and anti-cyclic citrullinated peptide positivity, but not carriage of shared epitope or <i>PTPN22</i> susceptibility variants, with anti-tumour necrosis factor response in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2009, 68, 69-74. | 0.5 | 240 |
| 175 | European biologicals registers: methodology, selected results and perspectives. Annals of the Rheumatic Diseases, 2009, 68, 1240-1246. | 0.5 | 114 |
| 176 | Association of functional outcome with both personal―and areaâ€level socioeconomic inequalities in patients with inflammatory polyarthritis. Arthritis and Rheumatism, 2009, 61, 1297-1304. | 6.7 | 34 |
| 177 | The comparative responsiveness of the EQ-5D and SF-6D to change in patients with inflammatory arthritis. Quality of Life Research, 2009, 18, 1195-205. | 1.5 | 51 |
| 178 | Same question, different answers: a comparison of global health assessments using visual analogue scales. Quality of Life Research, 2009, 18, 1285-1292. | 1.5 | 13 |
| 179 | Specific interaction between genotype, smoking and autoimmunity to citrullinated α-enolase in the etiology of rheumatoid arthritis. Nature Genetics, 2009, 41, 1319-1324. | 9.4 | 282 |
| 180 | Why Do Patients with Inflammatory Arthritis Often Score States "Worse than Death―on the EQ-5D? An Investigation of the EQ-5D Classification System. Value in Health, 2009, 12, 1026-1034. | 0.1 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Persistence with anti-tumor necrosis factor therapies in patients with psoriatic arthritis: observational study from the British Society of Rheumatology Biologics Register. Arthritis Research and Therapy, 2009, 11, R52. | 1.6 | 173 |
| 182 | Can clinical factors at presentation be used to predict outcome of treatment with methotrexate in patients with early inflammatory polyarthritis?. Annals of the Rheumatic Diseases, 2009, 68, 57-62. | 0.5 | 77 |
| 183 | Morbidity and mortality in rheumatoid arthritis patients with prolonged therapyâ€induced lymphopenia: Twelveâ€year outcomes. Arthritis and Rheumatism, 2008, 58, 370-375. | 6.7 | 44 |
| 184 | Association of the HLA–DRB1 gene with premature death, particularly from cardiovascular disease, in patients with rheumatoid arthritis and inflammatory polyarthritis. Arthritis and Rheumatism, 2008, 58, 359-369. | 6.7 | 161 |
| 185 | The influence of age at symptom onset and length of followup on mortality in patients with recentâ€onset inflammatory polyarthritis. Arthritis and Rheumatism, 2008, 58, 985-989. | 6.7 | 56 |
| 186 | Reply to letter by Lippi et al commenting on the relationship between serum vitamin D levels and levels of inflammation markers. Arthritis and Rheumatism, 2008, 58, 1882-1882. | 6.7 | 3 |
| 187 | Health state utility values: A description of their development and application for rheumatic diseases. Arthritis and Rheumatism, 2008, 59, 1018-1026. | 6.7 | 24 |
| 188 | Ischemic stroke: Another feature of accelerated atherosclerosis in rheumatoid arthritis?. Arthritis and Rheumatism, 2008, 59, 1051-1053. | 6.7 | 0 |
| 189 | Effects of switching between anti-TNF therapies on HAQ response in patients who do not respond to their first anti-TNF drug. Rheumatology, 2008, 47, 1000-1005. | 0.9 | 67 |
| 190 | An update on UK rheumatology consultant workforce provision: the BSR/ARC Workforce Register 2005-07: assessing the impact of recent changes in NHS provision. Rheumatology, 2008, 47, 1065-1069. | 0.9 | 10 |
| 191 | The British Society for Rheumatology Biologics Register: 6 years on. Rheumatology, 2008, 47, 1441-1443. | 0.9 | 53 |
| 192 | Epidemiology and rheumatology: how can epidemiologists affect treatment strategies?. Nature Clinical Practice Rheumatology, 2008, 4, 1-1. | 3.2 | 0 |
| 193 | The validity and responsiveness of generic utility measures in rheumatoid arthritis: a review. Journal of Rheumatology, 2008, 35, 592-602. | 1.0 | 52 |
| 194 | Risks and benefits of tumor necrosis factor-alpha inhibitors in the management of psoriatic arthritis: systematic review and metaanalysis of randomized controlled trials. Journal of Rheumatology, 2008, 35, 883-90. | 1.0 | 87 |
| 195 | Rheumatoid factor, smoking, and disease severity: associations with mortality in rheumatoid arthritis. Journal of Rheumatology, 2008, 35, 945-9. | 1.0 | 17 |
| 196 | The role of specialists in managing established rheumatoid arthritis. Rheumatology, 2007, 47, 237-238. | 0.9 | 4 |
| 197 | Five-year outcome of a primary-care-based inception cohort of patients with inflammatory polyarthritis plus psoriasis. Rheumatology, 2007, 46, 1819-1823. | 0.9 | 18 |
| 198 | Increasing age at symptom onset is associated with worse radiological damage at presentation in patients with early inflammatory polyarthritis. Annals of the Rheumatic Diseases, 2007, 66, 389-393. | 0.5 | 36 |

DEBORAH P M SYMMONS

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | The overall status in rheumatoid arthritis (OSRA) measurefurther evidence to support its use in clinical practice. Rheumatology, 2007, 46, 849-855. | 0.9 | 7 |
| 200 | Classification criteria for rheumatoid arthritistime to abandon rheumatoid factor?. Rheumatology, 2007, 46, 725-726. | 0.9 | 35 |
| 201 | Lymphoma and rheumatoid arthritisagain. Rheumatology, 2007, 46, 1-2. | 0.9 | 34 |
| 202 | What effects might anti-TNFÂ treatment be expected to have on cardiovascular morbidity and mortality in rheumatoid arthritis? A review of the role of TNFÂ in cardiovascular pathophysiology. Annals of the Rheumatic Diseases, 2007, 66, 1132-1136. | 0.5 | 107 |
| 203 | Risk and predictors of infection leading to hospitalisation in a large primary-care-derived cohort of patients with inflammatory polyarthritis. Annals of the Rheumatic Diseases, 2007, 66, 308-312. | 0.5 | 127 |
| 204 | Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. Annals of the Rheumatic Diseases, 2007, 66, 658-663. | 0.5 | 12 |
| 205 | Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. Spine, 2007, 32, 1578-1585. | 1.0 | 169 |
| 206 | Replication of Genome-Wide Association Signals in UK Samples Reveals Risk Loci for Type 2 Diabetes. Science, 2007, 316, 1336-1341. | 6.0 | 2,040 |
| 207 | Outcomes after switching from one anti–tumor necrosis factor α agent to a second anti–tumor necrosis factor α agent in patients with rheumatoid arthritis: Results from a large UK national cohort study. Arthritis and Rheumatism, 2007, 56, 13-20. | 6.7 | 379 |
| 208 | Influence of inflammatory polyarthritis on cancer incidence and survival: Results from a community-based prospective study. Arthritis and Rheumatism, 2007, 56, 790-798. | 6.7 | 38 |
| 209 | Association between serum vitamin D metabolite levels and disease activity in patients with early inflammatory polyarthritis. Arthritis and Rheumatism, 2007, 56, 2143-2149. | 6.7 | 214 |
| 210 | Serious infection following anti–tumor necrosis factor α therapy in patients with rheumatoid arthritis: Lessons from interpreting data from observational studies. Arthritis and Rheumatism, 2007, 56, 2896-2904. | 6.7 | 292 |
| 211 | Reduction in the incidence of myocardial infarction in patients with rheumatoid arthritis who respond to anti–tumor necrosis factor α therapy: Results from the British Society for Rheumatology Biologics Register. Arthritis and Rheumatism, 2007, 56, 2905-2912. | 6.7 | 522 |
| 212 | Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. Nature Genetics, 2007, 39, 1329-1337. | 9.4 | 1,298 |
| 213 | Rheumatoid arthritis association at 6q23. Nature Genetics, 2007, 39, 1431-1433. | 9.4 | 361 |
| 214 | Mortality in established rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 2007, 21, 871-883. | 1.4 | 140 |
| 215 | Aspects of early arthritis. What determines the evolution of early undifferentiated arthritis and rheumatoid arthritis? An update from the Norfolk Arthritis Register. Arthritis Research and Therapy, 2006, 8, 214. | 1.6 | 27 |
| 216 | The burden of rheumatic disease. Medicine, 2006, 34, 333-335. | 0.2 | 9 |

13

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Comparison of the response to infliximab or etanercept monotherapy with the response to cotherapy with methotrexate or another disease-modifying antirheumatic drug in patients with rheumatoid arthritis: Results from the British Society for Rheumatology Biologics Register. Arthritis and Rheumatism, 2006, 54, 1786-1794. | 6.7 | 136 |
| 218 | Rates of serious infection, including site-specific and bacterial intracellular infection, in rheumatoid arthritis patients receiving anti–tumor necrosis factor therapy: Results from the British Society for Rheumatology Biologics Register. Arthritis and Rheumatism, 2006, 54, 2368-2376. | 6.7 | 694 |
| 219 | Pregnancy outcome in women who were exposed to anti–tumor necrosis factor agents: Results from a national population register. Arthritis and Rheumatism, 2006, 54, 2701-2702. | 6.7 | 106 |
| 220 | The prevalence and incidence of biopsy-proven lupus nephritis in the UK: Evidence of an ethnic gradient. Arthritis and Rheumatism, 2006, 54, 2963-2969. | 6.7 | 101 |
| 221 | Early functional disability predicts both all-cause and cardiovascular mortality in people with inflammatory polyarthritis: results from the Norfolk Arthritis Register. Annals of the Rheumatic Diseases, 2006, 66, 486-492. | 0.5 | 60 |
| 222 | Developments in rheumatology consultant manpower provision: the BSR/arc Workforce Register 2003–05. Rheumatology, 2006, 45, 1416-1421. | 0.9 | 8 |
| 223 | Predictors of response to anti-TNF-Â therapy among patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2006, 45, 1558-1565. | 0.9 | 533 |
| 224 | The world of biologics. Lupus, 2006, 15, 122-126. | 0.8 | 23 |
| 225 | Predicting persistent disabling low back pain in general practice: a prospective cohort study. British Journal of General Practice, 2006, 56, 334-41. | 0.7 | 54 |
| 226 | Developing classification criteria for peripheral joint psoriatic arthritis. Step I. Establishing whether the rheumatologist's opinion on the diagnosis can be used as the "gold standard". Journal of Rheumatology, 2006, 33, 552-7. | 1.0 | 13 |
| 227 | Dietary β-cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study. American Journal of Clinical Nutrition, 2005, 82, 451-455. | 2.2 | 97 |
| 228 | Does early rheumatoid arthritis exist?. Best Practice and Research in Clinical Rheumatology, 2005, 19, 37-53. | 1.4 | 25 |
| 229 | An evaluation of the decision tree format of the American College of Rheumatology 1987 classification criteria for rheumatoid arthritis: Performance over five years in a primary care-based prospective study. Arthritis and Rheumatism, 2005, 52, 2277-2283. | 6.7 | 19 |
| 230 | Baseline levels of c-reactive protein and prediction of death from cardiovascular disease in patients with inflammatory polyarthritis : A ten-year followup study of a primary care-based inception cohort. Arthritis and Rheumatism, 2005, 52, 2293-2299. | 6.7 | 256 |
| 231 | Evidence for common genetic control in pathways of inflammation for Crohn's disease and psoriatic arthritis. Arthritis and Rheumatism, 2005, 52, 3596-3602. | 6.7 | 65 |
| 232 | Dietary Î ² -cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study. American Journal of Clinical Nutrition, 2005, 82, 451-455. | 2.2 | 91 |
| 233 | Looking back: rheumatoid arthritis—aetiology, occurrence and mortality. Rheumatology, 2005, 44, iv14-iv17. | 0.9 | 45 |
| 234 | Risk of lymphoma in patients with RA treated with anti-TNFÂ agents. Annals of the Rheumatic Diseases, 2005, 64, 657-658. | 0.5 | 29 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Anti-tumour necrosis factor therapy: can we afford it?. Annals of the Rheumatic Diseases, 2005, 64, 969-970. | 0.5 | 6 |
| 236 | Commentary: Juvenile idiopathic arthritis—issues of definition and causation. International Journal of Epidemiology, 2005, 34, 671-672. | 0.9 | 0 |
| 237 | Factors influencing response to disease modifying antirheumatic drugs in patients with rheumatoid arthritis. Journal of Rheumatology, 2005, 32, 11-16. | 1.0 | 161 |
| 238 | The relationship between social deprivation, disease outcome measures, and response to treatment in patients with stable, long-standing rheumatoid arthritis. Journal of Rheumatology, 2005, 32, 2330-6. | 1.0 | 55 |
| 239 | Reconciling subject differences in recruitment to clinical trials and clinical practice. Journal of Rheumatology, 2005, 32, 2475-6. | 1.0 | 4 |
| 240 | Opportunities for prevention of 'clinically significant' knee pain: results from a population-based cross sectional survey. Journal of Public Health, 2004, 26, 277-284. | 1.0 | 42 |
| 241 | The NOAR Damaged Joint Count (NOAR-DJC): a clinical measure for assessing articular damage in patients with early inflammatory polyarthritis including rheumatoid arthritis. British Journal of Rheumatology, 2004, 43, 1519-1525. | 2.5 | 10 |
| 242 | Traditional cardiovascular risk factors measured prior to the onset of inflammatory polyarthritis. Rheumatology, 2004, 43, 731-736. | 0.9 | 38 |
| 243 | Anti-tumour necrosis factor therapy in rheumatoid arthritis: an update on safety. Annals of the Rheumatic Diseases, 2004, 63, 1538-1543. | 0.5 | 139 |
| 244 | Vitamin C and the risk of developing inflammatory polyarthritis: prospective nested case-control study. Annals of the Rheumatic Diseases, 2004, 63, 843-847. | 0.5 | 106 |
| 245 | The effectiveness of five strategies for the prevention of gastrointestinal toxicity induced by non-steroidal anti-inflammatory drugs: systematic review. BMJ: British Medical Journal, 2004, 329, 948. | 2.4 | 203 |
| 246 | Does diet have a role in the aetiology of rheumatoid arthritis?. Proceedings of the Nutrition Society, 2004, 63, 137-143. | 0.4 | 41 |
| 247 | ICF Core Sets for rheumatoid arthritis. Journal of Rehabilitation Medicine, 2004, 36, 87-93. | 0.8 | 149 |
| 248 | Anti-tumor necrosis factor ? therapy and the risk of lymphoma in rheumatoid arthritis: No clear answer. Arthritis and Rheumatism, 2004, 50, 1703-1706. | 6.7 | 59 |
| 249 | Dietary risk factors for the development of inflammatory polyarthritis: Evidence for a role of high level of red meat consumption. Arthritis and Rheumatism, 2004, 50, 3804-3812. | 6.7 | 147 |
| 250 | Polymorphisms in the mannose binding lectin (MBL) gene are not associated with radiographic erosions in rheumatoid or inflammatory polyarthritis. Journal of Rheumatology, 2004, 31, 442-7. | 1.0 | 18 |
| 251 | Methodological issues in conducting and analyzing longitudinal observational studies in rheumatoid arthritis. Journal of rheumatology Supplement, The, 2004, 69, 30-4. | 2.2 | 7 |
| 252 | The role of diet in susceptibility to rheumatoid arthritis: a systematic review. Journal of Rheumatology, 2004, 31, 1310-9. | 1.0 | 58 |

DEBORAH P M SYMMONS

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Environmental factors and the outcome of rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 2003, 17, 717-727. | 1.4 | 53 |
| 254 | Influence of disease-modifying therapy on radiographic outcome in inflammatory polyarthritis at five years: Results from a large observational inception study. Arthritis and Rheumatism, 2003, 48, 46-53. | 6.7 | 152 |
| 255 | Genetic variation in CCR5 does not predict clinical outcome in inflammatory arthritis. Arthritis and Rheumatism, 2003, 48, 3615-3616. | 6.7 | 19 |
| 256 | Low back pain in schoolchildren: the role of mechanical and psychosocial factors. Archives of Disease in Childhood, 2003, 88, 12-17. | 1.0 | 187 |
| 257 | Title is missing!. Spine, 2003, 28, 1195-1202. | 1.0 | 39 |
| 258 | Predictors of Low Back Pain in British Schoolchildren: A Population-Based Prospective Cohort Study. Pediatrics, 2003, 111, 822-828. | 1.0 | 239 |
| 259 | Cases of early inflammatory polyarthritis should not be classified as having rheumatoid arthritis. Journal of Rheumatology, 2003, 30, 902-4. | 1.0 | 42 |
| 260 | National study of cause-specific mortality in rheumatoid arthritis, juvenile chronic arthritis, and other rheumatic conditions: a 20 year followup study. Journal of Rheumatology, 2003, 30, 958-65. | 1.0 | 122 |
| 261 | Total costs and predictors of costs in individuals with early inflammatory polyarthritis: a community-based prospective study. British Journal of Rheumatology, 2002, 41, 767-774. | 2.5 | 26 |
| 262 | Erosions in inflammatory polyarthritis are symmetrical regardless of rheumatoid factor status: results from a primary careâ€based inception cohort of patients. Rheumatology, 2002, 41, 246-252. | 0.9 | 30 |
| 263 | Low back pain in schoolchildren: occurrence and characteristics. Pain, 2002, 97, 87-92. | 2.0 | 275 |
| 264 | Epidemiology of rheumatoid arthritis: determinants of onset, persistence and outcome. Best Practice and Research in Clinical Rheumatology, 2002, 16, 707-722. | 1.4 | 229 |
| 265 | Rheumatoid factor is the major predictor of increasing severity of radiographic erosions in rheumatoid arthritis: Results from the Norfolk Arthritis Register Study, a large inception cohort. Arthritis and Rheumatism, 2002, 46, 906-912. | 6.7 | 162 |
| 266 | Mortality in early inflammatory polyarthritis: Cardiovascular mortality is increased in seropositive patients. Arthritis and Rheumatism, 2002, 46, 2010-2019. | 6.7 | 328 |
| 267 | Epidemiology and health-related services. Current Opinion in Rheumatology, 2002, 14, 87-88. | 2.0 | 0 |
| 268 | The association of cigarette smoking with disease outcome in patients with early inflammatory polyarthritis. Arthritis and Rheumatism, 2001, 44, 323-330. | 6.7 | 105 |
| 269 | Reduced disability at five years with early treatment of inflammatory polyarthritis: Results from a large observational cohort, using propensity models to adjust for disease severity. Arthritis and Rheumatism, 2001, 44, 1033-1042. | 6.7 | 77 |
| 270 | Time to first occurrence of erosions in inflammatory polyarthritis: Results from a prospective community-based study. Arthritis and Rheumatism, 2001, 44, 1248-1253. | 6.7 | 68 |

Deborah P M Symmons

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Morbidity and mortality in rheumatoid arthritis patients with prolonged and profound therapy-induced lymphopenia. Arthritis and Rheumatism, 2001, 44, 1998-2008. | 6.7 | 75 |
| 272 | What is the natural history of rheumatoid arthritis?. Best Practice and Research in Clinical Rheumatology, 2001, 15, 27-48. | 1.4 | 47 |
| 273 | Knee pain in older adults: the latest musculoskeletal "epidemic". Annals of the Rheumatic Diseases, 2001, 60, 89-90. | 0.5 | 26 |
| 274 | Associations between demographic and disease-related variables and disability over the first five years of inflammatory polyarthritis. Journal of Clinical Epidemiology, 2000, 53, 988-996. | 2.4 | 36 |
| 275 | Quantifying the exact role of HLA-DRB1 alleles in susceptibility to inflammatory polyarthritis: Results from a large, population-based study. Arthritis and Rheumatism, 1999, 42, 757-762. | 6.7 | 97 |
| 276 | Estimating the incidence of rheumatoid arthritis: Trying to hit a moving target?. Arthritis and Rheumatism, 1999, 42, 1339-1346. | 6.7 | 136 |
| 277 | The influence of HLA-DRB1 alleles and rheumatoid factor on disease outcome in an inception cohort of patients with early inflammatory arthritis. Arthritis and Rheumatism, 1999, 42, 2174-2183. | 6.7 | 76 |
| 278 | 1 What is early rheumatoid arthritis?: definition and diagnosis. Bailliere's Clinical Rheumatology, 1997, 11, 13-26. | 1.0 | 35 |
| 279 | Oral contraceptives and rheumatoid arthritis: Results from a primary care-based incident case-control study. Seminars in Arthritis and Rheumatism, 1997, 26, 817-823. | 1.6 | 102 |
| 280 | Blood transfusion, smoking, and obesity as risk factors for the development of rheumatoid arthritis. Results from a primary care-based incident case-control study in Norfolk, England. Arthritis and Rheumatism, 1997, 40, 1955-1961. | 6.7 | 337 |
| 281 | The development and initial validation of the systemic lupus international collaborating clinics/American college of rheumatology damage index for systemic lupus erythematosus. Arthritis and Rheumatism, 1996, 39, 363-369. | 6.7 | 2,042 |
| 282 | NATURAL REMISSION IN INFLAMMATORY POLYARTHRITIS: ISSUES OF DEFINITION AND PREDICTION. Rheumatology, 1996, 35, 1096-1100. | 0.9 | 112 |
| 283 | CLINICAL AUDIT: CHANGING PATTERNS OF RHEUMATOLOGY MANPOWER AND PRACTICE IN THE UK IN THE 1990s. Rheumatology, 1996, 35, 483-487. | 0.9 | 9 |
| 284 | Disease assessment indices: activity, damage and severity. Bailliere's Clinical Rheumatology, 1995, 9, 267-285. | 1.0 | 35 |
| 285 | Selection of study population in the development of rheumatic disease criteria: comment on the article by the american college of rheumatology diagnostic and therapeutic criteria committee. Arthritis and Rheumatism, 1995, 38, 722-722. | 6.7 | 9 |
| 286 | MEASURING OUTCOME IN RHEUMATOID ARTHRITIS—WHICH MEASURES ARE SUITABLE FOR ROUTINE CLINICAL USE?. Rheumatology, 1995, 34, 802-804. | 0.9 | 6 |
| 287 | THE INCIDENCE OF RHEUMATOID VASCULITIS IN THE NORWICH HEALTH AUTHORITY. Rheumatology, 1994, 33, 832-833. | 0.9 | 50 |
| 288 | THE INCIDENCE OF RHEUMATOID ARTHRITIS IN THE UNITED KINGDOM: RESULTS FROM THE NORFOLK ARTHRITIS REGISTER. Rheumatology, 1994, 33, 735-739. | 0.9 | 377 |

Deborah P M Symmons

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Life events and the onset of rheumatoid arthritis. Journal of Psychosomatic Research, 1994, 38, 837-847. | 1.2 | 19 |
| 290 | THE PREVALENCE OF DIAGNOSED SYSTEMIC LUPUS ERYTHEMATOSUS IN WHITES AND INDIAN ASIAN IMMIGRANTS IN LEICESTER CITY, UK. Rheumatology, 1992, 31, 679-682. | 0.9 | 58 |
| 291 | A PATIENT WITH RHEUMATOID ARTHRITIS AND LYMPHOMA. Rheumatology, 1992, 31, 107-112. | 0.9 | 5 |
| 292 | Short-term effects of antirheumatic drugs. Bailliere's Clinical Rheumatology, 1992, 6, 117-140. | 1.0 | 11 |
| 293 | RHEUMATOLOGY MANPOWER IN THE 1990s. Rheumatology, 1991, 30, 119-122. | 0.9 | 7 |
| 294 | Outcome in patients hospitalised for psoriatic arthritis. Clinical Rheumatology, 1989, 8, 261-265. | 1.0 | 35 |
| 295 | Vasculitis of the gall bladder in rheumatoid arthritis and systemic lupus erythematosus. Clinical Rheumatology, 1987, 6, 287-289. | 1.0 | 24 |
| 296 | Joint sepsis as a complication of sero-negative arthritis. Clinical Rheumatology, 1985, 4, 51-54. | 1.0 | 5 |
| 297 | Neoplasms of the immune system in rheumatoid arthritis. American Journal of Medicine, 1985, 78, 22-28. | 0.6 | 178 |
| 298 | A Study of Lymph Node Lymphocytes in Rheumatoid Arthritis. , 1985, 186, 1027-1032. | | 4 |
| 299 | CAUSE OF DEATH IN RHEUMATOID ARTHRITIS. Rheumatology, 1984, 23, 92-99. | 0.9 | 212 |
| 300 | 221. Risk of Cancer in Patients with Severe Psoriatic Arthritis Requiring Tumour Necrosis Factor Alpha Inhibition. Rheumatology, 0, , . | 0.9 | 0 |
| 301 | 220. Predicting Successful Long-Term Treatment with Tumour Necrosis Factor Alpha Inhibitors in Patients with Psoriatic Arthritis. Rheumatology, 0, , . | 0.9 | 0 |