

Torill Ueland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6529298/publications.pdf>

Version: 2024-02-01

103
papers

3,150
citations

218677

26
h-index

197818

49
g-index

109
all docs

109
docs citations

109
times ranked

5083
citing authors

#	ARTICLE	IF	CITATIONS
1	Vocational rehabilitation augmented with cognitive behavioral therapy or cognitive remediation for individuals with schizophrenia: a 5-year follow-up study. <i>Nordic Journal of Psychiatry</i> , 2023, 77, 23-30.	1.3	2
2	A pilot study of cognitive remediation in remitted major depressive disorder patients. <i>Applied Neuropsychology Adult</i> , 2022, 29, 172-182.	1.2	16
3	Childhood trauma is associated with poorer social functioning in severe mental disorders both during an active illness phase and in remission. <i>Schizophrenia Research</i> , 2022, 243, 241-246.	2.0	15
4	Significant association between intracranial volume and verbal intellectual abilities in patients with schizophrenia and a history of birth asphyxia. <i>Psychological Medicine</i> , 2022, 52, 3698-3707.	4.5	4
5	Affective lability and social functioning in severe mental disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	3
6	The Time is Ripe for a Consensus Definition of Clinical Recovery in First-episode Psychosis: Suggestions Based on a 10-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 839-849.	4.3	9
7	Cognitive and Global Functioning in Patients With First-Episode Psychosis Stratified by Level of Negative Symptoms. A 10-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 841057.	2.6	8
8	Course of intellectual functioning in schizophrenia and bipolar disorder: a 10-year follow-up study. <i>Psychological Medicine</i> , 2022, , 1-9.	4.5	1
9	Premorbid characteristics of patients with DSM-IV psychotic disorders. <i>Comprehensive Psychiatry</i> , 2022, 115, 152310.	3.1	2
10	Domain-specific cognitive course in schizophrenia: Group- and individual-level changes over 10Âyears. <i>Schizophrenia Research: Cognition</i> , 2022, 30, 100263.	1.3	7
11	Herpes simplex virus 1 infection on grey matter and general intelligence in severe mental illness. <i>Translational Psychiatry</i> , 2022, 12, .	4.8	5
12	Genetic loci shared between major depression and intelligence with mixed directions of effect. <i>Nature Human Behaviour</i> , 2021, 5, 795-801.	12.0	23
13	Childhood trauma and cardiometabolic risk in severe mental disorders: The mediating role of cognitive control. <i>European Psychiatry</i> , 2021, 64, e24.	0.2	5
14	Divergent relationship between brain structure and cognitive functioning in patients with prominent negative symptomatology. <i>Psychiatry Research - Neuroimaging</i> , 2021, 307, 111233.	1.8	4
15	Cognitive impairment profile in adolescent early-onset psychosis using the MATRICS Battery: Age and sex effects.. <i>Neuropsychology</i> , 2021, 35, 300-309.	1.3	6
16	Physical activity and childhood trauma experiences in patients with schizophrenia or bipolar disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 637-645.	2.6	4
17	Evidence for Reduced Long-Term Potentiation-Like Visual Cortical Plasticity in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1751-1760.	4.3	8
18	Cytomegalovirus infection and IQ in patients with severe mental illness and healthy individuals. <i>Psychiatry Research</i> , 2021, 300, 113929.	3.3	7

#	ARTICLE	IF	CITATIONS
19	G-estimation of causal pathways in vocational rehabilitation for adults with psychotic disorders – a secondary analysis of a randomized trial. <i>BMC Psychiatry</i> , 2021, 21, 370.	2.6	0
20	Executive dysfunction in schizophrenia: Predictors of the discrepancy between subjective and objective measures. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100201.	1.3	7
21	Characterization of affective lability across subgroups of psychosis spectrum disorders. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 34.	2.2	6
22	Negative Symptom Domains Are Associated With Verbal Learning in Adolescents With Early Onset Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 825681.	2.6	6
23	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	7.9	49
24	Genome-wide analysis reveals extensive genetic overlap between schizophrenia, bipolar disorder, and intelligence. <i>Molecular Psychiatry</i> , 2020, 25, 844-853.	7.9	156
25	Improvement in verbal learning over the first year of antipsychotic treatment is associated with serum HDL levels in a cohort of first episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 49-58.	3.2	8
26	Do sleep disturbances contribute to cognitive impairments in schizophrenia spectrum and bipolar disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 749-759.	3.2	24
27	Obstetric complications and intelligence in patients on the schizophrenia-bipolar spectrum and healthy participants. <i>Psychological Medicine</i> , 2020, 50, 1914-1922.	4.5	15
28	Cognitive remediation for schizophrenia: An expert working group white paper on core techniques. <i>Schizophrenia Research</i> , 2020, 215, 49-53.	2.0	129
29	Identification of Genetic Loci Shared Between Attention-Deficit/Hyperactivity Disorder, Intelligence, and Educational Attainment. <i>Biological Psychiatry</i> , 2020, 87, 1052-1062.	1.3	13
30	Symptom Profiles in Psychotic Disorder Not Otherwise Specified. <i>Frontiers in Psychiatry</i> , 2020, 11, 580444.	2.6	7
31	Cytomegalovirus Exposure and IQ in Patients With Severe Mental Illness and Healthy Individuals. <i>Biological Psychiatry</i> , 2020, 87, S266.	1.3	0
32	Polygenic scores for schizophrenia and general cognitive ability: associations with six cognitive domains, premorbid intelligence, and cognitive composite score in individuals with a psychotic disorder and in healthy controls. <i>Translational Psychiatry</i> , 2020, 10, 416.	4.8	16
33	Cognitive Heterogeneity across Schizophrenia and Bipolar Disorder: A Cluster Analysis of Intellectual Trajectories. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 860-872.	1.8	31
34	Childhood Trauma Is Nominally Associated With Elevated Cortisol Metabolism in Severe Mental Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 391.	2.6	7
35	Affective lability across psychosis spectrum disorders. <i>European Psychiatry</i> , 2020, 63, e53.	0.2	17
36	Negative and disorganized symptoms mediate the relationship between verbal learning and global functioning in adolescents with early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1693-1703.	4.7	7

#	ARTICLE	IF	CITATIONS
37	SA121GENOME-WIDE ANALYSIS REVEALS EXTENSIVE GENETIC OVERLAP BETWEEN SCHIZOPHRENIA, BIPOLAR DISORDER AND GENERAL COGNITIVE ABILITY. <i>European Neuropsychopharmacology</i> , 2019, 29, S1255.	0.7	1
38	Perceived and experienced stigma in first-episode psychosis: A 1-year follow-up study. <i>Comprehensive Psychiatry</i> , 2019, 95, 152134.	3.1	14
39	O9.4. ELEVATED HAIR CORTISOL IS ASSOCIATED WITH CHILDHOOD MALTREATMENT AND COGNITION IN SCHIZOPHRENIA AND IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S187-S188.	4.3	0
40	Cognitive functioning in patients with first-episode psychosis stratified by level of negative symptoms: A 1-year follow-up study. <i>Psychiatry Research</i> , 2019, 281, 112554.	3.3	10
41	Theory of mind in schizophrenia and bipolar disorder: psychometric properties of the Norwegian version of the Hinting Task. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 454-469.	1.3	9
42	Elevated hair cortisol is associated with childhood maltreatment and cognitive impairment in schizophrenia and in bipolar disorders. <i>Schizophrenia Research</i> , 2019, 213, 65-71.	2.0	70
43	Exploring the potential cost-effectiveness of a vocational rehabilitation program for individuals with schizophrenia in a high-income welfare society. <i>BMC Psychiatry</i> , 2019, 19, 140.	2.6	11
44	T36. TRAJECTORIES OF CURRENT AND PREMORBID IQ IN SCHIZOPHRENIA SPECTRUM DISORDERS: A 10-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S217-S217.	4.3	1
45	S18. THE RELATIONSHIP BETWEEN PHYSICAL ACTIVITY, CLINICAL AND COGNITIVE CHARACTERISTICS AND BDNF MRNA LEVELS IN PATIENTS WITH SEVERE MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S312-S312.	4.3	0
46	Large social cognitive impairments characterize homicide offenders with schizophrenia. <i>Psychiatry Research</i> , 2019, 272, 209-215.	3.3	18
47	The relationship between physical activity, clinical and cognitive characteristics and BDNF mRNA levels in patients with severe mental disorders. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 567-576.	2.6	15
48	Healthy Adolescent Performance With Standardized Scoring Tables for the MATRICS Consensus Cognitive Battery: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 773-783.	4.3	18
49	Neurocognitive functioning, clinical course and functional outcome in first-treatment bipolar I disorder patients with and without clinical relapse: A 1-year follow-up study. <i>Bipolar Disorders</i> , 2018, 20, 228-237.	1.9	24
50	S82. GOAL MANAGEMENT TRAINING OF EXECUTIVE FUNCTIONS FOR PATIENTS WITH SCHIZOPHRENIA OR HIGH RISK OF SCHIZOPHRENIA: BASELINE CHARACTERISTICS AND PRELIMINARY RESULTS FROM AN RCT. <i>Schizophrenia Bulletin</i> , 2018, 44, S356-S357.	4.3	0
51	White matter aberrations and age-related trajectories in patients with schizophrenia and bipolar disorder revealed by diffusion tensor imaging. <i>Scientific Reports</i> , 2018, 8, 14129.	3.3	53
52	Mapping the Heterogeneous Phenotype of Schizophrenia and Bipolar Disorder Using Normative Models. <i>JAMA Psychiatry</i> , 2018, 75, 1146.	11.0	290
53	Enrichment of genetic markers of recent human evolution in educational and cognitive traits. <i>Scientific Reports</i> , 2018, 8, 12585.	3.3	9
54	Self-rated disability in first treated episode of psychosis: A 1-year follow-up study. <i>Comprehensive Psychiatry</i> , 2018, 85, 48-54.	3.1	3

#	ARTICLE	IF	CITATIONS
55	Expression of TCN1 in Blood is Negatively Associated with Verbal Declarative Memory Performance. <i>Scientific Reports</i> , 2018, 8, 12654.	3.3	14
56	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	4.3	47
57	Course of neurocognitive function in first treatment bipolar I disorder: One-year follow-up study. <i>Psychiatry Research</i> , 2017, 249, 286-292.	3.3	16
58	Factor analyzing the Norwegian <scp>MATRICS C</scp>onsensus Cognitive Battery. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 336-345.	1.8	7
59	Early clinical recovery in first-episode psychosis: Symptomatic remission and its correlates at 1-year follow-up. <i>Psychiatry Research</i> , 2017, 254, 118-125.	3.3	27
60	Impairment in emotion perception from body movements in individuals with bipolar I and bipolar II disorder is associated with functional capacity. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 13.	2.2	22
61	Vocational rehabilitation for adults with psychotic disorders in a Scandinavian welfare society. <i>BMC Psychiatry</i> , 2017, 17, 24.	2.6	23
62	Task modulations and clinical manifestations in the brain functional connectome in 1615 fMRI datasets. <i>NeuroImage</i> , 2017, 147, 243-252.	4.2	41
63	Modelling difficulties in abstract thinking in psychosis: the importance of socio-developmental background. <i>Cognitive Neuropsychiatry</i> , 2017, 22, 39-52.	1.3	6
64	Cognitive remediation and occupational outcome in schizophrenia spectrum disorders: A 2 year follow-up study. <i>Schizophrenia Research</i> , 2017, 185, 122-129.	2.0	23
65	Identification of Genetic Loci Jointly Influencing Schizophrenia Risk and the Cognitive Traits of Verbal-Numerical Reasoning, Reaction Time, and General Cognitive Function. <i>JAMA Psychiatry</i> , 2017, 74, 1065.	11.0	123
66	Distinct multivariate brain morphological patterns and their added predictive value with cognitive and polygenic risk scores in mental disorders. <i>NeuroImage: Clinical</i> , 2017, 15, 719-731.	2.7	89
67	Cognitive and affective remediation training for mood disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 317-319.	2.3	10
68	Employment outcome and predictors of competitive employment at 2-year follow-up of a vocational rehabilitation programme for individuals with schizophrenia in a high-income welfare society. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 180-187.	1.3	31
69	Serum levels of second-generation antipsychotics are associated with cognitive function in psychotic disorders. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 471-482.	2.6	18
70	Vitamin D Deficiency Associated With Cognitive Functioning in Psychotic Disorders. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e750-e757.	2.2	20
71	Vocational Functioning in Schizophrenia Spectrum Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 599-605.	1.0	6
72	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. <i>Bipolar Disorders</i> , 2016, 18, 136-147.	1.9	19

#	ARTICLE	IF	CITATIONS
73	Neurocognition and occupational functioning in schizophrenia spectrum disorders: The MATRICS Consensus Cognitive Battery (MCCB) and workplace assessments. <i>Schizophrenia Research</i> , 2016, 170, 143-149.	2.0	22
74	Reduced load-dependent default mode network deactivation across executive tasks in schizophrenia spectrum disorders. <i>NeuroImage: Clinical</i> , 2016, 12, 389-396.	2.7	21
75	Prevalence, Employment Rate, and Cost of Schizophrenia in a High-Income Welfare Society: A Population-Based Study Using Comprehensive Health and Welfare Registers. <i>Schizophrenia Bulletin</i> , 2016, 42, 476-483.	4.3	121
76	Validation of the Work Behavior Inventory. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 300-306.	1.3	4
77	Cognitive Effort and Schizophrenia Modulate Large-Scale Functional Brain Connectivity. <i>Schizophrenia Bulletin</i> , 2015, 41, 1360-1369.	4.3	14
78	Disintegration of Sensorimotor Brain Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 1326-1335.	4.3	146
79	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	2.0	85
80	Stability of executive functions in first episode psychosis: One year follow up study. <i>Psychiatry Research</i> , 2015, 228, 475-481.	3.3	14
81	Polygenic Risk for Schizophrenia Associated With Working Memory-related Prefrontal Brain Activation in Patients With Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2015, 41, 736-743.	4.3	62
82	Reading Emotions from Body Movement: A Generalized Impairment in Schizophrenia. <i>Frontiers in Psychology</i> , 2015, 6, 2058.	2.1	40
83	The MATRICS Consensus Cognitive Battery (MCCB): Performance and functional correlates. <i>Psychiatry Research</i> , 2014, 220, 1094-1101.	3.3	22
84	Neurocognitive Decrements are Present in Intellectually Superior Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 45.	2.6	21
85	Occupational functioning, symptoms and neurocognition in patients with psychotic disorders: investigating subgroups based on social security status. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 863-874.	3.1	22
86	Social dysfunction in first-episode psychosis and relations to neurocognition, duration of untreated psychosis and clinical symptoms. <i>Psychiatry Research</i> , 2013, 207, 33-39.	3.3	24
87	Social Cognition and Clinical Insight in Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 445-451.	1.0	11
88	Central Processing Energetic Factors Mediate Impaired Motor Control in ADHD Combined Subtype But Not in ADHD Inattentive Subtype. <i>Journal of Learning Disabilities</i> , 2012, 45, 361-370.	2.2	24
89	Factors associated with occupational and academic status in patients with first-episode psychosis with a particular focus on neurocognition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1763-1773.	3.1	18
90	Executive function in early- and adult onset schizophrenia. <i>Schizophrenia Research</i> , 2012, 142, 177-182.	2.0	31

#	ARTICLE	IF	CITATIONS
91	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. <i>Psychiatry Research</i> , 2011, 188, 334-342.	3.3	41
92	Neurocognition and functional outcome in early-onset schizophrenia and attention-deficit/hyperactivity disorder: A 13-year follow-up.. <i>Neuropsychology</i> , 2011, 25, 25-35.	1.3	51
93	Validation of the Norwegian version of the Social Functioning Scale (SFS) for schizophrenia and bipolar disorder. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 525-533.	1.5	43
94	Do Low-Effort Learning Strategies Mediate Impaired Memory in ADHD?. <i>Journal of Learning Disabilities</i> , 2010, 43, 430-440.	2.2	40
95	Psychosocial function in schizophrenia and bipolar disorder: Relationship to neurocognition and clinical symptoms. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 771-783.	1.8	60
96	The validity of <i>d</i> prime as a working memory index: Results from the "Bergen <i>n</i>-back task". <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010, 32, 871-880.	1.3	220
97	Using the Wisconsin Card Sorting Test to assess learning potential in normal IQ schizophrenia: Does it have potential?. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 405-411.	1.3	4
98	Differentiating between ADHD subtypes on CCPT measures of sustained attention and vigilance. <i>Scandinavian Journal of Psychology</i> , 2009, 50, 347-354.	1.5	52
99	Verbal memory and verbal fluency in adolescents with schizophrenia spectrum disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 653-661.	1.8	28
100	Can learning potential in schizophrenia be assessed with the standard CVLT? An exploratory study. <i>Scandinavian Journal of Psychology</i> , 2008, 49, 179-186.	1.5	17
101	Cognitive remediation for adolescents with early onset psychosis: a 1-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 193-201.	4.5	78
102	Modification of performance on the Span of Apprehension Task in a group of young people with early onset psychosis. <i>Scandinavian Journal of Psychology</i> , 2004, 45, 55-60.	1.5	3
103	Cognitive functioning in adolescents with schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2004, 126, 229-239.	3.3	85