Rodrigo M Mendes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6534029/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Antimicrobial susceptibility of Gram-negative bacteria from intensive care unit and non-intensive care unit patients from United States hospitals (2018–2020). Diagnostic Microbiology and Infectious Disease, 2022, 102, 115557.	1.8	21
2	<i>In vitro</i> activity of the orally bioavailable ceftibuten/VNRX-7145 (VNRX-5236 etzadroxil) combination against a challenge set of Enterobacterales pathogens carrying molecularly characterized l²-lactamase genes. Journal of Antimicrobial Chemotherapy, 2022, 77, 689-694.	3.0	6
3	Activity of Oritavancin against Gram-Positive Pathogens Causing Bloodstream Infections in the United States over 10 Years: Focus on Drug-Resistant Enterococcal Subsets (2010–2019). Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0166721.	3.2	6
4	Antimicrobial activities of aztreonam-avibactam and comparator agents tested against Enterobacterales from European hospitals analysed by geographic region and infection type (2019–2020). European Journal of Clinical Microbiology and Infectious Diseases, 2022, 41, 477-487.	2.9	12
5	Antimicrobial activity of high-dose cefepime-tazobactam (WCK 4282) against a large collection of gram-negative organisms collected worldwide in 2018 and 2019. International Journal of Infectious Diseases, 2022, 116, 306-312.	3.3	2
6	<i>In Vitro</i> Activity of Cefiderocol against U.S. and European Gram-Negative Clinical Isolates Collected in 2020 as Part of the SENTRY Antimicrobial Surveillance Program. Microbiology Spectrum, 2022, 10, e0271221.	3.0	34
7	Antimicrobial activity of dalbavancin against Gram-positive bacteria isolated from patients hospitalized with bloodstream infection in United States and European medical centers (2018–2020). European Journal of Clinical Microbiology and Infectious Diseases, 2022, 41, 867-873.	2.9	5
8	Ceftobiprole activity against Gram-positive and Gram-negative pathogens causing bone and joint infections in the United States from 2016 to 2020. Diagnostic Microbiology and Infectious Disease, 2022, 103, 115713.	1.8	2
9	Update on the in vitro activity of dalbavancin against indicated species (Staphylococcus aureus,) Tj ETQq1 1 0.78 United States hospitals in 2017–2019. Diagnostic Microbiology and Infectious Disease, 2021, 99, 115195.	4314 rgBT 1.8	/Overlock 1 9
10	Ceftaroline activity against Staphylococcus aureus isolated from patients with infective endocarditis, worldwide (2010–2019). International Journal of Infectious Diseases, 2021, 102, 524-528.	3.3	6
11	Antimicrobial activity of dalbavancin against clinical isolates of coagulase-negative staphylococci from the USA and Europe stratified by species. Journal of Global Antimicrobial Resistance, 2021, 24, 48-52.	2.2	5
12	Investigation of mechanisms responsible for decreased susceptibility of aztreonam/avibactam activity in clinical isolates of Enterobacterales collected in Europe, Asia and Latin America in 2019. Journal of Antimicrobial Chemotherapy, 2021, 76, 2833-2838.	3.0	13
13	Tedizolid activity against a multicentre worldwide collection of Staphylococcus aureus and Streptococcus pneumoniae recovered from patients with pneumonia (2017–2019). International Journal of Infectious Diseases, 2021, 107, 92-100.	3.3	9
14	Antimicrobial activity of dalbavancin and comparators against Staphylococcus aureus causing pneumonia in patients with and without cystic fibrosis. International Journal of Infectious Diseases, 2021, 107, 69-71.	3.3	1
15	Characterization of a vga gene variant recovered from a Staphylococcus saprophyticus causing a community-acquired urinary tract infection: report from the SENTRY Antimicrobial Surveillance Program 2017. Diagnostic Microbiology and Infectious Disease, 2021, 100, 115398.	1.8	0
16	Increasing frequency of OXA-48-producing Enterobacterales worldwide and activity of ceftazidime/avibactam, meropenem/vaborbactam and comparators against these isolates. Journal of Antimicrobial Chemotherapy, 2021, 76, 3125-3134.	3.0	33
17	Activity of ceftazidime/avibactam, meropenem/vaborbactam and imipenem/relebactam against carbapenemase-negative carbapenem-resistant Enterobacterales isolates from US hospitals. International Journal of Antimicrobial Agents, 2021, 58, 106439.	2.5	36
18	<i>In vitro</i> activity of a novel aminomethylcycline antibacterial (KBP-7072), a third-generation tetracycline, against clinical isolates with molecularly characterized tetracycline resistance mechanisms. JAC-Antimicrobial Resistance, 2021, 3, dlab177.	2.1	2

#	Article	IF	CITATIONS
19	Regional analysis of telavancin and comparator antimicrobial activity against multidrug-resistant Staphylococcus aureus collected in the USA 2014–2016. Journal of Global Antimicrobial Resistance, 2020, 20, 118-123.	2.2	4
20	Evaluation of Antimicrobial Effects of a New Polymyxin Molecule (SPR741) When Tested in Combination with a Series of β-Lactam Agents Against a Challenge Set of Gram-Negative Pathogens. Microbial Drug Resistance, 2020, 26, 319-328.	2.0	11
21	In Vitro Activity Analysis of a New Polymyxin, SPR741, Tested in Combination with Antimicrobial Agents against a Challenge Set of Enterobacteriaceae , Including Molecularly Characterized Strains. Antimicrobial Agents and Chemotherapy, 2020, 65, .	3.2	5
22	Resistance among urinary tract pathogens collected in Europe during 2018. Journal of Global Antimicrobial Resistance, 2020, 23, 439-444.	2.2	18
23	Streptococcus pneumoniae serotype distribution and antimicrobial nonsusceptibility trends among adults with pneumonia in the United States, 2009‒2017. Journal of Infection, 2020, 81, 557-566.	3.3	33
24	Activity of Aztreonam in Combination with Avibactam, Clavulanate, Relebactam, and Vaborbactam against Multidrug-Resistant Stenotrophomonas maltophilia. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	21
25	Omadacycline invitro activity against a molecularly characterized collection of clinical isolates with known acquired tetracycline resistance mechanisms. Diagnostic Microbiology and Infectious Disease, 2020, 97, 115054.	1.8	3
26	Media for colistin susceptibility testing does not improve the detection of Klebsiella pneumoniae isolates carrying MgrB disruption and other mutation driven colistin resistance mechanisms. Diagnostic Microbiology and Infectious Disease, 2020, 98, 115077.	1.8	4
27	Comparison of minimum inhibitory concentration results for gepotidacin obtained using agar dilution and broth microdilution methods. Diagnostic Microbiology and Infectious Disease, 2020, 98, 115107.	1.8	8
28	Frequency and antimicrobial susceptibility of bacteria causing bloodstream infections in pediatric patients from United States (US) medical centers (2014–2018): therapeutic options for multidrug-resistant bacteria. Diagnostic Microbiology and Infectious Disease, 2020, 98, 115108.	1.8	15
29	Antimicrobial Activity of Telavancin Tested <i>In Vitro</i> Against a Global Collection of Gram-Positive Pathogens, Including Multidrug-Resistant Isolates (2015–2017). Microbial Drug Resistance, 2020, 26, 934-943.	2.0	8
30	Assessment of Tedizolid <i>In Vitro</i> Activity and Resistance Mechanisms against a Collection of <i>Enterococcus</i> spp. Causing Invasive Infections, Including Isolates Requiring an Optimized Dosing Strategy for Daptomycin from U.S. and European Medical Centers, 2016 to 2018. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	12
31	Meropenem-Vaborbactam Activity against Carbapenem-Resistant <i>Enterobacterales</i> Isolates Collected in U.S. Hospitals during 2016 to 2018. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	44
32	Ceftobiprole Activity against Bacteria from Skin and Skin Structure Infections in the United States from 2016 through 2018. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	12
33	Activity of Plazomicin Tested against <i>Enterobacterales</i> Isolates Collected from U.S. Hospitals in 2016–2017: Effect of Different Breakpoint Criteria on Susceptibility Rates among Aminoglycosides. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	14
34	Updating Molecular Diagnostics for Detecting Methicillin-Susceptible and Methicillin-Resistant Staphylococcus aureus Isolates in Blood Culture Bottles. Journal of Clinical Microbiology, 2019, 57, .	3.9	26
35	Low Prevalence of Gram-Positive Isolates Showing Elevated Lefamulin MIC Results during the SENTRY Surveillance Program for 2015–2016 and Characterization of Resistance Mechanisms. Antimicrobial Agents and Chemotherapy, 2019, 63,	3.2	25
36	<i>In Vitro</i> Activity of Tedizolid in Comparison with Other Oral and Intravenous Agents Against a Collection of Community-Acquired Methicillin-Resistant <i>Staphylococcus aureus</i> (2014–2015) in the United States. Microbial Drug Resistance, 2019, 25, 938-943.	2.0	9

#	Article	IF	CITATIONS
37	In vitro activity of Plazomicin against Enterobacteriaceae isolates carrying genes encoding aminoglycoside-modifying enzymes most common in US Census divisions. Diagnostic Microbiology and Infectious Disease, 2019, 94, 73-77.	1.8	16
38	Combination of MexAB-OprM overexpression and mutations in efflux regulators, PBPs and chaperone proteins is responsible for ceftazidime/avibactam resistance in Pseudomonas aeruginosa clinical isolates from US hospitals. Journal of Antimicrobial Chemotherapy, 2019, 74, 2588-2595.	3.0	34
39	Activity of tedizolid against gram-positive clinical isolates causing infections in Europe and surrounding areas (2014–2015). Journal of Chemotherapy, 2019, 31, 188-194.	1.5	18
40	Comparative Activities of Ceftazidime-Avibactam and Ceftolozane-Tazobactam against Enterobacteriaceae Isolates Producing Extended-Spectrum β-Lactamases from U.S. Hospitals. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	37
41	The Microbiology of Bloodstream Infection: 20-Year Trends from the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	307
42	Temporal and Geographic Variation in Antimicrobial Susceptibility and Resistance Patterns of Enterococci: Results From the SENTRY Antimicrobial Surveillance Program, 1997–2016. Open Forum Infectious Diseases, 2019, 6, S54-S62.	0.9	70
43	Antimicrobial Resistance Surveillance and New Drug Development. Open Forum Infectious Diseases, 2019, 6, S5-S13.	0.9	10
44	Variations in the Occurrence of Resistance Phenotypes and Carbapenemase Genes Among Enterobacteriaceae Isolates in 20 Years of the SENTRY Antimicrobial Surveillance Program. Open Forum Infectious Diseases, 2019, 6, S23-S33.	0.9	124
45	Application of Next-Generation Sequencing for Characterization of Surveillance and Clinical Trial Isolates: Analysis of the Distribution of β-lactamase Resistance Genes and Lineage Background in the United States. Open Forum Infectious Diseases, 2019, 6, S69-S78.	0.9	45
46	Characterization of β-Lactamase Content of Ceftazidime-Resistant Pathogens Recovered during the Pathogen-Directed Phase 3 REPRISE Trial for Ceftazidime-Avibactam: Correlation of Efficacy against β-Lactamase Producers. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	21
47	Antimicrobial Susceptibility of Streptococcus pneumoniae from North America, Europe, Latin America, and the Asia-Pacific Region: Results From 20 Years of the SENTRY Antimicrobial Surveillance Program (1997–2016). Open Forum Infectious Diseases, 2019, 6, S14-S23.	0.9	56
48	Aminoglycoside-modifying enzyme and 16S ribosomal RNA methyltransferase genes among a global collection of Gram-negative isolates. Journal of Global Antimicrobial Resistance, 2019, 16, 278-285.	2.2	30
49	Antimicrobial Activity Evaluation of Tebipenem (SPR859), an Orally Available Carbapenem, against a Global Set of Enterobacteriaceae Isolates, Including a Challenge Set of Organisms. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	27
50	Tedizolid in vitro activity against Gram-positive clinical isolates causing bone and joint infections in hospitals in the USA and Europe (2014–17). Journal of Antimicrobial Chemotherapy, 2019, 74, 1928-1933.	3.0	12
51	Antimicrobial activity of dalbavancin tested against Gram-positive organisms isolated from patients with infective endocarditis in US and European medical centres. Journal of Antimicrobial Chemotherapy, 2019, 74, 1306-1310.	3.0	21
52	Ceftobiprole activity when tested against contemporary bacteria causing bloodstream infections in the United States (2016–2017). Diagnostic Microbiology and Infectious Disease, 2019, 94, 304-313.	1.8	19
53	The burden of antimicrobial resistance among urinary tract isolates of Escherichia coli in the United States in 2017. PLoS ONE, 2019, 14, e0220265.	2.5	94
54	In vitro activity of tedizolid against clinical isolates of Staphylococcus lugdunensis and Staphylococcus haemolyticus from Europe and the United States. Diagnostic Microbiology and Infectious Disease, 2019, 93, 85-88.	1.8	6

#	Article	IF	CITATIONS
55	In vitro activity of telavancin against Staphylococcus aureus causing pneumonia or skin and skin structure infections with concomitant bloodstream infections in United States hospitals (2012–2016). Diagnostic Microbiology and Infectious Disease, 2019, 93, 167-170.	1.8	0
56	Ceftobiprole Activity against Gram-Positive and -Negative Pathogens Collected from the United States in 2006 and 2016. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	32
57	In vitro activity of meropenem/vaborbactam and characterisation of carbapenem resistance mechanisms among carbapenem-resistant Enterobacteriaceae from the 2015 meropenem/vaborbactam surveillance programme. International Journal of Antimicrobial Agents, 2018, 52, 144-150.	2.5	77
58	Molecular Î ² -lactamase characterization of Gram-negative pathogens recovered from patients enrolled in the ceftazidime-avibactam phase 3 trials (RECAPTURE 1 and 2) for complicated urinary tract infections: Efficacies analysed against susceptible and resistant subsets. International Journal of Antimicrobial Agents, 2018, 52, 287-292.	2.5	26
59	ZAAPS programme results for 2016: an activity and spectrum analysis of linezolid using clinical isolates from medical centres in 42 countries. Journal of Antimicrobial Chemotherapy, 2018, 73, 1880-1887.	3.0	56
60	Dalbavancin in-vitro activity obtained against Gram-positive clinical isolates causing bone and joint infections in US and European hospitals (2011–2016). International Journal of Antimicrobial Agents, 2018, 51, 608-611.	2.5	46
61	Activity of Ceftolozane-Tazobactam against Pseudomonas aeruginosa and Enterobacteriaceae Isolates Collected from Respiratory Tract Specimens of Hospitalized Patients in the United States during 2013 to 2015. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	46
62	Antimicrobial Activity of Dalbavancin against Staphylococcus aureus with Decreased Susceptibility to Glycopeptides, Daptomycin, and/or Linezolid from U.S. Medical Centers. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	18
63	Antimicrobial activity of oritavancin and comparator agents when tested against Gram-positive bacterial isolates causing infections in cancer patients (2014–16). Journal of Antimicrobial Chemotherapy, 2018, 73, 916-922.	3.0	2
64	Oritavancin in vitro activity against gram-positive organisms from European and United States medical centers: results from the SENTRY Antimicrobial Surveillance Program for 2010–2014. Diagnostic Microbiology and Infectious Disease, 2018, 91, 199-204.	1.8	20
65	Antimicrobial Activities of Aztreonam-Avibactam and Comparator Agents against Contemporary (2016) Clinical Enterobacteriaceae Isolates. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	61
66	In Vitro Activities of Ceftaroline and Comparators against Streptococcus pneumoniae Isolates from U.S. Hospitals: Results from Seven Years of the AWARE Surveillance Program (2010 to 2016). Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	15
67	Distribution of main Gram-positive pathogens causing bloodstream infections in United States and European hospitals during the SENTRY Antimicrobial Surveillance Program (2010–2016): concomitant analysis of oritavancin <i>in vitro</i> activity. Journal of Chemotherapy, 2018, 30, 280-289.	1.5	28
68	Antimicrobial activity of ceftaroline and comparator agents tested against organisms isolated from patients with community-acquired bacterial pneumonia in Europe, Asia, and Latin America. International Journal of Infectious Diseases, 2018, 77, 82-86.	3.3	22
69	Evaluation of the Revised Ceftaroline Disk Diffusion Breakpoints When Testing a Challenge Collection of Methicillin-Resistant Staphylococcus aureus Isolates. Journal of Clinical Microbiology, 2018, 56, .	3.9	8
70	Frequency and antimicrobial susceptibility of Gram-negative bacteria isolated from patients with pneumonia hospitalized in ICUs of US medical centres (2015–17). Journal of Antimicrobial Chemotherapy, 2018, 73, 3053-3059.	3.0	55
71	Activity of dalbavancin and comparator agents against Gram-positive cocci from clinical infections in the USA and Europe 2015–16. Journal of Antimicrobial Chemotherapy, 2018, 73, 2748-2756.	3.0	47
72	<i>In Vitro</i> Activity of Plazomicin against Gram-Negative and Gram-Positive Isolates Collected from U.S. Hospitals and Comparative Activities of Aminoglycosides against Carbapenem-Resistant Enterobacteriaceae and Isolates Carrying Carbapenemase Genes. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	67

#	Article	IF	CITATIONS
73	Antimicrobial Activity of High-Proportion Cefepime-Tazobactam (WCK 4282) against a Large Number of Gram-Negative Isolates Collected Worldwide in 2014. Antimicrobial Agents and Chemotherapy, 2017, 61,	3.2	24
74	Update of the activity of telavancin against a global collection of Staphylococcus aureus causing bacteremia, including endocarditis (2011–2014). European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 1013-1017.	2.9	12
75	Ceftaroline Activity Tested Against Bacterial Isolates Causing Community-acquired Respiratory Tract Infections and Skin and Skin Structure Infections in Pediatric Patients From United States Hospitals. Pediatric Infectious Disease Journal, 2017, 36, 486-491.	2.0	19
76	Five-Year Summary of <i>In Vitro</i> Activity and Resistance Mechanisms of Linezolid against Clinically Important Gram-Positive Cocci in the United States from the LEADER Surveillance Program (2011 to) Tj ETQq0	0 0 Bg2BT /C	Dve dø ck 10 Tf
77	Empyema thoracis caused by an optrA -positive and linezolid-intermediate Enterococcus faecalis strain. Journal of Infection, 2017, 75, 182-184.	3.3	8
78	Antimicrobial Susceptibility Trends among Staphylococcus aureus Isolates from U.S. Hospitals: Results from 7 Years of the Ceftaroline (AWARE) Surveillance Program, 2010 to 2016. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	29
79	Molecular Î ² -Lactamase Characterization of Aerobic Gram-Negative Pathogens Recovered from Patients Enrolled in the Ceftazidime-Avibactam Phase 3 Trials for Complicated Intra-abdominal Infections, with Efficacies Analyzed against Susceptible and Resistant Subsets. Antimicrobial Agents and Chemotherapy, 2017. 61.	3.2	31
80	Activity of telavancin against Gram-positive pathogens isolated from bone and joint infections in North American, Latin American, European and Asia-Pacific nations. Diagnostic Microbiology and Infectious Disease, 2017, 88, 184-187.	1.8	13
81	Ceftaroline Activity Against Multidrug-Resistant <i>Streptococcus pneumoniae</i> from U.S. Medical Centers (2014) and Molecular Characterization of a Single Ceftaroline Nonsusceptible Isolate. Microbial Drug Resistance, 2017, 23, 571-579.	2.0	11
82	Low Frequency of Ceftazidime-Avibactam Resistance among Enterobacteriaceae Isolates Carrying <i>bla</i> _{KPC} Collected in U.S. Hospitals from 2012 to 2015. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	47
83	Prevalence of macrolide–lincosamide resistance and multidrug resistance phenotypes in streptococcal isolates causing infections in European hospitals: Evaluation of the in vitro activity of oritavancin and comparator agents. Journal of Global Antimicrobial Resistance, 2017, 8, 28-32.	2.2	8
84	Antimicrobial Activity of Ceftazidime-Avibactam Tested against Multidrug-Resistant Enterobacteriaceae and Pseudomonas aeruginosa Isolates from U.S. Medical Centers, 2013 to 2016. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	89
85	In Vitro Activity of Telavancin Against Clinically Important Gram-Positive Pathogens from 69 U.S. Medical Centers (2015): Potency Analysis by U.S. Census Divisions. Microbial Drug Resistance, 2017, 23, 718-726.	2.0	10
86	ZAAPS Program results for 2015: an activity and spectrum analysis of linezolid using clinical isolates from medical centres in 32 countries. Journal of Antimicrobial Chemotherapy, 2017, 72, 3093-3099.	3.0	31
87	Activity of dalbavancin tested against Gram-positive clinical isolates causing skin and skin-structure infections in paediatric patients from US hospitals (2014–2015). Journal of Global Antimicrobial Resistance, 2017, 11, 4-7.	2.2	9
88	Telavancin activity in vitro tested against a worldwide collection of Gram-positive clinical isolates (2014). Journal of Global Antimicrobial Resistance, 2017, 10, 271-276.	2.2	16
89	Meropenem-Vaborbactam Tested against Contemporary Gram-Negative Isolates Collected Worldwide during 2014, Including Carbapenem-Resistant, KPC-Producing, Multidrug-Resistant, and Extensively Drug-Resistant Enterobacteriaceae. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	141
90	Ceftobiprole Activity When Tested Against Contemporary Bacteria Causing Bloodstream Infections in the US (2016). Open Forum Infectious Diseases, 2017, 4, S368-S368.	0.9	3

#	Article	IF	CITATIONS
91	Evolution of Ceftaroline-Resistant Mrsa in a Child with Cystic Fibrosis Following Repeated Antibiotic Exposure. Pediatric Infectious Disease Journal, 2016, 35, 813-815.	2.0	16
92	Detection of <i>mcr-1</i> among Escherichia coli Clinical Isolates Collected Worldwide as Part of the SENTRY Antimicrobial Surveillance Program in 2014 and 2015. Antimicrobial Agents and Chemotherapy, 2016, 60, 5623-5624.	3.2	100
93	Antimicrobial Activities of Ceftaroline and Comparator Agents against Bacterial Organisms Causing Bacteremia in Patients with Skin and Skin Structure Infections in U.S. Medical Centers, 2008 to 2014. Antimicrobial Agents and Chemotherapy, 2016, 60, 2558-2563.	3.2	13
94	Activities of Tedizolid and Linezolid Determined by the Reference Broth Microdilution Method against 3,032 Gram-Positive Bacterial Isolates Collected in Asia-Pacific, Eastern Europe, and Latin American Countries in 2014. Antimicrobial Agents and Chemotherapy, 2016, 60, 5393-5399.	3.2	32
95	Surveillance for linezolid resistance via the Zyvox [®] Annual Appraisal of Potency and Spectrum (ZAAPS) programme (2014): evolving resistance mechanisms with stable susceptibility rates. Journal of Antimicrobial Chemotherapy, 2016, 71, 1860-1865.	3.0	63
96	In vitro activity of dalbavancin against multidrug-resistant Staphylococcus aureus and streptococci from patients with documented infections in Europe and surrounding regions (2011–2013). International Journal of Antimicrobial Agents, 2016, 47, 495-499.	2.5	16
97	Tigecycline antimicrobial activity tested against clinical bacteria from Latin American medical centres: results from SENTRY Antimicrobial Surveillance Program (2011–2014). International Journal of Antimicrobial Agents, 2016, 48, 144-150.	2.5	52
98	Changes in the Frequencies of β-Lactamase Genes among Enterobacteriaceae Isolates in U.S. Hospitals, 2012 to 2014: Activity of Ceftazidime-Avibactam Tested against β-Lactamase-Producing Isolates. Antimicrobial Agents and Chemotherapy, 2016, 60, 4770-4777.	3.2	53
99	Comparison of BD Max StaphSR and BD Max MRSA <i>XT</i> for Screening of Staphylococcus aureus Clinical Isolates Collected from Hospitals in the United States. Journal of Clinical Microbiology, 2016, 54, 1668-1669.	3.9	1
100	Ceftaroline activity tested against viridans group streptococci from US hospitals. Diagnostic Microbiology and Infectious Disease, 2016, 84, 232-235.	1.8	6
101	Dalbavancin Activity When Tested against Streptococcus pneumoniae Isolated in Medical Centers on Six Continents (2011 to 2014). Antimicrobial Agents and Chemotherapy, 2016, 60, 3419-3425.	3.2	4
102	Antimicrobial activity of ceftaroline and comparator agents when tested against numerous species of coagulase-negative Staphylococcus causing infection in US hospitals. Diagnostic Microbiology and Infectious Disease, 2016, 85, 80-84.	1.8	19
103	<i>In Vitro</i> Activity of Lefamulin Tested against Streptococcus pneumoniae with Defined Serotypes, Including Multidrug-Resistant Isolates Causing Lower Respiratory Tract Infections in the United States. Antimicrobial Agents and Chemotherapy, 2016, 60, 4407-4411.	3.2	38
104	Telavancin activity tested against a collection of Staphylococcus aureus isolates causing pneumonia in hospitalized patients in the United States (2013–2014). Diagnostic Microbiology and Infectious Disease, 2016, 86, 300-302.	1.8	6
105	Longitudinal (2001–14) analysis of enterococci and VRE causing invasive infections in European and US hospitals, including a contemporary (2010–13) analysis of oritavancin <i>in vitro</i> potency. Journal of Antimicrobial Chemotherapy, 2016, 71, 3453-3458.	3.0	71
106	Oritavancin in vitro activity against contemporary Staphylococcus aureus isolates responsible for invasive community- and healthcare-associated infections among patients in the United States (2013–2014). Diagnostic Microbiology and Infectious Disease, 2016, 86, 303-306.	1.8	10
107	Activity of Fusidic Acid Tested against Staphylococci Isolated from Patients in U.S. Medical Centers in 2014. Antimicrobial Agents and Chemotherapy, 2016, 60, 3827-3831.	3.2	22
108	Antimicrobial susceptibility patterns of community- and hospital-acquired methicillin-resistant Staphylococcus aureus from United States Hospitals: results from the AWARE Ceftaroline Surveillance Program (2012–2014). Diagnostic Microbiology and Infectious Disease, 2016, 86, 76-79.	1.8	32

#	Article	IF	CITATIONS
109	Telavancin activity tested against Gram-positive clinical isolates from European, Russian and Israeli hospitals (2011–2013) using a revised broth microdilution testing method: redefining the baseline activity of telavancin. Journal of Chemotherapy, 2016, 28, 83-88.	1.5	9
110	Pharmacokinetics-Pharmacodynamics of Tazobactam in Combination with Piperacillin in an <i>In Vitro</i> Infection Model. Antimicrobial Agents and Chemotherapy, 2016, 60, 2075-2080.	3.2	40
111	Reproducibility of dalbavancin MIC test results and an updated surrogate accuracy analysis of vancomycin MIC values to infer dalbavancin susceptibility (2014). Diagnostic Microbiology and Infectious Disease, 2016, 86, 249-251.	1.8	4
112	Oritavancin Activity Tested against Molecularly Characterized Staphylococci and Enterococci Displaying Elevated Linezolid MIC Results. Antimicrobial Agents and Chemotherapy, 2016, 60, 3817-3820.	3.2	2
113	Linezolid Surveillance Results for the United States (LEADER Surveillance Program 2014). Antimicrobial Agents and Chemotherapy, 2016, 60, 2273-2280.	3.2	80
114	β-Lactamase Characterization of Gram-Negative Pathogens Recovered from Patients Enrolled in the Phase 2 Trials for Ceftazidime-Avibactam: Clinical Efficacies Analyzed against Subsets of Molecularly Characterized Isolates. Antimicrobial Agents and Chemotherapy, 2016, 60, 1328-1335.	3.2	24
115	<i>In vivo</i> emergence of ceftaroline resistance during therapy for MRSA vertebral osteomyelitis: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 1736-1738.	3.0	18
116	Results from Oritavancin Resistance Surveillance Programs (2011 to 2014): Clarification for Using Vancomycin as a Surrogate To Infer Oritavancin Susceptibility. Antimicrobial Agents and Chemotherapy, 2016, 60, 3174-3177.	3.2	14
117	Performance of BD Max StaphSR for Screening of Methicillin-Resistant Staphylococcus aureus Isolates among a Contemporary and Diverse Collection from 146 Institutions Located in Nine U.S. Census Regions: Prevalence of <i>mecA</i> Dropout Mutants. Journal of Clinical Microbiology, 2016, 54, 204-207.	3.9	15
118	Genotypic Characterization of Methicillin-Resistant <i>Staphylococcus aureus</i> Recovered at Baseline from Phase 3 Pneumonia Clinical Trials for Ceftobiprole. Microbial Drug Resistance, 2016, 22, 53-58.	2.0	5
119	Update on dalbavancin activity tested against Gram-positive clinical isolates responsible for documented skin and skin-structure infections in US and European hospitals (2011–13): Table 1 Journal of Antimicrobial Chemotherapy, 2016, 71, 276-278.	3.0	20
120	Ceftazidime-Avibactam Activity against Multidrug-Resistant Pseudomonas aeruginosa Isolated in U.S. Medical Centers in 2012 and 2013. Antimicrobial Agents and Chemotherapy, 2015, 59, 3656-3659.	3.2	74
121	<i>In Vitro</i> Activity of Dalbavancin against Drug-Resistant Staphylococcus aureus Isolates from a Global Surveillance Program. Antimicrobial Agents and Chemotherapy, 2015, 59, 5007-5009.	3.2	44
122	Noninvasive Streptococcus pneumoniae Serotypes Recovered from Hospitalized Adult Patients in the United States in 2009 to 2012. Antimicrobial Agents and Chemotherapy, 2015, 59, 5595-5601.	3.2	24
123	Detection of a New <i>cfr</i> -Like Gene, <i>cfr</i> (B), in Enterococcus faecium Isolates Recovered from Human Specimens in the United States as Part of the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2015, 59, 6256-6261.	3.2	124
124	Antimicrobial activity of ceftaroline tested against bacterial isolates causing respiratory tract and skin and skin structure infections in US medical centers in 2013. Diagnostic Microbiology and Infectious Disease, 2015, 82, 78-84.	1.8	16
125	Tigecycline activity tested against carbapenem-resistant Enterobacteriaceae from 18 European nations: results from the SENTRY surveillance program (2010–2013). Diagnostic Microbiology and Infectious Disease, 2015, 83, 183-186.	1.8	58
126	Cytotoxic Virulence Predicts Mortality in Nosocomial Pneumonia Due to Methicillin-Resistant <i>Staphylococcus aureus</i> . Journal of Infectious Diseases, 2015, 211, 1862-1874.	4.0	51

#	Article	IF	CITATIONS
127	In vitro activity of linezolid as assessed through the 2013 LEADER surveillance program. Diagnostic Microbiology and Infectious Disease, 2015, 81, 283-289.	1.8	25
128	Ceftazidime/avibactam tested against Gram-negative bacteria from intensive care unit (ICU) and non-ICU patients, including those with ventilator-associated pneumonia. International Journal of Antimicrobial Agents, 2015, 46, 53-59.	2.5	75
129	Telavancin <i>In Vitro</i> Activity against a Collection of Methicillin-Resistant Staphylococcus aureus Isolates, Including Resistant Subsets, from the United States. Antimicrobial Agents and Chemotherapy, 2015, 59, 1811-1814.	3.2	24
130	Telavancin activity when tested by a revised susceptibility testing method against uncommonly isolated Gram-positive pathogens responsible for documented infections in hospitals worldwide (2011–2013). Journal of Global Antimicrobial Resistance, 2015, 3, 36-39.	2.2	3
131	Update of the telavancin activity in vitro tested against a worldwide collection of Gram-positive clinical isolates (2013), when applying the revised susceptibility testing method. Diagnostic Microbiology and Infectious Disease, 2015, 81, 275-279.	1.8	42
132	Surrogate analysis of vancomycin to predict susceptible categorization of dalbavancin. Diagnostic Microbiology and Infectious Disease, 2015, 82, 73-77.	1.8	34
133	Use of <i>In Vitro</i> Vancomycin Testing Results To Predict Susceptibility to Oritavancin, a New Long-Acting Lipoglycopeptide. Antimicrobial Agents and Chemotherapy, 2015, 59, 2405-2409.	3.2	18
134	Update on Linezolid <i>In Vitro</i> Activity through the Zyvox Annual Appraisal of Potency and Spectrum Program, 2013. Antimicrobial Agents and Chemotherapy, 2015, 59, 2454-2457.	3.2	17
135	Analysis of Vancomycin Susceptibility Testing Results for Presumptive Categorization of Telavancin. Journal of Clinical Microbiology, 2015, 53, 2727-2730.	3.9	8
136	MSSA ST398/t034 carrying a plasmid-mediated Cfr and Erm(B) in Brazil. Journal of Antimicrobial Chemotherapy, 2015, 70, 303-305.	3.0	22
137	Activity of oritavancin against Gram-positive clinical isolates responsible for documented skin and soft-tissue infections in European and US hospitals (2010-13). Journal of Antimicrobial Chemotherapy, 2015, 70, 498-504.	3.0	32
138	Baseline Activity of Telavancin against Gram-Positive Clinical Isolates Responsible for Documented Infections in U.S. Hospitals (2011-2012) as Determined by the Revised Susceptibility Testing Method. Antimicrobial Agents and Chemotherapy, 2015, 59, 702-706.	3.2	21
139	Activity of oritavancin tested against uncommonly isolated Gram-positive pathogens responsible for documented infections in hospitals worldwide. Journal of Antimicrobial Chemotherapy, 2014, 69, 1579-1581.	3.0	16
140	Oritavancin Activity against Staphylococcus aureus Causing Invasive Infections in U.S. and European Hospitals: a 5-Year International Surveillance Program. Antimicrobial Agents and Chemotherapy, 2014, 58, 2921-2924.	3.2	30
141	Revised Reference Broth Microdilution Method for Testing Telavancin: Effect on MIC Results and Correlation with Other Testing Methodologies. Antimicrobial Agents and Chemotherapy, 2014, 58, 5547-5551.	3.2	42
142	Quality Control MIC Ranges Used for Telavancin with Application of a Revised CLSI Reference Broth Microdilution Method. Journal of Clinical Microbiology, 2014, 52, 3399-3401.	3.9	19
143	Decreased Ceftriaxone Susceptibility in Emerging (35B and 6C) and Persisting (19A) Streptococcus pneumoniae Serotypes in the United States, 2011-2012: Ceftaroline Remains Active <i>In Vitro</i> among l²-Lactam Agents. Antimicrobial Agents and Chemotherapy, 2014, 58, 4923-4927.	3.2	19
144	Ceftaroline Activity Tested Against Bacterial Isolates From Pediatric Patients. Pediatric Infectious Disease Journal, 2014, 33, 837-842.	2.0	20

#	Article	IF	CITATIONS
145	Relationship between Ceftolozane-Tazobactam Exposure and Selection for Pseudomonas aeruginosa Resistance in a Hollow-Fiber Infection Model. Antimicrobial Agents and Chemotherapy, 2014, 58, 6024-6031.	3.2	39
146	Update on Acinetobacter Species: Mechanisms of Antimicrobial Resistance and Contemporary In Vitro Activity of Minocycline and Other Treatment Options. Clinical Infectious Diseases, 2014, 59, S367-S373.	5.8	69
147	Summary of Linezolid Activity and Resistance Mechanisms Detected during the 2012 LEADER Surveillance Program for the United States. Antimicrobial Agents and Chemotherapy, 2014, 58, 1243-1247.	3.2	44
148	Resistance surveillance program report for selected European nations (2011). Diagnostic Microbiology and Infectious Disease, 2014, 78, 429-436.	1.8	78
149	Linezolid update: Stable in vitro activity following more than a decade of clinical use and summary of associated resistance mechanisms. Drug Resistance Updates, 2014, 17, 1-12.	14.4	195
150	Zyvox(R) Annual Appraisal of Potency and Spectrum (ZAAPS) Program: report of linezolid activity over 9 years (2004-12). Journal of Antimicrobial Chemotherapy, 2014, 69, 1582-1588.	3.0	67
151	Regional pooling of national data from a small number of sites can be misleading: maybe yes? But data can be complimentary to other studies and valuable to infectious disease physicians!. Diagnostic Microbiology and Infectious Disease, 2014, 80, 91-92.	1.8	0
152	Serotype distribution and antimicrobial susceptibility of USA Streptococcus pneumoniae isolates collected prior to and post introduction of 13-valent pneumococcal conjugate vaccine. Diagnostic Microbiology and Infectious Disease, 2014, 80, 19-25.	1.8	45
153	Update of contemporary antimicrobial resistance rates across China: reference testing results for 12 medical centers (2011). Diagnostic Microbiology and Infectious Disease, 2013, 77, 258-266.	1.8	26
154	Regional Resistance Surveillance Program Results for 12 Asia-Pacific Nations (2011). Antimicrobial Agents and Chemotherapy, 2013, 57, 5721-5726.	3.2	74
155	An international activity and spectrum analysis of linezolid: ZAAPS Program results for 2011. Diagnostic Microbiology and Infectious Disease, 2013, 76, 206-213.	1.8	57
156	Contemporary tetracycline susceptibility testing: doxycycline MIC methods and interpretive criteria (CLSI and EUCAST) performance when testing Gram-positive pathogens. Diagnostic Microbiology and Infectious Disease, 2013, 76, 69-72.	1.8	19
157	Prevalence of β-Lactamase-Encoding Genes among Enterobacteriaceae Bacteremia Isolates Collected in 26 U.S. Hospitals: Report from the SENTRY Antimicrobial Surveillance Program (2010). Antimicrobial Agents and Chemotherapy, 2013, 57, 3012-3020.	3.2	100
158	Contemporary potencies of minocycline and tetracycline HCL tested against Gram-positive pathogens: SENTRY Program results using CLSI and EUCAST breakpoint criteria. Diagnostic Microbiology and Infectious Disease, 2013, 75, 402-405.	1.8	11
159	Update on antimicrobial susceptibility trends among Streptococcus pneumoniae in the United States: report of ceftaroline activity from the SENTRY Antimicrobial Surveillance Program (1998–2011). Diagnostic Microbiology and Infectious Disease, 2013, 75, 107-109.	1.8	80
160	Linezolid Surveillance Results for the United States: LEADER Surveillance Program 2011. Antimicrobial Agents and Chemotherapy, 2013, 57, 1077-1081.	3.2	48
161	Pharmacological Basis of β-Lactamase Inhibitor Therapeutics: Tazobactam in Combination with Ceftolozane. Antimicrobial Agents and Chemotherapy, 2013, 57, 5924-5930.	3.2	62
162	Pharmacokinetics-Pharmacodynamics of Tazobactam in Combination with Ceftolozane in an <i>In Vitro</i> Infection Model. Antimicrobial Agents and Chemotherapy, 2013, 57, 2809-2814.	3.2	79

#	Article	IF	CITATIONS
163	Potency and Spectrum of Activity of AN3365, a Novel Boron-Containing Protein Synthesis Inhibitor, Tested against Clinical Isolates of Enterobacteriaceae and Nonfermentative Gram-Negative Bacilli. Antimicrobial Agents and Chemotherapy, 2013, 57, 2849-2857.	3.2	37
164	Streptococcus sanguinis Isolate Displaying a Phenotype with Cross-Resistance to Several rRNA-Targeting Agents. Journal of Clinical Microbiology, 2013, 51, 2728-2731.	3.9	16
165	Rapid Expansion of KPC-2-Producing <i>Klebsiella pneumoniae</i> Isolates in Two Texas Hospitals due to Clonal Spread of ST258 and ST307 Lineages. Microbial Drug Resistance, 2013, 19, 295-297.	2.0	54
166	The Genetic Environment of the <i>cfr</i> Gene and the Presence of Other Mechanisms Account for the Very High Linezolid Resistance of Staphylococcus epidermidis Isolate 426-3147L. Antimicrobial Agents and Chemotherapy, 2013, 57, 1173-1179.	3.2	36
167	Dissemination of a pSCFS3-Like <i>cfr</i> -Carrying Plasmid in Staphylococcus aureus and Staphylococcus epidermidis Clinical Isolates Recovered from Hospitals in Ohio. Antimicrobial Agents and Chemotherapy, 2013, 57, 2923-2928.	3.2	40
168	Relationship between Ceftolozane-Tazobactam Exposure and Drug Resistance Amplification in a Hollow-Fiber Infection Model. Antimicrobial Agents and Chemotherapy, 2013, 57, 4134-4138.	3.2	38
169	Klebsiella pneumoniae Carbapenemase-Producing Enterobacteriaceae Testing Susceptible to Cefepime by Reference Methods. Journal of Clinical Microbiology, 2013, 51, 2388-2390.	3.9	7
170	Worldwide Appraisal and Update (2010) of Telavancin Activity Tested against a Collection of Gram-Positive Clinical Pathogens from Five Continents. Antimicrobial Agents and Chemotherapy, 2012, 56, 3999-4004.	3.2	35
171	Oritavancin Activity against Vancomycin-Susceptible and Vancomycin-Resistant Enterococci with Molecularly Characterized Glycopeptide Resistance Genes Recovered from Bacteremic Patients, 2009-2010. Antimicrobial Agents and Chemotherapy, 2012, 56, 1639-1642.	3.2	31
172	Oritavancin Microbiologic Features and Activity Results From the Surveillance Program in the United States. Clinical Infectious Diseases, 2012, 54, S203-S213.	5.8	39
173	Transferable Plasmid-Mediated Resistance to Linezolid Due to <i>cfr</i> in a Human Clinical Isolate of Enterococcus faecalis. Antimicrobial Agents and Chemotherapy, 2012, 56, 3917-3922.	3.2	157
174	In Vitro Activity of Ceftaroline Against Multidrug-Resistant Staphylococcus aureus and Streptococcus pneumoniae: A Review of Published Studies and the AWARE Surveillance Program (2008–2010). Clinical Infectious Diseases, 2012, 55, S206-S214.	5.8	78
175	Unmet Needs and Prospects for Oritavancin in the Management of Vancomycin-Resistant Enterococcal Infections. Clinical Infectious Diseases, 2012, 54, S233-S238.	5.8	48
176	Molecular Epidemiology of Staphylococcus epidermidis Clinical Isolates from U.S. Hospitals. Antimicrobial Agents and Chemotherapy, 2012, 56, 4656-4661.	3.2	75
177	ZAAPS Program results for 2010: an activity and spectrum analysis of linezolid using clinical isolates from 75 medical centres in 24 countries. Journal of Chemotherapy, 2012, 24, 328-337.	1.5	18
178	Characterization of Methicillin-Resistant Staphylococcus aureus Strains Recovered from a Phase IV Clinical Trial for Linezolid versus Vancomycin for Treatment of Nosocomial Pneumonia. Journal of Clinical Microbiology, 2012, 50, 3694-3702.	3.9	34
179	Telavancin activity tested against a contemporary collection of Gram-positive pathogens from USA Hospitals (2007–2009). Diagnostic Microbiology and Infectious Disease, 2012, 72, 113-117.	1.8	21
180	LEADER Surveillance program results for 2010: an activity and spectrum analysis of linezolid using 6801 clinical isolates from the United States (61 medical centers). Diagnostic Microbiology and Infectious Disease, 2012, 74, 54-61.	1.8	45

#	Article	IF	CITATIONS
181	Molecular characterization of vancomycin-resistant Enterococcus spp. clinical isolates recovered from hospitalized patients among several medical institutions in China. Diagnostic Microbiology and Infectious Disease, 2012, 74, 399-403.	1.8	23
182	Activity of Ceftaroline-Avibactam Tested against Gram-Negative Organism Populations, including Strains Expressing One or More Î ² -Lactamases and Methicillin-Resistant Staphylococcus aureus Carrying Various Staphylococcal Cassette Chromosome <i>mec</i> Types. Antimicrobial Agents and Chemotherapy, 2012, 56, 4779-4785.	3.2	70
183	Characterization of methicillin-resistant Staphylococcus aureus displaying increased MICs of ceftaroline. Journal of Antimicrobial Chemotherapy, 2012, 67, 1321-1324.	3.0	97
184	Trends in carbapenemase-producing Escherichia coli and Klebsiella spp. from Europe and the Americas: report from the SENTRY antimicrobial surveillance programme (2007–09). Journal of Antimicrobial Chemotherapy, 2011, 66, 1409-1411.	3.0	65
185	Comparative ceftaroline activity tested against pathogens associated with community-acquired pneumonia: results from an international surveillance study. Journal of Antimicrobial Chemotherapy, 2011, 66, iii69-iii80.	3.0	43
186	Update on the telavancin activity tested against European staphylococcal clinical isolates (2009–2010). Diagnostic Microbiology and Infectious Disease, 2011, 71, 93-97.	1.8	22
187	Plasmid-borne vga(A)-encoding gene in methicillin-resistant Staphylococcus aureus ST398 recovered from swine and a swine farmer in the United States. Diagnostic Microbiology and Infectious Disease, 2011, 71, 177-180.	1.8	18
188	LEADER Program Results for 2009: an Activity and Spectrum Analysis of Linezolid Using 6,414 Clinical Isolates from 56 Medical Centers in the United States. Antimicrobial Agents and Chemotherapy, 2011, 55, 3684-3690.	3.2	79
189	Early Dissemination of NDM-1- and OXA-181-Producing <i>Enterobacteriaceae</i> in Indian Hospitals: Report from the SENTRY Antimicrobial Surveillance Program, 2006-2007. Antimicrobial Agents and Chemotherapy, 2011, 55, 1274-1278.	3.2	303
190	In Vitro Antimicrobial Findings for Fusidic Acid Tested Against Contemporary (2008–2009) Gram-Positive Organisms Collected in the United States. Clinical Infectious Diseases, 2011, 52, S477-S486.	5.8	38
191	Comment on: Role of changes in the L3 loop of the active site in the evolution of enzymatic activity of VIM-type metallo-Â-lactamases. Journal of Antimicrobial Chemotherapy, 2011, 66, 684-685.	3.0	12
192	Telavancin activity against Gram-positive bacteria isolated from respiratory tract specimens of patients with nosocomial pneumonia. Journal of Antimicrobial Chemotherapy, 2010, 65, 2396-2404.	3.0	35
193	<i>In Vitro</i> Activity of Telavancin against a Contemporary Worldwide Collection of <i>Staphylococcus aureus</i> Isolates. Antimicrobial Agents and Chemotherapy, 2010, 54, 2704-2706.	3.2	27
194	Ceftaroline activity against pathogens associated with complicated skin and skin structure infections: results from an international surveillance study. Journal of Antimicrobial Chemotherapy, 2010, 65, iv17-iv31.	3.0	61
195	Assessment of linezolid resistance mechanisms among Staphylococcus epidermidis causing bacteraemia in Rome, Italy. Journal of Antimicrobial Chemotherapy, 2010, 65, 2329-2335.	3.0	126
196	Characterization of Baseline Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates Recovered from Phase IV Clinical Trial for Linezolid. Journal of Clinical Microbiology, 2010, 48, 568-574.	3.9	40
197	First Report of Staphylococcal Clinical Isolates in Mexico with Linezolid Resistance Caused by <i>cfr</i> : Evidence of <i>In Vivo cfr</i> Mobilization. Journal of Clinical Microbiology, 2010, 48, 3041-3043.	3.9	56
198	Activity of telavancin and comparator antimicrobial agents tested against Staphylococcus spp. isolated from hospitalised patients in Europe (2007–2008). International Journal of Antimicrobial Agents, 2010, 36, 374-379.	2.5	22

#	Article	IF	CITATIONS
199	Occurrence and molecular characterization of fusidic acid resistance mechanisms among Staphylococcus spp. from European countries (2008). Journal of Antimicrobial Chemotherapy, 2010, 65, 1353-1358.	3.0	89
200	Spectrum of activity, mutation rates, synergistic interactions, and the effects of pH and serum proteins for fusidic acid (CEM-102). Diagnostic Microbiology and Infectious Disease, 2010, 66, 301-307.	1.8	20
201	Worldwide summary of telavancin spectrum and potency against Gram-positive pathogens: 2007 to 2008 surveillance results. Diagnostic Microbiology and Infectious Disease, 2010, 67, 359-368.	1.8	31
202	Comprehensive assessment of tigecycline activity tested against a worldwide collection of Acinetobacter spp. (2005–2009). Diagnostic Microbiology and Infectious Disease, 2010, 68, 307-311.	1.8	41
203	Stability of linezolid activity in an era of mobile oxazolidinone resistance determinants: results from the 2009 Zyvox® Annual Appraisal of Potency and Spectrum program. Diagnostic Microbiology and Infectious Disease, 2010, 68, 459-467.	1.8	39
204	Daptomycin Activity Tested Against Linezolid-Nonsusceptible Gram-Positive Clinical Isolates. Microbial Drug Resistance, 2009, 15, 245-249.	2.0	14
205	Resurgence of Pseudomonas Endocarditis in Detroit, 2006-2008. Medicine (United States), 2009, 88, 294-301.	1.0	53
206	TR-700 in vitro activity against and resistance mutation frequencies among Gram-positive pathogens. Journal of Antimicrobial Chemotherapy, 2009, 63, 716-720.	3.0	37
207	Codetection of <i>bla</i> _{OXA-23} -Like Gene (<i>bla</i> _{OXA-133}) and <i>bla</i> _{OXA-58} in <i>Acinetobacter radioresistens</i> : Report from the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2009, 53, 843-844.	3.2	16
208	Case Report of <i>Aurantimonas altamirensis</i> Bloodstream Infection. Journal of Clinical Microbiology, 2009, 47, 514-515.	3.9	17
209	Clonal dissemination of two clusters of Acinetobacter baumannii producing OXA-23 or OXA-58 in Rome, Italy. Clinical Microbiology and Infection, 2009, 15, 588-592.	6.0	24
210	Linezolid surveillance program results for 2008 (LEADER Program for 2008). Diagnostic Microbiology and Infectious Disease, 2009, 65, 392-403.	1.8	76
211	Doripenem activity tested against a global collection of Enterobacteriaceae, including isolates resistant to other extended-spectrum agents. Diagnostic Microbiology and Infectious Disease, 2009, 63, 415-425.	1.8	22
212	Antimicrobial activity of tigecycline against community-acquired methicillin-resistant Staphylococcus aureus isolates recovered from North American medical centers. Diagnostic Microbiology and Infectious Disease, 2008, 60, 433-436.	1.8	41
213	United States resistance surveillance results for linezolid (LEADER Program for 2007). Diagnostic Microbiology and Infectious Disease, 2008, 62, 416-426.	1.8	80
214	First Report of <i>cfr</i> -Mediated Resistance to Linezolid in Human Staphylococcal Clinical Isolates Recovered in the United States. Antimicrobial Agents and Chemotherapy, 2008, 52, 2244-2246.	3.2	203
215	Prevalence of and Molecular Basis for Tuberculosis Drug Resistance in the Republic of Georgia: Validation of a QIAplex System for Detection of Drug Resistance-Related Mutations. Antimicrobial Agents and Chemotherapy, 2008, 52, 725-729.	3.2	35
216	Rapid Emergence of <i>bla</i> _{CTX-M} Among Enterobacteriaceae in U.S. Medical Centers: Molecular Evaluation from the MYSTIC Program (2007). Microbial Drug Resistance, 2008, 14, 211-216.	2.0	79

#	Article	IF	CITATIONS
217	Metallo-β-Lactamase Detection: Comparative Evaluation of Double-Disk Synergy versus Combined Disk Tests for IMP-, GIM-, SIM-, SPM-, or VIM-Producing Isolates. Journal of Clinical Microbiology, 2008, 46, 2028-2037.	3.9	120
218	Increased Antimicrobial Susceptibility Profiles among Polymyxinâ€Resistant <i>Acinetobacter baumannii</i> Clinical Isolates. Clinical Infectious Diseases, 2008, 46, 1324-1326.	5.8	20
219	Carbapenem-Resistant Isolates of <i>Klebsiella pneumoniae</i> in China and Detection of a Conjugative Plasmid (<i>bla</i> _{KPC-2} plus <i>qnrB4</i>) and a <i>bla</i> _{IMP-4} Gene. Antimicrobial Agents and Chemotherapy, 2008, 52, 798-799.	3.2	53
220	Emergence and widespread dissemination of OXA-23, -24/40 and -58 carbapenemases among Acinetobacter spp. in Asia-Pacific nations: report from the SENTRY Surveillance Program. Journal of Antimicrobial Chemotherapy, 2008, 63, 55-59.	3.0	139
221	Characterization of an Integron Carrying bla IMP-1 and a New Aminoglycoside Resistance Gene, aac(6′)-31 , and Its Dissemination among Genetically Unrelated Clinical Isolates in a Brazilian Hospital. Antimicrobial Agents and Chemotherapy, 2007, 51, 2611-2614.	3.2	60
222	Rapid Detection and Identification of Metallo-β-Lactamase-Encoding Genes by Multiplex Real-Time PCR Assay and Melt Curve Analysis. Journal of Clinical Microbiology, 2007, 45, 544-547.	3.9	259
223	Dissemination and diversity of metallo-l²-lactamases in Latin America: report from the SENTRY Antimicrobial Surveillance Program. International Journal of Antimicrobial Agents, 2005, 25, 57-61.	2.5	93
224	First Isolation of bla VIM-2 in Latin America: Report from the SENTRY Antimicrobial Surveillance Program. Antimicrobial Agents and Chemotherapy, 2004, 48, 1433-1434.	3.2	45
225	Integron Carrying a Novel Metallo-β-Lactamase Gene, bla IMP-16 , and a Fused Form of Aminoglycoside-Resistant Gene aac(6′)-30/aac(6′)-lb′ : Report from the SENTRY Antimicrobial Surveilland Program. Antimicrobial Agents and Chemotherapy, 2004, 48, 4693-4702.	ce 3.2	86