

Anna Gägor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6535492/publications.pdf>

Version: 2024-02-01

139
papers

4,317
citations

126708

33
h-index

128067

60
g-index

144
all docs

144
docs citations

144
times ranked

4772
citing authors

#	ARTICLE	IF	CITATIONS
1	Methylhydrazinium lead iodide – one dimensional chain phase with excitonic absorption and large energy band gap. <i>Journal of Molecular Structure</i> , 2022, 1249, 131660.	1.8	8
2	Structural phase transitions in novel hydrogen-bonded cyanide-based crystal of [C ₄ H ₈ NH ₂] ₂ [(H ₃ O)Co(CN) ₆]. <i>Journal of Molecular Structure</i> , 2022, 1252, 132143.	1.8	3
3	Three-Dimensional Methylhydrazinium Lead Halide Perovskites: Structural Changes and Effects on Dielectric, Linear, and Nonlinear Optical Properties Entailed by the Halide Tuning. <i>Journal of Physical Chemistry C</i> , 2022, 126, 1600-1610.	1.5	34
4	(C ₃ N ₂ H ₅) ₃ Sb ₂ I ₉ and (C ₃ N ₂ H ₅) ₃ Bi ₂ I ₉ : ferroelastic lead-free hybrid perovskite-like materials as potential semiconducting absorbers. <i>Dalton Transactions</i> , 2022, 51, 1850-1860.	1.6	17
5	More complex than originally thought: revisiting the origins of the relaxation processes in dimethylammonium zinc formate. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6866-6877.	2.7	5
6	A rare diiodo-L-tyrosine copper(II) complexes – Crystal and molecular structure of materials stabilized by weak interactions. <i>Polyhedron</i> , 2022, 219, 115780.	1.0	0
7	Determination of ultra-trace gold in cosmetics using aluminum-magnesium layered double hydroxide/graphene oxide nanocomposite. <i>Talanta</i> , 2022, 245, 123460.	2.9	9
8	Structural, magnetic and photoluminescence properties of new hybrid hypophosphites: discovery of the first noncentrosymmetric and two cobalt-based members. <i>Dalton Transactions</i> , 2022, 51, 9094-9102.	1.6	3
9	Hydroxyalkyl-substituted double-decker silsesquioxanes: effective separation of <i>cis</i> and <i>trans</i> isomers. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 3999-4008.	3.0	9
10	Thiosemicarbazide-grafted graphene oxide as superior adsorbent for highly efficient and selective removal of mercury ions from water. <i>Separation and Purification Technology</i> , 2021, 254, 117606.	3.9	35
11	Toward the Undiscovered Dielectric Properties of Hybrid Acetamidinium Manganese Formate under High Pressure. <i>Journal of Physical Chemistry C</i> , 2021, 125, 908-914.	1.5	7
12	Benzyltrimethylammonium cadmium dicyanamide with polar order in multiple phases and prospects for linear and nonlinear optical temperature sensing. <i>Dalton Transactions</i> , 2021, 50, 10580-10592.	1.6	3
13	Nano-bismuth sulfide based dispersive micro-solid phase extraction combined with energy dispersive X-ray fluorescence spectrometry for determination of mercury ions in waters. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 786-795.	1.6	14
14	Highly selective and sensitive determination of mercury ions by total-reflection X-ray fluorescence spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 1533-1543.	1.6	5
15	[Methylhydrazinium] ₂ PbBr ₄ , a Ferroelectric Hybrid Organic–Inorganic Perovskite with Multiple Nonlinear Optical Outputs. <i>Chemistry of Materials</i> , 2021, 33, 2331-2342.	3.2	97
16	Graphene oxide decorated with fullerene nanoparticles for highly efficient removal of Pb(II) ions and ultrasensitive detection by total-reflection X-ray fluorescence spectrometry. <i>Separation and Purification Technology</i> , 2021, 277, 119450.	3.9	17
17	Cadmium and manganese hypophosphite perovskites templated by formamidinium cations: dielectric, optical and magnetic properties. <i>Dalton Transactions</i> , 2021, 50, 2639-2647.	1.6	17
18	Multiple rotor modes and how to trigger them: complex cation ordering in the family of relaxing hybrid formates. <i>Dalton Transactions</i> , 2021, 50, 17906-17910.	1.6	1

#	ARTICLE	IF	CITATIONS
19	The cation-dependent structural, magnetic and optical properties of a family of hypophosphite hybrid perovskites. Dalton Transactions, 2021, 51, 352-360.	1.6	7
20	Suppression of phase transitions and glass phase signatures in mixed cation halide perovskites. Nature Communications, 2020, 11, 5103.	5.8	46
21	Two-dimensional metal dicyanamide frameworks of BeTriMe[M(dca) ₃ (H ₂ O)] (BeTriMe = Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5) magnetic orders and nonlinear optical threshold temperature sensing. Journal of Materials Chemistry C, 2020, 8, 11735-11747.	2.7	14
22	Cellulose mini-membranes modified with TiO ₂ for separation, determination, and speciation of arsenates and selenites. Mikrochimica Acta, 2020, 187, 430.	2.5	14
23	Crystal and molecular structure stabilized by weak interaction in unique 3,5-diiodo-L-tyrosinato copper(II) complex – synthesis, experimental and theoretical studies. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2020, 262, 114723.	1.7	2
24	Relaxing under pressure with a rigid niccolite formate framework. Journal of Materials Chemistry C, 2020, 8, 16736-16741.	2.7	7
25	Novel hypophosphite hybrid perovskites of [CH ₃ NH ₂][Mn(H ₂ POO) ₃] and [CH ₃ NH ₂][Mn(H ₂ POO) _{2.83} (HCOO) _{0.17}] exhibiting antiferromagnetic order and red photoluminescence. RSC Advances, 2020, 10, 19020-19026.	1.7	21
26	Pyrrolidinium-Based Cyanides: Unusual Architecture and Dielectric Switchability Triggered by Order–Disorder Process. Inorganic Chemistry, 2020, 59, 8855-8863.	1.9	33
27	[NH ₂ CHNH ₂] ₃ Sb ₂ I ₉ : a lead-free and low-toxicity organic–inorganic hybrid ferroelectric based on antimony(III) as a potential semiconducting absorber. Inorganic Chemistry Frontiers, 2020, 7, 1780-1789.	3.0	21
28	Ferroelectricity in a lead free organic–inorganic OD hybrid: formamidinium bromoantimonate (SCPA-100). Journal of Materials Chemistry C, 2020, 8, 5025-5028.	2.7	11
29	1D metal-oxalates H ₂ DABCO[M(C ₂ O ₄) ₂ ·3H ₂ O] (M(II): Co, Mg, Zn): phase transitions and magnetic, dielectric, and phonon properties. Journal of Materials Chemistry C, 2020, 8, 6254-6263.	2.7	8
30	Three-Dimensional Perovskite Methylhydrazinium Lead Chloride with Two Polar Phases and Unusual Second-Harmonic Generation Bistability above Room Temperature. Chemistry of Materials, 2020, 32, 4072-4082.	3.2	104
31	Peculiarities of Dipolar Ordering in Mixed Cation Halide Perovskites. , 2020, , .		0
32	Structural, phonon, magnetic and optical properties of novel perovskite-like frameworks of TriBuMe[M(dca) ₃] (TriBuMe = tributylmethylammonium; dca = dicyanamide; M = Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22) 48, 13006-13016.	1.6	39
33	Graphene Oxide/Carbon Nanotube Membranes for Highly Efficient Removal of Metal Ions from Water. ACS Applied Materials & Interfaces, 2019, 11, 28582-28590.	4.0	69
34	Simulation of Structural Phase Transitions in Perovskite Methylhydrazinium Metal–Formate Frameworks: Coupled Ising and Potts Models. Journal of Physical Chemistry C, 2019, 123, 19912-19919.	1.5	5
35	Exploring a hybrid ferroelectric with a 1-D perovskite-like structure: bis(pyrrolidinium) pentachloroantimonate (SCPA-100). Journal of Materials Chemistry C, 2019, 7, 10360-10370.	2.7	28
36	A green analytical method for ultratrace determination of hexavalent chromium ions based on micro-solid phase extraction using amino-silanized cellulose membranes. Microchemical Journal, 2019, 149, 104060.	2.3	25

#	ARTICLE	IF	CITATIONS
37	Impact of the Copper-Induced Local Framework Deformation on the Mechanism of Structural Phase Transition in $[(\text{CH}_3)_2\text{NH}]_2[\text{Zn}(\text{HCOO})_3]$ Hybrid Metal-Organic Framework Perovskite. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23594-23603.	1.5	12
38	Layered Lead Iodide of $[\text{Methylhydrazinium}]_2\text{PbI}_4$ with a Reduced Band Gap: Thermochromic Luminescence and Switchable Dielectric Properties Triggered by Structural Phase Transitions. <i>Chemistry of Materials</i> , 2019, 31, 8563-8575.	3.2	72
39	Lead-free hybrid ferroelectric material based on formamidine: $[\text{NH}_2\text{CHNH}_2]_3\text{Bi}_2\text{I}_9$. <i>Journal of Materials Chemistry C</i> , 2019, 7, 3003-3014.	2.7	39
40	Temperature- and pressure-dependent studies of a highly flexible and compressible perovskite-like cadmium dicyanamide framework templated with protonated tetrapropylamine. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2408-2420.	2.7	32
41	Phase transition in the extreme: a cubic-to-triclinic symmetry change in dielectrically switchable cyanide perovskites. <i>Dalton Transactions</i> , 2019, 48, 15830-15840.	1.6	31
42	Polymorphism in $\text{LiN}(\text{CF}_3\text{SO}_2)_2$. <i>Solid State Ionics</i> , 2019, 330, 9-16.	1.3	8
43	Graphene Oxide Decorated with Cerium(IV) Oxide in Determination of Ultratrace Metal Ions and Speciation of Selenium. <i>Analytical Chemistry</i> , 2018, 90, 4150-4159.	3.2	25
44	Phase transitions in ferroelectric 4-aminopyridinium tetrachloroantimonate(III) revisited. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2018, 74, 217-225.	0.5	6
45	Highly selective determination of ultratrace inorganic arsenic species using novel functionalized miniaturized membranes. <i>Analytica Chimica Acta</i> , 2018, 1008, 57-65.	2.6	20
46	Ceria nanoparticles deposited on graphene nanosheets for adsorption of copper(II) and lead(II) ions and of anionic species of arsenic and selenium. <i>Mikrochimica Acta</i> , 2018, 185, 264.	2.5	33
47	Determination and speciation of ultratrace arsenic and chromium species using aluminium oxide supported on graphene oxide. <i>Talanta</i> , 2018, 185, 264-274.	2.9	37
48	Synthesis, magnetic and vibrational properties of two novel mixed-valence iron(II)-iron(III) formate frameworks. <i>Journal of Solid State Chemistry</i> , 2018, 258, 163-169.	1.4	8
49	Temperature-dependent studies of a new two-dimensional cadmium dicyanamide framework exhibiting an unusual temperature-induced irreversible phase transition into a three-dimensional perovskite-like framework. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 29951-29958.	1.3	26
50	Alumina/nano-graphite composite as a new nanosorbent for the selective adsorption, preconcentration, and determination of chromium in water samples by EDXRF. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 7793-7802.	1.9	16
51	Ferroelectricity and Ferroelasticity in Organic Inorganic Hybrid $(\text{Pyrrolidinium})_3[\text{Sb}_2\text{Cl}_9]$. <i>Chemistry of Materials</i> , 2018, 30, 4597-4608.	3.2	65
52	A paraelectric-ferroelectric phase transition of an organically templated zinc oxalate coordination polymer. <i>Dalton Transactions</i> , 2018, 47, 11308-11312.	1.6	15
53	On the origin of ferroelectric structural phases in perovskite-like metal-organic formate. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9420-9429.	2.7	34
54	Heterometallic perovskite-type metal-organic framework with an ammonium cation: structure, phonons, and optical response of $[\text{NH}_4]\text{Na}_{0.5}\text{Cr}_x\text{Al}_{0.5-x}(\text{HCOO})_3$ ($x = 0, 0.025$ and 0.5). <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 22284-22295.	1.3	19

#	ARTICLE	IF	CITATIONS
55	Phase sequence in diisopropylammonium iodide: avoided ferroelectricity by the appearance of a reconstructed phase. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 553-558.	3.0	18
56	Dielectric relaxation and anhydrous proton conduction in $[C_2H_5NH_3][Na_{0.5}Fe_{0.5}(HCOO)_3]$ metal-organic frameworks. <i>Dalton Transactions</i> , 2017, 46, 3681-3687.	1.6	19
57	Phase Transitions and Coexistence of Magnetic and Electric Orders in the Methylhydrazinium Metal Formate Frameworks. <i>Chemistry of Materials</i> , 2017, 29, 2264-2275.	3.2	136
58	The order-disorder state of diaminoalkanes in Cu-based metal-organic materials. <i>Journal of Coordination Chemistry</i> , 2017, 70, 1536-1547.	0.8	8
59	Structure, proton conductivity and molecular dynamics of guanidine zinc sulfate. <i>Solid State Ionics</i> , 2017, 303, 113-118.	1.3	2
60	Vibrational and magnetic properties of $[C_2H_5NH_3][Fe^{III}M^{II}(HCOO)_6]$ (M = Mn, Ni) and $[C_2H_5NH_3][Cr^{III}Mn^{II}(HCOO)_6]$ framework compounds. <i>Vibrational Spectroscopy</i> , 2017, 90, 74-80.	1.2	7
61	The effect of K^+ cations on the phase transitions, and structural, dielectric and luminescence properties of $[cat][K_{0.5}Cr_{0.5}(HCOO)_3]$, where cat is protonated dimethylamine or ethylamine. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 12156-12166.	1.3	31
62	Semiconducting-metallic transition of singlecrystalline ferromagnetic Hf-doped $CuCr_2Se_4$ spinels. <i>Physica B: Condensed Matter</i> , 2017, 520, 116-122.	1.3	7
63	Ferroelectricity in bis(ethylammonium) pentachlorobismuthate ($[(C_2H_5NH_3)_2BiCl_5]$): synthesis, structure, polar and spectroscopic properties. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1281-1286.	3.0	36
64	Suppression of the commensurate magnetic phase in nanosized $h_2/4$ bnerite (MnW_4O_{11}) . <i>Physical Review B</i> , 2017, 95, .	1.1	0
65	The lone-pair-electron-driven phase transition and order-disorder processes in thermochromic $(2-Mlm)Sb_4$ organic-inorganic hybrid. <i>Dalton Transactions</i> , 2017, 46, 16605-16614.	1.6	20
66	Crystal and molecular structures, IR and Raman spectra, vibrational dynamics of aquo 7-methyl-1H-[1,2,3]triazolo[4,5-c]pyridinium nitrate - a new composite material. <i>Journal of Molecular Structure</i> , 2017, 1133, 9-17.	1.8	4
67	Synthesis and characterization of two novel chiral-type formate frameworks templated by protonated diethylamine and ammonium cations. <i>Journal of Solid State Chemistry</i> , 2017, 245, 23-29.	1.4	7
68	Structural, thermal, dielectric and phonon properties of perovskite-like imidazolium magnesium formate. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 13993-14000.	1.3	43
69	Phase transitions and chromium luminescence in perovskite-type $[C_2H_5NH_3][Na_xCr_xAl_{0.5-x}(HCOO)_3]$ ($x = 0, 0.025, 0.5$), correlated with structural, dielectric and phonon properties. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 29629-29640.	1.3	38
70	Graphene oxide/cellulose membranes in adsorption of divalent metal ions. <i>RSC Advances</i> , 2016, 6, 96595-96605.	1.7	95
71	Structure-property relationships in hybrid $(C_3H_5N_2)_3[Sb_2I_9]$ and $(C_3H_5N_2)_3[Bi_2I_9]$ isomorphs. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 1306-1316.	3.0	47
72	Strong piezoelectricity in $[H^{\delta-}(2\text{-pyridyl})\text{-Ala-OH}][BF_4]$ and $[H^{\delta-}(2\text{-pyridyl})\text{-Ala-OH}][ClO_4]$ - new amino acid based hybrid crystals. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7622-7631.	2.7	8

#	ARTICLE	IF	CITATIONS
73	Temperature-dependent IR and Raman studies of metal-organic frameworks [(CH ₃) ₂ NH ₂][M(HCOO) ₃], M=Mg and Cd. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 159, 35-41.	2.0	33
74	Experimental and theoretical studies of structural phase transition in a novel polar perovskite-like [C ₂ H ₅ NH ₃][Na _{0.5} Fe _{0.5} (HCOO) ₃] formate. <i>Dalton Transactions</i> , 2016, 45, 2574-2583.	1.6	103
75	Temperature- and pressure-induced phase transitions in the niccolite-type formate framework of [H ₃ N(CH ₃) ₃] ₄ NH ₃][Mn ₂ (HCOO) ₆]. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3185-3194.	2.7	36
76	Dielectric relaxation behavior in antiferroelectric metal organic framework [(CH ₃) ₂ NH ₂][Fe ^{III} Fe ^{II} (HCOO) ₆] single crystals. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 8462-8467.	1.3	37
77	Structural, magnetic and phonon properties of Cr(III)-doped perovskite metal formate framework [(CH ₃) ₂ NH ₂][Mn(HCOO) ₃]. <i>Journal of Solid State Chemistry</i> , 2016, 237, 150-158.	1.4	30
78	Synthesis, structure and optical properties of two novel luminescent polar dysprosium metal-organic frameworks: [(CH ₃) ₂ NH ₂][Dy(HCOO) ₄] and [N ₂ H ₅][Dy(HCOO) ₄]. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1019-1028.	2.7	16
79	Structural, magnetic and dielectric properties of two novel mixed-valence iron(II)-iron(III) metal formate frameworks. <i>Journal of Materials Chemistry C</i> , 2016, 4, 1186-1193.	2.7	49
80	Growth and characterization of acentric BaHf(BO ₃) ₂ and BaZr(BO ₃) ₂ . <i>Journal of Solid State Chemistry</i> , 2015, 225, 330-334.	1.4	18
81	Temperature-dependent studies of [(CH ₃) ₂ NH ₂][Fe ^{III} M ^{II} (HCOO) ₆] frameworks (M ^{II} = Fe and Mg): structural, magnetic, dielectric and phonon properties. <i>Dalton Transactions</i> , 2015, 44, 8846-8854.	1.6	56
82	Synthesis and characterization of novel niccolites [(CH ₃) ₂ NH ₂][Fe ^{III} M ^{II} (HCOO) ₆] (M ^{II} = Zn, Ni, Cu). <i>Dalton Transactions</i> , 2015, 44, 13234-13241.	1.6	46
83	Metal-organic framework in an L-arginine copper(II) ion polymer: structure, properties, theoretical studies and microbiological activity. <i>RSC Advances</i> , 2015, 5, 36295-36306.	1.7	31
84	Periodic and incommensurately modulated phases in a (2-methylimidazolium)tetraiodobismuthate(III) thermochromic organic-inorganic hybrid. <i>CrystEngComm</i> , 2015, 17, 3286-3296.	1.3	71
85	Polar and antiferroelectric behaviour of a hybrid crystal - piperazinium perchlorate. <i>CrystEngComm</i> , 2015, 17, 3171-3180.	1.3	18
86	Brillouin scattering, DSC, dielectric and X-ray diffraction studies of phase transitions in antiferroelectric PbHfO ₃ :Sn. <i>Journal of Alloys and Compounds</i> , 2015, 622, 935-941.	2.8	16
87	Synthesis, crystal structure and physical properties of EuTGe ₃ (T = Co, Ni, Rh, Pd, Ir, Pt) single crystals. <i>Journal of Alloys and Compounds</i> , 2015, 622, 432-439.	2.8	28
88	Synthesis, crystal structure, magnetic and vibrational properties of formamidine-templated Co and Fe formates. <i>Polyhedron</i> , 2015, 85, 137-143.	1.0	38
89	Piezoelectricity and crystal structure of H ₂ overline{H}-(2-Pyridyl)-Ala-OH amino acid microcrystals. <i>Journal of Molecular Structure</i> , 2014, 1075, 213-219.	1.8	6
90	Structural, spectroscopic and magnetic properties of a novel copper(II)-tyrosinato complex. <i>RSC Advances</i> , 2014, 4, 63150-63161.	1.7	13

#	ARTICLE	IF	CITATIONS
91	The phase transitions in CsFe(MoO ₄) ₂ triangular lattice antiferromagnet, neutron diffraction and high pressure studies. <i>Journal of Alloys and Compounds</i> , 2014, 607, 104-109.	2.8	7
92	Suspended Aminosilanized Graphene Oxide Nanosheets for Selective Preconcentration of Lead Ions and Ultrasensitive Determination by Electrothermal Atomic Absorption Spectrometry. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 20144-20153.	4.0	91
93	Order-Disorder Transition and Weak Ferromagnetism in the Perovskite Metal Formate Frameworks of [(CH ₃) ₂ NH] ₂ [M(HCOO) ₃] and [(CH ₃) ₂ ND] ₂ [M(HCOO) ₃] (M = Ni, Mn). <i>Inorganic Chemistry</i> , 2014, 53, 457-467.	1.9	176
94	Spectroscopic characterization of genetically modified flax fibers. <i>Journal of Molecular Structure</i> , 2014, 1074, 321-329.	1.8	9
95	Thermal properties of Er:Li ₂ TiGeO ₅ ferroelastic ceramics. <i>Ceramics International</i> , 2014, 40, 8027-8031.	2.3	0
96	Order-disorder phenomena in layered CuCrSe ₂ crystals. <i>Materials Chemistry and Physics</i> , 2014, 146, 283-288.	2.0	19
97	Perovskite Metal Formate Framework of [NH ₂ -CH ₂ -NH ₂] ₂ Mn(HCOO) ₃ : Phase Transition, Magnetic, Dielectric, and Phonon Properties. <i>Inorganic Chemistry</i> , 2014, 53, 5260-5268.	1.9	148
98	Improved properties of micronized genetically modified flax fibers. <i>Journal of Biotechnology</i> , 2013, 164, 292-299.	1.9	16
99	Synthesis, crystal structure and phase transitions of a series of imidazolium iodides. <i>CrystEngComm</i> , 2013, 15, 5633.	1.3	38
100	Nano islet formation of formyl- and carboxyferrocene, -ruthenocene, -osmocene and cobaltocenium on amine-functionalized silicon wafers highlighted by crystallographic, AFM and XPS studies. <i>Journal of Organometallic Chemistry</i> , 2013, 745-746, 393-403.	0.8	20
101	Temperature-dependent XRD, IR, magnetic, SEM and TEM studies of Jahn-Teller distorted NiCr ₂ O ₄ powders. <i>Journal of Solid State Chemistry</i> , 2013, 201, 270-279.	1.4	67
102	Single-crystal structure of vanadium-doped La ₂ Mo ₂ O ₉ . <i>Crystallography Reports</i> , 2013, 58, 829-834.	0.1	6
103	Structural and Vibrational Properties of Imidazo[4,5-c]pyridine, a Structural Unit in Natural Products. <i>Journal of Natural Products</i> , 2013, 76, 1637-1646.	1.5	4
104	Room-temperature ferroelectricity in diisopropylammonium bromide. <i>CrystEngComm</i> , 2013, 15, 940-944.	1.3	81
105	Phase equilibria in the Dy-Fe-In system and crystal structure of Dy ₆ Fe _{1.72} In. <i>Intermetallics</i> , 2013, 37, 22-26.	1.8	9
106	Critical behavior of the 3D-Ising ferromagnets Cd[Cr _x Ti _y]Se ₄ . <i>Journal of Physics and Chemistry of Solids</i> , 2013, 74, 1419-1425.	1.9	2
107	Non-isostructural arrangement in the crystals of 2-bromo- and 2-iodobenzyl alcohols. The influence of Br-Br interactions. <i>Journal of Molecular Structure</i> , 2013, 1054-1055, 117-122.	1.8	2
108	The IR temperature studies of phase transition of 4-aminopyridinium-hydrogen maleate-maleic acid: Isotopic effect and nonlinear optical properties. <i>Vibrational Spectroscopy</i> , 2013, 66, 93-103.	1.2	4

#	ARTICLE	IF	CITATIONS
127	Symmetry of LaAlO ₃ nanocrystals as a function of crystallite size. <i>Journal of Solid State Chemistry</i> , 2010, 183, 2095-2100.	1.4	43
128	Pentapotassium europium(III) dilithium decafluoride, K ₅ EuLi ₂ F ₁₀ . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, i82-i82.	0.2	3
129	Spectroscopic investigations of Gd ₃ Sc ₂ Ga ₃ O ₁₂ garnet doped with Cr ³⁺ and Nd ³⁺ ions. <i>Journal of Rare Earths</i> , 2009, 27, 560-563.	2.5	5
130	Heavy-Fermion Behavior and Electrochemistry of Li _{1.27} Mn _{1.73} O ₄ . <i>Chemistry of Materials</i> , 2009, 21, 2525-2533.	3.2	26
131	Pentapotassium praseodymium(III) dilithium decafluoride, K ₅ PrLi ₂ F ₁₀ . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, i81-i81.	0.2	3
132	Hexacopper(I) phosphorus(V) bromide penta(selenide/sulfide), Cu ₆ P(Se _{0.7} S _{0.3}) ₅ Br. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2008, 64, i33-i34.	0.4	3
133	From six- to five-coordinated Sb ^{III} in [(CH ₃) ₃ PH] ₃ [Sb ₂ Cl ₉]: transition pathways from single-crystal X-ray diffraction. <i>Acta Crystallographica Section B: Structural Science</i> , 2008, 64, 558-566.	1.8	14
134	Structural aspects of fast copper mobility in Cu ₆ PS ₅ Cl – The best solid electrolyte from series. <i>Journal of Solid State Chemistry</i> , 2008, 181, 777-782.	1.4	18
135	[² H ₃]Sarcosine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o4694-o4694.	0.2	2
136	Crystal structure and vibrational properties of new luminescent hosts K ₃ YF ₆ and K ₃ GdF ₆ . <i>Journal of Solid State Chemistry</i> , 2006, 179, 3145-3150.	1.4	28
137	Structural phase transitions and conduction properties of superionic, ferroelastic Cu ₆ PS ₅ Br _{1-x} single crystals (x = 1, 0.75, 0.5, 0.25). <i>Journal of Physics Condensed Matter</i> , 2006, 18, 4489-4502.	0.7	7
138	Cu ⁺ ordering in Cu ₆ PS ₅ I and Cu ₆ PSe ₅ I ionic conductors. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2006, 62, s191-s191.	0.3	1
139	Diffusion paths formation for Cu ⁺ ions in superionic Cu ₆ PS ₅ I single crystals studied in terms of structural phase transition. <i>Journal of Solid State Chemistry</i> , 2005, 178, 3366-3375.	1.4	57