

Frank von der Kammer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6536639/publications.pdf>

Version: 2024-02-01

114
papers

9,164
citations

36203

51
h-index

39575

94
g-index

119
all docs

119
docs citations

119
times ranked

8565
citing authors

#	ARTICLE	IF	CITATIONS
1	Refinement of the selection of physicochemical properties for grouping and read-across of nanoforms. <i>NanoImpact</i> , 2022, 25, 100375.	2.4	6
2	Rapid analysis of gunshot residues with single-particle inductively coupled plasma time-of-flight mass spectrometry. <i>Forensic Science International</i> , 2022, 332, 111202.	1.3	11
3	Towards Standardization for Determining Dissolution Kinetics of Nanomaterials in Natural Aquatic Environments: Continuous Flow Dissolution of Ag Nanoparticles. <i>Nanomaterials</i> , 2022, 12, 519.	1.9	5
4	Exploring Nanogeochemical Environments: New Insights from Single Particle ICP-TOFMS and AF4-ICPMS. <i>ACS Earth and Space Chemistry</i> , 2022, 6, 943-952.	1.2	9
5	Assessing the Lability and Environmental Mobility of Organically Bound Copper by Stable Isotope Dilution. <i>Environmental Science & Technology</i> , 2022, 56, 5580-5589.	4.6	2
6	Solving Familiar Problems: Leveraging Environmental Testing Methods for Nanomaterials to Evaluate Microplastics and Nanoplastics. <i>Nanomaterials</i> , 2022, 12, 1332.	1.9	5
7	Freshwater suspended particulate matter—Key components and processes in floc formation and dynamics. <i>Water Research</i> , 2022, 220, 118655.	5.3	34
8	Methanol-based extraction protocol for insoluble and moderately water-soluble nanoparticles in plants to enable characterization by single particle ICP-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 299-314.	1.9	13
9	New guidance brings clarity to environmental hazard and behaviour testing of nanomaterials. <i>Nature Nanotechnology</i> , 2021, 16, 482-483.	15.6	13
10	Novel multimethod approach for the determination of the colloidal stability of nanomaterials in complex environmental mixtures using a global stability index: TiO ₂ as case study. <i>Science of the Total Environment</i> , 2021, 801, 149607.	3.9	5
11	A critical evaluation of short columns for estimating the attachment efficiency of engineered nanomaterials in natural soils. <i>Environmental Science: Nano</i> , 2021, 8, 1801-1814.	2.2	1
12	Harmonizing across environmental nanomaterial testing media for increased comparability of nanomaterial datasets. <i>Environmental Science: Nano</i> , 2020, 7, 13-36.	2.2	32
13	Quantification of anthropogenic and geogenic Ce in sewage sludge based on Ce oxidation state and rare earth element patterns. <i>Water Research X</i> , 2020, 9, 100059.	2.8	9
14	The importance of aromaticity to describe the interactions of organic matter with carbonaceous materials depends on molecular weight and sorbent geometry. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 1888-1897.	1.7	13
15	Key principles and operational practices for improved nanotechnology environmental exposure assessment. <i>Nature Nanotechnology</i> , 2020, 15, 731-742.	15.6	66
16	A Large-Scale 3D Study on Transport of Humic Acid-Coated Goethite Nanoparticles for Aquifer Remediation. <i>Water (Switzerland)</i> , 2020, 12, 1207.	1.2	20
17	Quantification and Characterization of Nanoparticulate Zinc in an Urban Watershed. <i>Frontiers in Environmental Science</i> , 2020, 8, .	1.5	21
18	Intra-laboratory assessment of a method for the detection of TiO ₂ nanoparticles present in sunscreens based on multi-detector asymmetrical flow field-flow fractionation. <i>NanoImpact</i> , 2020, 19, 100233.	2.4	6

#	ARTICLE	IF	CITATIONS
19	Strategies for determining heteroaggregation attachment efficiencies of engineered nanoparticles in aquatic environments. <i>Environmental Science: Nano</i> , 2020, 7, 351-367.	2.2	59
20	Accurate quantification of TiO ₂ nanoparticles in commercial sunscreens using standard materials and orthogonal particle sizing methods for verification. <i>Talanta</i> , 2020, 215, 120921.	2.9	21
21	Opportunities for examining the natural nanogeochemical environment using recent advances in nanoparticle analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 1768-1772.	1.6	22
22	Persistence of copper-based nanoparticle-containing foliar sprays in <i>Lactuca sativa</i> (lettuce) characterized by spICP-MS. <i>Journal of Nanoparticle Research</i> , 2019, 21, 1.	0.8	22
23	Legal and practical challenges in classifying nanomaterials according to regulatory definitions. <i>Nature Nanotechnology</i> , 2019, 14, 208-216.	15.6	115
24	Scientific rationale for the development of an OECD test guideline on engineered nanomaterial stability. <i>NanoImpact</i> , 2018, 11, 42-50.	2.4	31
25	Environmental Impacts by Fragments Released from Nanoenabled Products: A Multiassay, Multimaterial Exploration by the SUN Approach. <i>Environmental Science & Technology</i> , 2018, 52, 1514-1524.	4.6	36
26	Transformations of Nanoenabled Copper Formulations Govern Release, Antifungal Effectiveness, and Sustainability throughout the Wood Protection Lifecycle. <i>Environmental Science & Technology</i> , 2018, 52, 1128-1138.	4.6	34
27	Where is the nano? Analytical approaches for the detection and quantification of TiO ₂ engineered nanoparticles in surface waters. <i>Environmental Science: Nano</i> , 2018, 5, 313-326.	2.2	101
28	Effect of field site hydrogeochemical conditions on the corrosion of milled zerovalent iron particles and their dechlorination efficiency. <i>Science of the Total Environment</i> , 2018, 618, 1619-1627.	3.9	20
29	Mechanisms of (photo)toxicity of TiO ₂ nanomaterials (NM103, NM104, NM105): using high-throughput gene expression in <i>Enchytraeus crypticus</i> . <i>Nanoscale</i> , 2018, 10, 21960-21970.	2.8	17
30	Proposal for a tiered dietary bioaccumulation testing strategy for engineered nanomaterials using fish. <i>Environmental Science: Nano</i> , 2018, 5, 2030-2046.	2.2	23
31	Single-particle multi-element fingerprinting (spMEF) using inductively-coupled plasma time-of-flight mass spectrometry (ICP-TOFMS) to identify engineered nanoparticles against the elevated natural background in soils. <i>Environmental Science: Nano</i> , 2017, 4, 307-314.	2.2	128
32	Microplastic Exposure Assessment in Aquatic Environments: Learning from Similarities and Differences to Engineered Nanoparticles. <i>Environmental Science & Technology</i> , 2017, 51, 2499-2507.	4.6	146
33	TiO ₂ nanomaterial detection in calcium rich matrices by spICPMS. A matter of resolution and treatment. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1400-1411.	1.6	39
34	Nanoscale Coloristic Pigments: Upper Limits on Releases from Pigmented Plastic during Environmental Aging, In Food Contact, and by Leaching. <i>Environmental Science & Technology</i> , 2017, 51, 11669-11680.	4.6	35
35	Release of TiO ₂ (Nano) particles from construction and demolition landfills. <i>NanoImpact</i> , 2017, 8, 73-79.	2.4	39
36	Impact of Sodium Humate Coating on Collector Surfaces on Deposition of Polymer-Coated Nanoiron Particles. <i>Environmental Science & Technology</i> , 2017, 51, 9202-9209.	4.6	14

#	ARTICLE	IF	CITATIONS
37	Agar agar-stabilized milled zerovalent iron particles for in situ groundwater remediation. <i>Science of the Total Environment</i> , 2016, 563-564, 713-723.	3.9	29
38	Combining gas-phase electrophoretic mobility molecular analysis (GEMMA), light scattering, field flow fractionation and cryo electron microscopy in a multidimensional approach to characterize liposomal carrier vesicles. <i>International Journal of Pharmaceutics</i> , 2016, 513, 309-318.	2.6	19
39	Nano electrospray gas-phase electrophoretic mobility molecular analysis (nES GEMMA) of liposomes: applicability of the technique for nano vesicle batch control. <i>Analyst, The</i> , 2016, 141, 6042-6050.	1.7	15
40	Physicochemical characterization of titanium dioxide pigments using various techniques for size determination and asymmetric flow field flow fractionation hyphenated with inductively coupled plasma mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 6679-6691.	1.9	29
41	Silver and gold nanoparticle separation using asymmetrical flow-field flow fractionation: Influence of run conditions and of particle and membrane charges. <i>Journal of Chromatography A</i> , 2016, 1440, 150-159.	1.8	38
42	Meeting the Needs for Released Nanomaterials Required for Further Testing – The SUN Approach. <i>Environmental Science & Technology</i> , 2016, 50, 2747-2753.	4.6	55
43	Detection of Engineered Copper Nanoparticles in Soil Using Single Particle ICP-MS. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 15756-15768.	1.2	100
44	First steps towards a generic sample preparation scheme for inorganic engineered nanoparticles in a complex matrix for detection, characterization, and quantification by asymmetric flow-field flow fractionation coupled to multi-angle light scattering and ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 1286-1296.	1.6	66
45	A Review of the Properties and Processes Determining the Fate of Engineered Nanomaterials in the Aquatic Environment. <i>Critical Reviews in Environmental Science and Technology</i> , 2015, 45, 2084-2134.	6.6	172
46	Feasibility of the development of reference materials for the detection of Ag nanoparticles in food: neat dispersions and spiked chicken meat. <i>Accreditation and Quality Assurance</i> , 2015, 20, 3-16.	0.4	33
47	A uniform measurement expression for cross method comparison of nanoparticle aggregate size distributions. <i>Analyst, The</i> , 2015, 140, 5257-5267.	1.7	14
48	Nanomaterial environmental risk assessment. <i>Integrated Environmental Assessment and Management</i> , 2015, 11, 333-335.	1.6	7
49	Progress towards the validation of modeled environmental concentrations of engineered nanomaterials by analytical measurements. <i>Environmental Science: Nano</i> , 2015, 2, 421-428.	2.2	110
50	River-derived humic substances as iron chelators in seawater. <i>Marine Chemistry</i> , 2015, 174, 85-93.	0.9	74
51	Concentrations and Distributions of Metals Associated with Dissolved Organic Matter from the Suwannee River (GA, USA). <i>Environmental Engineering Science</i> , 2015, 32, 54-65.	0.8	21
52	Toward a comprehensive and realistic risk evaluation of engineered nanomaterials in the urban water system. <i>Frontiers in Chemistry</i> , 2014, 2, 39.	1.8	20
53	Current status and future direction for examining engineered nanoparticles in natural systems. <i>Environmental Chemistry</i> , 2014, 11, 351.	0.7	103
54	Asymmetrical flow-field-flow fractionation coupled with inductively coupled plasma mass spectrometry for the analysis of gold nanoparticles in the presence of natural nanoparticles. <i>Journal of Chromatography A</i> , 2014, 1372, 204-211.	1.8	33

#	ARTICLE	IF	CITATIONS
55	Dynamic light-scattering measurement comparability of nanomaterial suspensions. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	37
56	Production of reference materials for the detection and size determination of silica nanoparticles in tomato soup. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3895-907.	1.9	36
57	The road to nowhere: equilibrium partition coefficients for nanoparticles. <i>Environmental Science: Nano</i> , 2014, 1, 317-323.	2.2	129
58	Spot the Difference: Engineered and Natural Nanoparticles in the Environment – Release, Behavior, and Fate. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 12398-12419.	7.2	210
59	Accessibility of Humic-Associated Fe to a Microbial Siderophore: Implications for Bioavailability. <i>Environmental Science & Technology</i> , 2014, 48, 1015-1022.	4.6	22
60	Release of TiO ₂ Nanoparticles from Sunscreens into Surface Waters: A One-Year Survey at the Old Danube Recreational Lake. <i>Environmental Science & Technology</i> , 2014, 48, 5415-5422.	4.6	344
61	Impact of particle size and light exposure on the effects of TiO ₂ nanoparticles on <i>Caenorhabditis elegans</i> . <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 2288-2296.	2.2	23
62	Concern-driven integrated approaches to nanomaterial testing and assessment – report of the NanoSafety Cluster Working Group 10. <i>Nanotoxicology</i> , 2014, 8, 334-348.	1.6	118
63	Detection and characterization of silver nanoparticles in chicken meat by asymmetric flow field flow fractionation with detection by conventional or single particle ICP-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8185-8195.	1.9	178
64	Natural Organic Matter Concentration and Hydrochemistry Influence Aggregation Kinetics of Functionalized Engineered Nanoparticles. <i>Environmental Science & Technology</i> , 2013, 47, 4113-4120.	4.6	86
65	Behavior of Ag nanoparticles in soil: Effects of particle surface coating, aging and sewage sludge amendment. <i>Environmental Pollution</i> , 2013, 182, 141-149.	3.7	129
66	Validation of methods for the detection and quantification of engineered nanoparticles in food. <i>Food Chemistry</i> , 2013, 138, 1959-1966.	4.2	88
67	Optimization and evaluation of asymmetric flow field-flow fractionation of silver nanoparticles. <i>Journal of Chromatography A</i> , 2013, 1272, 116-125.	1.8	84
68	The role of nanominerals and mineral nanoparticles in the transport of toxic trace metals: Field-flow fractionation and analytical TEM analyses after nanoparticle isolation and density separation. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 102, 213-225.	1.6	82
69	Combining spatially resolved hydrochemical data with in-vitro nanoparticle stability testing: Assessing environmental behavior of functionalized gold nanoparticles on a continental scale. <i>Environment International</i> , 2013, 59, 53-62.	4.8	17
70	Colloid-associated export of arsenic in stream water during stormflow events. <i>Chemical Geology</i> , 2013, 352, 81-91.	1.4	46
71	The influence of pH on iron speciation in podzol extracts: Iron complexes with natural organic matter, and iron mineral nanoparticles. <i>Science of the Total Environment</i> , 2013, 461-462, 108-116.	3.9	55
72	Using FLOWFFF and HPSEC to determine trace metal – colloid associations in wetland runoff. <i>Water Research</i> , 2013, 47, 2757-2769.	5.3	59

#	ARTICLE	IF	CITATIONS
73	Effect of pH and Stream Order on Iron and Arsenic Speciation in Boreal Catchments. <i>Environmental Science & Technology</i> , 2013, 47, 7120-7128.	4.6	113
74	Natural organic matter and iron export from the Tanner Moor, Austria. <i>Limnologica</i> , 2013, 43, 239-244.	0.7	27
75	Bovine Serum Albumin Adsorption to Iron-Oxide Coated Sands Can Change Microsphere Deposition Mechanisms. <i>Environmental Science & Technology</i> , 2012, 46, 2583-2591.	4.6	26
76	The potential of TiO ₂ nanoparticles as carriers for cadmium uptake in <i>Lumbriculus variegatus</i> and <i>Daphnia magna</i> . <i>Aquatic Toxicology</i> , 2012, 118-119, 1-8.	1.9	78
77	Nanoscale lignin particles as sources of dissolved iron to the ocean. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	53
78	Modeling colloid deposition on a protein layer adsorbed to iron-oxide-coated sand. <i>Journal of Contaminant Hydrology</i> , 2012, 142-143, 50-62.	1.6	7
79	Influence of surface functionalization and particle size on the aggregation kinetics of engineered nanoparticles. <i>Chemosphere</i> , 2012, 87, 918-924.	4.2	95
80	Analysis of engineered nanomaterials in complex matrices (environment and biota): General considerations and conceptual case studies. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 32-49.	2.2	390
81	Paradigms to assess the environmental impact of manufactured nanomaterials. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 3-14.	2.2	294
82	Influence of ionic strength and pH on the limitation of latex microsphere deposition sites on iron-oxide coated sand by humic acid. <i>Environmental Pollution</i> , 2011, 159, 1896-1904.	3.7	30
83	Influence of carrier solution ionic strength and injected sample load on retention and recovery of natural nanoparticles using Flow Field-Flow Fractionation. <i>Journal of Chromatography A</i> , 2011, 1218, 6763-6773.	1.8	41
84	Commercial Titanium Dioxide Nanoparticles in Both Natural and Synthetic Water: Comprehensive Multidimensional Testing and Prediction of Aggregation Behavior. <i>Environmental Science & Technology</i> , 2011, 45, 10045-10052.	4.6	175
85	Identification and characterization of organic nanoparticles in food. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 100-112.	5.8	84
86	Separation and characterization of nanoparticles in complex food and environmental samples by field-flow fractionation. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 425-436.	5.8	243
87	Nanomaterials for environmental studies: Classification, reference material issues, and strategies for physico-chemical characterisation. <i>Science of the Total Environment</i> , 2010, 408, 1745-1754.	3.9	339
88	Relevance of peat-draining rivers for the riverine input of dissolved iron into the ocean. <i>Science of the Total Environment</i> , 2010, 408, 2402-2408.	3.9	86
89	Quantifying the influence of humic acid adsorption on colloidal microsphere deposition onto iron-oxide-coated sand. <i>Environmental Pollution</i> , 2010, 158, 3498-3506.	3.7	36
90	Assessment of the physico-chemical behavior of titanium dioxide nanoparticles in aquatic environments using multi-dimensional parameter testing. <i>Environmental Pollution</i> , 2010, 158, 3472-3481.	3.7	87

#	ARTICLE	IF	CITATIONS
91	Algal testing of titanium dioxide nanoparticlesâ€”Testing considerations, inhibitory effects and modification of cadmium bioavailability. <i>Toxicology</i> , 2010, 269, 190-197.	2.0	273
92	Tetrachloroferrate containing ionic liquids: Magnetic- and aggregation behavior. <i>Inorganic Chemistry Communication</i> , 2010, 13, 1485-1488.	1.8	31
93	Using FIFFF and aTEM to determine trace metalâ€™nanoparticle associations in riverbed sediment. <i>Environmental Chemistry</i> , 2010, 7, 82.	0.7	97
94	Field-flow fractionation and inductively coupled plasma mass spectrometer coupling: History, development and applications. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 613.	1.6	118
95	Nanostructured TiO ₂ : Transport Behavior and Effects on Aquatic Microbial Communities under Environmental Conditions. <i>Environmental Science & Technology</i> , 2009, 43, 8098-8104.	4.6	216
96	Estimating the relevance of engineered carbonaceous nanoparticle facilitated transport of hydrophobic organic contaminants in porous media. <i>Environmental Pollution</i> , 2009, 157, 1117-1126.	3.7	119
97	The ecotoxicology and chemistry of manufactured nanoparticles. <i>Ecotoxicology</i> , 2008, 17, 287-314.	1.1	774
98	Nanoparticles: structure, properties, preparation and behaviour in environmental media. <i>Ecotoxicology</i> , 2008, 17, 326-343.	1.1	535
99	Optimisation of asymmetrical flow field flow fractionation for environmental nanoparticles separation. <i>Journal of Chromatography A</i> , 2008, 1206, 160-165.	1.8	89
100	Iron Oxides as Geochemical Nanovectors for Metal Transport in Soil-River Systems. <i>Elements</i> , 2008, 4, 401-406.	0.5	176
101	Humic acid adsorption and surface charge effects on schwertmannite and goethite in acid sulphate waters. <i>Water Research</i> , 2008, 42, 2051-2060.	5.3	85
102	Ageing of synthetic and natural schwertmannites at pH 2â€™8. <i>Clay Minerals</i> , 2008, 43, 437-448.	0.2	40
103	Characterisation of Aquatic Colloids and Macromolecules by Field-Flow Fractionation. , 2007, , 223-276.		18
104	Transport of Colloids in Filter Columns: Laboratory and Field Experiments. , 2007, , 87-115.		0
105	Size-Based Speciation of Natural Colloidal Particles by Flow Field Flow Fractionation, Inductively Coupled Plasma-Mass Spectroscopy, and Transmission Electron Microscopy/X-ray Energy Dispersive Spectroscopy:â€™ Colloidsâ€™Trace Element Interaction. <i>Environmental Science & Technology</i> , 2006, 40, 2156-2162.	4.6	104
106	Size fractionation and characterization of natural colloids by flow-field flow fractionation coupled to multi-angle laser light scattering. <i>Journal of Chromatography A</i> , 2006, 1104, 272-281.	1.8	98
107	Field-flow fractionation coupled to multi-angle laser light scattering detectors: Applicability and analytical benefits for the analysis of environmental colloids. <i>Analytica Chimica Acta</i> , 2005, 552, 166-174.	2.6	87
108	Natural sample fractionation by FIFFFâ€™MALLSâ€™TEM: Sample stabilization, preparation, pre-concentration and fractionation. <i>Journal of Chromatography A</i> , 2005, 1093, 156-166.	1.8	53

#	ARTICLE	IF	CITATIONS
109	Application of a high-performance liquid chromatography fluorescence detector as a nephelometric turbidity detector following Field-Flow Fractionation to analyse size distributions of environmental colloids. <i>Journal of Chromatography A</i> , 2005, 1100, 81-89.	1.8	27
110	Comparison of Different Monitoring Programs of the 2002 Summer Flood in the River Elbe. <i>Clean - Soil, Air, Water</i> , 2005, 33, 404-417.	0.8	14
111	3D characterization of natural colloids by FIFFF-MALLS-TEM. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 383, 549-556.	1.9	45
112	Impact of natural nanophases on heavy-metal retention in zeolite-supported reactive filtration facilities for urban run-off treatment. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 371, 652-659.	1.5	13
113	Natural colloid characterization using flow-field-flow-fractionation followed by multi-detector analysis. <i>Water Science and Technology</i> , 1998, 37, 173.	1.2	15
114	Comparing the Influence of Two Different Natural Organic Matter Types on Colloid Deposition in Saturated Porous Medium. <i>Advanced Materials Research</i> , 0, 455-456, 1324-1329.	0.3	1