

# Guido W Jenster

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6538786/publications.pdf>

Version: 2024-02-01

137  
papers

20,454  
citations

26630

56  
h-index

11052

137  
g-index

142  
all docs

142  
docs citations

142  
times ranked

28328  
citing authors

#	ARTICLE	IF	CITATIONS
1	Minimal information for studies of extracellular vesicles 2018 (MISEV2018): a position statement of the International Society for Extracellular Vesicles and update of the MISEV2014 guidelines. <i>Journal of Extracellular Vesicles</i> , 2018, 7, 1535750.	12.2	6,961
2	Steroid receptor coactivator-1 is a histone acetyltransferase. <i>Nature</i> , 1997, 389, 194-198.	27.8	1,153
3	Vesiclepedia: A Compendium for Extracellular Vesicles with Continuous Community Annotation. <i>PLoS Biology</i> , 2012, 10, e1001450.	5.6	1,064
4	Acute leukaemia in bcr/abl transgenic mice. <i>Nature</i> , 1990, 344, 251-253.	27.8	686
5	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	21.4	652
6	Long Noncoding RNA in Prostate, Bladder, and Kidney Cancer. <i>European Urology</i> , 2014, 65, 1140-1151.	1.9	601
7	Domains of the Human Androgen Receptor Involved in Steroid Binding, Transcriptional Activation, and Subcellular Localization. <i>Molecular Endocrinology</i> , 1991, 5, 1396-1404.	3.7	479
8	Exosome-mediated transmission of hepatitis C virus between human hepatoma Huh7.5 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 13109-13113.	7.1	422
9	Identification of Two Transcription Activation Units in the N-terminal Domain of the Human Androgen Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 7341-7346.	3.4	340
10	ETS Gene Fusions in Prostate Cancer: From Discovery to Daily Clinical Practice. <i>European Urology</i> , 2009, 56, 275-286.	1.9	332
11	Widespread and Functional RNA Circularization in Localized Prostate Cancer. <i>Cell</i> , 2019, 176, 831-843.e22.	28.9	317
12	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	21.4	264
13	Exosomes as Biomarker Treasure Chests for Prostate Cancer. <i>European Urology</i> , 2011, 59, 823-831.	1.9	246
14	The Potential of MicroRNAs as Prostate Cancer Biomarkers. <i>European Urology</i> , 2016, 70, 312-322.	1.9	243
15	Efficacy of Cabazitaxel in Castration-resistant Prostate Cancer Is Independent of the Presence of AR-V7 in Circulating Tumor Cells. <i>European Urology</i> , 2015, 68, 939-945.	1.9	223
16	Extracellular Vesicle Quantification and Characterization: Common Methods and Emerging Approaches. <i>Bioengineering</i> , 2019, 6, 7.	3.5	219
17	The Detection of Androgen Receptor Splice Variant 7 in Plasma-derived Exosomal RNA Strongly Predicts Resistance to Hormonal Therapy in Metastatic Prostate Cancer Patients. <i>European Urology</i> , 2017, 71, 680-687.	1.9	213
18	TMPRSS2:ERG Fusion by Translocation or Interstitial Deletion Is Highly Relevant in Androgen-Dependent Prostate Cancer, But Is Bypassed in Late-Stage Androgen Receptor-Independent Prostate Cancer. <i>Cancer Research</i> , 2006, 66, 10658-10663.	0.9	212

#	ARTICLE	IF	CITATIONS
19	Evolution of the Androgen Receptor Pathway during Progression of Prostate Cancer. <i>Cancer Research</i> , 2006, 66, 5012-5020.	0.9	187
20	Urinary extracellular vesicles: A position paper by the Urine Task Force of the International Society for Extracellular Vesicles. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12093.	12.2	182
21	Proteomic Profiling of Exosomes Leads to the Identification of Novel Biomarkers for Prostate Cancer. <i>PLoS ONE</i> , 2013, 8, e82589.	2.5	179
22	Beyond microRNA – Novel RNAs derived from small non-coding RNA and their implication in cancer. <i>Cancer Letters</i> , 2013, 340, 201-211.	7.2	169
23	Evidence of Limited Contributions for Intratumoral Steroidogenesis in Prostate Cancer. <i>Cancer Research</i> , 2010, 70, 1256-1264.	0.9	160
24	Androgen Induction of Cyclin-Dependent Kinase Inhibitor p21 Gene: Role of Androgen Receptor and Transcription Factor Sp1 Complex. <i>Molecular Endocrinology</i> , 2000, 14, 753-760.	3.7	150
25	AKT-Independent Protection of Prostate Cancer Cells from Apoptosis Mediated through Complex Formation between the Androgen Receptor and FKHR. <i>Molecular and Cellular Biology</i> , 2003, 23, 104-118.	2.3	149
26	Androgen regulation of microRNAs in prostate cancer. <i>Prostate</i> , 2011, 71, 604-614.	2.3	144
27	A comprehensive repertoire of tRNA-derived fragments in prostate cancer. <i>Oncotarget</i> , 2016, 7, 24766-24777.	1.8	144
28	Immuno-based detection of extracellular vesicles in urine as diagnostic marker for prostate cancer. <i>International Journal of Cancer</i> , 2015, 137, 2869-2878.	5.1	118
29	Negative Modulation of Androgen Receptor Transcriptional Activity by Daxx. <i>Molecular and Cellular Biology</i> , 2004, 24, 10529-10541.	2.3	109
30	Coactivators and corepressors as mediators of nuclear receptor function: An update. <i>Molecular and Cellular Endocrinology</i> , 1998, 143, 1-7.	3.2	100
31	Changes in the Abundance of Androgen Receptor Isoforms: Effects of Ligand Treatment, Glutamine-Stretch Variation, and Mutation of Putative Phosphorylation Sites. <i>Biochemistry</i> , 1994, 33, 14064-14072.	2.5	99
32	Androgen receptor coregulators: Recruitment via the coactivator binding groove. <i>Molecular and Cellular Endocrinology</i> , 2012, 352, 57-69.	3.2	99
33	Exosomal Secretion of Cytoplasmic Prostate Cancer Xenograft-derived Proteins. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1192-1205.	3.8	98
34	Domains of the human androgen receptor and glucocorticoid receptor involved in binding to the nuclear matrix. <i>Journal of Cellular Biochemistry</i> , 1995, 57, 465-478.	2.6	93
35	Cribiform and intraductal prostate cancer are associated with increased genomic instability and distinct genomic alterations. <i>BMC Cancer</i> , 2018, 18, 8.	2.6	93
36	Two Unique Novel Prostate-Specific and Androgen-Regulated Fusion Partners of <i>ETV4</i> in Prostate Cancer. <i>Cancer Research</i> , 2008, 68, 3094-3098.	0.9	92

#	ARTICLE	IF	CITATIONS
37	Bypass Mechanisms of the Androgen Receptor Pathway in Therapy-Resistant Prostate Cancer Cell Models. <i>PLoS ONE</i> , 2010, 5, e13500.	2.5	88
38	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	12.8	88
39	Truncated ETV1, Fused to Novel Tissue-Specific Genes, and Full-Length ETV1 in Prostate Cancer. <i>Cancer Research</i> , 2008, 68, 7541-7549.	0.9	86
40	The Human PC346 Xenograft and Cell Line Panel: A Model System for Prostate Cancer Progression. <i>European Urology</i> , 2006, 49, 245-257.	1.9	81
41	Overexpression of Prostate-Specific <i>TMPRSS2</i> (exon 0)- <i>ERG</i> Fusion Transcripts Corresponds with Favorable Prognosis of Prostate Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 6398-6403.	7.0	81
42	Glycogen Synthase Kinase-3 $\beta$ Is Involved in the Phosphorylation and Suppression of Androgen Receptor Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 19191-19200.	3.4	80
43	C/D-box snoRNA-derived RNA production is associated with malignant transformation and metastatic progression in prostate cancer. <i>Oncotarget</i> , 2015, 6, 17430-17444.	1.8	80
44	miQ $\epsilon$ A novel microRNA based diagnostic and prognostic tool for prostate cancer. <i>International Journal of Cancer</i> , 2013, 132, 2867-2875.	5.1	79
45	Extracellular Vesicles and Their Role in Urologic Malignancies. <i>European Urology</i> , 2016, 70, 323-331.	1.9	79
46	MALDI-TOF Mass Spectrometry Analysis of Cerebrospinal Fluid Tryptic Peptide Profiles to Diagnose Leptomeningeal Metastases in Patients with Breast Cancer. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1341-1349.	3.8	76
47	Gene expression of forkhead transcription factors in the normal and diseased human prostate. <i>BJU International</i> , 2009, 103, 1574-1580.	2.5	69
48	Androgen receptor profiling predicts prostate cancer outcome. <i>EMBO Molecular Medicine</i> , 2015, 7, 1450-1464.	6.9	67
49	Androgen receptor modifications in prostate cancer cells upon long-term androgen ablation and antiandrogen treatment. <i>International Journal of Cancer</i> , 2005, 117, 221-229.	5.1	66
50	Activation of c-MET Induces a Stem-Like Phenotype in Human Prostate Cancer. <i>PLoS ONE</i> , 2011, 6, e26753.	2.5	66
51	Discriminating somatic and germline mutations in tumor DNA samples without matching normals. <i>Genome Research</i> , 2015, 25, 1382-1390.	5.5	66
52	Venn Mapping: clustering of heterologous microarray data based on the number of co-occurring differentially expressed genes. <i>Bioinformatics</i> , 2003, 19, 2065-2071.	4.1	65
53	Human bcr-abl gene has a lethal effect on embryogenesis. <i>Transgenic Research</i> , 1991, 1, 45-53.	2.4	64
54	FoxO1 Mediates PTEN Suppression of Androgen Receptor N- and C-Terminal Interactions and Coactivator Recruitment. <i>Molecular Endocrinology</i> , 2009, 23, 213-225.	3.7	63

#	ARTICLE	IF	CITATIONS
55	Gene expression profiling of the human prostate zones. <i>BJU International</i> , 2006, 98, 886-897.	2.5	62
56	SYK Is a Candidate Kinase Target for the Treatment of Advanced Prostate Cancer. <i>Cancer Research</i> , 2015, 75, 230-240.	0.9	61
57	Consensus molecular subtype classification of colorectal adenomas. <i>Journal of Pathology</i> , 2018, 246, 266-276.	4.5	60
58	Identification of <i>TDRD1</i> as a direct target gene of <i>ERG</i> in primary prostate cancer. <i>International Journal of Cancer</i> , 2013, 133, 335-345.	5.1	59
59	Novel FXXFF and FXXMF Motifs in Androgen Receptor Cofactors Mediate High Affinity and Specific Interactions with the Ligand-binding Domain. <i>Journal of Biological Chemistry</i> , 2006, 281, 19407-19416.	3.4	58
60	Reasons for Discontinuing Active Surveillance: Assessment of 21 Centres in 12 Countries in the Movember GAP3 Consortium. <i>European Urology</i> , 2019, 75, 523-531.	1.9	58
61	Systematic Identification of MicroRNAs That Impact on Proliferation of Prostate Cancer Cells and Display Changed Expression in Tumor Tissue. <i>European Urology</i> , 2016, 69, 1120-1128.	1.9	53
62	Comparing Approaches to Normalize, Quantify, and Characterize Urinary Extracellular Vesicles. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1210-1226.	6.1	53
63	Ligand-independent activation of the androgen receptor in prostate cancer by growth factors and cytokines. <i>Journal of Pathology</i> , 2000, 191, 227-228.	4.5	49
64	Identification of leptomeningeal metastasis-related proteins in cerebrospinal fluid of patients with breast cancer by a combination of MALDI-TOF, MALDI-FTICR and nanoLC-FTICR MS. <i>Proteomics</i> , 2007, 7, 474-481.	2.2	49
65	Systematic Structure-Function Analysis of Androgen Receptor Leu701 Mutants Explains the Properties of the Prostate Cancer Mutant L701H. <i>Journal of Biological Chemistry</i> , 2010, 285, 5097-5105.	3.4	48
66	MiR-1247-5p is overexpressed in castration resistant prostate cancer and targets MYCBP2. <i>Prostate</i> , 2015, 75, 798-805.	2.3	47
67	Active surveillance for low-risk prostate cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 85, 295-302.	4.4	46
68	Modulation of Androgen Receptor Signaling in Hormonal Therapy-Resistant Prostate Cancer Cell Lines. <i>PLoS ONE</i> , 2011, 6, e23144.	2.5	46
69	Recruitment of the Androgen Receptor via Serum Response Factor Facilitates Expression of a Myogenic Gene. <i>Journal of Biological Chemistry</i> , 2005, 280, 7786-7792.	3.4	45
70	Mass Spectrometric Identification of Human Prostate Cancer-derived Proteins in Serum of Xenograft-bearing Mice. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1830-1839.	3.8	45
71	Screening for Prostate Cancer in 2008 II: The Importance of Molecular Subforms of Prostate-Specific Antigen and Tissue Kallikreins. <i>European Urology</i> , 2009, 55, 563-574.	1.9	45
72	Androgen Receptor Ligand-Binding Domain Interaction and Nuclear Receptor Specificity of FXXLF and LXXLL Motifs as Determined by L/F Swapping. <i>Molecular Endocrinology</i> , 2006, 20, 1742-1755.	3.7	42

#	ARTICLE	IF	CITATIONS
73	The miRâ€15aâ€miRâ€16â€1 locus is homozygously deleted in a subset of prostate cancers. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 499-509.	2.8	42
74	SOCS2 mediates the cross talk between androgen and growth hormone signaling in prostate cancer. <i>Carcinogenesis</i> , 2014, 35, 24-33.	2.8	42
75	Novel long non-coding RNAs are specific diagnostic and prognostic markers for prostate cancer. <i>Oncotarget</i> , 2015, 6, 4036-4050.	1.8	42
76	Epithelialâ€Mesenchymal Transition in Human Prostate Cancer Demonstrates Enhanced Immune Evasion Marked by IDO1 Expression. <i>Cancer Research</i> , 2018, 78, 4671-4679.	0.9	41
77	Validation of stem cell markers in clinical prostate cancer: Î±6-Integrin is predictive for non-aggressive disease. <i>Prostate</i> , 2014, 74, 488-496.	2.3	37
78	Functional Screening of FxxLF-Like Peptide Motifs Identifies SMARCD1/BAF60a as an Androgen Receptor Cofactor that Modulates TMPRSS2 Expression. <i>Molecular Endocrinology</i> , 2009, 23, 1776-1786.	3.7	36
79	An immunoassay for urinary extracellular vesicles. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F796-F801.	2.7	36
80	Intratumoral conversion of adrenal androgen precursors drives androgen receptor-activated cell growth in prostate cancer more potently than de novo steroidogenesis. <i>Prostate</i> , 2013, 73, 1636-1650.	2.3	35
81	Androgen receptor (AR) splice variant 7 and full-length AR expression is associated with clinical outcome: a translational study in patients with castrateâ€resistant prostate cancer. <i>BJU International</i> , 2019, 124, 693-700.	2.5	32
82	Molecular characterization of colorectal adenomas reveals POFUT1 as a candidate driver of tumor progression. <i>International Journal of Cancer</i> , 2020, 146, 1979-1992.	5.1	32
83	Gene fusions by chromothripsis of chromosome 5q in the VCaP prostate cancer cell line. <i>Human Genetics</i> , 2013, 132, 709-713.	3.8	31
84	A 36-gene Signature Predicts Clinical Progression in a Subgroup of ERG-positive Prostate Cancers. <i>European Urology</i> , 2013, 64, 941-950.	1.9	31
85	Specific Androgen Receptor Activation by an Artificial Coactivator. <i>Journal of Biological Chemistry</i> , 1999, 274, 9449-9454.	3.4	30
86	The TRPS1 transcription factor: androgenic regulation in prostate cancer and high expression in breast cancer. <i>Endocrine-Related Cancer</i> , 2004, 11, 815-822.	3.1	30
87	Oligometastatic Prostate Cancer: Results of a Dutch Multidisciplinary Consensus Meeting. <i>European Urology Oncology</i> , 2020, 3, 231-238.	5.4	30
88	FlaiMapper: computational annotation of small ncRNA-derived fragments using RNA-seq high-throughput data. <i>Bioinformatics</i> , 2015, 31, 665-673.	4.1	28
89	Extracellular vesicles released by mesenchymal-like prostate carcinoma cells modulate EMT state of recipient epithelial-like carcinoma cells through regulation of AR signaling. <i>Cancer Letters</i> , 2017, 410, 100-111.	7.2	28
90	The FOXF2 pathway in the human prostate stroma. <i>Prostate</i> , 2009, 69, 1538-1547.	2.3	26

#	ARTICLE	IF	CITATIONS
91	Low-Molecular-Weight Protein Tyrosine Phosphatase Predicts Prostate Cancer Outcome by Increasing the Metastatic Potential. <i>European Urology</i> , 2016, 69, 710-719.	1.9	25
92	Adherence to Active Surveillance Protocols for Low-risk Prostate Cancer: Results of the Movember Foundation's Global Action Plan Prostate Cancer Active Surveillance Initiative. <i>European Urology Oncology</i> , 2020, 3, 80-91.	5.4	24
93	splice variants in circulating tumor cells of patients with castration-resistant prostate cancer: relation with outcome to cabazitaxel. <i>Molecular Oncology</i> , 2019, 13, 1795-1807.	4.6	23
94	Serum levels of arachidonic acid metabolites change during prostate cancer progression. <i>Prostate</i> , 2014, 74, 618-627.	2.3	22
95	Extracellular vesicles for personalized therapy decision support in advanced metastatic cancers and its potential impact for prostate cancer. <i>Prostate</i> , 2017, 77, 1416-1423.	2.3	22
96	Human PDE4D isoform composition is deregulated in primary prostate cancer and indicative for disease progression and development of distant metastases. <i>Oncotarget</i> , 2016, 7, 70669-70684.	1.8	21
97	The role of OncoSnoRNAs and Ribosomal RNA 2'-O-methylation in Cancer. <i>RNA Biology</i> , 2021, 18, 61-74.	3.1	21
98	Repression of androgen-regulated gene expression by dominant negative androgen receptors. <i>Molecular and Cellular Endocrinology</i> , 2001, 183, 19-28.	3.2	19
99	Genome-Wide Investigation of Multifocal and Unifocal Prostate Cancer – Are They Genetically Different?. <i>International Journal of Molecular Sciences</i> , 2013, 14, 11816-11829.	4.1	18
100	Predicting Biopsy Outcomes During Active Surveillance for Prostate Cancer: External Validation of the Canary Prostate Active Surveillance Study Risk Calculators in Five Large Active Surveillance Cohorts. <i>European Urology</i> , 2019, 76, 693-702.	1.9	18
101	Detection of tumor-derived extracellular vesicles in plasma from patients with solid cancer. <i>BMC Cancer</i> , 2021, 21, 315.	2.6	18
102	Differential expression of protease activity in serum samples of prostate carcinoma patients with metastases. <i>Proteomics</i> , 2010, 10, 2348-2358.	2.2	16
103	Blood-based PD-L1 analysis in tumor-derived extracellular vesicles: Applications for optimal use of anti-PD-1/PD-L1 axis inhibitors. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021, 1875, 188463.	7.4	16
104	Exploring Prostate Cancer Genome Reveals Simultaneous Losses of PTEN, FAS and PAPS2 in Patients with PSA Recurrence after Radical Prostatectomy. <i>International Journal of Molecular Sciences</i> , 2015, 16, 3856-3869.	4.1	15
105	The Movember Prostate Cancer Landscape Analysis: an assessment of unmet research needs. <i>Nature Reviews Urology</i> , 2020, 17, 499-512.	3.8	15
106	Personalised biopsy schedules based on risk of Gleason upgrading for patients with low-risk prostate cancer on active surveillance. <i>BJU International</i> , 2021, 127, 96-107.	2.5	15
107	Androgens alter the heterogeneity of small extracellular vesicles and the small RNA cargo in prostate cancer. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12136.	12.2	15
108	Profiling of Antibody Production against Xenograft-released Proteins by Protein Microarrays Discovers Prostate Cancer Markers. <i>Journal of Proteome Research</i> , 2012, 11, 728-735.	3.7	14

#	ARTICLE	IF	CITATIONS
109	A bypass mechanism of abiraterone-resistant prostate cancer: Accumulating CYP17A1 substrates activate androgen receptor signaling. <i>Prostate</i> , 2019, 79, 937-948.	2.3	14
110	mTOR pathway activation is a favorable prognostic factor in human prostate adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 32916-32924.	1.8	14
111	Gene-expression analysis of gleason grade 3 tumor glands embedded in low- and high-risk prostate cancer. <i>Oncotarget</i> , 2016, 7, 37846-37856.	1.8	14
112	Serum kynurenine/tryptophan ratio is not a potential marker for detecting prostate cancer. <i>Clinical Biochemistry</i> , 2014, 47, 1347-1348.	1.9	13
113	SNPitty. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 166-176.	2.8	13
114	A visualisation concept of dynamic signalling networks. <i>Molecular and Cellular Endocrinology</i> , 2004, 218, 1-6.	3.2	12
115	Storing, linking, and mining microarray databases using SRS. <i>BMC Bioinformatics</i> , 2005, 6, 192.	2.6	12
116	Androgen regulation of the cell-cell adhesion molecule-1 (Ceacam1) gene. <i>Molecular and Cellular Endocrinology</i> , 2001, 184, 115-123.	3.2	11
117	Inhibition of androgen receptor functions by gelsolin FxxFF peptide delivered by transfection, cell-penetrating peptides, and lentiviral infection. <i>Prostate</i> , 2011, 71, 241-253.	2.3	11
118	Identification and Diagnostic Performance of a Small RNA within the PCA3 and BMCC1 Gene Locus That Potentially Targets mRNA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 268-275.	2.5	10
119	Differential tissue expression of extracellular vesicle-derived proteins in prostate cancer. <i>Prostate</i> , 2019, 79, 1032-1042.	2.3	10
120	Tissue proteomics outlines AGR2 AND LOX5 as markers for biochemical recurrence of prostate cancer. <i>Oncotarget</i> , 2018, 9, 36444-36456.	1.8	10
121	Fusion transcripts and their genomic breakpoints in polyadenylated and ribosomal RNA-minus RNA sequencing data. <i>GigaScience</i> , 2021, 10, .	6.4	10
122	Abiraterone switches castration-resistant prostate cancer dependency from adrenal androgens towards androgen receptor variants and glucocorticoid receptor signalling. <i>Prostate</i> , 2022, 82, 505-516.	2.3	9
123	Use of artificial androgen receptor coactivators to alter myoblast proliferation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 91, 111-119.	2.5	8
124	Consistent Biopsy Quality and Gleason Grading Within the Global Active Surveillance Global Action Plan 3 Initiative: A Prerequisite for Future Studies. <i>European Urology Oncology</i> , 2019, 2, 333-336.	5.4	8
125	The EGFRvIII transcriptome in glioblastoma: A meta-omics analysis. <i>Neuro-Oncology</i> , 2022, 24, 429-441.	1.2	7
126	Integration of EGA secure data access into Galaxy. <i>F1000Research</i> , 2016, 5, 2841.	1.6	7

#	ARTICLE	IF	CITATIONS
127	Gene Regulation Network Analysis on Human Prostate Orthografts Highlights a Potential Role for the JMJD6 Regulon in Clinical Prostate Cancer. <i>Cancers</i> , 2021, 13, 2094.	3.7	6
128	iReport: a generalised Galaxy solution for integrated experimental reporting. <i>GigaScience</i> , 2014, 3, 19.	6.4	5
129	A mononucleotide repeat in PRRT2 is an important, frequent target of mismatch repair deficiency in cancer. <i>Oncotarget</i> , 2017, 8, 6043-6056.	1.8	5
130	Tumor heterogeneity, aggressiveness, and immune cell composition in a novel syngeneic PSA-targeted <i>Pten</i> knockout mouse prostate cancer (MuCaP) model. <i>Prostate</i> , 2018, 78, 1013-1023.	2.3	4
131	Fractionated Radiation of Primary Prostate Basal Cells Results in Downplay of Interferon Stem Cell and Cell Cycle Checkpoint Signatures. <i>European Urology</i> , 2018, 74, 847-849.	1.9	4
132	FASTAFS: file system virtualisation of random access compressed FASTA files. <i>BMC Bioinformatics</i> , 2021, 22, 535.	2.6	4
133	Intraprostatic Steroidogenic Enzymes " Response. <i>Cancer Research</i> , 2010, 70, 8249-8250.	0.9	2
134	CRISPRs in the human genome are differentially expressed between malignant and normal-adjacent to tumor tissue. <i>Communications Biology</i> , 2022, 5, 338.	4.4	2
135	Reply to Ugo De Giorgi, Vincenza Conteduca, and Emanuela Scarpi's Letter to the Editor re: Marzia Del Re, Elisa Biasco, Stefania Crucitta, et al. The Detection of Androgen Receptor Splice Variant 7 in Plasma-derived Exosomal RNA Strongly Predicts Resistance to Hormonal Therapy in Metastatic Prostate Cancer Patients. <i>Eur Urol</i> 2017;71:680-7. <i>European Urology</i> , 2018, 73, e11-e12.	1.9	0
136	Tumor Markers. , 2013, , 423-444.		0
137	Cell Line Characteristics Predict Subsequent Resistance to Androgen Receptor-Targeted Agents (ARTA) in Preclinical Models of Prostate Cancer. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	0