## Hong Li

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6539165/publications.pdf

Version: 2024-02-01

500	58,461	122	221
papers	citations	h-index	g-index
512	512	512	36257 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Localizedâ€domains staging structure and evolution in lithiated graphite. , 2023, 5, .		21
2	LixCu alloy nanowires nested in Ni foam for highly stable Li metal composite anode. Science China Materials, 2022, 65, 69-77.	3.5	13
3	Structural and chemical evolution in layered oxide cathodes of lithium-ion batteries revealed by synchrotron techniques. National Science Review, 2022, 9, nwab146.	4.6	27
4	High Current Density and Long Cycle Life Enabled by Sulfide Solid Electrolyte and Dendriteâ€Free Liquid Lithium Anode. Advanced Functional Materials, 2022, 32, 2105776.	7.8	40
5	Dopamine-Based Materials: Recent Advances in Synthesis Methods and Applications. Nanostructure Science and Technology, 2022, , 133-164.	0.1	2
6	In-situ polymerized solid-state electrolytes with stable cycling for Li/LiCoO2 batteries. Nano Energy, 2022, 91, 106679.	8.2	62
7	Interfacial layer rich in organic fluoride enabling stable cycling of high-voltage PEO-based solid-state lithium batteries. Electrochimica Acta, 2022, 404, 139617.	2.6	5
8	SnF <sub>2</sub> â€Catalyzed Formation of Polymerized Dioxolane as Solid Electrolyte and its Thermal Decomposition Behavior. Angewandte Chemie, 2022, 134, .	1.6	6
9	SnF <sub>2</sub> â€Catalyzed Formation of Polymerized Dioxolane as Solid Electrolyte and its Thermal Decomposition Behavior. Angewandte Chemie - International Edition, 2022, 61, .	7.2	42
10	Probing lattice defects in crystalline battery cathode using hard X-ray nanoprobe with data-driven modeling. Energy Storage Materials, 2022, 45, 647-655.	9.5	7
11	New insights into the mechanism of cation migration induced by cation–anion dynamic coupling in superionic conductors. Journal of Materials Chemistry A, 2022, 10, 3093-3101.	5.2	11
12	All-in-One Ionic–Electronic Dual-Carrier Conducting Framework Thickening All-Solid-State Electrode. ACS Energy Letters, 2022, 7, 766-772.	8.8	7
13	Solid Polymer Electrolyte Reinforced with a Li <sub>1.3</sub> Al <sub>O.3</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> -Coated Separator for All-Solid-State Lithium Batteries. ACS Applied Materials & D. Samp; Interfaces, 2022, 14, 1195-1202.	4.0	33
14	Doping strategy and mechanism for oxide and sulfide solid electrolytes with high ionic conductivity. Journal of Materials Chemistry A, 2022, 10, 4517-4532.	5.2	75
15	Organic-inorganic composite SEI for a stable Li metal anode by in-situ polymerization. Nano Energy, 2022, 95, 106983.	8.2	83
16	Solid state ionics – Selected topics and new directions. Progress in Materials Science, 2022, 126, 100921.	16.0	39
17	Local Ordering for Decoupling Bonding of Mobile Ions and Polymer Matrixes by Zwitterionic Solid Polymer Electrolytes. ACS Central Science, 2022, 8, 153-155.	5.3	0
18	Topologically protected oxygen redox in a layered manganese oxide cathode for sustainable batteries. Nature Sustainability, 2022, 5, 214-224.	11.5	44

#	Article	IF	CITATIONS
19	Accelerated strategy for fast ion conductor materials screening and optimal doping scheme exploration. Journal of Materiomics, 2022, 8, 1038-1047.	2.8	1
20	Controlling Li deposition below the interface. EScience, 2022, 2, 47-78.	25.0	110
21	Screening LiMn <sub>2</sub> O <sub>4</sub> Surface Modification Schemes under Theoretical Guidance. ACS Applied Materials & Samp; Interfaces, 2022, 14, 10353-10362.	4.0	14
22	lonic Conductivity of LiSiON and the Effect of Amorphization/Heterovalent Doping on Li+ Diffusion. Inorganics, 2022, 10, 45.	1.2	2
23	Anomalous Thermal Decomposition Behavior of Polycrystalline LiNi <sub>0.8</sub> Mn <sub>0.1</sub> Co <sub>0.1</sub> O <sub>2</sub> in PEOâ€Based Solid Polymer Electrolyte. Advanced Functional Materials, 2022, 32, .	7.8	19
24	Solid-state lithium batteries: Safety and prospects. EScience, 2022, 2, 138-163.	25.0	190
25	Charging sustainable batteries. Nature Sustainability, 2022, 5, 176-178.	11.5	70
26	A high-performance MnO2 cathode doped with group â§ metal for aqueous Zn-ion batteries: In-situ X-Ray diffraction study on Zn2+ storage mechanism. Journal of Power Sources, 2022, 527, 231198.	4.0	14
27	Raising the Intrinsic Safety of Layered Oxide Cathodes by Surface Re‣ithiation with LLZTO Garnetâ€ <b>T</b> ype Solid Electrolytes. Advanced Materials, 2022, 34, e2200655.	11.1	30
28	The influence of electrolyte concentration and solvent on operational voltage of Li/CF primary batteries elucidated by Nernst Equation. Journal of Power Sources, 2022, 527, 231193.	4.0	26
29	Mechanical-electrochemical modeling of silicon-graphite composite anode for lithium-ion batteries. Journal of Power Sources, 2022, 527, 231178.	4.0	15
30	A Better Choice to Achieve High Volumetric Energy Density: Anodeâ€Free Lithiumâ€Metal Batteries. Advanced Materials, 2022, 34, e2110323.	11.1	46
31	Improving thermal stability of sulfide solid electrolytes: An intrinsic theoretical paradigm. InformaÄnÃ- Materiály, 2022, 4, .	8.5	33
32	Exploring magnetron sputtering preparation of high-quality LiNi0.5Mn1.5O4 films by controlling the oxygen atmosphere at moderate temperature. Thin Solid Films, 2022, 750, 139174.	0.8	0
33	Waterâ€Stable Sulfide Solid Electrolyte Membranes Directly Applicable in Allâ€Solidâ€State Batteries Enabled by Superhydrophobic Li <sup>+</sup> â€Conducting Protection Layer. Advanced Energy Materials, 2022, 12, .	10.2	62
34	Organic–Inorganic Composite Electrolytes Optimized with Fluoroethylene Carbonate Additive for Quasi-Solid-State Lithium-Metal Batteries. ACS Applied Materials & 1, 2022, 14, 20962-20971.	4.0	19
35	Progress in solvent-free dry-film technology for batteries and supercapacitors. Materials Today, 2022, 55, 92-109.	8.3	63
36	Progress in lithium thioborate superionic conductors. Journal of Materials Research, 2022, 37, 3269-3282.	1.2	2

#	Article	IF	Citations
37	Interfacial engineering to achieve an energy density of over 200 Wh kgâ~1 in sodium batteries. Nature Energy, 2022, 7, 511-519.	19.8	130
38	Stable Ni-rich layered oxide cathode for sulfide-based all-solid-state lithium battery. EScience, 2022, 2, 537-545.	25.0	57
39	Exploiting the synergistic effects of multiple components with a uniform design method for developing low-temperature electrolytes. Energy Storage Materials, 2022, 50, 598-605.	9.5	22
40	Interfacial and cycle stability of sulfide all-solid-state batteries with Ni-rich layered oxide cathodes. Nano Energy, 2022, 100, 107528.	8.2	38
41	Longâ€Life Lithiumâ€Metal Allâ€Solidâ€State Batteries and Stable Li Plating Enabled by InÂSitu Formation of Li <sub>3</sub> PS <sub>4</sub> in the SEI Layer. Advanced Materials, 2022, 34, .	11.1	66
42	High adherent polyacrylonitrile as a potential binder for high-capacity Fe7S8 cathode. Applied Physics Letters, 2022, 120, .	1.5	3
43	Electroactive-catalytic conductive framework for aluminum-sulfur batteries. Energy Storage Materials, 2022, 51, 266-272.	9.5	7
44	The Role of Electron Localization in Covalency and Electrochemical Properties of Lithiumâ€ion Battery Cathode Materials. Advanced Functional Materials, 2021, 31, 2001633.	7.8	21
45	Rational Design of Mixed Electronicâ€lonic Conducting Tiâ€Doping Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> for Lithium Dendrites Suppression. Advanced Functional Materials, 2021, 31, 2001918.	7.8	57
46	A Multilayer Ceramic Electrolyte for Allâ€Solidâ€State Li Batteries. Angewandte Chemie - International Edition, 2021, 60, 3781-3790.	7.2	71
47	Enhancing cycle stability of Li metal anode by using polymer separators coated with Ti-containing solid electrolytes. Rare Metals, 2021, 40, 1357-1365.	3.6	27
48	A Multilayer Ceramic Electrolyte for Allâ€Solidâ€State Li Batteries. Angewandte Chemie, 2021, 133, 3825-3834.	1.6	13
49	Deciphering the Oxygen Absorption Preâ€edge: A Caveat on its Application for Probing Oxygen Redox Reactions in Batteries. Energy and Environmental Materials, 2021, 4, 246-254.	7.3	56
50	Epitaxial Induced Plating Currentâ€Collector Lasting Lifespan of Anodeâ€Free Lithium Metal Battery. Advanced Energy Materials, 2021, 11, 2003709.	10.2	119
51	Probing the Energy Storage Mechanism of Quasiâ€Metallic Na in Hard Carbon for Sodiumâ€Ion Batteries. Advanced Energy Materials, 2021, 11, 2003854.	10.2	104
52	Oxygen-redox reactions in LiCoO2 cathode without O–O bonding during charge-discharge. Joule, 2021, 5, 720-736.	11.7	56
53	Cycling mechanism of Li2MnO3: Li–CO2Âbatteries and commonality on oxygen redox in cathode materials. Joule, 2021, 5, 975-997.	11.7	88
54	Enhancing the Thermal Stability of NASICON Solid Electrolyte Pellets against Metallic Lithium by Defect Modification. ACS Applied Materials & Samp; Interfaces, 2021, 13, 18743-18749.	4.0	29

#	Article	IF	CITATIONS
55	First-Principles Simulations for the Surface Evolution and Mn Dissolution in the Fully Delithiated Spinel LiMn <sub>2</sub> O <sub>4</sub> . Langmuir, 2021, 37, 5252-5259.	1.6	17
56	Synergistic Effect of Temperature and Electrolyte Concentration on Solidâ€State Interphase for Highâ€Performance Lithium Metal Batteries. Advanced Energy and Sustainability Research, 2021, 2, 2100010.	2.8	2
57	The Electrolysis of Antiâ€Perovskite Li <sub>2</sub> OHCl for Prelithiation of Highâ€Energyâ€Density Batteries. Angewandte Chemie, 2021, 133, 13123-13130.	1.6	4
58	The Electrolysis of Antiâ€Perovskite Li <sub>2</sub> OHCl for Prelithiation of Highâ€Energyâ€Density Batteries. Angewandte Chemie - International Edition, 2021, 60, 13013-13020.	7.2	25
59	Silicon micropillar electrodes of lithiumion batteries used for characterizing electrolyte additives*. Chinese Physics B, 2021, 30, 068202.	0.7	1
60	Cation-synergy stabilizing anion redox of Chevrel phase Mo6S8 in aluminum ion battery. Energy Storage Materials, 2021, 37, 87-93.	9.5	31
61	Enabling the thermal stability of solid electrolyte interphase in Liâ€ion battery. InformaÄnÃ-Materiály, 2021, 3, 648-661.	8.5	70
62	Dense Allâ€Electrochemâ€Active Electrodes for Allâ€Solidâ€State Lithium Batteries. Advanced Materials, 2021, 33, e2008723.	11.1	26
63	Oxygen anionic redox activated high-energy cathodes: Status and prospects. ETransportation, 2021, 8, 100118.	6.8	34
64	Hunting Sodium Dendrites in NASICON-Based Solid-State Electrolytes. Energy Material Advances, 2021, 2021, .	4.7	57
65	Ultralight Electrolyte for Highâ€Energy Lithium–Sulfur Pouch Cells. Angewandte Chemie - International Edition, 2021, 60, 17547-17555.	7.2	72
66	Gaseous electrolyte additive BF3 for high-power Li/CFx primary batteries. Energy Storage Materials, 2021, 38, 482-488.	9.5	52
67	Ultralight Electrolyte for Highâ€Energy Lithium–Sulfur Pouch Cells. Angewandte Chemie, 2021, 133, 17688-17696.	1.6	13
68	Progress in thermal stability of <scp>allâ€solidâ€stateâ€Liâ€ionâ€batteries</scp> . InformaÄnÃ-Materiály, 2021, 827-853.	3 <sub>8.5</sub>	126
69	Amorphous Redox-Rich Polysulfides for Mg Cathodes. Jacs Au, 2021, 1, 1266-1274.	3.6	14
70	Fast Li Plating Behavior Probed by X-ray Computed Tomography. Nano Letters, 2021, 21, 5254-5261.	4.5	19
71	A Reflection on Lithiumâ€ion Batteries from a Lithiumâ€Resource Perspective. Advanced Energy and Sustainability Research, 2021, 2, 2100062.	2.8	7
72	Fluorinated Polyâ€oxalate Electrolytes Stabilizing both Anode and Cathode Interfaces for Allâ€Solidâ€State Li/NMC811 Batteries. Angewandte Chemie - International Edition, 2021, 60, 18335-18343.	7.2	53

#	Article	IF	CITATIONS
73	Superior Allâ€Solidâ€State Batteries Enabled by a Gasâ€Phaseâ€Synthesized Sulfide Electrolyte with Ultrahigh Moisture Stability and Ionic Conductivity. Advanced Materials, 2021, 33, e2100921.	11.1	110
74	Fluorinated Polyâ€oxalate Electrolytes Stabilizing both Anode and Cathode Interfaces for Allâ€Solidâ€State Li/NMC811 Batteries. Angewandte Chemie, 2021, 133, 18483-18491.	1.6	13
75	Front Cover Image. InformaÄnÃ-Materiály, 2021, 3, .	8.5	1
76	Controllable ionic self-assembl of polyoxometalate and melamine for synthesis of nanostructured Ag. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 623, 126732.	2.3	2
77	Reaction Mechanisms of Ta-Substituted Cubic Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> with Solvents During Storage. ACS Applied Materials & During Storage. ACS	4.0	14
78	Lowâ€Density Fluorinated Silane Solvent Enhancing Deep Cycle Lithium–Sulfur Batteries' Lifetime. Advanced Materials, 2021, 33, e2102034.	11.1	39
79	High-performance Li-air battery after limiting inter-electrode crosstalk. Energy Storage Materials, 2021, 39, 225-231.	9.5	5
80	Amorphous anion-rich titanium polysulfides for aluminum-ion batteries. Science Advances, 2021, 7, .	4.7	63
81	Criterion for Identifying Anodes for Practically Accessible High-Energy-Density Lithium-Ion Batteries. ACS Energy Letters, 2021, 6, 3719-3724.	8.8	55
82	Bi-carbon armor design with CVD carbon and compact graphene network to promote the practical use of microparticulate Si anodes in lithium-ion batteries. Chinese Science Bulletin, 2021, 66, 3367-3369.	0.4	1
83	Recent advances in dopamine-based materials constructed via one-pot co-assembly strategy. Advances in Colloid and Interface Science, 2021, 295, 102489.	7.0	27
84	TiO2 (B) anode for high-voltage aqueous Li-ion batteries. Energy Storage Materials, 2021, 42, 438-444.	9.5	28
85	Electronic Conductive Inorganic Cathodes Promising Highâ€Energy Organic Batteries. Advanced Materials, 2021, 33, e2005781.	11.1	12
86	Aqueous interphase formed by CO2 brings electrolytes back to salt-in-water regime. Nature Chemistry, 2021, 13, 1061-1069.	6.6	57
87	5V-class sulfurized spinel cathode stable in sulfide all-solid-state batteries. Nano Energy, 2021, 90, 106589.	8.2	53
88	Delithiation-driven topotactic reaction endows superior cycling performances for high-energy-density FeS (1Ââ‰ÂxÂâ‰Â1.14) cathodes. Energy Storage Materials, 2021, 43, 579-584.	9.5	27
89	In Situ Visualization of Li-Whisker with Grating-Interferometry-Based Tricontrast X-ray Microtomography. , 2021, 3, 1786-1792.		8
90	Interplay between solid-electrolyte interphase and (in)active LixSi inÂsilicon anode. Cell Reports Physical Science, 2021, 2, 100668.	2.8	42

#	Article	IF	Citations
91	Liquid phase therapy to solid electrolyte–electrode interface in solid-state Li metal batteries: A review. Energy Storage Materials, 2020, 24, 75-84.	9.5	199
92	Local structure adaptability through multi cations for oxygen redox accommodation in Li-Rich layered oxides. Energy Storage Materials, 2020, 24, 384-393.	9.5	101
93	Investigations on the Fundamental Process of Cathode Electrolyte Interphase Formation and Evolution of High-Voltage Cathodes. ACS Applied Materials & Samp; Interfaces, 2020, 12, 2319-2326.	4.0	186
94	lodine Vapor Transport-Triggered Preferential Growth of Chevrel Mo <sub>6</sub> S <sub>8</sub> Nanosheets for Advanced Multivalent Batteries. ACS Nano, 2020, 14, 1102-1110.	7.3	72
95	The Compensation Effect Mechanism of Fe–Ni Mixed Prussian Blue Analogues in Aqueous Rechargeable Aluminumâ€lon Batteries. ChemSusChem, 2020, 13, 732-740.	3.6	93
96	Batteries with high theoretical energy densities. Energy Storage Materials, 2020, 26, 46-55.	9.5	152
97	New insight of stabilizing electrode/electrolyte interphase: Regulating the specific adsorption of the inner Helmholtz plane. Journal of Energy Chemistry, 2020, 45, 126-127.	7.1	5
98	Retarding graphitization of soft carbon precursor: From fusion-state to solid-state carbonization. Energy Storage Materials, 2020, 26, 577-584.	9.5	56
99	Approaching Practically Accessible Solid-State Batteries: Stability Issues Related to Solid Electrolytes and Interfaces. Chemical Reviews, 2020, 120, 6820-6877.	23.0	891
100	Neutron-based characterization techniques for lithium-ion battery research. Chinese Physics B, 2020, 29, 018201.	0.7	31
101	Highâ€Voltage Aqueous Naâ€Ion Battery Enabled by Inertâ€Cationâ€Assisted Waterâ€inâ€Salt Electrolyte. Advar Materials, 2020, 32, e1904427.	nced 11.1	221
102	Insights of the anionic redox in P2–Na0.67Ni0.33Mn0.67O2. Nano Energy, 2020, 78, 105285.	8.2	49
103	pH-Responsive dopamine-based nanoparticles assembled <i>via</i> Schiff base bonds for synergistic anticancer therapy. Chemical Communications, 2020, 56, 13347-13350.	2.2	18
104	Local spring effect in titanium-based layered oxides. Energy and Environmental Science, 2020, 13, 4371-4380.	15.6	13
105	Size effect on the growth and pulverization behavior of Si nanodomains in SiO anode. Nano Energy, 2020, 78, 105101.	8.2	51
106	High-rate cathode CrSSe based on anion reactions for lithium-ion batteries. Journal of Materials Chemistry A, 2020, 8, 25739-25745.	5.2	17
107	Battery prelithiation enabled by lithium fixation on cathode. Journal of Power Sources, 2020, 480, 229109.	4.0	22
108	Hierarchical Defect Engineering for LiCoO2 through Low-Solubility Trace Element Doping. CheM, 2020, 6, 2759-2769.	5.8	74

#	Article	IF	CITATIONS
109	4.2Ââ€⟨V poly(ethylene oxide)-based all-solid-state lithium batteries with superior cycle and safety performance. Energy Storage Materials, 2020, 32, 191-198.	9.5	77
110	Interface Concentratedâ€Confinement Suppressing Cathode Dissolution in Waterâ€inâ€Salt Electrolyte. Advanced Energy Materials, 2020, 10, 2000665.	10.2	70
111	Joint Cationic and Anionic Redox Chemistry for Advanced Mg Batteries. Nano Letters, 2020, 20, 6852-6858.	4.5	25
112	Interface engineering renders high-rate high-capacity lithium storage in black phosphorous composite anodes with excellent cycling durability. Science China Chemistry, 2020, 63, 1734-1736.	4.2	4
113	Simplifying and accelerating kinetics enabling fast-charge Al batteries. Journal of Materials Chemistry A, 2020, 8, 23834-23843.	5.2	12
114	Structure Design of Cathode Electrodes for Solidâ€State Batteries: Challenges and Progress. Small Structures, 2020, 1, 2000042.	6.9	73
115	Unraveling the Reaction Mechanism of FeS <sub>2</sub> as a Li-lon Battery Cathode. ACS Applied Materials & Discrete Substitution (12), 44850-44857.	4.0	71
116	Rational design of layered oxide materials for sodium-ion batteries. Science, 2020, 370, 708-711.	6.0	616
117	Realizing High Volumetric Lithium Storage by Compact and Mechanically Stable Anode Designs. ACS Energy Letters, 2020, 5, 1986-1995.	8.8	72
118	The Thermal Stability of Lithium Solid Electrolytes with Metallic Lithium. Joule, 2020, 4, 812-821.	11.7	197
119	Delayed Phase Transition and Improved Cycling/Thermal Stability by Spinel LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> Modification for LiCoO <sub>2</sub> Cathode at High Voltages. ACS Applied Materials & Samp; Interfaces, 2020, 12, 27339-27349.	4.0	41
120	Suppressing transition metal dissolution and deposition in lithium-ion batteries using oxide solid electrolyte coated polymer separator*. Chinese Physics B, 2020, 29, 088201.	0.7	6
121	Wearable Bipolar Rechargeable Aluminum Battery. , 2020, 2, 808-813.		19
122	An In Situ Formed Surface Coating Layer Enabling LiCoO <sub>2</sub> with Stable 4.6 V Highâ€Voltage Cycle Performances. Advanced Energy Materials, 2020, 10, 2001413.	10.2	201
123	Na <sub>3</sub> Zr <sub>2</sub> Si <sub>2</sub> PO <sub>12</sub> : A Stable Na <sup>+</sup> -lon Solid Electrolyte for Solid-State Batteries. ACS Applied Energy Materials, 2020, 3, 7427-7437.	2.5	77
124	Realizing long-term cycling stability and superior rate performance of 4.5ÂV–LiCoO2 by aluminum doped zinc oxide coating achieved by a simple wet-mixing method. Journal of Power Sources, 2020, 470, 228423.	4.0	57
125	Influence of fluoroethylene carbonate on the solid electrolyte interphase of silicon anode for Li-ion batteries: A scanning force spectroscopy study*. Chinese Physics B, 2020, 29, 048203.	0.7	5
126	Mn Ion Dissolution Mechanism for Lithium-Ion Battery with LiMn <sub>2</sub> O <sub>4</sub> Cathode: ⟨i⟩In Situ⟨/i⟩ Ultraviolet–Visible Spectroscopy and ⟨i⟩Ab Initio⟨/i⟩ Molecular Dynamics Simulations. Journal of Physical Chemistry Letters, 2020, 11, 3051-3057.	2.1	60

#	Article	IF	Citations
127	Low-temperature fusion fabrication of Li-Cu alloy anode with in situ formed 3D framework of inert LiCu nanowires for excellent Li storage performance. Science Bulletin, 2020, 65, 1907-1915.	4.3	50
128	Improving LiNi0.9Co0.08Mn0.02O2's cyclic stability via abating mechanical damages. Energy Storage Materials, 2020, 28, 1-9.	9.5	44
129	Increasing Poly(ethylene oxide) Stability to 4.5 V by Surface Coating of the Cathode. ACS Energy Letters, 2020, 5, 826-832.	8.8	192
130	High-throughput computational discovery of K <sub>2</sub> CdO <sub>2</sub> as an ion conductor for solid-state potassium-ion batteries. Journal of Materials Chemistry A, 2020, 8, 5157-5162.	5.2	23
131	Electrolyte-assisted dissolution-recrystallization mechanism towards high energy density and power density CF cathodes in potassium cell. Nano Energy, 2020, 70, 104552.	8.2	41
132	Enabling Stable Cycling of 4.2 V Highâ€Voltage Allâ€Solidâ€State Batteries with PEOâ€Based Solid Electrolyte. Advanced Functional Materials, 2020, 30, 1909392.	7.8	204
133	Bringing forward the development of battery cells for automotive applications: Perspective of R&D activities in China, Japan, the EU and the USA. Journal of Power Sources, 2020, 459, 228073.	4.0	109
134	A wide-temperature superior ionic conductive polymer electrolyte for lithium metal battery. Nano Energy, 2020, 73, 104786.	8.2	120
135	Mobile Ions in Composite Solids. Chemical Reviews, 2020, 120, 4169-4221.	23.0	193
136	Reversible Al3+ storage mechanism in anatase TiO2 cathode material for ionic liquid electrolyte-based aluminum-ion batteries. Journal of Energy Chemistry, 2020, 51, 72-80.	7.1	56
137	A stabilized PEO-based solid electrolyte <i>via</i> a facile interfacial engineering method for a high voltage solid-state lithium metal battery. Chemical Communications, 2020, 56, 5633-5636.	2.2	43
138	Structural and mechanistic revelations on high capacity cation-disordered Li-rich oxides for rechargeable Li-ion batteries. Energy Storage Materials, 2019, 16, 354-363.	9.5	94
139	The 2019 materials by design roadmap. Journal Physics D: Applied Physics, 2019, 52, 013001.	1.3	236
140	High air-stability and superior lithium ion conduction of Li3+3P1-Zn S4-O by aliovalent substitution of ZnO for all-solid-state lithium batteries. Energy Storage Materials, 2019, 17, 266-274.	9.5	114
141	Practical evaluation of energy densities for sulfide solid-state batteries. ETransportation, 2019, 1, 100010.	6.8	114
142	In-situ visualization of lithium plating in all-solid-state lithium-metal battery. Nano Energy, 2019, 63, 103895.	8.2	109
143	Artificial solid electrolyte interphase based on polyacrylonitrile for homogenous and dendrite-free deposition of lithium metal. Chinese Physics B, 2019, 28, 078202.	0.7	1
144	Water-in-Salt Electrolyte Promotes High-Capacity FeFe(CN) < sub > 6 < /sub > Cathode for Aqueous Al-Ion Battery. ACS Applied Materials & Distribution (2019), 11, 41356-41362.	4.0	93

#	Article	IF	CITATIONS
145	Correlated Migration Invokes Higher Na <sup>+</sup> â€lon Conductivity in NaSICONâ€Type Solid Electrolytes. Advanced Energy Materials, 2019, 9, 1902373.	10.2	162
146	A dual-phase Li–Ca alloy with a patternable and lithiophilic 3D framework for improving lithium anode performance. Journal of Materials Chemistry A, 2019, 7, 22377-22384.	5.2	42
147	Li-free Cathode Materials for High Energy Density Lithium Batteries. Joule, 2019, 3, 2086-2102.	11.7	239
148	Triple effects of Sn-substitution on Na0.67Ni0.33Mn0.67O2. Journal of Materials Science and Technology, 2019, 35, 1250-1254.	5.6	20
149	Stabilizing the Oxygen Lattice and Reversible Oxygen Redox Chemistry through Structural Dimensionality in Lithiumâ€Rich Cathode Oxides. Angewandte Chemie - International Edition, 2019, 58, 4323-4327.	7.2	114
150	Slopeâ€Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Naâ€ion Batteries. Angewandte Chemie, 2019, 131, 4405-4409.	1.6	36
151	Stabilizing the Oxygen Lattice and Reversible Oxygen Redox Chemistry through Structural Dimensionality in Lithiumâ€Rich Cathode Oxides. Angewandte Chemie, 2019, 131, 4367-4371.	1.6	13
152	Slopeâ€Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Naâ€ion Batteries. Angewandte Chemie - International Edition, 2019, 58, 4361-4365.	7.2	171
153	Influence of carbon coating on the electrochemical performance of SiO@C/graphite composite anode materials*. Chinese Physics B, 2019, 28, 068201.	0.7	6
154	Trace doping of multiple elements enables stable battery cycling of LiCoO2 at 4.6 V. Nature Energy, 2019, 4, 594-603.	19.8	572
155	In Situ Formation of a Stable Interface in Solid-State Batteries. ACS Energy Letters, 2019, 4, 1650-1657.	8.8	93
156	Improved electrochemical performance of Li(Ni <sub>0.6</sub> Co <sub>0.2</sub> Mn <sub>0.2</sub> )O <sub>2</sub> at high charging cut-off voltage with Li <sub>1.4</sub> Al <sub>0.4</sub> Ti <sub>1.6</sub> (PO <sub>4</sub> ) <sub>3</sub> surface coating*. Chinese Physics B, 2019, 28, 068202.	0.7	16
157	Safe Lithiumâ€Metal Anodes for Liâ^'O <sub>2</sub> Batteries: From Fundamental Chemistry to Advanced Characterization and Effective Protection. Batteries and Supercaps, 2019, 2, 638-658.	2.4	67
158	Electrochemical and optoelectric behavior of Al-doped ZnO films as transparent anode for Li-ion batteries. Materials Today Communications, 2019, 19, 471-475.	0.9	10
159	Research and development of advanced battery materials in China. Energy Storage Materials, 2019, 23, 144-153.	9.5	168
160	Building aqueous K-ion batteries for energy storage. Nature Energy, 2019, 4, 495-503.	19.8	630
161	Beyond imaging: Applications of atomic force microscopy for the study of Lithium-ion batteries. Ultramicroscopy, 2019, 204, 34-48.	0.8	39
162	Practical Evaluation of Li-Ion Batteries. Joule, 2019, 3, 911-914.	11.7	278

#	Article	IF	CITATIONS
163	The Ab Initio Calculations on the Areal Specific Resistance of Liâ€Metal/Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> Interphase. Advanced Theory and Simulations, 2019, 2, 1900028.	1.3	25
164	<i>In situ</i> formation of a bifunctional interlayer enabled by a conversion reaction to initiatively prevent lithium dendrites in a garnet solid electrolyte. Energy and Environmental Science, 2019, 12, 1404-1412.	15.6	176
165	Anisotropic expansion and size-dependent fracture of silicon nanotubes during lithiation. Journal of Materials Chemistry A, 2019, 7, 15113-15122.	5.2	41
166	Lithium metal batteries capable of stable operation at elevated temperature. Energy Storage Materials, 2019, 23, 646-652.	9.5	87
167	WO3 nanocrystal prepared by self-assembly of phosphotungstic acid and dopamine for photocatalytic degradation of Congo red. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 572, 147-151.	2.3	23
168	Exploring reaction dynamics in lithium–sulfur batteries by time-resolved <i>operando</i> sulfur K-edge X-ray absorption spectroscopy. Chemical Communications, 2019, 55, 4993-4996.	2.2	9
169	High Rate Li-Ion Batteries with Cation-Disordered Cathodes. Joule, 2019, 3, 1064-1079.	11.7	12
170	Covalently assembled dopamine nanoparticle as an intrinsic photosensitizer and pH-responsive nanocarrier for potential application in anticancer therapy. Chemical Communications, 2019, 55, 15057-15060.	2.2	79
171	Anionic Redox Reaction-Induced High-Capacity and Low-Strain Cathode with Suppressed Phase Transition. Joule, 2019, 3, 503-517.	11.7	262
172	Electrochemically activated spinel manganese oxide for rechargeable aqueous aluminum battery. Nature Communications, 2019, 10, 73.	5.8	291
173	Li-ion battery material under high pressure: amorphization and enhanced conductivity of Li4Ti5O12. National Science Review, 2019, 6, 239-246.	4.6	49
174	Graphite as a potassium ion battery anode in carbonate-based electrolyte and ether-based electrolyte. Journal of Power Sources, 2019, 409, 24-30.	4.0	203
175	Advanced Characterization Techniques in Promoting Mechanism Understanding for Lithium–Sulfur Batteries. Advanced Functional Materials, 2018, 28, 1707543.	7.8	81
176	Core–Shell Fe <sub>1–<i>x</i></sub> S@Na <sub>2.9</sub> PS <sub>3.95</sub> Se <sub>0.05</sub> Nanorods for Room Temperature All-Solid-State Sodium Batteries with High Energy Density. ACS Nano, 2018, 12, 2809-2817.	7.3	68
177	Perspectives of automotive battery R&D in China, Germany, Japan, and the USA. Journal of Power Sources, 2018, 382, 176-178.	4.0	184
178	Dynamic evolution of cathode electrolyte interphase (CEI) on high voltage LiCoO2 cathode and its interaction with Li anode. Energy Storage Materials, 2018, 14, 1-7.	9.5	307
179	Surface-protected LiCoO2 with ultrathin solid oxide electrolyte film for high-voltage lithium ion batteries and lithium polymer batteries. Journal of Power Sources, 2018, 388, 65-70.	4.0	139
180	Enhanced ionic conductivity in LAGP/LATP composite electrolyte. Chinese Physics B, 2018, 27, 038201.	0.7	18

#	Article	IF	Citations
181	Recent developments in dopamine-based materials for cancer diagnosis and therapy. Advances in Colloid and Interface Science, 2018, 252, 1-20.	7.0	53
182	Recent advances in self-assembly of spin crossover materials and their applications. Current Opinion in Colloid and Interface Science, 2018, 35, 9-16.	3.4	28
183	Sustainable Interfaces between Si Anodes and Garnet Electrolytes for Room-Temperature Solid-State Batteries. ACS Applied Materials & Diterfaces, 2018, 10, 2185-2190.	4.0	54
184	TiS2 as a high performance potassium ion battery cathode in ether-based electrolyte. Energy Storage Materials, 2018, 12, 216-222.	9.5	129
185	Electro-plating and stripping behavior on lithium metal electrode with ordered three-dimensional structure. Nano Energy, 2018, 45, 463-470.	8.2	81
186	Biphenyl-lithium-TEGDME solution as anolyte for high energy density non-aqueous redox flow lithium battery. Journal of Energy Chemistry, 2018, 27, 1362-1368.	7.1	24
187	Drawing a Soft Interface: An Effective Interfacial Modification Strategy for Garnet-Type Solid-State Li Batteries. ACS Energy Letters, 2018, 3, 1212-1218.	8.8	321
188	Nanoscaled Na <sub>3</sub> PS <sub>4</sub> Solid Electrolyte for All-Solid-State FeS <sub>2</sub> /Na Batteries with Ultrahigh Initial Coulombic Efficiency of 95% and Excellent Cyclic Performances. ACS Applied Materials & Diterraces, 2018, 10, 12300-12304.	4.0	64
189	Review on modeling of the anode solid electrolyte interphase (SEI) for lithium-ion batteries. Npj Computational Materials, 2018, 4, .	3.5	961
190	A facile electrode preparation method for accurate electrochemical measurements of double-side-coated electrode from commercial Li-ion batteries. Journal of Power Sources, 2018, 384, 172-177.	4.0	6
191	The effects of oxygen in spinel oxide Li1+xTi2â^'xO4â^'δ thin films. Scientific Reports, 2018, 8, 3995.	1.6	14
192	Application of Li <sub>2</sub> S to compensate for loss of active lithium in a Si–C anode. Journal of Materials Chemistry A, 2018, 6, 6206-6211.	5.2	37
193	Structure-Induced Reversible Anionic Redox Activity in Na Layered Oxide Cathode. Joule, 2018, 2, 125-140.	11.7	311
194	Anthraquinone derivative as high-performance anode material for sodium-ion batteries using ether-based electrolytes. Green Energy and Environment, 2018, 3, 63-70.	4.7	20
195	Organic-inorganic hybrid based on co-assembly of polyoxometalate and dopamine for synthesis of nanostructured Ag. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 538, 513-518.	2.3	12
196	Long lifespan lithium metal anodes enabled by Al2O3 sputter coating. Energy Storage Materials, 2018, 10, 16-23.	9.5	174
197	Synchrotron Radiation Nanoscale X-ray Imaging Technology And Scientific Big Data Mining Assist Energy Materials Research. Microscopy and Microanalysis, 2018, 24, 542-543.	0.2	0
198	Discovery and design of lithium battery materials via high-throughput modeling. Chinese Physics B, 2018, 27, 128801.	0.7	2

#	Article	IF	Citations
199	Interfaces Between Cathode and Electrolyte in Solid State Lithium Batteries: Challenges and Perspectives. Frontiers in Chemistry, 2018, 6, 616.	1.8	175
200	An Armored Mixed Conductor Interphase on a Dendriteâ€Free Lithiumâ€Metal Anode. Advanced Materials, 2018, 30, e1804461.	11.1	338
201	Mechanism Study on the Interfacial Stability of a Lithium Garnet-Type Oxide Electrolyte against Cathode Materials. ACS Applied Energy Materials, 2018, 1, 5968-5976.	2.5	72
202	Temperature-Sensitive Structure Evolution of Lithium–Manganese-Rich Layered Oxides for Lithium-Ion Batteries. Journal of the American Chemical Society, 2018, 140, 15279-15289.	6.6	163
203	Lithium–Sulfur Batteries: Coâ€Existence of Challenges and Opportunities. Advanced Functional Materials, 2018, 28, 1804589.	7.8	49
204	Homogeneous Interface Conductivity for Lithium Dendrite-Free Anode. ACS Energy Letters, 2018, 3, 2259-2266.	8.8	124
205	Size effect of Si particles on the electrochemical performances of Si/C composite anodes. Chinese Physics B, 2018, 27, 088201.	0.7	9
206	Unusual Activation of Cation Disordering by Li/Fe Rearrangement in Triplite LiFeSO <sub>4</sub> F. Advanced Energy Materials, 2018, 8, 1800298.	10.2	6
207	Tuning hybrid liquid/solid electrolytes by lowering Li salt concentration for lithium batteries. Chinese Physics B, 2018, 27, 068201.	0.7	0
208	A high-performance rechargeable Li–O <sub>2</sub> battery with quasi-solid-state electrolyte. Chinese Physics B, 2018, 27, 078201.	0.7	14
209	A multiphysics model that can capture crack patterns in Si thin films based on their microstructure. Journal of Power Sources, 2018, 400, 383-391.	4.0	25
210	Preâ€Oxidationâ€Tuned Microstructures of Carbon Anodes Derived from Pitch for Enhancing Na Storage Performance. Advanced Energy Materials, 2018, 8, 1800108.	10.2	179
211	Improved electrochemical performances of high voltage LiCoO <sub>2</sub> with tungsten doping. Chinese Physics B, 2018, 27, 088202.	0.7	12
212	Three-dimensional atomic-scale observation of structural evolution of cathode material in a working all-solid-state battery. Nature Communications, 2018, 9, 3341.	5.8	60
213	New horizons for inorganic solid state ion conductors. Energy and Environmental Science, 2018, 11, 1945-1976.	15.6	894
214	Exploring PVFM-Based Janus Membrane-Supporting Gel Polymer Electrolyte for Highly Durable Li–O <sub>2</sub> Batteries. ACS Applied Materials & Interfaces, 2018, 10, 22237-22247.	4.0	26
215	Novel Concentrated Li[(FSO <sub>2</sub> )(n-C <sub>4</sub> F <sub>9</sub> SO <sub>2</sub> )N]-Based Ether Electrolyte for Superior Stability of Metallic Lithium Anode. ACS Applied Materials & Samp; Interfaces, 2017, 9, 4282-4289.	4.0	62
216	A Rechargeable Li-Air Fuel Cell Battery Based on Garnet Solid Electrolytes. Scientific Reports, 2017, 7, 41217.	1.6	60

#	Article	IF	CITATIONS
217	In Situ Atomic-Scale Observation of Electrochemical Delithiation Induced Structure Evolution of LiCoO <sub>2</sub> Cathode in a Working All-Solid-State Battery. Journal of the American Chemical Society, 2017, 139, 4274-4277.	6.6	142
218	Structural stability and Li-ion transport property of LiFePO4 under high-pressure. Solid State Ionics, 2017, 301, 133-137.	1.3	25
219	Quantitative structure-property relationship study of cathode volume changes in lithium ion batteries using ab-initio and partial least squares analysis. Journal of Materiomics, 2017, 3, 178-183.	2.8	29
220	Anisotropic electron-phonon coupling in the spinel oxide superconductor <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>LiT</mml:mi><mml:msub><mml:mi mathvariant="normal">i</mml:mi><mml:mn>2</mml:mn></mml:msub><mml:msub><mml:mi mathvariant="normal">O</mml:mi><mml:mn>4</mml:mn></mml:msub></mml:mrow></mml:math> .	1.1	14
221	Physical Review B, 2017, 95, .  A class of liquid anode for rechargeable batteries with ultralong cycle life. Nature Communications, 2017, 8, 14629.	5.8	71
222	Atomic-Scale Structure-Property Relationships in Lithium Ion Battery Electrode Materials. Annual Review of Materials Research, 2017, 47, 175-198.	4.3	23
223	Forty years of research on solid metallic lithium batteries: an interview with Liquan Chen. National Science Review, 2017, 4, 106-110.	4.6	4
224	In situ Visualization of State-of-Charge Heterogeneity within a LiCoO <sub>2</sub> Particle that Evolves upon Cycling at Different Rates. ACS Energy Letters, 2017, 2, 1240-1245.	8.8	159
225	Decomposing lithium carbonate with a mobile catalyst. Nano Energy, 2017, 36, 390-397.	8.2	60
226	Poly(ethyl α-cyanoacrylate)-Based Artificial Solid Electrolyte Interphase Layer for Enhanced Interface Stability of Li Metal Anodes. Chemistry of Materials, 2017, 29, 4682-4689.	3.2	189
227	A new Na[(FSO <sub>2</sub> )(n-C <sub>4</sub> F <sub>9</sub> SO <sub>2</sub> )N]-based polymer electrolyte for solid-state sodium batteries. Journal of Materials Chemistry A, 2017, 5, 7738-7743.	5.2	76
228	The long life-span of a Li-metal anode enabled by a protective layer based on the pyrolyzed N-doped binder network. Journal of Materials Chemistry A, 2017, 5, 9339-9349.	5.2	44
229	Novel Methods for Sodiumâ€lon Battery Materials. Small Methods, 2017, 1, 1600063.	4.6	84
230	A Well-Defined Silicon Nanocone–Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Definition Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Definition Structure for Demonstrating Exclusive Influences of Carbon Coating Structure for Demonstrating Exclusive Influences of Carbon Coating Structure for Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Lithium-Ion Batteries. ACS Applied Materials & Demonstrating Exclusive Influences of Carbon Coating On Silicon Anode of Carbon Coating On Silicon Carbon C	4.0	29
231	Recent advances of electrode materials for low-cost sodium-ion batteries towards practical application for grid energy storage. Energy Storage Materials, 2017, 7, 130-151.	9.5	469
232	High-capacity lithium-rich cathode oxides with multivalent cationic and anionic redox reactions for lithium ion batteries. Science China Chemistry, 2017, 60, 1483-1493.	4.2	26
233	First-principles insight into the structural fundamental of super ionic conducting in NASICON MTi2(PO4)3 (M = Li, Na) materials for rechargeable batteries. Nano Energy, 2017, 41, 626-633.	8.2	67
234	Atomicâ€Scale Monitoring of Electrode Materials in Lithiumâ€Ion Batteries using In Situ Transmission Electron Microscopy. Advanced Energy Materials, 2017, 7, 1700709.	10.2	53

#	Article	IF	Citations
235	Correlations between Transition-Metal Chemistry, Local Structure, and Global Structure in Li <sub>2</sub> Ru <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>3</sub> Investigated in a Wide Voltage Window. Chemistry of Materials, 2017, 29, 9053-9065.	3.2	40
236	Al <sub>2</sub> O <sub>3</sub> surface coating on LiCoO <sub>2</sub> through a facile and scalable wet-chemical method towards high-energy cathode materials withstanding high cutoff voltages. Journal of Materials Chemistry A, 2017, 5, 24361-24370.	5.2	127
237	Gas treatment protection of metallic lithium anode. Chinese Physics B, 2017, 26, 088202.	0.7	3
238	Data mining-aided materials discovery and optimization. Journal of Materiomics, 2017, 3, 191-201.	2.8	65
239	A low cost composite quasi-solid electrolyte of LATP, TEGDME, and LiTFSI for rechargeable lithium batteries. Chinese Physics B, 2017, 26, 068201.	0.7	10
240	Finding a Needle in the Haystack: Identification of Functionally Important Minority Phases in an Operating Battery. Nano Letters, 2017, 17, 7782-7788.	4.5	42
241	Na3.4Zr1.8Mg0.2Si2PO12 filled poly(ethylene oxide)/Na(CF3SO2)2N as flexible composite polymer electrolyte for solid-state sodium batteries. Journal of Power Sources, 2017, 372, 270-275.	4.0	74
242	Conductivity and applications of Li-biphenyl-1,2-dimethoxyethane solution for lithium ion batteries. Chinese Physics B, 2017, 26, 078201.	0.7	11
243	Oxysulfide LiAlSO: A Lithium Superionic Conductor from First Principles. Physical Review Letters, 2017, 118, 195901.	2.9	58
244	A Selfâ€Forming Composite Electrolyte for Solidâ€State Sodium Battery with Ultralong Cycle Life. Advanced Energy Materials, 2017, 7, 1601196.	10.2	231
245	Confirming reversible Al $3+$ storage mechanism through intercalation of Al $3+$ into V $2$ O $5$ nanowires in a rechargeable aluminum battery. Energy Storage Materials, 2017, $6$ , $9-17$ .	9.5	241
246	Side-by-side observation of the interfacial improvement of vertical graphene-coated silicon nanocone anodes for lithium-ion batteries by patterning technology. Nanoscale, 2017, 9, 17241-17247.	2.8	14
247	Improved Cycling Stability of Lithiumâ€Metal Anode with Concentrated Electrolytes Based on Lithium (Fluorosulfonyl)(trifluoromethanesulfonyl)imide. ChemElectroChem, 2016, 3, 531-536.	1.7	67
248	Single Lithiumâ€lon Conducting Polymer Electrolytes Based on a Superâ€Delocalized Polyanion. Angewandte Chemie - International Edition, 2016, 55, 2521-2525.	7.2	411
249	Oxygen-driven transition from two-dimensional to three-dimensional transport behaviour in $\hat{l}^2$ -Li <sub>3</sub> PS <sub>4</sub> electrolyte. Physical Chemistry Chemical Physics, 2016, 18, 21269-21277.	1.3	66
250	Forming solid electrolyte interphase <i>in situ</i> in an ionic conducting Li <sub>1.5</sub> Al <sub>0.5</sub> Ge <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> -polypropylene (PP) based separator for Li-ion batteries. Chinese Physics B, 2016, 25, 078204.	0.7	25
251	Brief overview of electrochemical potential in lithium ion batteries. Chinese Physics B, 2016, 25, 018210.	0.7	66
252	Novel 1.5 V anode materials, ATiOPO4(A = NH4, K, Na), for room-temperature sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 7141-7147.	5.2	35

#	Article	IF	Citations
253	Flexible and ion-conducting membrane electrolytes for solid-state lithium batteries: Dispersion of garnet nanoparticles in insulating polyethylene oxide. Nano Energy, 2016, 28, 447-454.	8.2	651
254	Si micropyramid patterned anodes that can suppress fracture and solid electrolyte interface formation during electrochemical cycling. Journal of Power Sources, 2016, 329, 372-378.	4.0	9
255	Explore the Effects of Microstructural Defects on Voltage Fade of Li- and Mn-Rich Cathodes. Nano Letters, 2016, 16, 5999-6007.	4.5	64
256	Novel Li[(CF <sub>3</sub> SO <sub>2</sub> )(n-C <sub>4</sub> F <sub>9</sub> SO <sub>2</sub> )N]-Based Polymer Electrolytes for Solid-State Lithium Batteries with Superior Electrochemical Performance. ACS Applied Materials & Diterfaces, 2016, 8, 29705-29712.	4.0	87
257	A ceramic/polymer composite solid electrolyte for sodium batteries. Journal of Materials Chemistry A, 2016, 4, 15823-15828.	5.2	152
258	Amorphous Li <sub>2</sub> O <sub>2</sub> : Chemical Synthesis and Electrochemical Properties. Angewandte Chemie - International Edition, 2016, 55, 10717-10721.	7.2	135
259	Highâ€Rate Charging Induced Intermediate Phases and Structural Changes of Layerâ€Structured Cathode for Lithiumâ€lon Batteries. Advanced Energy Materials, 2016, 6, 1600597.	10.2	110
260	Sodium Bis(fluorosulfonyl)imide/Poly(ethylene oxide) Polymer Electrolytes for Sodium″on Batteries. ChemElectroChem, 2016, 3, 1741-1745.	1.7	76
261	Toxicity, a serious concern of thermal runaway from commercial Li-ion battery. Nano Energy, 2016, 27, 313-319.	8.2	186
262	Advanced sodium-ion batteries using superior low cost pyrolyzed anthracite anode: towards practical applications. Energy Storage Materials, 2016, 5, 191-197.	9.5	239
263	Structural integrityâ€"Searching the key factor to suppress the voltage fade of Li-rich layered cathode materials through 3D X-ray imaging and spectroscopy techniques. Nano Energy, 2016, 28, 164-171.	8.2	44
264	Toothpaste-like Electrode: A Novel Approach to Optimize the Interface for Solid-State Sodium-Ion Batteries with Ultralong Cycle Life. ACS Applied Materials & Samp; Interfaces, 2016, 8, 32631-32636.	4.0	71
265	Amorphous Li <sub>2</sub> O <sub>2</sub> : Chemical Synthesis and Electrochemical Properties. Angewandte Chemie, 2016, 128, 10875-10879.	1.6	37
266	Phase Separation of Li <sub>2</sub> S/S at Nanoscale during Electrochemical Lithiation of the Solidâ€State Lithium–Sulfur Battery Using In Situ TEM. Advanced Energy Materials, 2016, 6, 1600806.	10.2	69
267	Concentrated dual-salt electrolytes for improving the cycling stability of lithium metal anodes. Chinese Physics B, 2016, 25, 078203.	0.7	26
268	A waste biomass derived hard carbon as a high-performance anode material for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 13046-13052.	5.2	246
269	Mitigating Voltage Decay of Li-Rich Cathode Material via Increasing Ni Content for Lithium-Ion Batteries. ACS Applied Materials & Samp; Interfaces, 2016, 8, 20138-20146.	4.0	197
270	High-Energy All-Solid-State Lithium Batteries with Ultralong Cycle Life. Nano Letters, 2016, 16, 7148-7154.	4.5	309

#	Article	IF	CITATIONS
271	Impact of Anionic Structure of Lithium Salt on the Cycling Stability of Lithium-Metal Anode in Li-S Batteries. Journal of the Electrochemical Society, 2016, 163, A1776-A1783.	1.3	40
272	Single Lithiumâ€lon Conducting Polymer Electrolytes Based on a Superâ€Delocalized Polyanion. Angewandte Chemie, 2016, 128, 2567-2571.	1.6	26
273	Lithium-ion transport in inorganic solid state electrolyte. Chinese Physics B, 2016, 25, 018211.	0.7	66
274	Synthesis and ionic transport mechanisms of α-LiAlO2. Solid State Ionics, 2016, 286, 122-134.	1.3	33
275	Impact of the functional group in the polyanion of single lithium-ion conducting polymer electrolytes on the stability of lithium metal electrodes. RSC Advances, 2016, 6, 32454-32461.	1.7	90
276	Mixed-Phase TiO2 Nanomaterials as Efficient Photocatalysts. Nanoscience and Technology, 2016, , 423-460.	1.5	11
277	A superior low-cost amorphous carbon anode made from pitch and lignin for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 96-104.	5.2	322
278	Pitch-derived amorphous carbon as high performance anode for sodium-ion batteries. Energy Storage Materials, 2016, 2, 139-145.	9.5	274
279	Transport of External Lithium Along Phase Boundary in LiF-Ti Nanocomposite Thin Films. Acta Chimica Slovenica, 2016, 63, 560-568.	0.2	0
280	Airâ€Stable Copperâ€Based P2â€Na <sub>7/9</sub> Cu <sub>2/9</sub> Fe <sub>1/9</sub> Mn <sub>2/3</sub> O <sub>2</sub> as a New Positive Electrode Material for Sodiumâ€ion Batteries. Advanced Science, 2015, 2, 1500031.	5.6	287
281	High-throughput design and optimization of fast lithium ion conductors by the combination of bond-valence method and density functional theory. Scientific Reports, 2015, 5, 14227.	1.6	117
282	Safetyâ€Reinforced Poly(Propylene Carbonate)â€Based Allâ€Solidâ€State Polymer Electrolyte for Ambientâ€Temperature Solid Polymer Lithium Batteries. Advanced Energy Materials, 2015, 5, 1501082.	10.2	532
283	Prototype Sodiumâ€lon Batteries Using an Airâ€Stable and Co/Niâ€Free O3â€Layered Metal Oxide Cathode. Advanced Materials, 2015, 27, 6928-6933.	11.1	504
284	A Novel High Capacity Positive Electrode Material with Tunnelâ€Type Structure for Aqueous Sodiumâ€Ion Batteries. Advanced Energy Materials, 2015, 5, 1501005.	10.2	161
285	Feâ€Based Tunnelâ€Type Na <sub>0.61</sub> [Mn <sub>0.27</sub> Fe <sub>0.34</sub> Ti <sub>0.39</sub> ]O <sub>2</sub> Designed by a New Strategy as a Cathode Material for Sodiumâ€lon Batteries. Advanced Energy Materials, 2015, 5, 1501156.	10.2	122
286	Atomic insight into electrochemical inactivity of lithium chromate (LiCrO2): Irreversible migration of chromium into lithium layers in surface regions. Journal of Power Sources, 2015, 273, 1218-1225.	4.0	45
287	Enhanced electrochemical performance of Si–Cu–Ti thin films by surface covered with Cu 3 Si nanowires. Journal of Power Sources, 2015, 281, 455-460.	4.0	22
288	New Insight into the Atomic-Scale Bulk and Surface Structure Evolution of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode. Journal of the American Chemical Society, 2015, 137, 1581-1586.	6.6	106

#	Article	IF	Citations
289	Atomicâ€Scale Structure Evolution in a Quasiâ€Equilibrated Electrochemical Process of Electrode Materials for Rechargeable Batteries. Advanced Materials, 2015, 27, 2134-2149.	11.1	63
290	Novel Largeâ€Scale Synthesis of a C/S Nanocomposite with Mixed Conducting Networks through a Spray Drying Approach for Li–S Batteries. Advanced Energy Materials, 2015, 5, 1500046.	10.2	96
291	Layered and Spinel Structural Cathodes. Green Energy and Technology, 2015, , 67-92.	0.4	1
292	Silicon-based nanosheets synthesized by a topochemical reaction for use as anodes for lithium ion batteries. Nano Research, 2015, 8, 2654-2662.	5.8	109
293	Probing Reversible Multielectron Transfer and Structure Evolution of Li <sub>1.2</sub> Cr <sub>0.4</sub> Mn <sub>0.4</sub> O <sub>2</sub> Cathode Material for Li-Ion Batteries in a Voltage Range of 1.0–4.8 V. Chemistry of Materials, 2015, 27, 5238-5252.	3.2	57
294	A spray drying approach for the synthesis of a Na <sub>2</sub> CNT nanocomposite anode for sodium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 13193-13197.	5.2	75
295	Ti-substituted tunnel-type Na0.44MnO2 oxide as a negative electrode for aqueous sodium-ion batteries. Nature Communications, 2015, 6, 6401.	5.8	316
296	Thick solid electrolyte interphases grown on silicon nanocone anodes during slow cycling and their negative effects on the performance of Li-ion batteries. Nanoscale, 2015, 7, 7651-7658.	2.8	43
297	Discrete Li-occupation versus pseudo-continuous Na-occupation and their relationship with structural change behaviors in Fe2(MoO4)3. Scientific Reports, 2015, 5, 8810.	1.6	42
298	Unraveling the storage mechanism in organic carbonyl electrodes for sodium-ion batteries. Science Advances, 2015, 1, e1500330.	4.7	170
299	Doping the Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> lattice with extra-large anions. Materials Express, 2015, 5, 457-462.	0.2	12
300	Candidate structures for inorganic lithium solid-state electrolytes identified by high-throughput bond-valence calculations. Journal of Materiomics, 2015, 1, 325-332.	2.8	50
301	Reviewâ€"Nano-Silicon/Carbon Composite Anode Materials Towards Practical Application for Next Generation Li-Ion Batteries. Journal of the Electrochemical Society, 2015, 162, A2509-A2528.	1.3	289
302	Instability of lithium bis(fluorosulfonyl)imide (LiFSI)–potassium bis(fluorosulfonyl)imide (KFSI) system with LiCoO 2 at high voltage. Chinese Physics B, 2015, 24, 078201.	0.7	11
303	A long-life Na–air battery based on a soluble Nal catalyst. Chemical Communications, 2015, 51, 2324-2327.	2.2	53
304	Amorphous monodispersed hard carbon micro-spherules derived from biomass as a high performance negative electrode material for sodium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 71-77.	5.2	432
305	Direct Observation of Ordered Oxygen Defects on the Atomic Scale in Li <sub>2</sub> O <sub>2</sub> for Liâ€O <sub>2</sub> Batteries. Advanced Energy Materials, 2015, 5, 1400664.	10.2	32
306	Direct evidence of gradient Mn(II) evolution at charged states in LiNi0.5Mn1.5O4 electrodes with capacity fading. Journal of Power Sources, 2015, 273, 1120-1126.	4.0	115

#	Article	IF	Citations
307	A highly reversible, low-strain Mg-ion insertion anode material for rechargeable Mg-ion batteries. NPG Asia Materials, 2014, 6, e120-e120.	3.8	130
308	Effect of electrochemical dissolution and deposition order on lithium dendrite formation: a top view investigation. Faraday Discussions, 2014, 176, 109-124.	1.6	45
309	Sizeâ€Dependent Staging and Phase Transition in LiFePO <sub>4</sub> /FePO <sub>4</sub> . Advanced Functional Materials, 2014, 24, 312-318.	7.8	48
310	Molten salt of lithium bis(fluorosulfonyl)imide (LiFSI)-potassium bis(fluorosulfonyl)imide (KFSI) as electrolyte for the natural graphite/LiFePO4 lithium-ion cell. Electrochimica Acta, 2014, 135, 217-223.	2.6	24
311	Anticorrosive flexible pyrolytic polyimide graphite film as a cathode current collector in lithium bis(trifluoromethane sulfonyl) imide electrolyte. Electrochemistry Communications, 2014, 44, 70-73.	2.3	13
312	Lithium bis(fluorosulfonyl)imide/poly(ethylene oxide) polymer electrolyte. Electrochimica Acta, 2014, 133, 529-538.	2.6	273
313	Atomic Structure and Kinetics of NASICON Na <sub>x</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Cathode for Sodiumâ€lon Batteries. Advanced Functional Materials, 2014, 24, 4265-4272.	7.8	323
314	Understanding the Rate Capability of Highâ€Energyâ€Density Liâ€Rich Layered Li <sub>1.2</sub> Ni <sub>0.15</sub> Co <sub>0.1</sub> Mn <sub>0.55</sub> O <sub>2</sub> Cathode Materials. Advanced Energy Materials, 2014, 4, 1300950.	10.2	480
315	Scalable Synthesis of Interconnected Porous Silicon/Carbon Composites by the Rochow Reaction as Highâ€Performance Anodes of Lithium Ion Batteries. Angewandte Chemie - International Edition, 2014, 53, 5165-5169.	7.2	175
316	Selfâ€Assembly of Hierarchical Nanostructures from Dopamine and Polyoxometalate for Oral Drug Delivery. Chemistry - A European Journal, 2014, 20, 499-504.	1.7	73
317	3D visualization of inhomogeneous multi-layered structure and Young's modulus of the solid electrolyte interphase (SEI) on silicon anodes for lithium ion batteries. Physical Chemistry Chemical Physics, 2014, 16, 13229-13238.	1.3	162
318	Identifying Li+ ion transport properties of aluminum doped lithium titanium phosphate solid electrolyte at wide temperature range. Solid State Ionics, 2014, 268, 110-116.	1.3	53
319	Nanotube Li <sub>2</sub> MoO <sub>4</sub> : a novel and high-capacity material as a lithium-ion battery anode. Nanoscale, 2014, 6, 13660-13667.	2.8	64
320	Remarkably Improved Electrode Performance of Bulk MnS by Forming a Solid Solution with FeS – Understanding the Li Storage Mechanism. Advanced Functional Materials, 2014, 24, 5557-5566.	7.8	49
321	Direct imaging of layered O3- and P2-Na <sub>x</sub> Fe <sub>1/2</sub> Mn <sub>1/2</sub> O <sub>2</sub> structures at the atomic scale. Physical Chemistry Chemical Physics, 2014, 16, 21946-21952.	1.3	50
322	Rechargeable Room-Temperature CF <sub><i>x</i></sub> -Sodium Battery. ACS Applied Materials & linterfaces, 2014, 6, 2209-2212.	4.0	48
323	Screening possible solid electrolytes by calculating the conduction pathways using Bond Valence method. Science China: Physics, Mechanics and Astronomy, 2014, 57, 1526-1536.	2.0	36
324	Influences of Additives on the Formation of a Solid Electrolyte Interphase on MnO Electrode Studied by Atomic Force Microscopy and Force Spectroscopy. Journal of Physical Chemistry C, 2014, 118, 20756-20762.	1.5	40

#	Article	IF	Citations
325	New Insight in Understanding Oxygen Reduction and Evolution in Solid-State Lithium–Oxygen Batteries Using an in Situ Environmental Scanning Electron Microscope. Nano Letters, 2014, 14, 4245-4249.	4.5	104
326	Rechargeable Li/CO2–O2 (2 : 1) battery and Li/CO2 battery. Energy and Environmental Science, 2014	, 71,5687.	281
327	Nano-sized carboxylates as anode materials for rechargeable lithium-ion batteries. Journal of Energy Chemistry, 2014, 23, 269-273.	7.1	23
328	宿¸©é'离åå,¨èf½ç"µæ±ç"µæžææ−™ç»"æž"ç"究迳展. Scientia Sinica Chimica, 2014, 44, 1269-1279.	0.2	2
329	A zero-strain layered metal oxide as the negative electrode for long-life sodium-ion batteries. Nature Communications, 2013, 4, 2365.	5.8	515
330	Effect of Ni doping on the catalytic properties of nanostructured peony-like CeO2. Chinese Journal of Catalysis, 2013, 34, 305-312.	6.9	21
331	Electrochemical performances and volume variation of nano-textured silicon thin films as anodes for lithium-ion batteries. Nanotechnology, 2013, 24, 424011.	1.3	21
332	Temperature-dependent lithium storage behavior in tetragonal boron (B50) thin film anode for Li-ion batteries. Electrochimica Acta, 2013, 87, 230-235.	2.6	8
333	Graphite microspheres decorated with Si particles derived from waste solid of organosilane industry as high capacity anodes for Li-ion batteries. Journal of Power Sources, 2013, 228, 112-119.	4.0	58
334	Improved electrochemical properties of MnO thin film anodes by elevated deposition temperatures: Study of conversion reactions. Electrochimica Acta, 2013, 89, 229-238.	2.6	28
335	Phase transition behavior of NaCrO2 during sodium extraction studied by synchrotron-based X-ray diffraction and absorption spectroscopy. Journal of Materials Chemistry A, 2013, 1, 11130.	5.2	84
336	Growth of silicon/carbon microrods on graphite microspheres as improved anodes for lithium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 4483.	5.2	72
337	Reversible chemical delithiation/lithiation of LiFePO <sub>4</sub> : towards a redox flow lithium-ion battery. Physical Chemistry Chemical Physics, 2013, 15, 1793-1797.	1.3	169
338	A CoOx/carbon double-layer thin film air electrode for nonaqueous Li-air batteries. Journal of Power Sources, 2013, 223, 312-318.	4.0	44
339	High performance MnO thin-film anodes grown by radio-frequency sputtering for lithium ion batteries. Journal of Power Sources, 2013, 244, 731-735.	4.0	36
340	Molten salt electrolyte based on alkali bis(fluorosulfonyl)imides for lithium batteries. Electrochimica Acta, 2013, 105, 524-529.	2.6	13
341	A new class of Solvent-in-Salt electrolyte for high-energy rechargeable metallic lithium batteries. Nature Communications, 2013, 4, 1481.	5.8	1,917
342	Preparation and characterization of LiNi0.5Mn1.5O4â^'Î' thin films taking advantage of correlations with powder samples behavior. Journal of Power Sources, 2013, 232, 165-172.	4.0	23

#	Article	IF	Citations
343	Two-Phase Electrochemical Lithiation in Amorphous Silicon. Nano Letters, 2013, 13, 709-715.	<b>4.</b> 5	377
344	Defect Thermodynamics and Diffusion Mechanisms in Li <sub>2</sub> CO <sub>3</sub> and Implications for the Solid Electrolyte Interphase in Li-Ion Batteries. Journal of Physical Chemistry C, 2013, 117, 8579-8593.	1.5	228
345	A Repeated Halving Approach to Fabricate Ultrathin Singleâ€Walled Carbon Nanotube Films for Transparent Supercapacitors. Small, 2013, 9, 518-524.	5.2	96
346	Direct atomic-scale confirmation of three-phase storage mechanism in Li4Ti5O12 anodes for room-temperature sodium-ion batteries. Nature Communications, 2013, 4, 1870.	5.8	628
347	Sodium Storage and Transport Properties in Layered Na <sub>2</sub> Ti <sub>3</sub> O <sub>7</sub> for Roomâ€Temperature Sodiumâ€ion Batteries. Advanced Energy Materials, 2013, 3, 1186-1194.	10.2	456
348	Amorphous silicon–carbon nanospheres synthesized by chemical vapor deposition using cheap methyltrichlorosilane as improved anode materials for Li-ion batteries. Nanoscale, 2013, 5, 5384.	2.8	44
349	Atomic Structure of Li <sub>2</sub> MnO <sub>3</sub> after Partial Delithiation and Reâ€Lithiation. Advanced Energy Materials, 2013, 3, 1358-1367.	10.2	211
350	Nanovoid Formation and Annihilation in Gallium Nanodroplets under Lithiation–Delithiation Cycling. Nano Letters, 2013, 13, 5212-5217.	4.5	96
351	Erratum to "Spinel lithium titanate (Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> ) as novel anode material for room-temperature sodium-ion battery". Chinese Physics B, 2012, 21, 079901.	0.7	14
352	Spinel lithium titanate (Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> ) as novel anode material for room-temperature sodium-ion battery. Chinese Physics B, 2012, 21, 028201.	0.7	116
353	Phase Transformation and Lithiation Effect on Electronic Structure of Li <sub><i>x</i></sub> FePO <sub>4</sub> : An In-Depth Study by Soft X-ray and Simulations. Journal of the American Chemical Society, 2012, 134, 13708-13715.	6.6	136
354	High rate delithiation behaviour of LiFePO4 studied by quick X-ray absorption spectroscopy. Chemical Communications, 2012, 48, 11537.	2.2	53
355	The low-temperature (400 $\hat{A}^{\circ}$ C) coating of few-layer graphene on porous Li4Ti5O12via C28H16Br2 pyrolysis for lithium-ion batteries. RSC Advances, 2012, 2, 1751.	1.7	40
356	Rutile-TiO <sub>2</sub> Nanocoating for a High-Rate Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode of a Lithium-Ion Battery. Journal of the American Chemical Society, 2012, 134, 7874-7879.	6.6	602
357	Direct Observation of Inhomogeneous Solid Electrolyte Interphase on MnO Anode with Atomic Force Microscopy and Spectroscopy. Nano Letters, 2012, 12, 2153-2157.	4.5	170
358	Nanostructured ceria-based materials: synthesis, properties, and applications. Energy and Environmental Science, 2012, 5, 8475.	15.6	984
359	Shape evolution of patterned amorphous and polycrystalline silicon microarray thin film electrodes caused by lithium insertion and extraction. Journal of Power Sources, 2012, 216, 131-138.	4.0	117
360	Electrochemical decomposition of Li2CO3 in NiO–Li2CO3 nanocomposite thin film and powder electrodes. Journal of Power Sources, 2012, 218, 113-118.	4.0	93

#	Article	IF	CITATIONS
361	Electrochemical properties and interfacial reactions of LiNi0.5Mn1.5O4â^Î nanorods. Progress in Natural Science: Materials International, 2012, 22, 207-212.	1.8	11
362	Facile Solvothermal Synthesis of Phase-Pure Cu4O3 Microspheres and Their Lithium Storage Properties. Chemistry of Materials, 2012, 24, 1136-1142.	3.2	51
363	Direct Calculation of Li-Ion Transport in the Solid Electrolyte Interphase. Journal of the American Chemical Society, 2012, 134, 15476-15487.	6.6	524
364	Density Functional Investigation on Li <sub>2</sub> MnO <sub>3</sub> . Chemistry of Materials, 2012, 24, 4242-4251.	3.2	244
365	First-principles investigation of transition metal atom M (M = Cu, Ag, Au) adsorption on CeO2(110). Physical Chemistry Chemical Physics, 2012, 14, 1923.	1.3	52
366	A novel assembly of LiFePO4 microspheres from nanoplates. CrystEngComm, 2012, 14, 4344.	1.3	24
367	New Insight into the Atomic Structure of Electrochemically Delithiated O3-Li <sub>(1–<i>x</i>)</sub> CoO <sub>2</sub> (0 ≠ <i>x</i> ≠0.5) Nanoparticles. Nano Letters, 2012, 6192-6197.	1 <b>2,</b> 5	128
368	Si-Cu Thin Film Electrode with Kirkendall Voids Structure for Lithium-lon Batteries. Journal of the Electrochemical Society, 2012, 159, A2076-A2081.	1.3	26
369	Kinetically Controlled Lithium-Staging in Delithiated LiFePO⟨sub⟩4⟨/sub⟩ Driven by the Fe Center Mediated Interlayer Li–Li Interactions. Chemistry of Materials, 2012, 24, 4693-4703.	3.2	59
370	Highly ordered staging structural interface between LiFePO4 and FePO4. Physical Chemistry Chemical Physics, 2012, 14, 5363.	1.3	53
371	Lithium Storage in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Spinel: The Full Static Picture from Electron Microscopy. Advanced Materials, 2012, 24, 3233-3238.	11.1	269
372	Disodium Terephthalate (Na <sub>2</sub> C <sub>8</sub> H <sub>4</sub> O <sub>4</sub> ) as High Performance Anode Material for Low ost Roomâ€Temperature Sodiumâ€Ion Battery. Advanced Energy Materials, 2012, 2, 962-965.	10.2	498
373	Improved Liâ€Storage Performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Coated with CïŁįN Compounds Derived from Pyrolysis of Urea through a Lowâ€Temperature Approach. ChemSusChem, 2012, 5, 526-529.	3.6	52
374	Carbon coated Na3V2(PO4)3 as novel electrode material for sodium ion batteries. Electrochemistry Communications, 2012, 14, 86-89.	2.3	693
375	Electronic states of metal (Cu, Ag, Au) atom on CeO2(111) surface: The role of local structural distortion. Journal of Power Sources, 2012, 197, 28-37.	4.0	46
376	Investigation of crack patterns and cyclic performance of Ti–Si nanocomposite thin film anodes for lithium ion batteries. Journal of Power Sources, 2012, 202, 236-245.	4.0	70
377	Investigation of the structural changes in Li1â^'xFePO4 upon charging by synchrotron radiation techniques. Journal of Materials Chemistry, 2011, 21, 11406.	6.7	64
378	An all solid-state rechargeable lithium-iodine thin film battery using LiI(3-hydroxypropionitrile)2 as an Iâ°' ion electrolyte. Energy and Environmental Science, 2011, 4, 1261.	15.6	64

#	Article	IF	CITATIONS
379	Renewable Energy Frontier Research at the Institute of Physics, Chinese Academy of Sciences. Energy and Environmental Science, 2011, 4, 2613.	15.6	0
380	A new in situ synchrotron X-ray diffraction technique to study the chemical delithiation of LiFePO4. Chemical Communications, 2011, 47, 7170.	2.2	36
381	Thermodynamic analysis on energy densities of batteries. Energy and Environmental Science, 2011, 4, 2614.	15.6	749
382	Direct Observation of Lithium Staging in Partially Delithiated LiFePO <sub>4</sub> at Atomic Resolution. Journal of the American Chemical Society, 2011, 133, 4661-4663.	6.6	219
383	Compact-designed supercapacitors using free-standing single-walled carbon nanotube films. Energy and Environmental Science, 2011, 4, 1440.	15.6	310
384	Nanostructured Diamond Like Carbon Thin Film Electrodes for Lithium Air Batteries. Journal of the Electrochemical Society, 2011, 158, B1211.	1.3	47
385	Anomalous lithium storage in a novel nanonet composed by SnO2 nanoparticles and poly(ethylene) Tj ETQq $1\ 1\ 0$	0.784314 6.7	rgBT/Overlo
386	Transport and Electrochemical Properties and Spectral Features of Non-Aqueous Electrolytes Containing LiFSI in Linear Carbonate Solvents. Journal of the Electrochemical Society, 2011, 158, A74.	1.3	130
387	Enhanced Activity and Stability of Cu–Mn and Cu–Ag Catalysts Supported on Nanostructured Mesoporous CeO <sub>2</sub> for CO Oxidation. Journal of Nanoscience and Nanotechnology, 2011, 11, 1923-1928.	0.9	5
388	High capacity Sb2O4 thin film electrodes for rechargeable sodium battery. Electrochemistry Communications, 2011, 13, 1462-1464.	2.3	181
389	A comparative study of Fd-3m and P4332 "LiNi0.5Mn1.5O4― Solid State Ionics, 2011, 193, 32-38.	1.3	327
390	Porous Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Coated with Nâ€Doped Carbon from Ionic Liquids for Liâ€Ion Batteries. Advanced Materials, 2011, 23, 1385-1388.	11.1	742
391	Aluminaâ€Coated Patterned Amorphous Silicon as the Anode for a Lithiumâ€Ion Battery with High Coulombic Efficiency. Advanced Materials, 2011, 23, 4938-4941.	11.1	397
392	Kinetic analysis on LiFePO4 thin films by CV, GITT, and EIS. Electrochimica Acta, 2011, 56, 4869-4875.	2.6	435
393	Morphological and catalytic stability of mesoporous peony-like ceria. Microporous and Mesoporous Materials, 2011, 142, 202-207.	2.2	13
394	Investigation on porous MnO microsphere anode for lithium ion batteries. Journal of Power Sources, 2011, 196, 6802-6808.	4.0	211
395	Electrochemical performances of LiFe1â^'xMnxPO4 with high Mn content. Journal of Power Sources, 2011, 196, 6992-6996.	4.0	51
396	Lithium bis(fluorosulfonyl)imide (LiFSI) as conducting salt for nonaqueous liquid electrolytes for lithium-ion batteries: Physicochemical and electrochemical properties. Journal of Power Sources, 2011, 196, 3623-3632.	4.0	396

#	Article	IF	CITATIONS
397	Direct Imaging of Lithium Ions Using Aberration-Corrected Annular-Bright-Field Scanning Transmission Electron Microscopy and Associated Contrast Mechanisms. Materials Express, 2011, 1, 43-50.	0.2	20
398	Significant effect of electron transfer between current collector and active material on high rate performance of Li 4 Ti 5 O 12. Chinese Physics B, 2011, 20, 118202.	0.7	25
399	Nonâ€Corrosive, Nonâ€Absorbing Organic Redox Couple for Dyeâ€Sensitized Solar Cells. Advanced Functional Materials, 2010, 20, 3358-3365.	7.8	109
400	MnO powder as anode active materials for lithium ion batteries. Journal of Power Sources, 2010, 195, 3300-3308.	4.0	343
401	H2 production from stable ethanol steam reforming over catalyst of NiO based on flowerlike CeO2 microspheres. International Journal of Hydrogen Energy, 2010, 35, 3087-3091.	3.8	23
402	Flowerlike microspheres catalyst NiO/La2O3 for ethanol-H2 production. International Journal of Hydrogen Energy, 2010, 35, 11687-11692.	3.8	7
403	The effects of substituting groups in cyclic carbonates for stable SEI formation on graphite anode of lithium batteries. Electrochemistry Communications, 2010, 12, 386-389.	2.3	54
404	lonic liquid electrolytes based on multi-methoxyethyl substituted ammoniums and perfluorinated sulfonimides: Preparation, characterization, and properties. Electrochimica Acta, 2010, 55, 7134-7144.	2.6	92
405	lonic liquids based on (fluorosulfonyl)(pentafluoroethanesulfonyl)imide with various oniums. Electrochimica Acta, 2010, 55, 7145-7151.	2.6	71
406	A series of Lil/acetamide phase transition electrolytes and their applications in dye-sensitized solar cells. Electrochimica Acta, 2010, 55, 895-902.	2.6	17
407	Enhanced Electrochemical Performances of Carbon Coated Mesoporous LiFe[sub 0.2]Mn[sub 0.8]PO[sub 4]. Journal of the Electrochemical Society, 2010, 157, A285.	1.3	28
408	Electrochromic Behavior of Transparent Li[sub 4]Ti[sub 5]O[sub 12]/FTO Electrode. Electrochemical and Solid-State Letters, 2010, 13, 199.	2.2	24
409	xmins:mmi="nttp://www.w3.org/1998/Math/MathMil" display="inline"> <mml:mi>M</mml:mi> -doped <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:mrow><mml:mrow><mml:mrow><mml:mtext>CeO</mml:mtext></mml:mrow><mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:math 	1.1 2 <td>112 nn&gt;</td>	112 nn>
410	Non-sacrificial template synthesis of Cr2O3–C hierarchical core/shell nanospheres and their application as anode materials in lithium-ion batteries. Journal of Materials Chemistry, 2010, 20, 7565.	6.7	65
411	A Novel Flowerlike Nanostructured CeO2for Sustainable Energies. Journal of the Korean Ceramic Society, 2010, 47, 66-70.	1.1	2
412	Research on Advanced Materials for Liâ€ion Batteries. Advanced Materials, 2009, 21, 4593-4607.	11.1	1,633
413	Studies on Composite Cathode with Nanostructured Ce $<$ sub $>$ 0.9 $<$ fsub $>$ 5m $<$ sub $>$ 0.1 $<$ fsub $>$ 0 $<$ sub $>$ 1.95 $<$ fsub $>$ for Intermediate Temperature Solid Oxide Fuel Cells. Fuel Cells, 2009, 9, 650-656.	1.5	15
414	TG-MS analysis on thermal decomposable components in the SEI film on Cr2O3 powder anode in Li-ion batteries. Ionics, 2009, 15, 91-96.	1,2	27

#	Article	IF	CITATIONS
415	Synthesis and separation of mellitic acid and graphite oxide colloid through electrochemical oxidation of graphite in deionized water. Electrochemistry Communications, 2009, 11, 409-412.	2.3	22
416	Nanocrystalline MnO thin film anode for lithium ion batteries with low overpotential. Electrochemistry Communications, 2009, 11, 791-794.	2.3	170
417	A pentafluorophenylboron oxalate additive in non-aqueous electrolytes for lithium batteries. Electrochemistry Communications, 2009, 11, 2296-2299.	2.3	29
418	Needle-like LiFePO4 thin films prepared by an off-axis pulsed laser deposition technique. Thin Solid Films, 2009, 517, 2618-2622.	0.8	29
419	A preliminary study on a new LiBOB/acetamide solid phase transition electrolyte. Solid State Ionics, 2009, 180, 688-692.	1.3	8
420	Synthesis of doped ceria with mesoporous flowerlike morphology and its catalytic performance for CO oxidation. Microporous and Mesoporous Materials, 2009, 120, 426-431.	2.2	98
421	Electrochemical performance of LiFePO4 thin films with different morphology and crystallinity. Electrochimica Acta, 2009, 54, 6565-6569.	2.6	38
422	In situ X-ray absorption and diffraction studies of carbon coated LiFe1/4Mn1/4Co1/4Ni1/4PO4 cathode during first charge. Electrochemistry Communications, 2009, 11, 913-916.	2.3	49
423	Reversible lithium storage in LiF/Ti nanocomposites. Physical Chemistry Chemical Physics, 2009, 11, 9497.	1.3	61
424	Electrochemical properties of TiO2 hollow microspheres from a template-free and green wet-chemical route. Journal of Power Sources, 2008, 180, 869-874.	4.0	45
425	New electrolytes for lithium ion batteries using LiF salt and boron based anion receptors. Journal of Power Sources, 2008, 184, 517-521.	4.0	76
426	Electronic structural changes of the electrochemically delithiated LiFe0.5Co0.5PO4 cathode material studied by X-ray absorption spectroscopy. Journal of Power Sources, 2008, 183, 427-430.	4.0	22
427	New electrolytes using Li2O or Li2O2 oxides and tris(pentafluorophenyl) borane as boron based anion receptor for lithium batteries. Electrochemistry Communications, 2008, 10, 1195-1197.	2.3	102
428	Li-storage in LiFe1/4Mn1/4Co1/4Ni1/4PO4 solid solution. Electrochemistry Communications, 2008, 10, 1347-1350.	2.3	43
429	A new route to single crystalline vanadium dioxide nanoflakes via thermal reduction. Journal of Materials Research, 2007, 22, 1921-1926.	1.2	15
430	Room temperature fabrication of porous ZnO photoelectrodes for flexible dye-sensitized solar cells. Chemical Communications, 2007, , 2847.	2.2	97
431	First-principles study on electronic structure of LiFePO4. Solid State Communications, 2007, 143, 144-148.	0.9	17
432	Electrochemical behavior and microstructure variation of hard carbon nano-spherules as anode material for Li-ion batteries. Solid State Ionics, 2007, 178, 265-271.	1.3	87

#	Article	IF	CITATIONS
433	M/Xn (MAl, Mg; XBr, I) batteries based on anion transport mechanism. Electrochemistry Communications, 2007, 9, 1-5.	2.3	15
434	Ion transport in small-molecule electrolytes based on Lil/3-hydroxypropionitrile with high salt contents. Electrochimica Acta, 2007, 52, 2039-2044.	2.6	21
435	Application of carbon materials as counter electrodes of dye-sensitized solar cells. Electrochemistry Communications, 2007, 9, 596-598.	2.3	457
436	Electrochemical and structural studies of the carbon-coated Li[CrxLi(1/3â^'x/3)Ti(2/3â^'2x/3)]O2 (x=0.3,) Tj ETQq	0	Qverlock 10
437	Mesoscale Organization of Flower-Like La2O2CO3and La2O3Microspheres. Journal of the American Ceramic Society, 2007, 90, 2576-2581.	1.9	31
438	Study of flowerlike CeO2 microspheres used as catalyst supports for CO oxidation reaction. Journal of Physics and Chemistry of Solids, 2007, 68, 1785-1790.	1.9	102
439	Mesoscale Organization of Nearly Monodisperse Flowerlike Ceria Microspheres. Journal of Physical Chemistry B, 2006, 110, 13445-13452.	1.2	244
440	Carbon-Coated Li[sub 1.2]Cr[sub 0.4]Ti[sub 0.4]O[sub 2] Cathode Material for Lithium-Ion Batteries. Electrochemical and Solid-State Letters, 2006, 9, A324.	2.2	8
441	Origin of Solid Electrolyte Interphase on Nanosized LiCoO[sub 2]. Electrochemical and Solid-State Letters, 2006, 9, A328.	2.2	63
442	Cheap and Environmentally Benign Electrochemical Energy Storage and Conversion Devices Based on All3Electrolytes. Journal of the American Chemical Society, 2006, 128, 8720-8721.	6.6	46
443	Effect of Iodine Addition on Solid-State Electrolyte Lil/3-Hydroxypropionitrile (1:4) for Dye-Sensitized Solar Cells. Journal of Physical Chemistry B, 2006, 110, 5970-5974.	1.2	65
444	Liâ-'Biphenylâ-'1,2-Dimethoxyethane Solution:Â Calculation and Its Application. Journal of Physical Chemistry B, 2006, 110, 10341-10347.	1.2	20
445	Environmentally friendly Lil/ethanol based gel electrolyte for dye-sensitized solar cells. Electrochemistry Communications, 2006, 8, 170-172.	2.3	35
446	Cage-like carbon nanotubes/Si composite as anode material for lithium ion batteries. Electrochemistry Communications, 2006, 8, 51-54.	2.3	168
447	Investigations of mesoporous CeO2–Ru as a reforming catalyst layer for solid oxide fuel cells. Electrochemistry Communications, 2006, 8, 833-838.	2.3	118
448	Synthesis and characterization of Cr8O21 as cathode material for rechargeable lithium batteries. Solid State Ionics, 2006, 177, 2675-2678.	1.3	16
449	Improve the electrochemical performances of Cr2O3 anode for lithium ion batteries. Solid State lonics, 2006, 177, 2791-2799.	1.3	120
450	Highly efficient dye-sensitized solar cells using a composite electrolyte. Comptes Rendus Chimie, 2006, 9, 627-630.	0.2	14

#	Article	IF	Citations
451	A Spontaneous Combustion Reaction for Synthesizing Pt Hollow Capsules Using Colloidal Carbon Spheres as Templates. Chemistry - A European Journal, 2006, 12, 4083-4090.	1.7	52
452	Gas evolution behaviors for several cathode materials in lithium-ion batteries. Journal of Power Sources, 2005, 142, 285-291.	4.0	136
453	Spectroscopic studies on the cation–anion, cation–solvent and anion–solvent interactions in the LiCF3SO3/acetamide complex system. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 61, 403-411.	2.0	26
454	Spectroscopic and DFT studies to understand the liquid formation mechanism in the LiTFSI/acetamide complex system. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 61, 2009-2015.	2.0	27
455	Improving the rate performance of LiFePO4 by Fe-site doping. Electrochimica Acta, 2005, 50, 2955-2958.	2.6	349
456	Spectroscopic studies on the mechanism of liquid formation and ionic conductivity in the LiCF3SO3/acetamide complex system. Vibrational Spectroscopy, 2005, 37, 1-10.	1.2	11
457	Influence of micropore structure on Li-storage capacity in hard carbon spherules. Solid State Ionics, 2005, 176, 1151-1159.	1.3	48
458	Synthesis and characterization of large scale potassium titanate nanowires with good Li-intercalation performance. Chemical Physics Letters, 2005, 406, 95-100.	1.2	38
459	Ab initiostudies on the stability and electronic structure ofLiCoO2(003) surfaces. Physical Review B, 2005, 71, .	1.1	29
460	Cr[sub 2]O[sub 3]-Based Anode Materials for Li-Ion Batteries. Electrochemical and Solid-State Letters, 2005, 8, A66.	2.2	79
461	First-principles investigation of the structural, magnetic, and electronic properties of olivineLiFePO4. Physical Review B, 2005, 71, .	1.1	57
462	Solid-State Composite Electrolyte Lil/3-Hydroxypropionitrile/SiO2for Dye-Sensitized Solar Cells. Journal of the American Chemical Society, 2005, 127, 6394-6401.	6.6	176
463	Controlled synthesis of CeO2nanorods by a solvothermal method. Nanotechnology, 2005, 16, 1454-1463.	1.3	315
464	Ionic Conductivity and Association Studies of Novel RTMS Electrolyte Based on LiTFSI and Acetamide. Journal of the Electrochemical Society, 2004, 151, A1424.	1.3	18
465	Ab initio molecular-dynamics studies on Li x Mn 2 O 4 as cathode material for lithium secondary batteries. Europhysics Letters, 2004, 67, 28-34.	0.7	56
466	Effect of Morphology and Current Density on the Electrochemical Behavior of Graphite Electrodes in PC-Based Electrolyte Containing VEC Additive. Electrochemical and Solid-State Letters, 2004, 7, A442.	2.2	41
467	Experimental and theoretical studies on reduction mechanism of vinyl ethylene carbonate on graphite anode for lithium ion batteries. Electrochemistry Communications, 2004, 6, 126-131.	2.3	151
468	New solid-state synthesis routine and mechanism for LiFePO4 using LiF as lithium precursor. Journal of Solid State Chemistry, 2004, 177, 4582-4587.	1.4	60

#	Article	IF	CITATIONS
469	Novel room temperature molten salt electrolyte based on LiTFSI and acetamide for lithium batteries. Electrochemistry Communications, 2004, 6, 28-32.	2.3	123
470	Li-Storage via Heterogeneous Reaction in Selected Binary Metal Fluorides and Oxides. Journal of the Electrochemical Society, 2004, 151, A1878.	1.3	559
471	An alternative ionic liquid based electrolyte for dye-sensitized solar cells. Photochemical and Photobiological Sciences, 2004, 3, 918.	1.6	32
472	Synthesis and Characterization of Polycrystalline CeO2Nanowires. Chemistry Letters, 2004, 33, 662-663.	0.7	116
473	Fully Reversible Homogeneous and Heterogeneous Li Storage in RuO2 with High Capacity. Advanced Functional Materials, 2003, 13, 621-625.	7.8	598
474	Reversible Formation and Decomposition of LiF Clusters Using Transition Metal Fluorides as Precursors and Their Application in Rechargeable Li Batteries. Advanced Materials, 2003, 15, 736-739.	11.1	334
475	Investigation of Lithium Storage in Bamboo-like CNTs by HRTEM. Journal of the Electrochemical Society, 2003, 150, A1281.	1.3	24
476	Nanosized SnSb Alloy Pinning on Hard Non-Graphitic Carbon Spherules as Anode Materials for a Li Ion Battery. Chemistry of Materials, 2002, 14, 103-108.	3.2	153
477	Nano-alloy anode for lithium ion batteries. Solid State Ionics, 2002, 148, 247-258.	1.3	155
478	Al2O3-coated LiCoO2 as cathode material for lithium ion batteries. Solid State Ionics, 2002, 152-153, 341-346.	1.3	125
479	Novel spherical microporous carbon as anode material for Li-ion batteries. Solid State Ionics, 2002, 152-153, 43-50.	1.3	197
480	Further identification to the SEI film on Ag electrode in lithium batteries by surface enhanced Raman scattering (SERS). Journal of Power Sources, 2002, 104, 190-194.	4.0	50
481	The study of surface films formed on SnO anode in lithium rechargeable batteries by FTIR spectroscopy. Journal of Power Sources, 2002, 107, 1-4.	4.0	48
482	Agglomeration and the surface passivating film of Ag nano-brush electrode in lithium batteries. Solid State Ionics, 2002, 149, 185-192.	1.3	24
483	New Binary Room-Temperature Molten Salt Electrolyte Based on Urea and LiTFSI. Journal of Physical Chemistry B, 2001, 105, 9966-9969.	1.2	85
484	Nano-SnSb alloy deposited on MCMB as an anode material for lithium ion batteries. Journal of Materials Chemistry, 2001, 11, 1502-1505.	6.7	98
485	Determination of Chemical Diffusion Coefficient of Lithium Ion in Graphitized Mesocarbon Microbeads with Potential Relaxation Technique. Journal of the Electrochemical Society, 2001, 148, A737.	1.3	67
486	Electrochemical performance of Ni-deposited graphite anodes for lithium secondary batteries. Journal of Power Sources, 2001, 102, 60-67.	4.0	28

#	Article	IF	CITATIONS
487	Monodispersed hard carbon spherules with uniform nanopores. Carbon, 2001, 39, 2211-2214.	5.4	644
488	Studies on Capacity Loss and Capacity Fading of Nanosized SnSb Alloy Anode for Li-lon Batteries. Journal of the Electrochemical Society, 2001, 148, A915.	1.3	191
489	Surface enhanced resonance Raman spectroscopy of rhodamine 6G adsorbed on silver electrode in lithium batteries. Chemical Physics Letters, 2000, 330, 249-254.	1.2	46
490	The crystal structural evolution of nano-Si anode caused by lithium insertion and extraction at room temperature. Solid State Ionics, 2000, 135, 181-191.	1.3	401
491	Synthesis and electrochemical performance of dendrite-like nanosized SnSb alloy prepared by co-precipitation in alcohol solution at low temperature. Journal of Materials Chemistry, 2000, 10, 693-696.	6.7	64
492	Surface-Enhanced Raman Scattering Study on Passivating Films of Ag Electrodes in Lithium Batteries. Journal of Physical Chemistry B, 2000, 104, 8477-8480.	1.2	25
493	Electrochemical impedance spectroscopy study of SnO and nano-SnO anodes in lithium rechargeable batteries. Journal of Power Sources, 1999, 81-82, 340-345.	4.0	111
494	The interaction between SnO anode and electrolytes. Journal of Power Sources, 1999, 81-82, 346-351.	4.0	25
495	Structure and electrochemical properties of anodes consisting of modified SnO. Journal of Power Sources, 1999, 81-82, 335-339.	4.0	23
496	Direct Imaging of the Passivating Film and Microstructure of Nanometer-Scale SnO Anodes in Lithium Rechargeable Batteries. Electrochemical and Solid-State Letters, 1999, 1, 241.	2.2	77
497	A High Capacity Nano-Si Composite Anode Material for Lithium Rechargeable Batteries. Electrochemical and Solid-State Letters, 1999, 2, 547.	2.2	733
498	Studies of Stannic Oxide as an Anode Material for Lithiumâ€lon Batteries. Journal of the Electrochemical Society, 1998, 145, 59-62.	1.3	156
499	Electrochemical impedance spectroscopic study of the rate-determining step of Li ion intercalation and deintercalation in LixNiO2 cathodes. Ionics, 1996, 2, 259-265.	1.2	12
500	Probing the improved stability for high nickel cathode via dual-element modification in lithium-ion. Chinese Physics B, O, , .	0.7	0