

# Chu-Fang Lo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/65443/publications.pdf>

Version: 2024-02-01

160  
papers

9,865  
citations

34105

52  
h-index

39675

94  
g-index

163  
all docs

163  
docs citations

163  
times ranked

4168  
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of the AHPND Toxins PirAvp and PirBvp Is Regulated by Components of the <i>Vibrio parahaemolyticus</i> Quorum Sensing (QS) System. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2889.	4.1	7
2	Bile acid and bile acid transporters are involved in the pathogenesis of acute hepatopancreatic necrosis disease in white shrimp <i>Litopenaeus vannamei</i> . <i>Cellular Microbiology</i> , 2020, 22, e13127.	2.1	20
3	<i>Penaeus vannamei</i> serine proteinase inhibitor 7 (LvSerpin7) acts as an immune brake by regulating the proPO system in AHPND-affected shrimp. <i>Developmental and Comparative Immunology</i> , 2020, 106, 103600.	2.3	15
4	A shrimp glycosylase protein, PmENGase, interacts with WSSV envelope protein VP41B and is involved in WSSV pathogenesis. <i>Developmental and Comparative Immunology</i> , 2020, 108, 103667.	2.3	3
5	Genome organization and definition of the <i>Penaeus monodon</i> viral responsive protein 15 (PmVRP15) promoter. <i>Fish and Shellfish Immunology</i> , 2019, 93, 997-1006.	3.6	1
6	The gene structure and hypervariability of the complete <i>Penaeus monodon</i> Dscam gene. <i>Scientific Reports</i> , 2019, 9, 16595.	3.3	8
7	Structural Insights to the Heterotetrameric Interaction between the <i>Vibrio parahaemolyticus</i> PirAvp and PirBvp Toxins and Activation of the Cry-Like Pore-Forming Domain. <i>Toxins</i> , 2019, 11, 233.	3.4	26
8	The Rho signalling pathway mediates the pathogenicity of AHPND-causing <i>V. parahaemolyticus</i> in shrimp. <i>Cellular Microbiology</i> , 2018, 20, e12849.	2.1	28
9	Draft Genome Sequence of <i>Vibrio parahaemolyticus</i> Strain M1-1, Which Causes Acute Hepatopancreatic Necrosis Disease in Shrimp in Vietnam. <i>Genome Announcements</i> , 2018, 6, .	0.8	12
10	Comparative genomics of <i>Vibrio campbellii</i> strains and core species of the <i>Vibrio Harveyi</i> clade. <i>Scientific Reports</i> , 2017, 7, 41394.	3.3	42
11	Alpha-2-macroglobulin is a modulator of prophenoloxidase system in pacific white shrimp <i>Litopenaeus vannamei</i> . <i>Fish and Shellfish Immunology</i> , 2017, 62, 68-74.	3.6	54
12	Resonant Dipolar Coupling of Microwaves with Confined Acoustic Vibrations in a Rod-shaped Virus. <i>Scientific Reports</i> , 2017, 7, 4611.	3.3	19
13	Shrimp miR-10a Is Co-opted by White Spot Syndrome Virus to Increase Viral Gene Expression and Viral Replication. <i>Frontiers in Immunology</i> , 2017, 8, 1084.	4.8	17
14	Laminin Receptor in Shrimp Is a Cellular Attachment Receptor for White Spot Syndrome Virus. <i>PLoS ONE</i> , 2016, 11, e0156375.	2.5	11
15	AHPND biomarker profile identified by transcriptome sequencing in <i>Litopenaeus vannamei</i> stomach. <i>Fish and Shellfish Immunology</i> , 2016, 53, 61.	3.6	3
16	Six Hours after Infection, the Metabolic Changes Induced by WSSV Neutralize the Host's Oxidative Stress Defenses. <i>Scientific Reports</i> , 2016, 6, 27732.	3.3	40
17	Identification of miRNAs and Their Targets in the Liverwort <i>Marchantia polymorpha</i> by Integrating RNA-Seq and Degradome Analyses. <i>Plant and Cell Physiology</i> , 2016, 57, 339-358.	3.1	70
18	WSV399, a viral tegument protein, interacts with the shrimp protein PmVRP15 to facilitate viral trafficking and assembly. <i>Developmental and Comparative Immunology</i> , 2016, 59, 177-185.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Expression and biological activity of two types of interferon genes in medaka ( <i>Oryzias latipes</i> ). <i>Fish and Shellfish Immunology</i> , 2016, 48, 20-29.	3.6	19
20	TALENs-mediated gene disruption of myostatin produces a larger phenotype of medaka with an apparently compromised immune system. <i>Fish and Shellfish Immunology</i> , 2016, 48, 212-220.	3.6	33
21	The novel white spot syndrome virus-induced gene, PmERP15, encodes an ER stress-responsive protein in black tiger shrimp, <i>Penaeus monodon</i> . <i>Developmental and Comparative Immunology</i> , 2015, 49, 239-248.	2.3	10
22	The opportunistic marine pathogen <i>Vibrio parahaemolyticus</i> becomes virulent by acquiring a plasmid that expresses a deadly toxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10798-10803.	7.1	427
23	Pathogenesis of acute hepatopancreatic necrosis disease (AHPND) in shrimp. <i>Fish and Shellfish Immunology</i> , 2015, 47, 1006-1014.	3.6	197
24	The promoter of the white spot syndrome virus immediate-early gene WSSV108 is activated by the cellular KLF transcription factor. <i>Developmental and Comparative Immunology</i> , 2015, 49, 7-18.	2.3	10
25	White Spot Syndrome Virus Protein Kinase 1 Defeats the Host Cell's Iron-Withholding Defense Mechanism by Interacting with Host Ferritin. <i>Journal of Virology</i> , 2015, 89, 1083-1093.	3.4	22
26	A Novel Detection Platform for Shrimp White Spot Syndrome Virus Using an ICP11-Dependent Immunomagnetic Reduction (IMR) Assay. <i>PLoS ONE</i> , 2015, 10, e0138207.	2.5	10
27	Characterization and Interactome Study of White Spot Syndrome Virus Envelope Protein VP11. <i>PLoS ONE</i> , 2014, 9, e85779.	2.5	6
28	Validation of a Commercial Insulated Isothermal PCR-based POKKIT Test for Rapid and Easy Detection of White Spot Syndrome Virus Infection in <i>Litopenaeus vannamei</i> . <i>PLoS ONE</i> , 2014, 9, e90545.	2.5	41
29	Draft Genome Sequences of Four Strains of <i>Vibrio parahaemolyticus</i> , Three of Which Cause Early Mortality Syndrome/Acute Hepatopancreatic Necrosis Disease in Shrimp in China and Thailand. <i>Genome Announcements</i> , 2014, 2, .	0.8	123
30	An Invertebrate Warburg Effect: A Shrimp Virus Achieves Successful Replication by Altering the Host Metabolome via the PI3K-Akt-mTOR Pathway. <i>PLoS Pathogens</i> , 2014, 10, e1004196.	4.7	141
31	Anti-lipopolysaccharide factor isoform 3 from <i>Penaeus monodon</i> (ALFPm3) exhibits antiviral activity by interacting with WSSV structural proteins. <i>Antiviral Research</i> , 2014, 110, 142-150.	4.1	52
32	Construction and Application of a Protein Interaction Map for White Spot Syndrome Virus (WSSV). <i>Molecular and Cellular Proteomics</i> , 2014, 13, 269-282.	3.8	26
33	Variation in <i>Vibrio parahaemolyticus</i> isolates from a single Thai shrimp farm experiencing an outbreak of acute hepatopancreatic necrosis disease (AHPND). <i>Aquaculture</i> , 2014, 428-429, 297-302.	3.5	245
34	Hijacking of Host Calreticulin is Required for the White Spot Syndrome Virus Replication Cycle.. <i>Journal of Virology</i> , 2014, 88, JVI.01014-14.	3.4	12
35	The genome and occlusion bodies of marine <i>Penaeus monodon</i> nudivirus (PmNV, also known as MBV) Tj ETQq1 1 0.784314 rgBT /Overl terrestrial nudiviruses. <i>BMC Genomics</i> , 2014, 15, 628.	2.8	38
36	Regulation of the immediate-early genes of white spot syndrome virus by <i>Litopenaeus vannamei</i> kruppel-like factor (LvKLF). <i>Developmental and Comparative Immunology</i> , 2014, 46, 364-372.	2.3	15

#	ARTICLE	IF	CITATIONS
37	A new microsporidium, <i>Triwangia caridinae</i> gen. nov., sp. nov. parasitizing fresh water shrimp, <i>Caridina formosae</i> (Decapoda: Atyidae) in Taiwan. <i>Journal of Invertebrate Pathology</i> , 2013, 112, 281-293.	3.2	21
38	How does WSSV manage the cellular redox conditions to benefit its pathogenesis?. <i>Fish and Shellfish Immunology</i> , 2013, 34, 1661.	3.6	0
39	Phosphorylation is required for myosin regulatory light chain (PmMRLC) to control yellow head virus infection in shrimp hemocytes. <i>Fish and Shellfish Immunology</i> , 2013, 34, 1042-1049.	3.6	5
40	A model for apoptotic interaction between white spot syndrome virus and shrimp. <i>Fish and Shellfish Immunology</i> , 2013, 34, 1011-1017.	3.6	67
41	The DNA Virus White Spot Syndrome Virus Uses an Internal Ribosome Entry Site for Translation of the Highly Expressed Nonstructural Protein ICP35. <i>Journal of Virology</i> , 2013, 87, 13263-13278.	3.4	16
42	<i>Penaeus monodon</i> Thioredoxin Restores the DNA Binding Activity of Oxidized White Spot Syndrome Virus IE1. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 914-926.	5.4	19
43	Feeding hermit crabs to shrimp broodstock increases their risk of WSSV infection. <i>Diseases of Aquatic Organisms</i> , 2012, 98, 193-199.	1.0	4
44	Role of <i>Penaeus monodon</i> Kruppel-like factor (PmKLF) in infection by white spot syndrome virus. <i>Developmental and Comparative Immunology</i> , 2012, 36, 121-129.	2.3	17
45	<i>Litopenaeus vannamei</i> inhibitor of apoptosis protein 1 (LvIAP1) is essential for shrimp survival. <i>Developmental and Comparative Immunology</i> , 2012, 38, 78-87.	2.3	33
46	Spawning stress triggers WSSV replication in brooders via the activation of shrimp STAT. <i>Developmental and Comparative Immunology</i> , 2012, 38, 128-135.	2.3	15
47	A new cell line (NTU-SE) from pupal tissues of the beet armyworm, <i>Spodoptera exigua</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overl Autographa californica MNPV (AcMNPV). <i>Journal of Invertebrate Pathology</i> , 2012, 111, 143-151.	3.2	8
48	Proteomic analysis of differentially expressed proteins in the lymphoid organ of <i>Vibrio harveyi</i> -infected <i>Penaeus monodon</i> . <i>Molecular Biology Reports</i> , 2012, 39, 6367-6377.	2.3	21
49	Shrimp Pm-fortilin inhibits the expression of early and late genes of white spot syndrome virus (WSSV) in an insect cell model. <i>Developmental and Comparative Immunology</i> , 2011, 35, 469-475.	2.3	140
50	Shrimp laminin receptor binds with capsid proteins of two additional shrimp RNA viruses YHV and IMNV. <i>Fish and Shellfish Immunology</i> , 2011, 31, 66-72.	3.6	30
51	Identification of insect cell lines and cell-line cross-contaminations by nuclear ribosomal ITS sequences. <i>Journal of Applied Entomology</i> , 2011, 135, 601-610.	1.8	5
52	A Review of the Major Penaeid Shrimp EST Studies and the Construction of a Shrimp Transcriptome Database Based on the ESTs from Four Penaeid Shrimp. <i>Marine Biotechnology</i> , 2011, 13, 608-621.	2.4	49
53	Assessment of the Roles of Copepod <i>Apocyclops royi</i> and Bivalve Mollusk <i>Meretrix lusoria</i> in White Spot Syndrome Virus Transmission. <i>Marine Biotechnology</i> , 2011, 13, 909-917.	2.4	21
54	Fosmid library end sequencing reveals a rarely known genome structure of marine shrimp <i>Penaeus monodon</i> . <i>BMC Genomics</i> , 2011, 12, 242.	2.8	39

#	ARTICLE	IF	CITATIONS
55	Penaeus monodon TATA Box-Binding Protein Interacts with the White Spot Syndrome Virus Transactivator IE1 and Promotes Its Transcriptional Activity. <i>Journal of Virology</i> , 2011, 85, 6535-6547.	3.4	32
56	White Spot Syndrome Virus Induces Metabolic Changes Resembling the Warburg Effect in Shrimp Hemocytes in the Early Stage of Infection. <i>Journal of Virology</i> , 2011, 85, 12919-12928.	3.4	167
57	The Role of Aldehyde Dehydrogenase and Hsp70 in Suppression of White Spot Syndrome Virus Replication at High Temperature. <i>Journal of Virology</i> , 2011, 85, 3517-3525.	3.4	63
58	Co-Interactive DNA-Binding between a Novel, Immunophilin-Like Shrimp Protein and VP15 Nucleocapsid Protein of White Spot Syndrome Virus. <i>PLoS ONE</i> , 2011, 6, e25420.	2.5	17
59	Genomic sequencing and analyses of <i>Lymantria xyli</i> multiple nucleopolyhedrovirus. <i>BMC Genomics</i> , 2010, 11, 116.	2.8	29
60	Label free detection of white spot syndrome virus using lead magnesium niobate-lead titanate piezoelectric microcantilever sensors. <i>Biosensors and Bioelectronics</i> , 2010, 26, 964-969.	10.1	27
61	A 3D Model of the Membrane Protein Complex Formed by the White Spot Syndrome Virus Structural Proteins. <i>PLoS ONE</i> , 2010, 5, e10718.	2.5	71
62	Proteomic analysis of differentially expressed proteins in <i>Penaeus monodon</i> hemocytes after <i>Vibrio harveyi</i> infection. <i>Proteome Science</i> , 2010, 8, 39.	1.7	70
63	Ferritin administration effectively enhances immunity, physiological responses, and survival of Pacific white shrimp ( <i>Litopenaeus vannamei</i> ) challenged with white spot syndrome virus. <i>Fish and Shellfish Immunology</i> , 2010, 28, 542-548.	3.6	30
64	Identification and cloning of a selenium-dependent glutathione peroxidase from tiger shrimp, <i>Penaeus monodon</i> , and its transcription following pathogen infection and related to the molt stages. <i>Developmental and Comparative Immunology</i> , 2010, 34, 935-944.	2.3	69
65	Molecular mechanism of the interactions between white spot syndrome virus anti-apoptosis protein AAP-1 (WSSV449) and shrimp effector caspase. <i>Developmental and Comparative Immunology</i> , 2010, 34, 1068-1074.	2.3	32
66	Shrimp White Spot Syndrome - from Pathology to Pathogenomics. <i>Fish Pathology</i> , 2009, 44, 55-58.	0.7	7
67	Polycistronic mRNAs and internal ribosome entry site elements (IRES) are widely used by white spot syndrome virus (WSSV) structural protein genes. <i>Virology</i> , 2009, 387, 353-363.	2.4	18
68	<i>Penaeus monodon</i> chitin-binding protein (PmCBP) is involved in white spot syndrome virus (WSSV) infection. <i>Fish and Shellfish Immunology</i> , 2009, 27, 460-465.	3.6	74
69	A new microsporidian species, <i>Vairimorpha ocinarae</i> n. sp., isolated from <i>Ocinara lida</i> Moore (Lepidoptera: Bombycidae) in Taiwan. <i>Journal of Invertebrate Pathology</i> , 2009, 100, 68-78.	3.2	7
70	A new nucleopolyhedrovirus strain (LdMNPV-like virus) with a defective fp25 gene from <i>Lymantria xyli</i> (Lepidoptera: Lymantriidae) in Taiwan. <i>Journal of Invertebrate Pathology</i> , 2009, 102, 110-119.	3.2	9
71	Characterization of a new insect cell line (NTU-YB) derived from the common grass yellow butterfly, <i>Eurema hecabe</i> (Linnaeus) (Pieridae: Lepidoptera) and its susceptibility to microsporidia. <i>Journal of Invertebrate Pathology</i> , 2009, 102, 256-262.	3.2	12
72	Whispovirus. <i>Current Topics in Microbiology and Immunology</i> , 2009, 328, 197-227.	1.1	130

#	ARTICLE	IF	CITATIONS
73	Proteome analysis of differentiating human myoblasts by dialysis-assisted two-dimensional gel electrophoresis (DAGE). <i>Proteomics</i> , 2008, 8, 264-278.	2.2	25
74	Genomic and host range studies of <i>Maruca vitrata</i> nucleopolyhedrovirus. <i>Journal of General Virology</i> , 2008, 89, 2315-2330.	2.9	33
75	Identification of the small heat shock protein, HSP21, of shrimp <i>Penaeus monodon</i> and the gene expression of HSP21 is inactivated after white spot syndrome virus (WSSV) infection. <i>Fish and Shellfish Immunology</i> , 2008, 25, 250-257.	3.6	50
76	Molecular cloning and characterization of an inhibitor of apoptosis protein (IAP) from the tiger shrimp, <i>Penaeus monodon</i> . <i>Developmental and Comparative Immunology</i> , 2008, 32, 121-133.	2.3	73
77	<i>Penaeus monodon</i> caspase is targeted by a white spot syndrome virus anti-apoptosis protein. <i>Developmental and Comparative Immunology</i> , 2008, 32, 476-486.	2.3	47
78	WSSV infection activates STAT in shrimp. <i>Developmental and Comparative Immunology</i> , 2008, 32, 1142-1150.	2.3	141
79	White spot syndrome virus protein ICP11: A histone-binding DNA mimic that disrupts nucleosome assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20758-20763.	7.1	79
80	Transactivation, Dimerization, and DNA-Binding Activity of White Spot Syndrome Virus Immediate-Early Protein IE1. <i>Journal of Virology</i> , 2008, 82, 11362-11373.	3.4	40
81	Characterization of White Spot Syndrome Virus Envelope Protein VP51A and Its Interaction with Viral Tegument Protein VP26. <i>Journal of Virology</i> , 2008, 82, 12555-12564.	3.4	29
82	White Spot Syndrome Virus Annexes a Shrimp STAT To Enhance Expression of the Immediate-Early Gene ie1. <i>Journal of Virology</i> , 2007, 81, 1461-1471.	3.4	188
83	White spot syndrome virus envelope protein VP53A interacts with <i>Penaeus monodon</i> chitin-binding protein (PmCBP). <i>Diseases of Aquatic Organisms</i> , 2007, 74, 171-178.	1.0	57
84	Protein expression profiling of the shrimp cellular response to white spot syndrome virus infection. <i>Developmental and Comparative Immunology</i> , 2007, 31, 672-686.	2.3	142
85	Analysis of differently expressed proteins and transcripts in gills of <i>Penaeus vannamei</i> after yellow head virus infection. <i>Proteomics</i> , 2007, 7, 3809-3814.	2.2	41
86	Comparative analysis of differentially expressed genes in normal and white spot syndrome virus infected <i>Penaeus monodon</i> . <i>BMC Genomics</i> , 2007, 8, 120.	2.8	116
87	Identification of icp11, the most highly expressed gene of shrimp white spot syndrome virus (WSSV). <i>Diseases of Aquatic Organisms</i> , 2007, 74, 179-189.	1.0	36
88	<i>Neobenedenia girellae</i> (Monogenea) Infection of Cultured <i>Cobia Rachycentron canadum</i> in Taiwan. <i>Fish Pathology</i> , 2006, 41, 51-56.	0.7	30
89	Identification of the Nucleocapsid, Tegument, and Envelope Proteins of the Shrimp White Spot Syndrome Virus Virion. <i>Journal of Virology</i> , 2006, 80, 3021-3029.	3.4	189
90	PmRab7 Is a VP28-Binding Protein Involved in White Spot Syndrome Virus Infection in Shrimp. <i>Journal of Virology</i> , 2006, 80, 10734-10742.	3.4	230

#	ARTICLE	IF	CITATIONS
91	Microarray and RT-PCR screening for white spot syndrome virus immediate-early genes in cycloheximide-treated shrimp. <i>Virology</i> , 2005, 334, 327-341.	2.4	128
92	The Unique Stacked Rings in the Nucleocapsid of the White Spot Syndrome Virus Virion Are Formed by the Major Structural Protein VP664, the Largest Viral Structural Protein Ever Found. <i>Journal of Virology</i> , 2005, 79, 140-149.	3.4	72
93	Genomic and Proteomic Analysis of Thirty-Nine Structural Proteins of Shrimp White Spot Syndrome Virus. <i>Journal of Virology</i> , 2004, 78, 11360-11370.	3.4	219
94	Genetic and phenotypic variations of isolates of shrimp Taura syndrome virus found in <i>Penaeus monodon</i> and <i>Metapenaeus ensis</i> in Taiwan. <i>Journal of General Virology</i> , 2004, 85, 2963-2968.	2.9	31
95	The novel organization and complete sequence of the ribosomal RNA gene of <i>Nosema bombycis</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 473-481.	2.1	69
96	Characterization of a multiple-nucleocapsid nucleopolyhedrovirus isolated from <i>Perina nuda</i> (Fabricius) (Lepidoptera: Lymantriidae) larvae. <i>Applied Entomology and Zoology</i> , 2004, 39, 283-292.	1.2	4
97	Molecular Characterization and Pathogenicity of White Spot Syndrome Virus. <i>Molecular Aspects of Fish and Marine Biology</i> , 2004, , 155-188.	0.2	2
98	The characterization of microsporidian isolates (Nosematidae: <i>Nosema</i> ) from five important lepidopteran pests in Taiwan. <i>Journal of Invertebrate Pathology</i> , 2003, 83, 51-59.	3.2	59
99	Comparison of Genomic Sequence of Infectious Hypodermal and Hematopoietic Necrosis Virus (IHHNV) between Taiwan and Other Geographical Isolates. <i>Fish Pathology</i> , 2003, 38, 177-179.	0.7	7
100	Hepatopancreas and ovary are sites of vitellogenin synthesis as determined from partial cDNA encoding of vitellogenin in the marine shrimp, <i>Penaeus vannamei</i> . <i>Invertebrate Reproduction and Development</i> , 2002, 42, 137-143.	0.8	22
101	A <i>Perina nuda</i> cell line (NTU-Pn-HF) from pupal ovary that is persistently infected with a picorna-like virus (PnPV).. <i>Applied Entomology and Zoology</i> , 2002, 37, 171-179.	1.2	8
102	Identification of a Nucleocapsid Protein (VP35) Gene of Shrimp White Spot Syndrome Virus and Characterization of the Motif Important for Targeting VP35 to the Nuclei of Transfected Insect Cells. <i>Virology</i> , 2002, 293, 44-53.	2.4	90
103	The Complete Genome Sequence of <i>Perina nuda</i> Picorna-like Virus, An Insect-Infecting RNA Virus with a Genome Organization Similar to That of the Mammalian Picornaviruses. <i>Virology</i> , 2002, 294, 312-323.	2.4	49
104	Chimeric Polypeptide of Thymidine Kinase and Thymidylate Kinase of Shrimp White Spot Syndrome Virus: Thymidine Kinase Activity of the Recombinant Protein Expressed in a Baculovirus/Insect Cell System. <i>Virology</i> , 2002, 299, 248-255.	2.4	25
105	Transcriptional Analysis of the DNA Polymerase Gene of Shrimp White Spot Syndrome Virus. <i>Virology</i> , 2002, 301, 136-147.	2.4	96
106	Ribonucleotide Reductase of Shrimp White Spot Syndrome Virus (WSSV): Expression and Enzymatic Activity in a Baculovirus/Insect Cell System and WSSV-Infected Shrimp. <i>Virology</i> , 2002, 304, 282-290.	2.4	24
107	White spot syndrome virus (WSSV) PCR-positive <i>Artemia</i> cysts yield PCR-negative nauplii that fail to transmit WSSV when fed to shrimp postlarvae. <i>Diseases of Aquatic Organisms</i> , 2002, 49, 1-10.	1.0	30
108	Complete sequence and structure of ribosomal RNA gene of <i>Heterosporis anguillarum</i> . <i>Diseases of Aquatic Organisms</i> , 2002, 49, 199-206.	1.0	28



#	ARTICLE	IF	CITATIONS
109	In vitro phagocytosis of occlusion bodies of nucleopolyhedroviruses by insect cell lines.. Applied Entomology and Zoology, 2001, 36, 59-69.	1.2	2
110	Sequencing and Amplified Restriction Fragment Length Polymorphism Analysis of Ribonucleotide Reductase Large Subunit Gene of the White Spot Syndrome Virus in Blue Crab ( <i>Callinectes sapidus</i> ) from American Coastal Waters. Marine Biotechnology, 2001, 3, 163-171.	2.4	33
111	Cloning, Characterization, and Phylogenetic Analysis of a Shrimp White Spot Syndrome Virus Gene That Encodes a Protein Kinase. Virology, 2001, 289, 362-377.	2.4	42
112	Hepatopancreas is the extraovarian site of vitellogenin synthesis in black tiger shrimp, <i>Penaeus monodon</i> . Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2001, 129, 909-917.	1.8	85
113	Performance of WSSV-infected and WSSV-negative <i>Penaeus monodon</i> postlarvae in culture ponds. Diseases of Aquatic Organisms, 2001, 46, 165-172.	1.0	40
114	Nested polymerase chain reaction and in situ hybridization for detection of nucleopolyhedrosis. Journal of Virological Methods, 2000, 84, 65-75.	2.1	19
115	Transcriptional Analysis of the Ribonucleotide Reductase Genes of Shrimp White Spot Syndrome Virus. Virology, 2000, 277, 92-99.	2.4	74
116	Identification and Characterization of a Shrimp White Spot Syndrome Virus (WSSV) Gene That Encodes a Novel Chimeric Polypeptide of Cellular-Type Thymidine Kinase and Thymidylate Kinase. Virology, 2000, 277, 100-110.	2.4	76
117	Natural and experimental infection of white spot syndrome virus (WSSV) in benthic larvae of mud crab <i>Scylla serrata</i> . Diseases of Aquatic Organisms, 2000, 40, 157-161.	1.0	167
118	Diagnosis of <i>Penaeus monodon</i> -type baculovirus by PCR and by ELISA of occlusion bodies. Diseases of Aquatic Organisms, 2000, 40, 93-99.	1.0	29
119	Analysis of a genomic segment of white spot syndrome virus of shrimp containing ribonucleotide reductase genes and repeat regions. Microbiology (United Kingdom), 2000, 81, 307-316.	1.8	67
120	Ultrastructure of white spot syndrome virus development in primary lymphoid organ cell cultures. Diseases of Aquatic Organisms, 2000, 41, 91-104.	1.0	75
121	Ultrastructural justification for the transfer of <i>Pleistophora anguillarum</i> Hoshina, 1959 to the genus <i>Heterosporis</i> Schubert, 1969. Diseases of Aquatic Organisms, 2000, 43, 225-231.	1.0	30
122	Specific genomic DNA fragment analysis of different geographical clinical samples of shrimp white spot syndrome virus. Diseases of Aquatic Organisms, 1999, 35, 175-185.	1.0	81
123	A New Picorna-like Virus, PnPV, Isolated from Ficus Transparent Wing Moth, <i>Perina nuda</i> (Fabricius). Journal of Invertebrate Pathology, 1999, 74, 62-68.	3.2	18
124	Effect of dietary $\beta$ -1,3-glucan on resistance to white spot syndrome virus (WSSV) in postlarval and juvenile <i>Penaeus monodon</i> . Diseases of Aquatic Organisms, 1999, 36, 163-168.	1.0	91
125	Studies on effective PCR screening strategies for white spot syndrome virus (WSSV) detection in <i>Penaeus monodon</i> brooders. Diseases of Aquatic Organisms, 1999, 39, 13-19.	1.0	53
126	Long-term presence of white spot syndrome virus (WSSV) in a cultivated shrimp population without disease outbreaks. Diseases of Aquatic Organisms, 1999, 38, 107-114.	1.0	99



#	ARTICLE	IF	CITATIONS
127	The Small Subunit Ribosomal RNA Gene Sequence of <i>Pleistophora anguillarum</i> and The Use of PCR Primers for Diagnostic Detection of the Parasite. <i>Journal of Eukaryotic Microbiology</i> , 1998, 45, 556-560.	1.7	21
128	Experimental infection of white spot baculovirus in some cultured and wild decapods in Taiwan. <i>Aquaculture</i> , 1998, 164, 221-231.	3.5	226
129	Detection of white spot baculovirus (WSBV) in giant freshwater prawn, <i>Macrobrachium rosenbergii</i> , using polymerase chain reaction. <i>Aquaculture</i> , 1998, 164, 253-262.	3.5	78
130	Studies on transmission of white spot syndrome associated baculovirus (WSBV) in <i>Penaeus monodon</i> and <i>P. japonicus</i> via waterborne contact and oral ingestion. <i>Aquaculture</i> , 1998, 164, 263-276.	3.5	93
131	Virus-associated White Spot Syndrome of Shrimp in Taiwan: A Review.. <i>Fish Pathology</i> , 1998, 33, 365-371.	0.7	87
132	The Transition from Pre-patent to Patent Infection of White Spot Syndrome Virus (WSSV) in <i>Penaeus monodon</i> Triggered by Pereiopod Excision.. <i>Fish Pathology</i> , 1998, 33, 395-400.	0.7	31
133	Detection and tissue tropism of white spot syndrome baculovirus (WSBV) in captured brooders of <i>Penaeus monodon</i> with a special emphasis on reproductive organs. <i>Diseases of Aquatic Organisms</i> , 1997, 30, 53-72.	1.0	232
134	Antibody response of glass eels, <i>Anguilla japonica</i> Temminck & Schlegel, to <i>Pleistophora anguillarum</i> Hoshina ( <i>Microspora</i> ) infection. <i>Journal of Fish Diseases</i> , 1997, 20, 237-239.	1.9	9
135	Antibody production in Japanese eels, <i>Anguilla japonica</i> Temminck & Schlegel. <i>Journal of Fish Diseases</i> , 1997, 20, 195-200.	1.9	13
136	Mass mortalities associated with viral nervous necrosis (VNN) disease in two species of hatchery-reared grouper, <i>Epinephelus fuscogutatus</i> and <i>Epinephelus akaara</i> (Temminck & Schlegel). <i>Journal of Fish Diseases</i> , 1997, 20, 185-193.	1.9	112
137	Continuous Cell Line from Pupal Ovary of <i>Perina nuda</i> (Lepidoptera: Lymantriidae) That Is Permissive to Nuclear Polyhedrosis Virus from <i>P. nuda</i> . <i>Journal of Invertebrate Pathology</i> , 1996, 67, 199-204.	3.2	20
138	Characterization of <i>Perina nuda</i> Nucleopolyhedrovirus (PenuNPV) Polyhedrin Gene. <i>Journal of Invertebrate Pathology</i> , 1996, 67, 259-266.	3.2	24
139	Identification of white spot syndrome associated baculovirus (WSBV) target organs in the shrimp <i>Penaeus monodon</i> by in situ hybridization. <i>Diseases of Aquatic Organisms</i> , 1996, 27, 131-139.	1.0	187
140	Detection of baculovirus associated with white spot syndrome (WSBV) in penaeid shrimps using polymerase chain reaction. <i>Diseases of Aquatic Organisms</i> , 1996, 25, 133-141.	1.0	398
141	White spot syndrome baculovirus (WSBV) detected in cultured and captured shrimp, crabs and other arthropods. <i>Diseases of Aquatic Organisms</i> , 1996, 27, 215-225.	1.0	528
142	Humoral immune response of Japanese eel, <i>Anguilla japonica</i> Temminck & Schlegel, to <i>Pleistophora anguillarum</i> Hoshina, 1951 ( <i>Microspora</i> ). <i>Journal of Fish Diseases</i> , 1996, 19, 243-250.	1.9	12
143	Pathogenicity of a baculovirus infection causing white spot syndrome in cultured penaeid shrimp in Taiwan. <i>Diseases of Aquatic Organisms</i> , 1995, 23, 165-173.	1.0	494
144	Purification and genomic analysis of baculovirus associated with white spot syndrome (WSBV) of <i>Penaeus monodon</i> . <i>Diseases of Aquatic Organisms</i> , 1995, 23, 239-242.	1.0	282

#	ARTICLE	IF	CITATIONS
145	The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging. <i>Aquaculture</i> , 1995, 132, 73-80.	3.5	0
146	A cell line (EP-1 cell line) derived from "Beko disease"-affected Japanese eel elver ( <i>Anguilla japonica</i> ) persistently infected with <i>Pleistophora anguillarum</i> . <i>Aquaculture</i> , 1995, 132, 161-173.	3.5	18
147	Pathogenicity of a Birnavirus to Hard Clam( <i>Meretrix lusoria</i> ) and Effect of Temperature Stress on Its Virulence.. <i>Fish Pathology</i> , 1994, 29, 171-175.	0.7	29
148	Secretory Synthesis of Active Recombinant Fish Growth Hormone by Insect Cells Using a Baculovirus Vector. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1994, 51, 1-7.	1.4	16
149	Purification and Amplification of DNA from <i>Penaeus monodon</i> -Type Baculovirus (MBV). <i>Journal of Invertebrate Pathology</i> , 1993, 62, 116-120.	3.2	35
150	The General Characteristics of a Birnavirus Isolated from Cultured Loach( <i>Misgurnus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (anguilla japonica)	0.7	7
151	Lowered Affinity of Structural Protein VP2 to Monoclonal Antibodies in Serial Undiluted Passage of Infectious Pancreatic Necrosis Virus(IPNV).. <i>Fish Pathology</i> , 1993, 28, 51-52.	0.7	3
152	Purification and Biochemical Characteristics of Occlusion Body of <i>Penaeus monodon</i> -Type Baculovirus(MBV).. <i>Fish Pathology</i> , 1992, 27, 127-130.	0.7	7
153	Immune Response of the Japanese Eel ( <i>Anguilla japonica</i> ) against Major Antigens from the Microsporean <i>Pleistophora anguillarum</i> Hoshina, 1951.. <i>Fish Pathology</i> , 1992, 27, 157-161.	0.7	5
154	Expression of two forms of carp gonadotropin alpha subunit in insect cells by recombinant baculovirus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 7486-7490.	7.1	20
155	Viral Polypeptides and RNA of Defective Interfering Particles of IPN Virus Generated by Serial Undiluted Passaging in TO-2 Cells.. <i>Fish Pathology</i> , 1991, 26, 119-125.	0.7	2
156	Viral interference in TO-2 cells infected with IPN virus isolated from clam, <i>Meretrix lusoria</i> .. <i>Fish Pathology</i> , 1990, 25, 133-139.	0.7	3
157	The characteristics of the virus isolated from the gill of clam, <i>Meretrix lusoria</i> .. <i>Fish Pathology</i> , 1988, 23, 147-154.	0.7	33
158	The mechanism of the metacercarial excystment of <i>Clinostomum complanatum</i> (Rud. 1814).. <i>Fish Pathology</i> , 1987, 22, 227-235.	0.7	3
159	The study of <i>Clinostomum complanatum</i> (Rud., 1814). V. The influences of metacercaria of <i>Clinostomum complanatum</i> on fish.. <i>Fish Pathology</i> , 1985, 20, 305-312.	0.7	17
160	Studies of <i>Clinostomum complanatum</i> (RUD., 1819). <i>Fish Pathology</i> , 1981, 15, 219-227.	0.7	30