

# Neus Barrantes-Vidal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6544897/publications.pdf>

Version: 2024-02-01

158  
papers

5,096  
citations

125106

35  
h-index

124990

64  
g-index

181  
all docs

181  
docs citations

181  
times ranked

4974  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Dimensional Structure of the Wisconsin Schizotypy Scales: Factor Identification and Construct Validity. <i>Schizophrenia Bulletin</i> , 2007, 34, 444-457.	2.3	276
2	Schizotypy: Looking Back and Moving Forward. <i>Schizophrenia Bulletin</i> , 2015, 41, S366-S373.	2.3	265
3	The Role of Schizotypy in the Study of the Etiology of Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2015, 41, S408-S416.	2.3	244
4	Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009, 39, 1425-1432.	2.7	237
5	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
6	Prediction of psychopathology and functional impairment by positive and negative schizotypy in the Chapman's™ ten-year longitudinal study.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 807-815.	2.0	177
7	Anxiety and depression symptoms in psychometrically identified schizotypy. <i>Schizophrenia Research</i> , 2006, 83, 225-235.	1.1	175
8	The expression of positive and negative schizotypy in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2012, 42, 2555-2566.	2.7	130
9	Positive and negative schizotypy are associated with prodromal and schizophrenia-spectrum symptoms. <i>Schizophrenia Research</i> , 2013, 145, 50-55.	1.1	115
10	Momentary assessment research in psychosis.. <i>Psychological Assessment</i> , 2009, 21, 498-505.	1.2	114
11	The structure of schizotypal personality traits: a cross-national study. <i>Psychological Medicine</i> , 2018, 48, 451-462.	2.7	111
12	Schizotypy From a Developmental Perspective. <i>Schizophrenia Bulletin</i> , 2015, 41, S386-S395.	2.3	99
13	Development and psychometric properties of the Multidimensional Schizotypy Scale: A new measure for assessing positive, negative, and disorganized schizotypy. <i>Schizophrenia Research</i> , 2018, 193, 209-217.	1.1	89
14	Psychometric schizotypy predicts psychotic-like, paranoid, and negative symptoms in daily life.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1077-1087.	2.0	86
15	Neurocognitive, behavioural and neurodevelopmental correlates of schizotypy clusters in adolescents from the general population. <i>Schizophrenia Research</i> , 2003, 61, 293-302.	1.1	81
16	Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 129-130.	0.9	80
17	Neurological soft signs in adolescents with poor performance on the continuous performance test: markers of liability for schizophrenia spectrum disorders?. <i>Psychiatry Research</i> , 1999, 86, 217-228.	1.7	78
18	Comparing the factor structure of the Wisconsin Schizotypy Scales and the Schizotypal Personality Questionnaire.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2014, 5, 397-405.	1.0	68

#	ARTICLE	IF	CITATIONS
19	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. PLoS ONE, 2016, 11, e0153557.	1.1	65
20	An Experience-Sampling Study of Depressive Symptoms and Their Social Context. Journal of Nervous and Mental Disease, 2011, 199, 403-409.	0.5	63
21	Psychopathology, social adjustment and personality correlates of schizotypy clusters in a large nonclinical sample. Schizophrenia Research, 2010, 122, 219-225.	1.1	62
22	Putative role of the COMT gene polymorphism (Val158Met) on verbal working memory functioning in a healthy population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 898-902.	1.1	58
23	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.	6.0	57
24	Association of positive, negative, and disorganized schizotypy dimensions with affective symptoms and experiences. Psychiatry Research, 2018, 270, 1143-1149.	1.7	53
25	The Network Structure of Schizotypal Personality Traits. Schizophrenia Bulletin, 2018, 44, S468-S479.	2.3	52
26	Brief assessment of schizotypal traits: A multinational study. Schizophrenia Research, 2018, 197, 182-191.	1.1	52
27	Working memory in siblings of schizophrenia patients. Schizophrenia Research, 2007, 95, 70-75.	1.1	51
28	Attachment style predicts affect, cognitive appraisals, and social functioning in daily life. Frontiers in Psychology, 2015, 6, 296.	1.1	51
29	Attachment goes to court: child protection and custody issues. Attachment and Human Development, 2022, 24, 1-52.	1.2	51
30	A 3-year longitudinal study of risk for bipolar spectrum psychopathology.. Journal of Abnormal Psychology, 2015, 124, 486-497.	2.0	49
31	Neurological soft signs in psychometrically identified schizotypy. Schizophrenia Research, 2009, 115, 293-302.	1.1	46
32	An examination of neuroticism as a moderating factor in the association of positive and negative schizotypy with psychopathology in a nonclinical sample. Schizophrenia Research, 2009, 115, 303-309.	1.1	43
33	Psychometric properties and validity of short forms of the Wisconsin Schizotypy Scales in two large samples. Schizophrenia Research, 2012, 134, 267-272.	1.1	42
34	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. Biological Psychiatry, 2021, 89, 288-297.	0.7	42
35	Association of multidimensional schizotypy with psychotic-like experiences, affect, and social functioning in daily life: Comparable findings across samples and schizotypy measures.. Journal of Abnormal Psychology, 2020, 129, 492-504.	2.0	41
36	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. Schizophrenia Research, 2018, 199, 128-134.	1.1	40

#	ARTICLE	IF	CITATIONS
37	The association of affective temperaments with impairment and psychopathology in a young adult sample. <i>Journal of Affective Disorders</i> , 2012, 141, 373-381.	2.0	39
38	The expression of affective temperaments in daily life. <i>Journal of Affective Disorders</i> , 2013, 145, 179-186.	2.0	38
39	Fearful attachment mediates the association of childhood trauma with schizotypy and psychotic-like experiences. <i>Psychiatry Research</i> , 2014, 220, 691-693.	1.7	38
40	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
41	The expression of bipolar spectrum psychopathology in daily life. <i>Journal of Affective Disorders</i> , 2011, 130, 166-170.	2.0	35
42	A three-year longitudinal study of affective temperaments and risk for psychopathology. <i>Journal of Affective Disorders</i> , 2014, 164, 94-100.	2.0	35
43	To know or not to know? Mentalization as protection from somatic complaints. <i>PLoS ONE</i> , 2019, 14, e0215308.	1.1	35
44	Factor Invariance of Psychometric Schizotypy in Spanish and American Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2012, 34, 145-152.	0.7	34
45	The multidimensional schizotypy scale-brief: Scale development and psychometric properties. <i>Psychiatry Research</i> , 2018, 261, 7-13.	1.7	34
46	Validity of the Multidimensional Schizotypy Scale: Associations with schizotypal traits and normal personality.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018, 9, 458-466.	1.0	32
47	Developmental instability and schizotypy. <i>Schizophrenia Research</i> , 2000, 43, 125-134.	1.1	31
48	Looking for bipolar spectrum psychopathology: identification and expression in daily life. <i>Comprehensive Psychiatry</i> , 2012, 53, 409-421.	1.5	31
49	Diagnostic Interview for Genetic Studies (DIGS): Inter-rater and test-retest reliability and validity in a Spanish population. <i>European Psychiatry</i> , 2007, 22, 44-48.	0.1	30
50	Interaction between FKBP5 gene and childhood trauma on psychosis, depression and anxiety symptoms in a non-clinical sample. <i>Psychoneuroendocrinology</i> , 2017, 85, 200-209.	1.3	28
51	Positive, Negative, and Disorganized Schizotypy Predict Differential Patterns of Interview-Rated Schizophrenia-Spectrum Symptoms and Impairment. <i>Assessment</i> , 2021, 28, 141-152.	1.9	27
52	Worries about Being Judged versus Being Harmed: Disentangling the Association of Social Anxiety and Paranoia with Schizotypy. <i>PLoS ONE</i> , 2014, 9, e96269.	1.1	26
53	Relatives' expressed emotion, distress and attributions in clinical high-risk and recent onset of psychosis. <i>Psychiatry Research</i> , 2017, 247, 323-329.	1.7	26
54	Affective temperaments: Unique constructs or dimensions of normal personality by another name?. <i>Journal of Affective Disorders</i> , 2013, 151, 882-890.	2.0	25

#	ARTICLE	IF	CITATIONS
55	Predictors of expressed emotion, burden and quality of life in relatives of Mexican patients with psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 170-179.	1.2	25
56	Being with others and feeling happy: Emotional expressivity in everyday life. <i>Personality and Individual Differences</i> , 2012, 53, 185-190.	1.6	24
57	Relatives' illness attributions mediate the association of expressed emotion with early psychosis symptoms and functioning. <i>Psychiatry Research</i> , 2014, 218, 48-53.	1.7	24
58	The dimensional structure of short forms of the Wisconsin Schizotypy Scales. <i>Schizophrenia Research</i> , 2015, 166, 80-85.	1.1	24
59	The role of stress-regulation genes in moderating the association of stress and daily life psychotic experiences. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 389-399.	2.2	24
60	Association between attachment prototypes and schizotypy dimensions in two independent non-clinical samples of Spanish and American young adults. <i>Psychiatry Research</i> , 2013, 210, 408-413.	1.7	23
61	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
62	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
63	A factor analytic study of the Hypomanic Personality Scale in British, Spanish and Australian samples. <i>Personality and Individual Differences</i> , 2000, 28, 73-84.	1.6	22
64	The Interaction between Childhood Bullying and the FKBP5 Gene on Psychotic-Like Experiences and Stress Reactivity in Real Life. <i>PLoS ONE</i> , 2016, 11, e0158809.	1.1	21
65	Attachment style predicts 6-month improvement in psychoticism in persons with at-risk mental states for psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 442-449.	0.9	20
66	Psychotic-like symptoms and positive schizotypy are associated with mixed and ambiguous handedness in an adolescent community sample. <i>Psychiatry Research</i> , 2013, 206, 188-194.	1.7	20
67	COMT-by-Sex Interaction Effect on Psychosis Proneness. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	20
68	Expression of schizophrenia-spectrum personality traits in daily life.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2017, 8, 64-74.	1.0	20
69	Prediction of prodromal symptoms and schizophrenia-spectrum personality disorder traits by positive and negative schizotypy: A 3-year prospective study. <i>PLoS ONE</i> , 2018, 13, e0207150.	1.1	20
70	Interview Investigation of Insecure Attachment Styles as Mediators between Poor Childhood Care and Schizophrenia-Spectrum Phenomenology. <i>PLoS ONE</i> , 2015, 10, e0135150.	1.1	20
71	Analysis of polymorphisms at the tumor suppressor gene p53 (TP53) in contributing to the risk for schizophrenia and its associated neurocognitive deficits. <i>Neuroscience Letters</i> , 2004, 363, 78-80.	1.0	19
72	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016, 83, 121-129.	1.5	19

#	ARTICLE	IF	CITATIONS
73	Beyond diagnosis: Mentalization and mental health from a transdiagnostic point of view in adolescents from non-clinical population. <i>Psychiatry Research</i> , 2018, 270, 755-763.	1.7	19
74	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning â€“ Results from the EU-G&Eacute;l study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
75	Subjective quality of life in <scp>A</scp>tâ€“<scp>R</scp>isk <scp>M</scp>ental <scp>S</scp>tate for psychosis patients: relationship with symptom severity and functional impairment. <i>Microbial Biotechnology</i> , 2015, 9, 292-299.	0.9	18
76	Impact of attachment style on the 1-year outcome of persons with an at-risk mental state for psychosis. <i>Psychiatry Research</i> , 2015, 228, 849-856.	1.7	16
77	Hypermentalizing in Social Anxiety: Evidence for a Context-Dependent Relationship. <i>Frontiers in Psychology</i> , 2019, 10, 1501.	1.1	16
78	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
79	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	2.3	15
80	The genome-wide associated candidate gene ZNF804A and psychosis-proneness: Evidence of sex-modulated association. <i>PLoS ONE</i> , 2017, 12, e0185072.	1.1	14
81	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Geneâ€“Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
82	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
83	The Schizotypal Ambivalence Scale as a Marker of Schizotypy. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 399-404.	0.5	13
84	Validation of the Multidimensional Schizotypy Scale-Brief in Two Large Samples. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018, 40, 669-677.	0.7	13
85	Interaction between FKBP5 variability and recent life events in the anxiety spectrum: Evidence for the differential susceptibility model. <i>PLoS ONE</i> , 2018, 13, e0193044.	1.1	13
86	Process of adaptation to Spanish of the Community Assessment of Psychic Experiences (CAPE). <i>Actas Espanolas De Psiquiatria</i> , 2011, 39, 95-105.	0.1	13
87	Illness Perception Mediates the Effect of Illness Course on the Quality of Life of Mexican Patients with Psychosis. <i>Applied Research in Quality of Life</i> , 2014, 9, 99-112.	1.4	12
88	Frontal dysfunction and psychosis proneness in CPT-linked vulnerable adolescents. <i>Personality and Individual Differences</i> , 1997, 23, 677-683.	1.6	11
89	An Exploratory Study of Sex Differences in Divergent Thinking and Creative Personality among College Subjects. <i>Psychological Reports</i> , 1999, 85, 1164-1166.	0.9	11
90	Exophenotypical profile of adolescents with sustained attention deficit: A 10-year follow-up study. <i>Psychiatry Research</i> , 2007, 153, 119-130.	1.7	11

#	ARTICLE	IF	CITATIONS
91	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
92	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. <i>PLoS ONE</i> , 2020, 15, e0234325.	1.1	11
93	Childhood behavioral inhibition is associated with impaired mentalizing in adolescence. <i>PLoS ONE</i> , 2018, 13, e0195303.	1.1	11
94	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
95	Self and Other Mentalizing Polarities and Dimensions of Mental Health: Association With Types of Symptoms, Functioning and Well-Being. <i>Frontiers in Psychology</i> , 2021, 12, 566254.	1.1	10
96	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
97	Emerging Adulthood and Prospective Depression: A Simultaneous Test of Cumulative Risk Theories. <i>Journal of Youth and Adolescence</i> , 2019, 48, 1353-1364.	1.9	9
98	Deconstructing the relationships between self-esteem and paranoia in early psychosis: an experience sampling study. <i>British Journal of Clinical Psychology</i> , 2020, 59, 503-523.	1.7	9
99	Association of positive, negative, and disorganized schizotypy with cluster a, borderline, and avoidant personality disorders and traits.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2022, 13, 182-191.	1.0	9
100	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
101	Attachment as a mechanism between childhood maltreatment and subclinical psychotic phenomena: Results from an eight-year follow-up study. <i>Schizophrenia Research</i> , 2020, 220, 261-264.	1.1	8
102	Dissociation and insecure attachment as mediators of the relation between childhood emotional abuse and nonclinical paranoid traits. <i>HÅrgre Utbildning</i> , 2021, 12, 1888539.	1.4	8
103	Predictors of outcome in the early course of first-episode psychosis. <i>European Journal of Psychiatry</i> , 2010, 24, .	0.7	8
104	Adaptation of the wisconsin scales of psychosis proneness to Spanish. <i>Actas Espanolas De Psiquiatria</i> , 2010, 38, 33-41.	0.1	8
105	Association between RGS4 variants and psychotic-like experiences in nonclinical individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 19-24.	1.8	7
106	A brief questionnaire measure of multidimensional schizotypy predicts interview-rated symptoms and impairment. <i>PLoS ONE</i> , 2020, 15, e0237614.	1.1	7
107	Increased familiarity of intellectual deficits in early-onset schizophrenia spectrum disorders. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 493-500.	1.3	6
108	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6

#	ARTICLE	IF	CITATIONS
109	Emotional Comprehension Is Not Related to Duration of Distress from Daily Life Events. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 459.	1.2	6
110	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	1.1	6
111	The dimensional structure of the Wisconsin schizotypy scales: Factor identification and construct validity. <i>European Psychiatry</i> , 2008, 23, S103-S104.	0.1	5
112	Splitting of Associative Threads: The Expression of Schizotypal Ambivalence in Daily Life. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2015, 37, 349-357.	0.7	5
113	Creativity and the spectrum of affective and schizophrenic psychoses. , 0, , 169-204.		4
114	Trauma and psychosis: Is it easier to study quarks than subjective meaning?. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 478-479.	2.2	4
115	Relatives' attachment anxiety mediates the association between perceived loss and expressed emotion in early psychosis. <i>PLoS ONE</i> , 2019, 14, e0223425.	1.1	4
116	Ecological Validity of Expressed Emotion in Early Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 854.	1.3	4
117	Exploring the Psychometric Properties and the Factor Structure of the Calgary Depression Scale for Schizophrenia Across the Schizotypy Continuum. <i>Assessment</i> , 2022, 29, 686-699.	1.9	4
118	Self-Schemas and Self-Esteem Discrepancies in Subclinical Paranoia: The Essential Role of Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021, 12, 623755.	1.3	4
119	The impact of family environment on self-esteem and symptoms in early psychosis. <i>PLoS ONE</i> , 2021, 16, e0249721.	1.1	4
120	Spanish version of the Psychosis Attachment Measure: adaptation process and psychometric properties - Proceso de adaptación al español y propiedades psicométricas de la Psychosis Attachment Measure. <i>Salud Mental</i> , 2013, 36, 403.	0.3	4
121	Self- but Not Other-Dimensions of Mentalizing Moderate the Impairment Associated With Social Anxiety in Adolescents From the General Population. <i>Frontiers in Psychology</i> , 2021, 12, 721584.	1.1	4
122	A time-lagged study of predictors of paranoia and psychotic-like experiences in daily life across the schizotypy continuum.. , 2022, 131, 98-108.		4
123	FC11.03 Four-year Stability of Positive and Negative Schizotypal Traits in Normal Adolescents from the General Population. <i>European Psychiatry</i> , 2000, 15, 298s-299s.	0.1	3
124	Impact of Adverse Childhood Experiences on Psychotic-Like Symptoms and Stress Reactivity in Daily Life in Nonclinical Young Adults. <i>Focus (American Psychiatric Publishing)</i> , 2016, 14, 387-395.	0.4	3
125	The association of affective temperaments and bipolar spectrum psychopathology: An experience sampling study. <i>Motivation and Emotion</i> , 2018, 42, 126-136.	0.8	3
126	Interaction of both positive and negative daily-life experiences with <i>FKBP5</i> haplotype on psychosis risk. <i>European Psychiatry</i> , 2020, 63, e11.	0.1	3



#	ARTICLE	IF	CITATIONS
127	Schizotypy, schizotypal personality, and psychosis risk. , 2020, , 81-99.		3
128	Anhedonia and Negative Symptom Schizotypy. , 2014, , 203-226.		3
129	Psychological Pathways to Paranoia and Psychotic-Like Experiences in Daily-Life: The Mediating Role of Distinct Affective Disturbances. Schizophrenia Bulletin, 2022, 48, 1053-1065.	2.3	3
130	Family environmental factors in atâ€risk mental states for psychosis. Clinical Psychology and Psychotherapy, 2022, 29, 424-454.	1.4	2
131	Study of Neurocognitive correlates of Schizotypy Personality Clusters in healthy individuals. European Journal of Psychiatry, 2008, 22, .	0.7	2
132	Examining the Relationship Between Hair Cortisol With Stress-Related and Transdiagnostic Subclinical Measures. Frontiers in Psychiatry, 2021, 12, 746155.	1.3	2
133	CORRELATES OF SCHIZOTYPY CLUSTERS IN A LARGE NON-CLINICAL SAMPLE. Schizophrenia Research, 2010, 117, 186.	1.1	1
134	The classification of psychosis. British Journal of Psychiatry, 2011, 198, 323-324.	1.7	1
135	Associations of Multiple Measures of Openness to Experience with a Brief Questionnaire of Positive, Negative, and Disorganized Schizotypy. Journal of Individual Differences, 0, , 1-9.	0.5	1
136	The association of multidimensional schizotypy with symptoms and impairment across racial groups. Personality and Mental Health, 2022, 16, 79-89.	0.6	1
137	Analysis of polymorphisms at the tumor suppressor gene p53 (TP53) in contributing to the risk for schizophrenia and its associated neurocognitive deficits. , 2004, 363, 78-78.		1
138	Comparison of self-reported attachment in young adults from Spain and the United States. Psicothema, 2013, 25, 514-9.	0.7	1
139	Negative dimension of schizotypy associated with early developmental instability in normal adolescents. Schizophrenia Research, 2000, 41, 84.	1.1	0
140	FC11.04 A Cluster Analytic Study of Normal Adolescents with Neurodevelopmental Neurocognitive, Personality and Social Risk Factors for Schizophrenia Spectrum Disorders. European Psychiatry, 2000, 15, 299s-299s.	0.1	0
141	P01.136 Relationship of schizotypal dimensions and hypomanic traits with creative thinking in normal subjects. European Psychiatry, 2000, 15, 356s-356s.	0.1	0
142	0008 DOES SCHIZOTYPAL TRAITS EXPLAIN THE DISCORDANCE BETWEEN INFORMANTS OF ADOLESCENT BEHAVIOURAL ALTERATIONS?. Schizophrenia Research, 2006, 86, S82-S83.	1.1	0
143	0044 PERSONALITY AND PSYCHOSOCIAL PROFILE OF COMMUNITY ADOLESCENTS WITH SUSTAINED ATTENTION DEFICIT: A 10-YEAR FOLLOW-UP. Schizophrenia Research, 2006, 86, S83.	1.1	0
144	0423 DEVELOPMENT OF CARTOONS FOR PROMPTING SELF-RECOGNITION OF PSYCHOTIC-LIKE EXPERIENCES: A PSYCHOEDUCATIONAL PROGRAM FOR NORMAL ADOLESCENTS. Schizophrenia Research, 2006, 86, S96-S97.	1.1	0

#	ARTICLE	IF	CITATIONS
145	0419 IMPAIRED NEURODEVELOPMENT AND ITS IMPACT ON DURATION OF UNTREATED PSYCHOSIS. Schizophrenia Research, 2006, 86, S123.	1.1	0
146	0425 RELATIONSHIP BETWEEN DUP AND DUI AND CLINICAL FEATURES IN FIRST EPISODE OF SCHIZOPHRENIA-SPECTRUM DISORDERS. Schizophrenia Research, 2006, 86, S123-S124.	1.1	0
147	The expression of positive and negative schizotypy in daily life: An experience sampling study. European Psychiatry, 2008, 23, S103.	0.1	0
148	NEUROLOGICAL SOFT SIGNS IN PSYCHOMETRICALLY IDENTIFIED SCHIZOTYPY. Schizophrenia Research, 2010, 117, 302.	1.1	0
149	Poster #196 INTERPERSONAL APPRAISALS AND SUBJECTIVE STRESS PREDICT PSYCHOTIC SYMPTOMS IN DAILY LIFE. Schizophrenia Research, 2012, 136, S256.	1.1	0
150	Poster #101 COMT VAL158MET GENOTYPE AND SCHIZOTYPY DIMENSIONS. Schizophrenia Research, 2012, 136, S317.	1.1	0
151	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. Schizophrenia Bulletin, 2019, 45, S177-S178.	2.3	0
152	The Association of Bipolar Spectrum Psychopathology with Psychotic-Like and Schizotypic Symptoms. Journal of Psychopathology and Behavioral Assessment, 2021, 43, 303-313.	0.7	0
153	El Apego Va a Juicio: Problemas de Custodia y Protección Infantil1. Anuario De Psicología Jurídica, 2021, 32, 115-139.	0.5	0
154	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. , 2020, 15, e0234325.		0
155	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. , 2020, 15, e0234325.		0
156	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. , 2020, 15, e0234325.		0
157	Predictors of criticism and emotional over-involvement in relatives of early psychosis patients. , 2020, 15, e0234325.		0
158	The relationship between grey matter volume and clinical and functional outcomes in people at clinical high risk for psychosis. Schizophrenia Bulletin Open, 0, , .	0.9	0