

Lijun Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6551173/publications.pdf>

Version: 2024-02-01

90
papers

2,516
citations

172457

29
h-index

243625

44
g-index

90
all docs

90
docs citations

90
times ranked

1626
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights into effect of Ca(OH) ₂ on pyrolysis behaviors and products distribution of Hongshaquan coal. <i>Fuel</i> , 2022, 307, 121791.	6.4	20
2	Effect of Fe components in red mud on catalytic pyrolysis of low rank coal. <i>Journal of the Energy Institute</i> , 2022, 100, 1-9.	5.3	40
3	Pyrolysis behavior of low-density polyethylene over HZSM-5 via rapid infrared heating. <i>Science of the Total Environment</i> , 2022, 806, 151287.	8.0	19
4	ZIF-derived hierarchical pore carbons as high-performance catalyst for methane decomposition. <i>Journal of the Energy Institute</i> , 2022, 100, 197-205.	5.3	8
5	Pyrolysis behaviors and product distributions of coal flotation sample separated by float and sink test. <i>Fuel</i> , 2022, 312, 122923.	6.4	6
6	Catalytic upgrading of ex-situ heavy coal tar over modified activated carbon. <i>Fuel</i> , 2022, 312, 122912.	6.4	5
7	Process parameter optimization for integrated process of coal pyrolysis with dry reforming of low carbon alkane over Ni/La ₂ O ₃ -ZrO ₂ . <i>Journal of the Energy Institute</i> , 2022, 102, 54-59.	5.3	4
8	Modeling char surface area during coal pyrolysis: Validation of relationship between pore structure and polymer network. <i>AIChE Journal</i> , 2022, 68, .	3.6	2
9	Insight into synergistic effect of co-pyrolysis of low-rank coal and waste polyethylene with or without additives using rapid infrared heating. <i>Journal of the Energy Institute</i> , 2022, 102, 384-394.	5.3	18
10	In-situ catalytic upgrading of coal pyrolysis volatiles over red mud-supported nickel catalysts. <i>Fuel</i> , 2022, 324, 124742.	6.4	16
11	Effect of red mud-based additives on the formation characteristics of tar and gas produced during coal pyrolysis. <i>Journal of the Energy Institute</i> , 2022, 104, 1-11.	5.3	9
12	Co-pyrolysis behaviors of low-rank coal and polystyrene with in-situ pyrolysis time-of-flight mass spectrometry. <i>Fuel</i> , 2021, 286, 119461.	6.4	14
13	Effect of kaolinites modified with Zr and transition metals on the pyrolysis behaviors of low-rank coal and its model compound. <i>Journal of the Energy Institute</i> , 2021, 95, 41-51.	5.3	7
14	Integrated process of coal pyrolysis with dry reforming of low carbon alkane over Ni/La ₂ O ₃ -ZrO ₂ with different La/Zr ratio. <i>Fuel</i> , 2021, 292, 120412.	6.4	9
15	Novel detection of primary and secondary volatiles from cedar pyrolysis using in-situ pyrolysis double ionization time-of-flight mass spectrometry. <i>Chemical Engineering Science</i> , 2021, 236, 116545.	3.8	15
16	Maximizing production of high-quality tar from catalytic upgrading of lignite pyrolysis volatiles over Ni _x Ce/Y under CH ₄ /CO ₂ atmosphere. <i>Fuel</i> , 2021, 297, 120767.	6.4	6
17	Insight to pyrolysis behavior of three aromatic ethers by pyrolysis coupled with single-photon ionization molecular-beam mass spectrometry. <i>Fuel</i> , 2021, 298, 120821.	6.4	6
18	Study on pyrolysis behavior of long-chain n-alkanes with photoionization molecular-beam mass spectrometer. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021, 159, 105324.	5.5	4

#	ARTICLE	IF	CITATIONS
19	Insight into co-pyrolysis interactions of Pingshuo coal and high-density polyethylene via in-situ Py-TOF-MS and EPR. <i>Fuel</i> , 2021, 303, 121199.	6.4	17
20	Enhanced co-pyrolysis synergies between cedar and Naomaohu coal volatiles for tar production. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021, 160, 105355.	5.5	7
21	CO ₂ Reforming of Methane over Fe-Modified Ni-Based Catalyst for Syngas Production. <i>Energy Technology</i> , 2020, 8, 1900231.	3.8	0
22	Catalytic upgrading of lignite pyrolysis volatiles over modified HY zeolites. <i>Fuel</i> , 2020, 259, 116234.	6.4	40
23	Effect of functional groups on volatile evolution in coal pyrolysis process with in-situ pyrolysis photoionization time-of-flight mass spectrometry. <i>Fuel</i> , 2020, 260, 116322.	6.4	46
24	Effect of hydrogen addition on formation of hydrogen and carbon from methane decomposition over Ni/Al ₂ O ₃ . <i>Canadian Journal of Chemical Engineering</i> , 2020, 98, 536-543.	1.7	8
25	Modeling the influence of changes in aliphatic structure on char surface area during coal pyrolysis. <i>AIChE Journal</i> , 2020, 66, e16834.	3.6	8
26	Catalytic cracking of coal-tar model compounds over ZrO ₂ /Al ₂ O ₃ and Ni-Ce/Al ₂ O ₃ catalysts under steam atmosphere. <i>Fuel</i> , 2020, 263, 116763.	6.4	24
27	Mechanism of methane decomposition with hydrogen addition over activated carbon via in-situ pyrolysis-electron impact ionization time-of-flight mass spectrometry. <i>Fuel</i> , 2020, 263, 116734.	6.4	10
28	Enhanced production of light tar from integrated process of in-situ catalytic upgrading lignite tar and methane dry reforming over Ni/mesoporous Y. <i>Fuel</i> , 2020, 279, 118533.	6.4	20
29	In-situ detection of initial products from lignite pyrolysis over modified Y-type zeolites by pyrolysis photoionization time-of-flight mass spectrometry. <i>Chemical Engineering Science: X</i> , 2020, 8, 100081.	1.5	0
30	In-situ catalytic cracking of coal pyrolysis tar coupled with steam reforming of ethane over carbon based catalyst. <i>Fuel Processing Technology</i> , 2020, 209, 106551.	7.2	16
31	Oxidative Catalytic Cracking and Reforming of Coal Pyrolysis Volatiles over NiO. <i>Energy & Fuels</i> , 2020, 34, 6928-6937.	5.1	11
32	<i>In situ</i> study on interactions between hydroxyl groups in kaolinite and re-adsorption water. <i>RSC Advances</i> , 2020, 10, 16949-16958.	3.6	6
33	Integrated coal pyrolysis with dry reforming of low carbon alkane over Ni/La ₂ O ₃ to improve tar yield. <i>Fuel</i> , 2020, 266, 117092.	6.4	15
34	Co-pyrolysis of Baiyinhua lignite and pine in an infrared-heated fixed bed to improve tar yield. <i>Fuel</i> , 2020, 272, 117739.	6.4	21
35	In-situ Upgrading of Coal Pyrolysis Tar with Steam Catalytic Cracking over Ni/Al ₂ O ₃ Catalysts. <i>ChemistrySelect</i> , 2020, 5, 4905-4912.	1.5	6
36	Novel insight into pyrolysis behaviors of lignin using in-situ pyrolysis-double ionization time-of-flight mass spectrometry combined with electron paramagnetic resonance spectroscopy. <i>Bioresource Technology</i> , 2020, 312, 123555.	9.6	23

#	ARTICLE	IF	CITATIONS
37	Fast co-pyrolysis of a massive Naomaohu coal and cedar mixture using rapid infrared heating. <i>Energy Conversion and Management</i> , 2020, 205, 112442.	9.2	50
38	Effect of different acid-leached USY zeolites on in-situ catalytic upgrading of lignite tar. <i>Fuel</i> , 2020, 266, 117089.	6.4	32
39	Effect of reducibility of transition metal oxides on in-situ oxidative catalytic cracking of tar. <i>Energy Conversion and Management</i> , 2019, 197, 111871.	9.2	43
40	Integrated process for partial oxidation of heavy oil and in-situ reduction of red mud. <i>Applied Catalysis B: Environmental</i> , 2019, 258, 117944.	20.2	28
41	Fast pyrolysis behaviors of cedar in an infrared-heated fixed-bed reactor. <i>Bioresource Technology</i> , 2019, 290, 121739.	9.6	25
42	Integrated process of coal tar upgrading and in-situ reduction of Fe ₂ O ₃ . <i>Fuel Processing Technology</i> , 2019, 191, 20-28.	7.2	18
43	Integrated process of coal pyrolysis with catalytic reforming of simulated coal gas for improving tar yield. <i>Fuel</i> , 2019, 255, 115797.	6.4	17
44	Effect of mineral in coal on preparation of activated carbon for methane decomposition to hydrogen. <i>Fuel</i> , 2019, 258, 116138.	6.4	42
45	In-situ catalytic upgrading of coal pyrolysis tar over activated carbon supported nickel in CO ₂ reforming of methane. <i>Fuel</i> , 2019, 250, 203-210.	6.4	28
46	Upgrading of vacuum residue with chemical looping partial oxidation over Fe-Mn mixed metal oxides. <i>Fuel</i> , 2019, 239, 764-773.	6.4	24
47	Pyrolytic behavior of coal-related model compounds connected with C-C bridged linkages by in-situ pyrolysis vacuum ultraviolet photoionization mass spectrometry. <i>Fuel</i> , 2019, 241, 533-541.	6.4	27
48	Effect of temperature and simulated coal gas composition on tar production during pyrolysis of a subbituminous coal. <i>Fuel</i> , 2019, 241, 1129-1137.	6.4	60
49	Upgrading of Heavy Oil with Chemical Looping Partial Oxidation over M ²⁺ Doped Fe ₂ O ₃ . <i>Energy & Fuels</i> , 2019, 33, 257-265.	5.1	6
50	Structural Features and Pyrolysis Behaviors of Extracts from Microwave-Assisted Extraction of a Low-Rank Coal with Different Solvents. <i>Energy & Fuels</i> , 2019, 33, 106-114.	5.1	22
51	Steam catalytic cracking of coal tar over iron-containing mixed metal oxides. <i>Canadian Journal of Chemical Engineering</i> , 2019, 97, 702-708.	1.7	7
52	Ni/MgO Al ₂ O ₃ catalyst derived from modified [Ni,Mg,Al]-LDH with NaOH for CO ₂ reforming of methane. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 2689-2698.	7.1	25
53	In Situ Analysis of Catalytic Effect of Calcium Nitrate on Shenmu Coal Pyrolysis with Pyrolysis Vacuum Ultraviolet Photoionization Mass Spectrometry. <i>Energy & Fuels</i> , 2018, 32, 1061-1069.	5.1	34
54	Effect of Ca(NO ₃) ₂ addition in coal on properties of activated carbon for methane decomposition to hydrogen. <i>Fuel Processing Technology</i> , 2018, 176, 85-90.	7.2	31

#	ARTICLE	IF	CITATIONS
55	Preparation of Ce-Mn/Fe ₂ O ₃ Catalysts for Steam Catalytic Cracking of Coal Tar. <i>ChemistrySelect</i> , 2018, 3, 12537-12543.	1.5	2
56	Integrated Process of Coal Pyrolysis with Steam Reforming of Ethane for Improving the Tar Yield. <i>Energy & Fuels</i> , 2018, 32, 12268-12276.	5.1	15
57	In-situ analysis of catalytic pyrolysis of Baiyinhua coal with pyrolysis time-of-flight mass spectrometry. <i>Fuel</i> , 2018, 227, 386-393.	6.4	26
58	In-situ catalytic upgrading of coal pyrolysis tar coupled with CO ₂ reforming of methane over Ni-based catalysts. <i>Fuel Processing Technology</i> , 2018, 177, 119-128.	7.2	32
59	Effect of hydrogen additive on methane decomposition to hydrogen and carbon over activated carbon catalyst. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 17611-17619.	7.1	28
60	Upgrading of vacuum residue with chemical looping partial oxidation over Ce doped Fe ₂ O ₃ . <i>Energy</i> , 2018, 162, 542-553.	8.8	27
61	Online analysis of initial volatile products of Shenhua coal and its macerals with pyrolysis vacuum ultraviolet photoionization mass spectrometry. <i>Fuel Processing Technology</i> , 2017, 163, 67-74.	7.2	22
62	Preparation of carbon-Ni/MgO-Al ₂ O ₃ composite catalysts for CO ₂ reforming of methane. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 5047-5055.	7.1	25
63	Partial oxidation of vacuum residue over Al and Zr-doped Fe ₂ O ₃ catalysts. <i>Fuel</i> , 2017, 210, 803-810.	6.4	32
64	<i>In Situ</i> Catalytic Upgrading of Coal Pyrolysis Tar over Carbon-Based Catalysts Coupled with CO ₂ Reforming of Methane. <i>Energy & Fuels</i> , 2017, 31, 9356-9362.	5.1	24
65	Preparation of Fe-Doped Carbon Catalyst for Methane Decomposition to Hydrogen. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 11021-11027.	3.7	42
66	Integrated process of coal pyrolysis and CO ₂ reforming of methane with and without using dielectric barrier discharge plasma. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2016, 38, 613-620.	2.3	6
67	Interaction between Hydrogen-Donor and Nondonor Solvents in Direct Liquefaction of Bulianta Coal. <i>Energy & Fuels</i> , 2016, 30, 10260-10267.	5.1	23
68	In-situ catalytic upgrading of coal pyrolysis tar on carbon-based catalyst in a fixed-bed reactor. <i>Fuel Processing Technology</i> , 2016, 147, 41-46.	7.2	85
69	Pyrolysis of Huolinhe lignite extract by in-situ pyrolysis-time of flight mass spectrometry. <i>Fuel Processing Technology</i> , 2015, 135, 52-59.	7.2	52
70	Synthesis of hierarchical ZSM-5 by cetyltrimethylammonium bromide assisted self-assembly of zeolite seeds and its catalytic performances. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2014, 113, 575-584.	1.7	20
71	Integrated Process of Coal Pyrolysis with Steam Reforming of Methane for Improving the Tar Yield. <i>Energy & Fuels</i> , 2014, 28, 7377-7384.	5.1	30
72	Experimental and Theoretical Investigation on Three 1,1-Diaryllkane Pyrolysis. <i>Energy & Fuels</i> , 2014, 28, 6905-6910.	5.1	13

#	ARTICLE	IF	CITATIONS
73	Experimental and Theoretical Study on the Pyrolysis Mechanism of Three Coal-Based Model Compounds. <i>Energy & Fuels</i> , 2014, 28, 980-986.	5.1	41
74	Hierarchical porous carbon catalyst for simultaneous preparation of hydrogen and fibrous carbon by catalytic methane decomposition. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 8732-8740.	7.1	41
75	Preparation of activated carbon supported Fe-Al ₂ O ₃ catalyst and its application for hydrogen production by catalytic methane decomposition. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 10373-10380.	7.1	68
76	Integrated coal pyrolysis with methane aromatization over Mo/HZSM-5 for improving tar yield. <i>Fuel</i> , 2013, 114, 187-190.	6.4	51
77	Hierarchical porous carbons prepared from direct coal liquefaction residue and coal for supercapacitor electrodes. <i>Carbon</i> , 2013, 55, 221-232.	10.3	134
78	Preparation and applications of hierarchical porous carbons from direct coal liquefaction residue. <i>Fuel</i> , 2013, 109, 2-8.	6.4	32
79	Analysis of coal tar derived from pyrolysis at different atmospheres. <i>Fuel</i> , 2013, 104, 14-21.	6.4	156
80	Mesoporous carbon prepared from direct coal liquefaction residue for methane decomposition. <i>Carbon</i> , 2012, 50, 952-959.	10.3	54
81	Effect of composition in coal liquefaction residue on catalytic activity of the resultant carbon for methane decomposition. <i>Fuel</i> , 2012, 96, 462-468.	6.4	23
82	Integrated Process of Coal Pyrolysis with CO ₂ Reforming of Methane by Dielectric Barrier Discharge Plasma. <i>Energy & Fuels</i> , 2011, 25, 4036-4042.	5.1	21
83	Catalytic methane decomposition over activated carbons prepared from direct coal liquefaction residue by KOH activation with addition of SiO ₂ or SBA-15. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 8978-8984.	7.1	33
84	Pyrolysis behavior of vitrinite and inertinite from Chinese Pingshuo coal by TG-MS and in a fixed bed reactor. <i>Fuel Processing Technology</i> , 2011, 92, 780-786.	7.2	106
85	Integrated coal pyrolysis with CO ₂ reforming of methane over Ni/MgO catalyst for improving tar yield. <i>Fuel Processing Technology</i> , 2010, 91, 419-423.	7.2	67
86	Isotope Analysis for Understanding the Tar Formation in the Integrated Process of Coal Pyrolysis with CO ₂ Reforming of Methane. <i>Energy & Fuels</i> , 2010, 24, 4402-4407.	5.1	35
87	Pyrolysis Behavior of Macerals from Weakly Reductive Coals. <i>Energy & Fuels</i> , 2010, 24, 6314-6320.	5.1	26
88	Synthesis and modification of zeolite NaA adsorbents for separation of hydrogen and methane. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2009, 4, 666-671.	1.5	10
89	Pyrolysis Behavior of Weakly Reductive Coals from Northwest China. <i>Energy & Fuels</i> , 2009, 23, 870-875.	5.1	44
90	Role of Iron-Based Catalyst and Hydrogen Transfer in Direct Coal Liquefaction. <i>Energy & Fuels</i> , 2008, 22, 1126-1129.	5.1	65