

Monika LÃ¶fgren

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6559221/publications.pdf>

Version: 2024-02-01

46
papers

1,027
citations

430874

18
h-index

454955

30
g-index

46
all docs

46
docs citations

46
times ranked

1321
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing time processing ability and daily time management in persons with dementia: Psychometric properties of three instruments. <i>Australian Occupational Therapy Journal</i> , 2023, 70, 3-17.	1.1	3
2	Factors of importance for return to work, experienced by patients with chronic pain that have completed a multimodal rehabilitation program – a focus group study. <i>Disability and Rehabilitation</i> , 2022, 44, 736-744.	1.8	17
3	Distinct aberrations in cerebral pain processing differentiating patients with fibromyalgia from patients with rheumatoid arthritis. <i>Pain</i> , 2022, 163, 538-547.	4.2	10
4	Stakeholders'™ experience of collaboration in the context of interdisciplinary rehabilitation for patients with chronic pain aiming at return to work. <i>Disability and Rehabilitation</i> , 2022, 44, 8388-8399.	1.8	2
5	Associations between Time Processing Ability, Daily Time Management, and Dementia Severity. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3928.	2.6	3
6	Evidence-based digital support during 1 year after an Interdisciplinary Pain Rehabilitation Programme for persons with chronic musculoskeletal pain to facilitate a sustainable return to work: a study protocol for a registry-based multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e060452.	1.9	3
7	“An Undesired Life Event”: A retrospective interview study of Swedish women's™ experiences of Caesarean Section in the 1970s and 1980s. <i>Sexual and Reproductive Healthcare</i> , 2021, 27, 100581.	1.2	2
8	Do quality of life, anxiety, depression and acceptance improve after interdisciplinary pain rehabilitation? A multicentre matched control study of acceptance and commitment therapy-based versus cognitive-behavioural therapy-based programmes. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110274.	1.0	0
9	Virtual reality exercises in an interdisciplinary rehabilitation programme for persons with chronic neck pain: A feasibility study. <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2021, 4, jrmcc00067.	0.6	4
10	Daily management of attention dysfunction two-four years after brain injury and early cognitive rehabilitation with attention process training: a qualitative study. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 523-544.	1.6	7
11	Plasma tryptophan and kynurenine in females with temporomandibular disorders and fibromyalgia – An exploratory pilot study. <i>Journal of Oral Rehabilitation</i> , 2020, 47, 150-157.	3.0	14
12	Ehlers'™ Danlos Syndrome and Hypermobility Syndrome Compared with Other Common Chronic Pain Diagnoses – A Study from the Swedish Quality Registry for Pain Rehabilitation. <i>Journal of Clinical Medicine</i> , 2020, 9, 2143.	2.4	15
13	One-Year Follow-Up after Multimodal Rehabilitation for Patients with Whiplash-Associated Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4784.	2.6	4
14	Lack of time and dependence on significant others: Occupational therapists'™ experiences of prescribing time assistive technology for persons with dementia. <i>Scandinavian Journal of Occupational Therapy</i> , 2020, 27, 614-624.	1.7	10
15	Return to work after interdisciplinary pain rehabilitation: One- and two-year follow-up based on the Swedish Quality Registry for Pain rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 281-289.	1.1	26
16	Pain sensitivity at rest and during muscle contraction in persons with rheumatoid arthritis: a substudy within the Physical Activity in Rheumatoid Arthritis 2010 study. <i>Arthritis Research and Therapy</i> , 2018, 20, 48.	3.5	25
17	Controlled, cross-sectional, multi-center study of physical capacity and associated factors in women with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 121.	1.9	23
18	Predictors before and after multimodal rehabilitation for pain acceptance and engagement in activities at a 1-year follow-up for patients with whiplash-associated disorders (WAD) – a study based on the Swedish Quality Registry for Pain Rehabilitation (SQRP). <i>Spine Journal</i> , 2018, 18, 1475-1482.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Long-term, health-enhancing physical activity is associated with reduction of pain but not pain sensitivity or improved exercise-induced hypoalgesia in persons with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 262.	3.5	26
20	Young pain patientsâ€™ experience in primary care. A qualitative study. <i>Nordic Psychology</i> , 2017, 69, 83-99.	0.8	3
21	Gene-to-gene interactions regulate endogenous pain modulation in fibromyalgia patients and healthy controlsâ€™ antagonistic effects between opioid and serotonin-related genes. <i>Pain</i> , 2017, 158, 1194-1203.	4.2	54
22	Benefits of resistance exercise in lean women with fibromyalgia: involvement of IGF-1 and leptin. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 106.	1.9	19
23	Assessment and treatment at a pain clinic: A one-year follow-up of patients with chronic pain. <i>Scandinavian Journal of Pain</i> , 2017, 17, 233-242.	1.3	10
24	Decrease of fear avoidance beliefs following person-centered progressive resistance exercise contributes to reduced pain disability in women with fibromyalgia: secondary exploratory analyses from a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 116.	3.5	28
25	Effects of 15 weeks of resistance exercise on pro-inflammatory cytokine levels in the vastus lateralis muscle of patients with fibromyalgia. <i>Arthritis Research and Therapy</i> , 2016, 18, 137.	3.5	22
26	Meanings of â€œacceptanceâ€ for patients with long-term pain when starting rehabilitation. <i>Disability and Rehabilitation</i> , 2016, 38, 1257-1267.	1.8	21
27	â€˜The moment I leave my home â€™ there will be massive challengesâ€™: experiences of living with a spinal cord injury in Botswana. <i>Disability and Rehabilitation</i> , 2016, 38, 1483-1492.	1.8	15
28	The translocator protein gene is associated with symptom severity and cerebral pain processing in fibromyalgia. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 218-227.	4.1	39
29	Resistance exercise improves physical fatigue in women with fibromyalgia: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 176.	3.5	52
30	Patients with chronic pain: One-year follow-up of a multimodal rehabilitation programme at a pain clinic. <i>Scandinavian Journal of Pain</i> , 2016, 10, 36-42.	1.3	16
31	Fibromyalgia Syndrome or Chronic Fatigue Syndrome/Myalgic Encephalomyelitis and Factors Influencing Work Disability in Women. <i>Handbooks in Health, Work, and Disability</i> , 2016, , 459-480.	0.0	3
32	Needs and requests â€˜ patients and physicians voices about improving the management of spinal cord injury neuropathic pain. <i>Disability and Rehabilitation</i> , 2016, 38, 151-158.	1.8	19
33	Qualitative Evidence in Pain. <i>Handbooks in Health, Work, and Disability</i> , 2016, , 123-151.	0.0	1
34	â€˜Change is possibleâ€™: Patientsâ€™ experience of a multimodal chronic pain rehabilitation programme. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 242-248.	1.1	23
35	Comparison of the Levels of Pro-Inflammatory Cytokines Released in the Vastus Lateralis Muscle of Patients with Fibromyalgia and Healthy Controls during Contractions of the Quadriceps Muscle â€˜ A Microdialysis Study. <i>PLoS ONE</i> , 2015, 10, e0143856.	2.5	32
36	Resistance exercise improves muscle strength, health status and pain intensity in fibromyalgiaâ€™ a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2015, 17, 161.	3.5	122

#	ARTICLE	IF	CITATIONS
37	Fibromyalgia Is Associated with Decreased Connectivity Between Pain- and Sensorimotor Brain Areas. <i>Brain Connectivity</i> , 2014, 4, 587-594.	1.7	97
38	Fibromyalgia Patients Had Normal Distraction Related Pain Inhibition but Cognitive Impairment Reflected in Caudate Nucleus and Hippocampus during the Stroop Color Word Test. <i>PLoS ONE</i> , 2014, 9, e108637.	2.5	32
39	Using a profile of a modified Brief ICF Core Set for chronic widespread musculoskeletal pain with qualifiers for baseline assessment in interdisciplinary pain rehabilitation. <i>Journal of Multidisciplinary Healthcare</i> , 2013, 6, 311.	2.7	4
40	Between unemployment and employment: Experience of unemployed long-term pain sufferers. <i>Work</i> , 2012, 43, 475-485.	1.1	13
41	“But I know what works” patients’ experience of spinal cord injury neuropathic pain management. <i>Disability and Rehabilitation</i> , 2012, 34, 2139-2147.	1.8	51
42	Patients’ Perspectives on Pain. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2012, 18, 50-56.	1.8	13
43	Whiplash patients' experience of a multimodal rehabilitation programme and its usefulness one year later. <i>Disability and Rehabilitation</i> , 2010, 32, 1810-1818.	1.8	15
44	Pain relief in women with fibromyalgia: A cross-over study of superficial warmth stimulation and transcutaneous electrical nerve stimulation. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 557-562.	1.1	42
45	Does rehabilitation decrease shoulder muscle activity in fibromyalgia in work or housework tasks? An electromyographical study. <i>Work</i> , 2008, 31, 195-208.	1.1	2
46	“A constant struggle”: Successful strategies of women in work despite fibromyalgia. <i>Disability and Rehabilitation</i> , 2006, 28, 447-455.	1.8	77