

# Morgan Sheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6560374/publications.pdf>

Version: 2024-02-01

237  
papers

58,958  
citations

630

127  
h-index

1285

231  
g-index

248  
all docs

248  
docs citations

248  
times ranked

50416  
citing authors

#	ARTICLE	IF	CITATIONS
1	NMDA receptor-dependent prostaglandin-endoperoxide synthase 2 induction in neurons promotes glial proliferation during brain development and injury. <i>Cell Reports</i> , 2022, 38, 110557.	2.9	8
2	Regulation of purine metabolism connects KCTD13 to a metabolic disorder with autistic features. <i>IScience</i> , 2021, 24, 101935.	1.9	7
3	Multiple sclerosis risk gene <i>Mertk</i> is required for microglial activation and subsequent remyelination. <i>Cell Reports</i> , 2021, 34, 108835.	2.9	61
4	Trem2 restrains the enhancement of tau accumulation and neurodegeneration by $\beta$ 2-amyloid pathology. <i>Neuron</i> , 2021, 109, 1283-1301.e6.	3.8	137
5	TREM2-independent oligodendrocyte, astrocyte, and T cell responses to tau and amyloid pathology in mouse models of Alzheimer disease. <i>Cell Reports</i> , 2021, 37, 110158.	2.9	33
6	Genome-Wide Analysis of Differential Gene Expression and Splicing in Excitatory Neurons and Interneuron Subtypes. <i>Journal of Neuroscience</i> , 2020, 40, 958-973.	1.7	51
7	PCDH7 interacts with GluN1 and regulates dendritic spine morphology and synaptic function. <i>Scientific Reports</i> , 2020, 10, 10951.	1.6	17
8	Trem2 Deletion Reduces Late-Stage Amyloid Plaque Accumulation, Elevates the $A\beta_{42}:A\beta_{40}$ Ratio, and Exacerbates Axonal Dystrophy and Dendritic Spine Loss in the PS2APP Alzheimer's Mouse Model. <i>Journal of Neuroscience</i> , 2020, 40, 1956-1974.	1.7	114
9	GluN2A NMDA Receptor Enhancement Improves Brain Oscillations, Synchrony, and Cognitive Functions in Dravet Syndrome and Alzheimer's Disease Models. <i>Cell Reports</i> , 2020, 30, 381-396.e4.	2.9	51
10	Global site-specific neddylation profiling reveals that NEDDylated cofilin regulates actin dynamics. <i>Nature Structural and Molecular Biology</i> , 2020, 27, 210-220.	3.6	61
11	Complement C3 Is Activated in Human AD Brain and Is Required for Neurodegeneration in Mouse Models of Amyloidosis and Tauopathy. <i>Cell Reports</i> , 2019, 28, 2111-2123.e6.	2.9	271
12	Microglia in Brain Development, Homeostasis, and Neurodegeneration. <i>Annual Review of Genetics</i> , 2019, 53, 263-288.	3.2	121
13	SynGO: An Evidence-Based, Expert-Curated Knowledge Base for the Synapse. <i>Neuron</i> , 2019, 103, 217-234.e4.	3.8	518
14	PTCD1 Is Required for Mitochondrial Oxidative-Phosphorylation: Possible Genetic Association with Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2019, 39, 4636-4656.	1.7	26
15	Morgan Sheng. <i>Nature Reviews Drug Discovery</i> , 2018, 17, 88-89.	21.5	2
16	Microglia in Alzheimer's disease. <i>Journal of Cell Biology</i> , 2018, 217, 459-472.	2.3	1,188
17	Changes in the Synaptic Proteome in Tauopathy and Rescue of Tau-Induced Synapse Loss by C1q Antibodies. <i>Neuron</i> , 2018, 100, 1322-1336.e7.	3.8	330
18	USP8 Deubiquitinates SHANK3 to Control Synapse Density and SHANK3 Activity-Dependent Protein Levels. <i>Journal of Neuroscience</i> , 2018, 38, 5289-5301.	1.7	41

#	ARTICLE	IF	CITATIONS
19	TREM2, Microglia, and Neurodegenerative Diseases. Trends in Molecular Medicine, 2017, 23, 512-533.	3.5	327
20	A meta-analysis of genome-wide association studies identifies 17 new Parkinson's disease risk loci. Nature Genetics, 2017, 49, 1511-1516.	9.4	944
21	Progranulin deficiency causes impairment of autophagy and TDP-43 accumulation. Journal of Experimental Medicine, 2017, 214, 2611-2628.	4.2	101
22	Characterization of Social Behaviors in caspase-3 deficient mice. Scientific Reports, 2016, 6, 18335.	1.6	43
23	Mechanisms of mitophagy: PINK1, Parkin, USP30 and beyond. Free Radical Biology and Medicine, 2016, 100, 210-222.	1.3	232
24	Interfering with the Chronic Immune Response Rescues Chronic Degeneration After Traumatic Brain Injury. Journal of Neuroscience, 2016, 36, 9962-9975.	1.7	79
25	TREM2 Binds to Apolipoproteins, Including APOE and CLU/APOJ, and Thereby Facilitates Uptake of Amyloid-Beta by Microglia. Neuron, 2016, 91, 328-340.	3.8	643
26	Positive Allosteric Modulators of GluN2A-Containing NMDARs with Distinct Modes of Action and Impacts on Circuit Function. Neuron, 2016, 89, 983-999.	3.8	138
27	Caspase-3 Deficiency Results in Disrupted Synaptic Homeostasis and Impaired Attention Control. Journal of Neuroscience, 2015, 35, 2118-2132.	1.7	32
28	A Septin-Dependent Diffusion Barrier at Dendritic Spine Necks. PLoS ONE, 2014, 9, e113916.	1.1	86
29	Local Pruning of Dendrites and Spines by Caspase-3-Dependent and Proteasome-Limited Mechanisms. Journal of Neuroscience, 2014, 34, 1672-1688.	1.7	190
30	Long-term depression: a cell biological view. Philosophical Transactions of the Royal Society B: Biological Sciences, 2014, 369, 20130138.	1.8	33
31	Regulation of Neuronal Gene Expression and Survival by Basal NMDA Receptor Activity: A Role for Histone Deacetylase 4. Journal of Neuroscience, 2014, 34, 15327-15339.	1.7	28
32	Activity-Induced Nr4a1 Regulates Spine Density and Distribution Pattern of Excitatory Synapses in Pyramidal Neurons. Neuron, 2014, 83, 431-443.	3.8	94
33	The mitochondrial deubiquitinase USP30 opposes parkin-mediated mitophagy. Nature, 2014, 510, 370-375.	13.7	660
34	Phosphorylation of Threonine-19 of PSD-95 by GSK-3 $\beta$ is Required for PSD-95 Mobilization and Long-Term Depression. Journal of Neuroscience, 2013, 33, 12122-12135.	1.7	121
35	NMDA receptors in nervous system diseases. Neuropharmacology, 2013, 74, 69-75.	2.0	228
36	Strength in numbers. Nature, 2013, 493, 482-483.	13.7	9

#	ARTICLE	IF	CITATIONS
37	Specific <i>Trans</i> -Synaptic Interaction with Inhibitory Interneuronal Neurexin Underlies Differential Ability of Neuroligins to Induce Functional Inhibitory Synapses. <i>Journal of Neuroscience</i> , 2013, 33, 3612-3623.	1.7	49
38	GluN2B Antagonism Affects Interneurons and Leads to Immediate and Persistent Changes in Synaptic Plasticity, Oscillations, and Behavior. <i>Neuropsychopharmacology</i> , 2013, 38, 1221-1233.	2.8	56
39	GPR3 Stimulates $A\hat{1}^2$ Production via Interactions with APP and $A\hat{1}^2$ -Arrestin2. <i>PLoS ONE</i> , 2013, 8, e74680.	1.1	32
40	Synapses and Alzheimer's Disease. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a005777-a005777.	2.3	340
41	GKAP orchestrates activity-dependent postsynaptic protein remodeling and homeostatic scaling. <i>Nature Neuroscience</i> , 2012, 15, 1655-1666.	7.1	119
42	Childhood Disorders of the Synapse: Challenges and Opportunities. <i>Science Translational Medicine</i> , 2012, 4, 152ps17.	5.8	0
43	Functional anatomy of neural circuits regulating fear and extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17093-17098.	3.3	162
44	Caspases in synaptic plasticity. <i>Molecular Brain</i> , 2012, 5, 15.	1.3	72
45	Three-dimensional imaging of solvent-cleared organs using 3DISCO. <i>Nature Protocols</i> , 2012, 7, 1983-1995.	5.5	850
46	NMDA receptors and BAX are essential for $A\hat{1}^2$ impairment of LTP. <i>Scientific Reports</i> , 2012, 2, 225.	1.6	38
47	Synaptic structure and function. <i>Current Opinion in Neurobiology</i> , 2012, 22, 363-365.	2.0	5
48	Caspase-3 in the central nervous system: beyond apoptosis. <i>Trends in Neurosciences</i> , 2012, 35, 700-709.	4.2	195
49	Association of Shank 1A Scaffolding Protein with Cone Photoreceptor Terminals in the Mammalian Retina. <i>PLoS ONE</i> , 2012, 7, e43463.	1.1	10
50	PSD-95 Is Required to Sustain the Molecular Organization of the Postsynaptic Density. <i>Journal of Neuroscience</i> , 2011, 31, 6329-6338.	1.7	242
51	Leukocyte Common Antigen-Related Phosphatase Is a Functional Receptor for Chondroitin Sulfate Proteoglycan Axon Growth Inhibitors. <i>Journal of Neuroscience</i> , 2011, 31, 14051-14066.	1.7	268
52	The Postsynaptic Organization of Synapses. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011, 3, a005678-a005678.	2.3	455
53	Deconstruction for Reconstruction: The Role of Proteolysis in Neural Plasticity and Disease. <i>Neuron</i> , 2011, 69, 22-32.	3.8	256
54	Sociability and motor functions in Shank1 mutant mice. <i>Brain Research</i> , 2011, 1380, 120-137.	1.1	206

#	ARTICLE	IF	CITATIONS
55	A $\beta$ 1-42 inhibition of LTP is mediated by a signaling pathway involving caspase-3, Akt1 and GSK-3 $\beta$ . <i>Nature Neuroscience</i> , 2011, 14, 545-547.	7.1	273
56	Communication Impairments in Mice Lacking Shank1: Reduced Levels of Ultrasonic Vocalizations and Scent Marking Behavior. <i>PLoS ONE</i> , 2011, 6, e20631.	1.1	196
57	Muscarinic receptors induce LTD of NMDAR EPSCs via a mechanism involving hippocampal calcineurin, AP2 and PSD-95. <i>Nature Neuroscience</i> , 2010, 13, 1216-1224.	7.1	93
58	Proline-Rich Tyrosine Kinase 2 Regulates Hippocampal Long-Term Depression. <i>Journal of Neuroscience</i> , 2010, 30, 11983-11993.	1.7	49
59	Distinct Roles of NR2A and NR2B Cytoplasmic Tails in Long-Term Potentiation. <i>Journal of Neuroscience</i> , 2010, 30, 2676-2685.	1.7	184
60	MINK and TNK1 Differentially Act on Rap2-Mediated Signal Transduction to Regulate Neuronal Structure and AMPA Receptor Function. <i>Journal of Neuroscience</i> , 2010, 30, 14786-14794.	1.7	60
61	Neuron Specific Rab4 Effector GRASP-1 Coordinates Membrane Specialization and Maturation of Recycling Endosomes. <i>PLoS Biology</i> , 2010, 8, e1000283.	2.6	86
62	Autophosphorylated CaMKII $\alpha$ Acts as a Scaffold to Recruit Proteasomes to Dendritic Spines. <i>Cell</i> , 2010, 140, 567-578.	13.5	249
63	Caspase-3 Activation via Mitochondria Is Required for Long-Term Depression and AMPA Receptor Internalization. <i>Cell</i> , 2010, 141, 859-871.	13.5	466
64	Regulation of Synaptic Structure and Function by FMRP-Associated MicroRNAs miR-125b and miR-132. <i>Neuron</i> , 2010, 65, 373-384.	3.8	657
65	Regulation of Synaptic Structure and Function by FMRP-Associated MicroRNAs miR-125b and miR-132. <i>Neuron</i> , 2010, 68, 161.	3.8	4
66	Degradation of Postsynaptic Scaffold GKAP and Regulation of Dendritic Spine Morphology by the TRIM3 Ubiquitin Ligase in Rat Hippocampal Neurons. <i>PLoS ONE</i> , 2010, 5, e9842.	1.1	90
67	Identification and Characterization of Neuronal Mitogen-activated Protein Kinase Substrates Using a Specific Phosphomotif Antibody. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 681-695.	2.5	35
68	Regulated RalBP1 Binding to RalA and PSD-95 Controls AMPA Receptor Endocytosis and LTD. <i>PLoS Biology</i> , 2009, 7, e1000187.	2.6	57
69	The postsynaptic density. <i>Current Biology</i> , 2009, 19, R723-R724.	1.8	27
70	Trans-synaptic adhesion between NGL-3 and LAR regulates the formation of excitatory synapses. <i>Nature Neuroscience</i> , 2009, 12, 428-437.	7.1	204
71	A novel mechanism of hippocampal LTD involving muscarinic receptor-triggered interactions between AMPARs, GRIP and liprin- $\alpha$ . <i>Molecular Brain</i> , 2009, 2, 18.	1.3	62
72	Synaptic Accumulation of PSD-95 and Synaptic Function Regulated by Phosphorylation of Serine-295 of PSD-95. <i>Neuron</i> , 2008, 57, 326-327.	3.8	1

#	ARTICLE	IF	CITATIONS
73	Critical Role of CDK5 and Polo-like Kinase 2 in Homeostatic Synaptic Plasticity during Elevated Activity. <i>Neuron</i> , 2008, 58, 571-583.	3.8	208
74	Metabotropic Glutamate Receptor-Mediated LTD Involves Two Interacting Ca <sup>2+</sup> Sensors, NCS-1 and PICK1. <i>Neuron</i> , 2008, 60, 1095-1111.	3.8	100
75	Smaller Dendritic Spines, Weaker Synaptic Transmission, but Enhanced Spatial Learning in Mice Lacking Shank1. <i>Journal of Neuroscience</i> , 2008, 28, 1697-1708.	1.7	321
76	Activity-Induced Polo-Like Kinase 2 Is Required for Homeostatic Plasticity of Hippocampal Neurons during Epileptiform Activity. <i>Journal of Neuroscience</i> , 2008, 28, 6583-6591.	1.7	93
77	Regulation of Postsynaptic RapGAP SPAR by Polo-like Kinase 2 and the SCF <sup>β2</sup> -TRCP Ubiquitin Ligase in Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2008, 283, 29424-29432.	1.6	53
78	Constitutively Active Rap2 Transgenic Mice Display Fewer Dendritic Spines, Reduced Extracellular Signal-Regulated Kinase Signaling, Enhanced Long-Term Depression, and Impaired Spatial Learning and Fear Extinction. <i>Journal of Neuroscience</i> , 2008, 28, 8178-8188.	1.7	81
79	Synapse Loss, Synaptic Plasticity and the Postsynaptic Density. , 2008, , 51-62.		0
80	Molecular determinants for the interaction between AMPA receptors and the clathrin adaptor complex AP-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2991-2996.	3.3	77
81	Extracellular Interactions between GluR2 and N-Cadherin in Spine Regulation. <i>Neuron</i> , 2007, 54, 461-477.	3.8	313
82	Synaptic Accumulation of PSD-95 and Synaptic Function Regulated by Phosphorylation of Serine-295 of PSD-95. <i>Neuron</i> , 2007, 56, 488-502.	3.8	235
83	The Postsynaptic Architecture of Excitatory Synapses: A More Quantitative View. <i>Annual Review of Biochemistry</i> , 2007, 76, 823-847.	5.0	836
84	Liprin <sup>±1</sup> Degradation by Calcium/Calmodulin-Dependent Protein Kinase II Regulates LAR Receptor Tyrosine Phosphatase Distribution and Dendrite Development. <i>Developmental Cell</i> , 2007, 12, 587-602.	3.1	87
85	Retrograde modulation of presynaptic release probability through signaling mediated by PSD-95 <sup>±</sup> neuroigin. <i>Nature Neuroscience</i> , 2007, 10, 186-195.	7.1	252
86	Differential roles of Rap1 and Rap2 small GTPases in neurite retraction and synapse elimination in hippocampal spiny neurons. <i>Journal of Neurochemistry</i> , 2007, 100, 118-131.	2.1	75
87	Role of Septin Cytoskeleton in Spine Morphogenesis and Dendrite Development in Neurons. <i>Current Biology</i> , 2007, 17, 1752-1758.	1.8	255
88	Three-dimensional structure of an AMPA receptor without associated stargazin/TARP proteins. <i>Biological Chemistry</i> , 2006, 387, 179-87.	1.2	42
89	Selective Labeling of Extracellular Proteins Containing Polyhistidine Sequences by a Fluorescein <sup>±</sup> Nitrilotriacetic Acid Conjugate. <i>Journal of the American Chemical Society</i> , 2006, 128, 418-419.	6.6	98
90	Midrange Affinity Fluorescent Zn(II) Sensors of the Zinpyr Family: Syntheses, Characterization, and Biological Imaging Applications. <i>Inorganic Chemistry</i> , 2006, 45, 9748-9757.	1.9	66

#	ARTICLE	IF	CITATIONS
91	Zinspy Sensors with Enhanced Dynamic Range for Imaging Neuronal Cell Zinc Uptake and Mobilization. <i>Journal of the American Chemical Society</i> , 2006, 128, 15517-15528.	6.6	232
92	A Critical Role for Myosin IIB in Dendritic Spine Morphology and Synaptic Function. <i>Neuron</i> , 2006, 49, 175-182.	3.8	158
93	The Growing Role of mTOR in Neuronal Development and Plasticity. <i>Molecular Neurobiology</i> , 2006, 34, 205-220.	1.9	232
94	Generation of lentiviral transgenic rats expressing Glutamate Receptor Interacting Protein 1 (GRIP1) in brain, spinal cord and testis. <i>Journal of Neuroscience Methods</i> , 2006, 152, 1-9.	1.3	15
95	Molecular mechanisms of dendritic spine morphogenesis. <i>Current Opinion in Neurobiology</i> , 2006, 16, 95-101.	2.0	560
96	Relative and Absolute Quantification of Postsynaptic Density Proteome Isolated from Rat Forebrain and Cerebellum. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1158-1170.	2.5	440
97	GRIP1 controls dendrite morphogenesis by regulating EphB receptor trafficking. <i>Nature Neuroscience</i> , 2005, 8, 906-915.	7.1	199
98	Polo-like kinases in the nervous system. <i>Oncogene</i> , 2005, 24, 292-298.	2.6	78
99	Structure and different conformational states of native AMPA receptor complexes. <i>Nature</i> , 2005, 433, 545-549.	13.7	247
100	Bax/Bak-Dependent Release of DDP/TIMM8a Promotes Drp1-Mediated Mitochondrial Fission and Mitoptosis during Programmed Cell Death. <i>Current Biology</i> , 2005, 15, 2112-2118.	1.8	217
101	The 8-kDa Dynein Light Chain Binds to p53-binding Protein 1 and Mediates DNA Damage-induced p53 Nuclear Accumulation. <i>Journal of Biological Chemistry</i> , 2005, 280, 8172-8179.	1.6	99
102	Control of Dendritic Arborization by the Phosphoinositide-3'-Kinase-Akt-Mammalian Target of Rapamycin Pathway. <i>Journal of Neuroscience</i> , 2005, 25, 11300-11312.	1.7	537
103	Mass of the postsynaptic density and enumeration of three key molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 11551-11556.	3.3	200
104	LAR receptor protein tyrosine phosphatases in the development and maintenance of excitatory synapses. <i>Nature Neuroscience</i> , 2005, 8, 458-467.	7.1	249
105	NEUROSCIENCE: Making Synapses: A Balancing Act. <i>Science</i> , 2005, 307, 1207-1208.	6.0	23
106	QZ1 and QZ2: A Rapid, Reversible Quinoline-Derivatized Fluoresceins for Sensing Biological Zn(II). <i>Journal of the American Chemical Society</i> , 2005, 127, 16812-16823.	6.6	251
107	NSF interaction is important for direct insertion of GluR2 at synaptic sites. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 650-660.	1.0	41
108	Differential Roles of NR2A- and NR2B-Containing NMDA Receptors in Ras-ERK Signaling and AMPA Receptor Trafficking. <i>Neuron</i> , 2005, 46, 745-760.	3.8	438

#	ARTICLE	IF	CITATIONS
109	Rap2-JNK Removes Synaptic AMPA Receptors during Depotentiation. <i>Neuron</i> , 2005, 46, 905-916.	3.8	181
110	Rap2-JNK Removes Synaptic AMPA Receptors during Depotentiation. <i>Neuron</i> , 2005, 47, 321.	3.8	0
111	A tautomeric zinc sensor for ratiometric fluorescence imaging: Application to nitric oxide-induced release of intracellular zinc. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1129-1134.	3.3	222
112	Actin/Actinin-Dependent Transport of AMPA Receptors in Dendritic Spines: Role of the PDZ-LIM Protein RIL. <i>Journal of Neuroscience</i> , 2004, 24, 8584-8594.	1.7	101
113	Cyclin-Dependent Kinase 5 Phosphorylates the N-Terminal Domain of the Postsynaptic Density Protein PSD-95 in Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 865-876.	1.7	208
114	Intra- and Intermolecular Domain Interactions of the C-terminal GTPase Effector Domain of the Multimeric Dynamin-like GTPase Drp1. <i>Journal of Biological Chemistry</i> , 2004, 279, 35967-35974.	1.6	175
115	Tyrosine phosphorylation of GluR2 is required for insulin-stimulated AMPA receptor endocytosis and LTD. <i>EMBO Journal</i> , 2004, 23, 1040-1050.	3.5	267
116	PDZ domain proteins of synapses. <i>Nature Reviews Neuroscience</i> , 2004, 5, 771-781.	4.9	1,382
117	Role of NMDA Receptor Subtypes in Governing the Direction of Hippocampal Synaptic Plasticity. <i>Science</i> , 2004, 304, 1021-1024.	6.0	975
118	Bright Fluorescent Chemosensor Platforms for Imaging Endogenous Pools of Neuronal Zinc. <i>Chemistry and Biology</i> , 2004, 11, 203-210.	6.2	142
119	Semiquantitative Proteomic Analysis of Rat Forebrain Postsynaptic Density Fractions by Mass Spectrometry. <i>Journal of Biological Chemistry</i> , 2004, 279, 21003-21011.	1.6	417
120	ZP8, a Neuronal Zinc Sensor with Improved Dynamic Range; Imaging Zinc in Hippocampal Slices with Two-Photon Microscopy. <i>Inorganic Chemistry</i> , 2004, 43, 6774-6779.	1.9	117
121	The Importance of Dendritic Mitochondria in the Morphogenesis and Plasticity of Spines and Synapses. <i>Cell</i> , 2004, 119, 873-887.	13.5	1,297
122	Subunit Rules Governing the Sorting of Internalized AMPA Receptors in Hippocampal Neurons. <i>Neuron</i> , 2004, 43, 221-236.	3.8	241
123	Transcriptional Modification by a CASK-Interacting Nucleosome Assembly Protein. <i>Neuron</i> , 2004, 43, 437.	3.8	1
124	Quaternary Structure, Protein Dynamics, and Synaptic Function of SAP97 Controlled by L27 Domain Interactions. <i>Neuron</i> , 2004, 44, 453-467.	3.8	225
125	The dynamic turnover and functional roles of $\hat{\pm}$ -actinin in dendritic spines. <i>Neuropharmacology</i> , 2004, 47, 734-745.	2.0	82
126	Transcriptional Modification by a CASK-Interacting Nucleosome Assembly Protein. <i>Neuron</i> , 2004, 42, 113-128.	3.8	142



#	ARTICLE	IF	CITATIONS
127	Induction of dendritic spines by an extracellular domain of AMPA receptor subunit GluR2. <i>Nature</i> , 2003, 424, 677-681.	13.7	285
128	Synapses unplugged. <i>Nature</i> , 2003, 423, 931-932.	13.7	8
129	The return of the exocyst. <i>Nature Cell Biology</i> , 2003, 5, 493-495.	4.6	6
130	Some assembly required: the development of neuronal synapses. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 833-841.	16.1	168
131	Supramodular structure and synergistic target binding of the N-terminal tandem PDZ domains of PSD-95. <i>Journal of Molecular Biology</i> , 2003, 327, 203-214.	2.0	128
132	Interaction of the deafness/dystonia protein DDP/TIMM8a with the signal transduction adaptor molecule STAM1. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 345-352.	1.0	15
133	AMPA receptor trafficking and synaptic plasticity: major unanswered questions. <i>Neuroscience Research</i> , 2003, 46, 127-134.	1.0	69
134	15 Years of Neuron Cell Biology. <i>Neuron</i> , 2003, 40, 193-197.	3.8	3
135	Targeted Protein Degradation and Synapse Remodeling by an Inducible Protein Kinase. <i>Science</i> , 2003, 302, 1368-1373.	6.0	282
136	Crystal Structure of GRIP1 PDZ6-Peptide Complex Reveals the Structural Basis for Class II PDZ Target Recognition and PDZ Domain-mediated Multimerization. <i>Journal of Biological Chemistry</i> , 2003, 278, 8501-8507.	1.6	78
137	Association of the Kinesin Motor KIF1A with the Multimodular Protein Liprin-1. <i>Journal of Biological Chemistry</i> , 2003, 278, 11393-11401.	1.6	184
138	The Shank Family of Postsynaptic Density Proteins Interacts with and Promotes Synaptic Accumulation of the GTP/Guanine Nucleotide Exchange Factor for Rac1 and Cdc42. <i>Journal of Biological Chemistry</i> , 2003, 278, 19220-19229.	1.6	152
139	Eye opening induces a rapid dendritic localization of PSD-95 in central visual neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1334-1339.	3.3	96
140	Activity-Dependent Redistribution and Essential Role of Cortactin in Dendritic Spine Morphogenesis. <i>Journal of Neuroscience</i> , 2003, 23, 11759-11769.	1.7	242
141	Interaction between Liprin-1 and GIT1 Is Required for AMPA Receptor Targeting. <i>Journal of Neuroscience</i> , 2003, 23, 1667-1677.	1.7	146
142	Lipid Rafts in the Maintenance of Synapses, Dendritic Spines, and Surface AMPA Receptor Stability. <i>Journal of Neuroscience</i> , 2003, 23, 3262-3271.	1.7	527
143	Inhibition of Dendritic Spine Morphogenesis and Synaptic Transmission by Activity-Inducible Protein Homer1a. <i>Journal of Neuroscience</i> , 2003, 23, 6327-6337.	1.7	232
144	PDZ Domains: Structural Modules for Protein Complex Assembly. <i>Journal of Biological Chemistry</i> , 2002, 277, 5699-5702.	1.6	615

#	ARTICLE	IF	CITATIONS
145	Postsynaptic Signaling and Plasticity Mechanisms. <i>Science</i> , 2002, 298, 776-780.	6.0	642
146	Direct interaction of Frizzled-1, -2, -4, and -7 with PDZ domains of PSD-95. <i>FEBS Letters</i> , 2002, 521, 185-189.	1.3	52
147	Interaction between GRIP and Liprin- $\alpha$ /SYD2 Is Required for AMPA Receptor Targeting. <i>Neuron</i> , 2002, 34, 39-52.	3.8	254
148	Clathrin Adaptor AP2 and NSF Interact with Overlapping Sites of GluR2 and Play Distinct Roles in AMPA Receptor Trafficking and Hippocampal LTD. <i>Neuron</i> , 2002, 36, 661-674.	3.8	390
149	Gephyrin Interacts with Dynein Light Chains 1 and 2, Components of Motor Protein Complexes. <i>Journal of Neuroscience</i> , 2002, 22, 5393-5402.	1.7	176
150	Postsynaptic calcium signaling microdomains in neurons. <i>Frontiers in Bioscience - Landmark</i> , 2002, 7, d872-885.	3.0	21
151	Glutamate receptors on the move. <i>Nature</i> , 2002, 417, 601-602.	13.7	13
152	NMDA receptor targeting. , 2002, , 156-170.		0
153	Sharpin, a Novel Postsynaptic Density Protein That Directly Interacts with the Shank Family of Proteins. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 385-397.	1.0	145
154	Tbr1 Regulates Differentiation of the Preplate and Layer 6. <i>Neuron</i> , 2001, 29, 353-366.	3.8	829
155	Regulation of Dendritic Spine Morphology and Synaptic Function by Shank and Homer. <i>Neuron</i> , 2001, 31, 115-130.	3.8	630
156	Regulation of Dendritic Spine Morphology by SPAR, a PSD-95-Associated RapGAP. <i>Neuron</i> , 2001, 31, 289-303.	3.8	353
157	Biochemical and morphological characterization of an intracellular membrane compartment containing AMPA receptors. <i>Neuropharmacology</i> , 2001, 41, 680-692.	2.0	59
158	AMPA Receptor Trafficking and the Control of Synaptic Transmission. <i>Cell</i> , 2001, 105, 825-828.	13.5	188
159	Bipartite Interaction between Neurofibromatosis Type I Protein (Neurofibromin) and Syndecan Transmembrane Heparan Sulfate Proteoglycans. <i>Journal of Neuroscience</i> , 2001, 21, 3764-3770.	1.7	76
160	Differential Cellular and Subcellular Localization of AMPA Receptor-Binding Protein and Glutamate Receptor-Interacting Protein. <i>Journal of Neuroscience</i> , 2001, 21, 495-503.	1.7	45
161	Proteolysis of glutamate receptor-interacting protein by calpain in rat brain: implications for synaptic plasticity. <i>Journal of Neurochemistry</i> , 2001, 77, 1553-1560.	2.1	54
162	Subunit-specific temporal and spatial patterns of AMPA receptor exocytosis in hippocampal neurons. <i>Nature Neuroscience</i> , 2001, 4, 917-926.	7.1	595

#	ARTICLE	IF	CITATIONS
163	Dendritic spines : structure, dynamics and regulation. <i>Nature Reviews Neuroscience</i> , 2001, 2, 880-888.	4.9	822
164	Antibodies in haystacks: how selection strategy influences the outcome of selection from molecular diversity libraries. <i>Journal of Immunological Methods</i> , 2001, 253, 233-242.	0.6	64
165	The 8-kDa Dynein Light Chain Binds to Its Targets via a Conserved (K/R)XTQT Motif. <i>Journal of Biological Chemistry</i> , 2001, 276, 14059-14066.	1.6	155
166	PDZ Domains and the Organization of Supramolecular Complexes. <i>Annual Review of Neuroscience</i> , 2001, 24, 1-29.	5.0	1,167
167	Growth of the NMDA receptor industrial complex. <i>Nature Neuroscience</i> , 2000, 3, 633-635.	7.1	46
168	Distinct molecular mechanisms and divergent endocytotic pathways of AMPA receptor internalization. <i>Nature Neuroscience</i> , 2000, 3, 1282-1290.	7.1	523
169	Nuclear translocation and transcription regulation by the membrane-associated guanylate kinase CASK/LIN-2. <i>Nature</i> , 2000, 404, 298-302.	13.7	339
170	Neurobiology. <i>Current Opinion in Neurobiology</i> , 2000, 10, 275-286.	2.0	0
171	Development of neuronâ€“neuron synapses. <i>Current Opinion in Neurobiology</i> , 2000, 10, 125-131.	2.0	101
172	Neuronal Inwardly Rectifying K <sup>+</sup> Channels Differentially Couple to PDZ Proteins of the PSD-95/SAP90 Family. <i>Journal of Neuroscience</i> , 2000, 20, 156-162.	1.7	111
173	Developmentally Regulated NMDA Receptor-Dependent Dephosphorylation of cAMP Response Element-Binding Protein (CREB) in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 3529-3536.	1.7	185
174	An Intramolecular Interaction between Src Homology 3 Domain and Guanylate Kinase-Like Domain Required for Channel Clustering by Postsynaptic Density-95/SAP90. <i>Journal of Neuroscience</i> , 2000, 20, 3580-3587.	1.7	122
175	Interaction of the Postsynaptic Density-95/Guanylate Kinase Domain-Associated Protein Complex with a Light Chain of Myosin-V and Dynein. <i>Journal of Neuroscience</i> , 2000, 20, 4524-4534.	1.7	245
176	PSD-95 and SAP97 Exhibit Distinct Mechanisms for Regulating K <sup>+</sup> Channel Surface Expression and Clustering. <i>Journal of Cell Biology</i> , 2000, 148, 147-157.	2.3	165
177	CYRL, a Novel Cytokine Receptor-like Protein Expressed in Testis, Lung, and Spleen. <i>Biochemical and Biophysical Research Communications</i> , 2000, 267, 697-702.	1.0	1
178	Association of Dystrophin-Related Protein 2 (DRP2) with Postsynaptic Densities in Rat Brain. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 674-685.	1.0	13
179	Î±-Actinin-2 in rat striatum: localization and interaction with NMDA glutamate receptor subunits. <i>Molecular Brain Research</i> , 2000, 79, 77-87.	2.5	53
180	Regulation of AMPA Receptorâ€“Mediated Synaptic Transmission by Clathrin-Dependent Receptor Internalization. <i>Neuron</i> , 2000, 25, 649-662.	3.8	631

#	ARTICLE	IF	CITATIONS
181	Ligand-Gated Ion Channel Interactions with Cytoskeletal and Signaling Proteins. Annual Review of Physiology, 2000, 62, 755-778.	5.6	336
182	Regulated Expression and Subcellular Localization of Syndecan Heparan Sulfate Proteoglycans and the Syndecan-Binding Protein CASK/LIN-2 during Rat Brain Development. Journal of Neuroscience, 1999, 19, 7415-7425.	1.7	196
183	Association of AMPA Receptors with a Subset of Glutamate Receptor-Interacting Protein<i>In Vivo</i>. Journal of Neuroscience, 1999, 19, 6528-6537.	1.7	161
184	Characterization of the Shank Family of Synaptic Proteins. Journal of Biological Chemistry, 1999, 274, 29510-29518.	1.6	270
185	The fyn art of N-methyl-D-aspartate receptor phosphorylation. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 335-337.	3.3	37
186	Requirement of N-terminal Cysteines of PSD-95 for PSD-95 Multimerization and Ternary Complex Formation, but Not for Binding to Potassium Channel Kv1.4. Journal of Biological Chemistry, 1999, 274, 532-536.	1.6	79
187	AMPA receptorâ€“PDZ interactions in facilitation of spinal sensory synapses. Nature Neuroscience, 1999, 2, 972-977.	7.1	180
188	Microtubule binding by CRIPT and its potential role in the synaptic clustering of PSD-95. Nature Neuroscience, 1999, 2, 1063-1069.	7.1	102
189	Glutamate Receptor Anchoring Proteins and the Molecular Organization of Excitatory Synapses. Annals of the New York Academy of Sciences, 1999, 868, 483-493.	1.8	99
190	Protein targeting and calcium signaling microdomains in neuronal cells. Cell Calcium, 1999, 26, 181-192.	1.1	34
191	Neurobiology. Current Opinion in Neurobiology, 1999, 9, 501-510.	2.0	0
192	Neurobiology. Current Opinion in Neurobiology, 1999, 9, 645-655.	2.0	0
193	Synaptogenesis: The MAP location of GABA receptors. Current Biology, 1999, 9, R261-R263.	1.8	13
194	Regulation of NMDA Receptors by an Associated Phosphatase-Kinase Signaling Complex. Science, 1999, 285, 93-96.	6.0	483
195	Shank, a Novel Family of Postsynaptic Density Proteins that Binds to the NMDA Receptor/PSD-95/GKAP Complex and Cortactin. Neuron, 1999, 23, 569-582.	3.8	934
196	Coupling of mGluR/Homer and PSD-95 Complexes by the Shank Family of Postsynaptic Density Proteins. Neuron, 1999, 23, 583-592.	3.8	992
197	[20] Analysis of ion channel associated proteins. Methods in Enzymology, 1999, 294, 371-384.	0.4	12
198	Direct Interaction of CASK/LIN-2 and Syndecan Heparan Sulfate Proteoglycan and Their Overlapping Distribution in Neuronal Synapses. Journal of Cell Biology, 1998, 142, 139-151.	2.3	325

#	ARTICLE	IF	CITATIONS
199	NSF and AMPA Receptors Get Physical. <i>Neuron</i> , 1998, 21, 267-270.	3.8	52
200	Eph Receptors, Ephrins, and PDZs Gather in Neuronal Synapses. <i>Neuron</i> , 1998, 21, 1227-1229.	3.8	22
201	CRIPT, a Novel Postsynaptic Protein that Binds to the Third PDZ Domain of PSD-95/SAP90. <i>Neuron</i> , 1998, 20, 693-707.	3.8	280
202	Biochemical and immunocytochemical characterization of GRIP, a putative AMPA receptor anchoring protein, in rat brain. <i>Neuropharmacology</i> , 1998, 37, 1335-1344.	2.0	68
203	Plasma Membrane Ca <sup>2+</sup> ATPase Isoform 4b Binds to Membrane-associated Guanylate Kinase (MAGUK) Proteins via Their PDZ (PSD-95/Dlg/ZO-1) Domains. <i>Journal of Biological Chemistry</i> , 1998, 273, 1591-1595.	1.6	138
204	[7] Identification of ion channel-associated proteins using the yeast two-hybrid system. <i>Methods in Enzymology</i> , 1998, 293, 104-122.	0.4	28
205	Chapter 9 Anchoring of glutamate receptors at the synapse. <i>Progress in Brain Research</i> , 1998, 116, 123-131.	0.9	24
206	Differential Regional Expression and Ultrastructural Localization of $\beta$ -Actinin-2, a Putative NMDA Receptor-Anchoring Protein, in Rat Brain. <i>Journal of Neuroscience</i> , 1998, 18, 1383-1392.	1.7	164
207	Heterogeneity in the Molecular Composition of Excitatory Postsynaptic Sites during Development of Hippocampal Neurons in Culture. <i>Journal of Neuroscience</i> , 1998, 18, 1217-1229.	1.7	372
208	Yotiao, a Novel Protein of Neuromuscular Junction and Brain That Interacts with Specific Splice Variants of NMDA Receptor Subunit NR1. <i>Journal of Neuroscience</i> , 1998, 18, 2017-2027.	1.7	286
209	GKAP, a Novel Synaptic Protein That Interacts with the Guanylate Kinase-like Domain of the PSD-95/SAP90 Family of Channel Clustering Molecules. <i>Journal of Cell Biology</i> , 1997, 136, 669-678.	2.3	488
210	Disulfide-Linked Head-to-Head Multimerization in the Mechanism of Ion Channel Clustering by PSD-95. <i>Neuron</i> , 1997, 18, 803-814.	3.8	199
211	Synaptic Clustering of the Cell Adhesion Molecule Fasciclin II by Discs-Large and its Role in the Regulation of Presynaptic Structure. <i>Neuron</i> , 1997, 19, 787-799.	3.8	199
212	Characterization of Guanylate Kinase-Associated Protein, a Postsynaptic Density Protein at Excitatory Synapses That Interacts Directly with Postsynaptic Density-95/Synapse-Associated Protein 90. <i>Journal of Neuroscience</i> , 1997, 17, 5687-5696.	1.7	111
213	Essential Role for <i>dlg</i> in Synaptic Clustering of Shaker K <sup>+</sup> Channels <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 1997, 17, 152-159.	1.7	255
214	Competitive binding of $\beta$ -actinin and calmodulin to the NMDA receptor. <i>Nature</i> , 1997, 385, 439-442.	13.7	567
215	Glutamate receptors put in their place. <i>Nature</i> , 1997, 386, 221-223.	13.7	81
216	Ion channel targeting in neurons. <i>BioEssays</i> , 1997, 19, 847-853.	1.2	143

#	ARTICLE	IF	CITATIONS
217	Differential K <sup>+</sup> Channel Clustering Activity of PSD-95 and SAP97, Two Related Membrane-associated Putative Guanylate Kinases. <i>Neuropharmacology</i> , 1996, 35, 993-1000.	2.0	141
218	Crystal Structures of a Complexed and Peptide-Free Membrane Protein's Binding Domain: Molecular Basis of Peptide Recognition by PDZ. <i>Cell</i> , 1996, 85, 1067-1076.	13.5	1,097
219	Ion channel associated proteins. <i>Current Opinion in Neurobiology</i> , 1996, 6, 602-608.	2.0	110
220	PDZs and Receptor/Channel Clustering: Rounding Up the Latest Suspects. <i>Neuron</i> , 1996, 17, 575-578.	3.8	336
221	Heteromultimerization and NMDA Receptor-Clustering Activity of Chapsyn-110, a Member of the PSD-95 Family of Proteins. <i>Neuron</i> , 1996, 17, 103-113.	3.8	541
222	Chapter 8 The molecular organization of voltage-dependent K <sup>+</sup> channels in vivo. <i>Progress in Brain Research</i> , 1995, 105, 87-93.	0.9	17
223	Clustering of Shaker-type K <sup>+</sup> channels by interaction with a family of membrane-associated guanylate kinases. <i>Nature</i> , 1995, 378, 85-88.	13.7	961
224	Contrasting subcellular localization of the Kv1.2 K <sup>+</sup> channel subunit in different neurons of rat brain. <i>Journal of Neuroscience</i> , 1994, 14, 2408-2417.	1.7	170
225	Changing subunit composition of heteromeric NMDA receptors during development of rat cortex. <i>Nature</i> , 1994, 368, 144-147.	13.7	1,236
226	Targeted disruption of NMDA receptor 1 gene abolishes NMDA response and results in neonatal death. <i>Neuron</i> , 1994, 13, 325-338.	3.8	457
227	Evidence for presynaptic N-methyl-D-aspartate autoreceptors in the spinal cord dorsal horn.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 8383-8387.	3.3	333
228	Presynaptic A-current based on heteromultimeric K <sup>+</sup> channels detected in vivo. <i>Nature</i> , 1993, 365, 72-75.	13.7	367
229	Subcellular segregation of two A-type K <sup>+</sup> channel proteins in rat central neurons. <i>Neuron</i> , 1992, 9, 271-284.	3.8	456
230	Differential expression of K <sup>+</sup> channel mRNAs in the rat brain and down-regulation in the hippocampus following seizures. <i>Neuron</i> , 1992, 8, 1055-1067.	3.8	201
231	CREB: a Ca <sup>2+</sup> -regulated transcription factor phosphorylated by calmodulin-dependent kinases. <i>Science</i> , 1991, 252, 1427-1430.	6.0	1,470
232	The inner core of the serum response element mediates both the rapid induction and subsequent repression of c-fos transcription following serum stimulation.. <i>Genes and Development</i> , 1990, 4, 255-268.	2.7	159
233	The regulation and function of c-fos and other immediate early genes in the nervous system. <i>Neuron</i> , 1990, 4, 477-485.	3.8	2,271
234	Membrane depolarization and calcium induce c-fos transcription via phosphorylation of transcription factor CREB. <i>Neuron</i> , 1990, 4, 571-582.	3.8	1,029

#	ARTICLE	IF	CITATIONS
235	Growth factors and membrane depolarization activate distinct programs of early response gene expression: dissociation of fos and jun induction.. Genes and Development, 1989, 3, 304-313.	2.7	485
236	Targeting of nonexpressed genes in embryonic stem cells via homologous recombination. Science, 1989, 245, 1234-1236.	6.0	102
237	Induction of dendritic spines by an extracellular domain of AMPA receptor subunit GluR2. , 0, .		1