

Jianlin Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6563943/publications.pdf>

Version: 2024-02-01

140
papers

8,927
citations

43973

48
h-index

45213

90
g-index

148
all docs

148
docs citations

148
times ranked

7926
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The state of understanding of the lithium-ion-battery graphite solid electrolyte interphase (SEI) and its relationship to formation cycling. <i>Carbon</i> , 2016, 105, 52-76. | 5.4 | 1,335 |
| 2 | Prospects for reducing the processing cost of lithium ion batteries. <i>Journal of Power Sources</i> , 2015, 275, 234-242. | 4.0 | 588 |
| 3 | Structural transformation of a lithium-rich $\text{Li}_{1.2}\text{Co}_{0.1}\text{Mn}_{0.55}\text{Ni}_{0.15}\text{O}_2$ cathode during high voltage cycling resolved by in situ X-ray diffraction. <i>Journal of Power Sources</i> , 2013, 229, 239-248. | 4.0 | 472 |
| 4 | Materials processing for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 2452-2460. | 4.0 | 343 |
| 5 | From Materials to Cell: State-of-the-Art and Prospective Technologies for Lithium-Ion Battery Electrode Processing. <i>Chemical Reviews</i> , 2022, 122, 903-956. | 23.0 | 343 |
| 6 | Unraveling the Voltage-Fade Mechanism in High-Energy-Density Lithium-Ion Batteries: Origin of the Tetrahedral Cations for Spinel Conversion. <i>Chemistry of Materials</i> , 2014, 26, 6272-6280. | 3.2 | 236 |
| 7 | Understanding limiting factors in thick electrode performance as applied to high energy density Li-ion batteries. <i>Journal of Applied Electrochemistry</i> , 2017, 47, 405-415. | 1.5 | 217 |
| 8 | Electrode manufacturing for lithium-ion batteries—Analysis of current and next generation processing. <i>Journal of Energy Storage</i> , 2019, 25, 100862. | 3.9 | 188 |
| 9 | Toward Low-Cost, High-Energy Density, and High-Power Density Lithium-Ion Batteries. <i>Jom</i> , 2017, 69, 1484-1496. | 0.9 | 186 |
| 10 | Technical and economic analysis of solvent-based lithium-ion electrode drying with water and NMP. <i>Drying Technology</i> , 2018, 36, 234-244. | 1.7 | 158 |
| 11 | Chemical stability and long-term cell performance of low-cobalt, Ni-Rich cathodes prepared by aqueous processing for high-energy Li-Ion batteries. <i>Energy Storage Materials</i> , 2020, 24, 188-197. | 9.5 | 155 |
| 12 | Effect of electrode manufacturing defects on electrochemical performance of lithium-ion batteries: Cognizance of the battery failure sources. <i>Journal of Power Sources</i> , 2016, 312, 70-79. | 4.0 | 132 |
| 13 | Direct Recycling of Spent NCM Cathodes through Ionothermal Lithiation. <i>Advanced Energy Materials</i> , 2020, 10, 2001204. | 10.2 | 129 |
| 14 | Identifying the limiting electrode in lithium ion batteries for extreme fast charging. <i>Electrochemistry Communications</i> , 2018, 97, 37-41. | 2.3 | 126 |
| 15 | Investigating phase transformation in the $\text{Li}_{1.2}\text{Co}_{0.1}\text{Mn}_{0.55}\text{Ni}_{0.15}\text{O}_2$ lithium-ion battery cathode during high-voltage hold (4.5 V) via magnetic, X-ray diffraction and electron microscopy studies. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6249. | 5.2 | 125 |
| 16 | Fast formation cycling for lithium ion batteries. <i>Journal of Power Sources</i> , 2017, 342, 846-852. | 4.0 | 119 |
| 17 | Correlating cation ordering and voltage fade in a lithium-manganese-rich lithium-ion battery cathode oxide: a joint magnetic susceptibility and TEM study. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 19496. | 1.3 | 108 |
| 18 | Optimization of LiFePO_4 Nanoparticle Suspensions Li with Polyethyleneimine for Aqueous Processing. <i>Langmuir</i> , 2012, 28, 3783-3790. | 1.6 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Neutron Diffraction and Magnetic Susceptibility Studies on a High-Voltage $\text{Li}_{1.2}\text{Mn}_{0.55}\text{Ni}_{0.15}\text{Co}_{0.10}\text{O}_2$ Lithium Ion Battery Cathode: Insight into the Crystal Structure. <i>Chemistry of Materials</i> , 2013, 25, 4064-4070. | 3.2 | 89 |
| 20 | Lithium Ion Cell Performance Enhancement Using Aqueous LiFePO_4 Cathode Dispersions and Polyethyleneimine Dispersant. <i>Journal of the Electrochemical Society</i> , 2013, 160, A201-A206. | 1.3 | 88 |
| 21 | Disintegration of Meatball Electrodes for $\text{LiNi}_x\text{Mn}_y\text{Co}_z\text{O}_2$ Cathode Materials. <i>Experimental Mechanics</i> , 2018, 58, 549-559. | 1.1 | 86 |
| 22 | Formation Challenges of Lithium-Ion Battery Manufacturing. <i>Joule</i> , 2019, 3, 2884-2888. | 11.7 | 86 |
| 23 | Grid indentation analysis of mechanical properties of composite electrodes in Li-ion batteries. <i>Extreme Mechanics Letters</i> , 2016, 9, 495-502. | 2.0 | 83 |
| 24 | Sustainable Direct Recycling of Lithium-Ion Batteries via Solvent Recovery of Electrode Materials. <i>ChemSusChem</i> , 2020, 13, 5664-5670. | 3.6 | 80 |
| 25 | Evaluation Residual Moisture in Lithium-Ion Battery Electrodes and Its Effect on Electrode Performance. <i>MRS Advances</i> , 2016, 1, 1029-1035. | 0.5 | 78 |
| 26 | Effect of Binder Architecture on the Performance of Silicon/Graphite Composite Anodes for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 3470-3478. | 4.0 | 77 |
| 27 | Microwave growth and tunable photoluminescence of nitrogen-doped graphene and carbon nitride quantum dots. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5468-5476. | 2.7 | 75 |
| 28 | Water-Based Electrode Manufacturing and Direct Recycling of Lithium-Ion Battery Electrodes—A Green and Sustainable Manufacturing System. <i>IScience</i> , 2020, 23, 101081. | 1.9 | 74 |
| 29 | Optimization of multicomponent aqueous suspensions of lithium iron phosphate (LiFePO_4) nanoparticles and carbon black for lithium-ion battery cathodes. <i>Journal of Colloid and Interface Science</i> , 2013, 405, 118-124. | 5.0 | 69 |
| 30 | What makes lithium substituted polyacrylic acid a better binder than polyacrylic acid for silicon-graphite composite anodes?. <i>Journal of Power Sources</i> , 2018, 384, 136-144. | 4.0 | 69 |
| 31 | Superior Performance of LiFePO_4 Aqueous Dispersions via Corona Treatment and Surface Energy Optimization. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1152-A1157. | 1.3 | 65 |
| 32 | Electrolyte Volume Effects on Electrochemical Performance and Solid Electrolyte Interphase in Si-Graphite/NMC Lithium-Ion Pouch Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18799-18808. | 4.0 | 65 |
| 33 | Correlation of Electrolyte Volume and Electrochemical Performance in Lithium-Ion Pouch Cells with Graphite Anodes and NMC532 Cathodes. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1195-A1202. | 1.3 | 64 |
| 34 | Heat transfer enhancement in a lithium-ion cell through improved material-level thermal transport. <i>Journal of Power Sources</i> , 2015, 300, 123-131. | 4.0 | 63 |
| 35 | Analysis of electrolyte imbibition through lithium-ion battery electrodes. <i>Journal of Power Sources</i> , 2019, 424, 193-203. | 4.0 | 61 |
| 36 | Lithium and transition metal dissolution due to aqueous processing in lithium-ion battery cathode active materials. <i>Journal of Power Sources</i> , 2020, 466, 228315. | 4.0 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Insight on electrolyte infiltration of lithium ion battery electrodes by means of a new three-dimensional-resolved lattice Boltzmann model. <i>Energy Storage Materials</i> , 2021, 38, 80-92. | 9.5 | 61 |
| 38 | Cathode materials review. <i>AIP Conference Proceedings</i> , 2014, , . | 0.3 | 60 |
| 39 | Towards Understanding of Cracking during Drying of Thick Aqueous-Processed $\text{LiNi}_{0.8}\text{Mn}_{0.1}\text{Co}_{0.1}\text{O}_2$ Cathodes. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 3162-3169. | 3.2 | 59 |
| 40 | Design and Demonstration of Three-Electrode Pouch Cells for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1755-A1764. | 1.3 | 57 |
| 41 | Tailoring fluorescence emissions, quantum yields, and white light emitting from nitrogen-doped graphene and carbon nitride quantum dots. <i>Nanoscale</i> , 2019, 11, 16553-16561. | 2.8 | 57 |
| 42 | Balancing formation time and electrochemical performance of high energy lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 402, 107-115. | 4.0 | 56 |
| 43 | Perspectives on the relationship between materials chemistry and roll-to-roll electrode manufacturing for high-energy lithium-ion batteries. <i>Energy Storage Materials</i> , 2020, 29, 254-265. | 9.5 | 54 |
| 44 | Beneficial rheological properties of lithium-ion battery cathode slurries from elevated mixing and coating temperatures. <i>Journal of Energy Storage</i> , 2019, 26, 100994. | 3.9 | 53 |
| 45 | Carbon Coated Porous Titanium Niobium Oxides as Anode Materials of Lithium-Ion Batteries for Extreme Fast Charge Applications. <i>ACS Applied Energy Materials</i> , 2020, 3, 5657-5665. | 2.5 | 53 |
| 46 | Characterization of Surface Free Energy of Composite Electrodes for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2493-A2501. | 1.3 | 52 |
| 47 | Effect of calendaring and temperature on electrolyte wetting in lithium-ion battery electrodes. <i>Journal of Energy Storage</i> , 2019, 26, 101034. | 3.9 | 52 |
| 48 | Electrospun SnO_2 and TiO_2 Composite Nanofibers for Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2014, 117, 68-75. | 2.6 | 51 |
| 49 | Elucidation of Separator Effect on Energy Density of Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3377-A3383. | 1.3 | 51 |
| 50 | Chemical Evolution in Silicon-Graphite Composite Anodes Investigated by Vibrational Spectroscopy. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 18641-18649. | 4.0 | 50 |
| 51 | Hydrogen permeation through thin supported $\text{SrCe}_{0.7}\text{Zr}_{0.2}\text{Eu}_{0.1}\text{O}_{3-\delta}$ membranes; dependence of flux on defect equilibria and operating conditions. <i>Journal of Membrane Science</i> , 2011, 381, 126-131. | 4.1 | 48 |
| 52 | Correlating the influence of porosity, tortuosity, and mass loading on the energy density of $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ cathodes under extreme fast charging (XFC) conditions. <i>Journal of Power Sources</i> , 2020, 474, 228601. | 4.0 | 47 |
| 53 | High temperature $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}$ proton conducting membrane reactor for H_2 production using the water-gas shift reaction. <i>Applied Catalysis B: Environmental</i> , 2009, 92, 234-239. | 10.8 | 46 |
| 54 | Limiting Internal Short-Circuit Damage by Electrode Partition for Impact-Tolerant Li-Ion Batteries. <i>Joule</i> , 2018, 2, 155-167. | 11.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Structural transformation in a $\text{Li}_{1.2}\text{Co}_{0.1}\text{Mn}_{0.55}\text{Ni}_{0.15}\text{O}_2$ lithium-ion battery cathode during high-voltage hold. <i>RSC Advances</i> , 2013, 3, 7479. | 1.7 | 44 |
| 56 | Probing Multiscale Transport and Inhomogeneity in a Lithium-Ion Pouch Cell Using In Situ Neutron Methods. <i>ACS Energy Letters</i> , 2016, 1, 981-986. | 8.8 | 43 |
| 57 | Understanding the structure and structural degradation mechanisms in high-voltage, lithium-manganese-rich lithium-ion battery cathode oxides: A review of materials diagnostics. <i>MRS Energy & Sustainability</i> , 2015, 2, 1. | 1.3 | 42 |
| 58 | Non-destructive evaluation of slot-die-coated lithium secondary battery electrodes by in-line laser caliper and IR thermography methods. <i>Analytical Methods</i> , 2014, 6, 674-683. | 1.3 | 41 |
| 59 | Impact of secondary particle size and two-layer architectures on the high-rate performance of thick electrodes in lithium-ion battery pouch cells. <i>Journal of Power Sources</i> , 2021, 515, 230429. | 4.0 | 41 |
| 60 | Three-dimensional conductive network formed by carbon nanotubes in aqueous processed NMC electrode. <i>Electrochimica Acta</i> , 2018, 270, 54-61. | 2.6 | 39 |
| 61 | Temperature and strain rate dependent behavior of polymer separator for Li-ion batteries. <i>Extreme Mechanics Letters</i> , 2018, 20, 73-80. | 2.0 | 39 |
| 62 | Strain distribution and failure mode of polymer separators for Li-ion batteries under biaxial loading. <i>Journal of Power Sources</i> , 2018, 378, 139-145. | 4.0 | 39 |
| 63 | On electrolyte wetting through lithium-ion battery separators. <i>Extreme Mechanics Letters</i> , 2020, 40, 100960. | 2.0 | 38 |
| 64 | Operando Acoustic Monitoring of SEI Formation and Long-Term Cycling in NMC/SiGr Composite Pouch Cells. <i>Journal of the Electrochemical Society</i> , 2020, 167, 020517. | 1.3 | 36 |
| 65 | Hydrogen permeation through thin supported $\text{SrZr}_{0.2}\text{Ce}_{0.8-x}\text{Eu}_x\text{O}_{3-\delta}$ membranes. <i>Journal of Membrane Science</i> , 2009, 345, 1-4. | 4.1 | 35 |
| 66 | Aqueous Ni-rich-cathode dispersions processed with phosphoric acid for lithium-ion batteries with ultra-thick electrodes. <i>Journal of Colloid and Interface Science</i> , 2021, 581, 635-643. | 5.0 | 34 |
| 67 | Synthesis of Nanoparticles via Solvothermal and Hydrothermal Methods. , 2016, , 295-328. | | 33 |
| 68 | Enabling aqueous processing for $\text{LiNi}_{0.80}\text{Co}_{0.15}\text{Al}_{0.05}\text{O}_2$ (NCA)-based lithium-ion battery cathodes using polyacrylic acid. <i>Electrochimica Acta</i> , 2021, 380, 138203. | 2.6 | 33 |
| 69 | Multifunctional approaches for safe structural batteries. <i>Journal of Energy Storage</i> , 2021, 40, 102747. | 3.9 | 33 |
| 70 | Deconvoluting the benefits of porosity distribution in layered electrodes on the electrochemical performance of Li-ion batteries. <i>Energy Storage Materials</i> , 2022, 47, 462-471. | 9.5 | 32 |
| 71 | Long-Term Lithium-Ion Battery Performance Improvement via Ultraviolet Light Treatment of the Graphite Anode. <i>Journal of the Electrochemical Society</i> , 2016, 163, A2866-A2875. | 1.3 | 31 |
| 72 | Enabling high rate charge and discharge capability, low internal resistance, and excellent cycleability for Li-ion batteries utilizing graphene additives. <i>Electrochimica Acta</i> , 2018, 273, 200-207. | 2.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Advances in electrode materials for Li-based rechargeable batteries. RSC Advances, 2017, 7, 33789-33811. | 1.7 | 30 |
| 74 | Al ₂ O ₃ /TiO ₂ coated separators: Roll-to-roll processing and implications for improved battery safety and performance. Journal of Power Sources, 2021, 507, 230259. | 4.0 | 30 |
| 75 | Effect of overcharge on Li(Ni _{0.5} Mn _{0.3} Co _{0.2})O ₂ /graphite lithium ion cells with poly(vinylidene fluoride) electrolyte. Journal of Power Sources, 2021, 511, 230384. | 4.0 | 29 |
| 76 | Atomic-scale tuned interface of nickel-rich cathode for enhanced electrochemical performance in lithium-ion batteries. Journal of Materials Science and Technology, 2020, 54, 77-86. | 5.6 | 29 |
| 77 | Designing electrode architectures to facilitate electrolyte infiltration for lithium-ion batteries. Energy Storage Materials, 2022, 49, 268-277. | 9.5 | 29 |
| 78 | Processing-Structure-Property Relationships for Lignin-Based Carbonaceous Materials Used in Energy Storage Applications. Energy Technology, 2017, 5, 1311-1321. | 1.8 | 27 |
| 79 | Effect of overcharge on Li(Ni _{0.5} Mn _{0.3} Co _{0.2})O ₂ /Graphite lithium ion cells with poly(vinylidene fluoride) electrolyte. Journal of Power Sources, 2021, 511, 148-155. | 4.0 | 26 |
| 80 | Sustainable Waste Tire Derived Carbon Material as a Potential Anode for Lithium-Ion Batteries. Sustainability, 2018, 10, 2840. | 1.6 | 26 |
| 81 | Si Oxidation and H ₂ Gassing During Aqueous Slurry Preparation for Li-Ion Battery Anodes. Journal of Physical Chemistry C, 2018, 122, 9746-9754. | 1.5 | 23 |
| 82 | Fabrication of Thin-Film SrCe _{0.9} Eu _{0.1} O _{3-δ} Hydrogen Separation Membranes on Ni-SrCeO ₃ Porous Tubular Supports. Journal of the American Ceramic Society, 2009, 92, 1849-1852. | 1.9 | 21 |
| 83 | Electron Beam Curing of Composite Positive Electrode for Li-Ion Battery. Journal of the Electrochemical Society, 2016, 163, A2776-A2780. | 1.3 | 21 |
| 84 | Eutectic Synthesis of the P2-Type Na _x Fe _{1/2} Mn _{1/2} O ₂ Cathode with Improved Cell Design for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 23951-23958. | 4.0 | 21 |
| 85 | Machine learning 3D-resolved prediction of electrolyte infiltration in battery porous electrodes. Journal of Power Sources, 2021, 511, 230384. | 4.0 | 21 |
| 86 | Recent progress and future prospects of atomic layer deposition to prepare/modify solid-state electrolytes and interfaces between electrodes for next-generation lithium batteries. Nanoscale Advances, 2021, 3, 2728-2740. | 2.2 | 21 |
| 87 | Design and processing for high performance Li ion battery electrodes with double-layer structure. Journal of Energy Storage, 2021, 44, 103582. | 3.9 | 21 |
| 88 | Preparation of porous Si and TiO ₂ nanofibres using a sulphur templating method for lithium storage. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 877-881. | 0.8 | 20 |
| 89 | Spherical indentation of a freestanding circular membrane revisited: Analytical solutions and experiments. Journal of the Mechanics and Physics of Solids, 2017, 100, 85-102. | 2.3 | 20 |
| 90 | Supercapacitive Properties of Micropore- and Mesopore-Rich Activated Carbon in Ionic-Liquid Electrolytes with Various Constituent Ions. ChemSusChem, 2019, 12, 449-456. | 3.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Improved lithium storage capacity and high rate capability of nitrogen-doped graphite-like electrode materials prepared from thermal pyrolysis of graphene quantum dots. <i>Electrochimica Acta</i> , 2020, 354, 136642. | 2.6 | 19 |
| 92 | SrCe _{0.7} Zr _{0.2} Eu _{0.1} O ₃ -based hydrogen transport water gas shift reactor. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 16006-16012. | 3.8 | 18 |
| 93 | Carbon dioxide reforming of methane in a SrCe _{0.7} Zr _{0.2} Eu _{0.1} O ₃ proton conducting membrane reactor. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 19125-19132. | 3.8 | 18 |
| 94 | Effect of overcharge on Li(Ni _{0.5} Mn _{0.3} Co _{0.2})O ₂ cathodes: NMP-soluble binder. II Chemical changes in the anode. <i>Journal of Power Sources</i> , 2018, 385, 156-164. | 4.0 | 18 |
| 95 | Preparation of MgCo ₂ O ₄ /graphite composites as cathode materials for magnesium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 1399-1407. | 1.2 | 18 |
| 96 | Catalytically active gold nanoparticles confined in periodic mesoporous organosilica (PMOs) by a modified external passivation route. <i>Microporous and Mesoporous Materials</i> , 2009, 117, 98-103. | 2.2 | 17 |
| 97 | Unconventional irreversible structural changes in a high-voltage Li-Mn-rich oxide for lithium-ion battery cathodes. <i>Journal of Power Sources</i> , 2015, 283, 423-428. | 4.0 | 17 |
| 98 | High-Speed electron beam curing of thick electrode for high energy density Li-ion batteries. <i>Green Energy and Environment</i> , 2019, 4, 375-381. | 4.7 | 17 |
| 99 | Bilayer hybrid graphite anodes via freeze tape casting for extreme fast charging applications. <i>Carbon</i> , 2022, 196, 525-531. | 5.4 | 17 |
| 100 | Permeation Through SrCe _{0.9} Eu _{0.1} O ₃ /Ni-SrCeO ₃ Tubular Hydrogen Separation Membranes. <i>Journal of the Electrochemical Society</i> , 2009, 156, B791. | 1.3 | 16 |
| 101 | Self-assembled asymmetric membrane containing micron-size germanium for high capacity lithium ion batteries. <i>RSC Advances</i> , 2015, 5, 92878-92884. | 1.7 | 15 |
| 102 | Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9773-9779. | 7.2 | 15 |
| 103 | Operando Analysis of Gas Evolution in TiNb ₂ O ₇ (TNO)-Based Anodes for Advanced High-Energy Lithium-Ion Batteries under Fast Charging. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55145-55155. | 4.0 | 15 |
| 104 | Stability of SrCe _{1-x} Zr _x O ₃ under Water Gas Shift Reaction Conditions. <i>Journal of the Electrochemical Society</i> , 2010, 157, B383. | 1.3 | 14 |
| 105 | Atomic layer oxidation on graphene sheets for tuning their oxidation levels, electrical conductivities, and band gaps. <i>Nanoscale</i> , 2018, 10, 15521-15528. | 2.8 | 14 |
| 106 | Roll-To-Roll Atomic Layer Deposition of Titania Nanocoating on Thermally Stabilizing Lithium Nickel Cobalt Manganese Oxide Cathodes for Lithium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 10619-10631. | 2.5 | 13 |
| 107 | Si alloy/graphite coating design as anode for Li-ion batteries with high volumetric energy density. <i>Electrochimica Acta</i> , 2017, 254, 123-129. | 2.6 | 12 |
| 108 | Effect of formation protocol: Cells containing Si-Graphite composite electrodes. <i>Journal of Power Sources</i> , 2019, 435, 126548. | 4.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Effect of Solvent on Fluorescence Emission from Polyethylene Glycol-Coated Graphene Quantum Dots under Blue Light Illumination. <i>Nanomaterials</i> , 2021, 11, 1383. | 1.9 | 12 |
| 110 | Atomic-scale constituting stable interface for improved $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ cathodes of lithium-ion batteries. <i>Nanotechnology</i> , 2021, 32, 115401. | 1.3 | 12 |
| 111 | A Bilayer Electrolyte Design to Enable High-Areal-Capacity Composite Cathodes in Polymer Electrolytes Based Solid-State Lithium Metal Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 1409-1413. | 2.5 | 12 |
| 112 | Linear control of the oxidation level on graphene oxide sheets using the cyclic atomic layer reduction technique. <i>Nanoscale</i> , 2019, 11, 7833-7838. | 2.8 | 11 |
| 113 | Deconvoluting sources of failure in lithium metal batteries containing NMC and PEO-based electrolytes. <i>Electrochimica Acta</i> , 2022, 404, 139579. | 2.6 | 11 |
| 114 | Tuning oxidation level, electrical conductance and band gap structure on graphene sheets by a cyclic atomic layer reduction technique. <i>Carbon</i> , 2018, 137, 234-241. | 5.4 | 10 |
| 115 | Bio-inspired interfaces for easy-to-recycle lithium-ion batteries. <i>Extreme Mechanics Letters</i> , 2020, 34, 100594. | 2.0 | 10 |
| 116 | Effects of Ultraviolet Light Treatment in Ambient Air on Lithium-Ion Battery Graphite and PVDF Binder. <i>Journal of the Electrochemical Society</i> , 2019, 166, A1121-A1126. | 1.3 | 9 |
| 117 | Effects of Plasticizer Content and Ceramic Addition on Electrochemical Properties of Cross-Linked Polymer Electrolyte. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050549. | 1.3 | 9 |
| 118 | Innovative and Economically Beneficial Use of Corn and Corn Products in Electrochemical Energy Storage Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10678-10703. | 3.2 | 9 |
| 119 | Stability of $\text{SrCe}_{0.9}\text{Eu}_{0.1}\text{O}_{3-\delta}$ and $\text{SrZr}_{0.2}\text{Ce}_{0.7}\text{Eu}_{0.1}\text{O}_{3-\delta}$ under H_2 atmospheres. <i>Ionics</i> , 2009, 15, 525-530. | 1.2 | 8 |
| 120 | Reinvigorating Reverse-Osmosis Membrane Technology to Stabilize the V_2O_5 Lithium-Ion Battery Cathode. <i>ChemElectroChem</i> , 2017, 4, 1181-1189. | 1.7 | 8 |
| 121 | Synthesis of MgCo_2O_4 -coated $\text{Li}_4\text{Ti}_5\text{O}_{12}$ composite anodes using co-precipitation method for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 3197-3207. | 1.2 | 7 |
| 122 | Effect of overcharge on lithium-ion cells: Silicon/graphite anodes. <i>Journal of Power Sources</i> , 2019, 432, 73-81. | 4.0 | 7 |
| 123 | Review—Electrospun Inorganic Solid-State Electrolyte Fibers for Battery Applications. <i>Journal of the Electrochemical Society</i> , 2022, 169, 050527. | 1.3 | 7 |
| 124 | In-line monitoring of Li-ion battery electrode porosity and areal loading using active thermal scanning - modeling and initial experiment. <i>Journal of Power Sources</i> , 2018, 375, 138-148. | 4.0 | 6 |
| 125 | Micron-size Silicon Monoxide Asymmetric Membranes for Highly Stable Lithium Ion Battery Anode. <i>ChemistrySelect</i> , 2018, 3, 8662-8668. | 0.7 | 6 |
| 126 | Effect of overcharge on $\text{Li}(\text{Ni}_{0.5}\text{Mn}_{0.3}\text{Co}_{0.2})\text{O}_2/\text{Graphite}$ cells—effect of binder. <i>Journal of Power Sources</i> , 2020, 448, 227414. | 4.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Amino-functionalization on graphene oxide sheets using an atomic layer amidation technique. Journal of Materials Chemistry C, 2020, 8, 700-705. | 2.7 | 5 |
| 128 | Reduced Graphene Oxide Aerogels with Functionalization-Mediated Disordered Stacking for Sodium-Ion Batteries. Batteries, 2022, 8, 12. | 2.1 | 5 |
| 129 | Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering. Angewandte Chemie, 2020, 132, 9860-9866. | 1.6 | 4 |
| 130 | Effect of binder on the overcharge response in LiFePO ₄ -containing cells. Journal of Power Sources, 2020, 450, 227595. | 4.0 | 4 |
| 131 | Polypeptide-based batteries toward sustainable and cyclic manufacturing. Chem, 2021, 7, 1705-1707. | 5.8 | 4 |
| 132 | Stability of Zr-Doped SrCeO _{3-d} Under Wet CO/CO ₂ Atmospheres. ECS Transactions, 2008, 11, 81-87. | 0.3 | 3 |
| 133 | Correlation of Oxygen Anion Redox Activity to In-Plane Honeycomb Cation Ordering in Na _x Ni _y Mn _{1-x-y} O ₂ Cathodes. Advanced Energy and Sustainability Research, 0, , 2200027. | 2.8 | 3 |
| 134 | Preparation and gas permeation of supported ³ Al ₂ O ₃ membranes used as substrate layer for microporous membranes. Journal Wuhan University of Technology, Materials Science Edition, 2005, 20, 27-30. | 0.4 | 1 |
| 135 | Exploratory spatial distribution of dynamic wireless charging demand for EVs. , 2016, , . | | 1 |
| 136 | Tin asymmetric membranes for high capacity sodium ion battery anodes. Materials Today Communications, 2020, 24, 100998. | 0.9 | 1 |
| 137 | Editorial for focus on nanophase materials for next-generation lithium-ion batteries and beyond. Nanotechnology, 2021, , . | 1.3 | 1 |
| 138 | Advanced Materials Processing for Lithium Ion Battery Applications. ECS Meeting Abstracts, 2012, , . | 0.0 | 0 |
| 139 | Observation of Ion Electrosorption in Metal-Organic Framework Micropores with In Operando Small-Angle Neutron Scattering (Angew. Chem. 24/2020). Angewandte Chemie, 2020, 132, 9868-9868. | 1.6 | 0 |
| 140 | Bio-inspired nanotechnology for easy-to-recycle lithium-ion batteries. , 2022, , 141-158. | | 0 |