

# Martin J Blunt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6570661/publications.pdf>

Version: 2024-02-01

389  
papers

30,701  
citations

4103

90  
h-index

7043

159  
g-index

399  
all docs

399  
docs citations

399  
times ranked

13861  
citing authors

#	ARTICLE	IF	CITATIONS
1	Carbon capture and storage update. <i>Energy and Environmental Science</i> , 2014, 7, 130-189.	15.6	1,765
2	Pore-scale imaging and modelling. <i>Advances in Water Resources</i> , 2013, 51, 197-216.	1.7	1,407
3	Pore-network extraction from micro-computerized-tomography images. <i>Physical Review E</i> , 2009, 80, 036307.	0.8	808
4	Flow in porous media – pore-network models and multiphase flow. <i>Current Opinion in Colloid and Interface Science</i> , 2001, 6, 197-207.	3.4	724
5	Impact of relative permeability hysteresis on geological CO <sub>2</sub> storage. <i>Water Resources Research</i> , 2006, 42, .	1.7	669
6	Tenth SPE Comparative Solution Project: A Comparison of Upscaling Techniques. <i>SPE Reservoir Evaluation and Engineering</i> , 2001, 4, 308-317.	1.1	609
7	Predictive pore-scale modeling of two-phase flow in mixed wet media. <i>Water Resources Research</i> , 2004, 40, .	1.7	597
8	Detailed physics, predictive capabilities and macroscopic consequences for pore-network models of multiphase flow. <i>Advances in Water Resources</i> , 2002, 25, 1069-1089.	1.7	583
9	Prediction of relative permeability in simple porous media. <i>Physical Review A</i> , 1992, 46, 2004-2011.	1.0	435
10	Modelling two-phase flow in porous media at the pore scale using the volume-of-fluid method. <i>Journal of Computational Physics</i> , 2012, 231, 5653-5668.	1.9	393
11	Computations of Absolute Permeability on Micro-CT Images. <i>Mathematical Geosciences</i> , 2013, 45, 103-125.	1.4	338
12	Capillary trapping for geologic carbon dioxide storage – From pore scale physics to field scale implications. <i>International Journal of Greenhouse Gas Control</i> , 2015, 40, 221-237.	2.3	329
13	Carbon dioxide in enhanced oil recovery. <i>Energy Conversion and Management</i> , 1993, 34, 1197-1204.	4.4	319
14	Pore-scale contact angle measurements at reservoir conditions using X-ray microtomography. <i>Advances in Water Resources</i> , 2014, 68, 24-31.	1.7	317
15	Reconstruction of three-dimensional porous media using generative adversarial neural networks. <i>Physical Review E</i> , 2017, 96, 043309.	0.8	294
16	Prediction of permeability for porous media reconstructed using multiple-point statistics. <i>Physical Review E</i> , 2004, 70, 066135.	0.8	282
17	Residual CO <sub>2</sub> imaged with X-ray micro-tomography. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	280
18	Pore-level modeling of wetting. <i>Physical Review E</i> , 1995, 52, 6387-6403.	0.8	278

#	ARTICLE	IF	CITATIONS
19	Pore space reconstruction using multiple-point statistics. <i>Journal of Petroleum Science and Engineering</i> , 2005, 46, 121-137.	2.1	270
20	Measurements of the capillary trapping of super-critical carbon dioxide in Berea sandstone. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	257
21	A 3D Field-Scale Streamline-Based Reservoir Simulator. <i>SPE Reservoir Engineering</i> , 1997, 12, 246-254.	0.5	254
22	Direct simulations of two-phase flow on micro-CT images of porous media and upscaling of pore-scale forces. <i>Advances in Water Resources</i> , 2014, 74, 116-126.	1.7	254
23	Relative permeabilities from two- and three-dimensional pore-scale network modelling. <i>Transport in Porous Media</i> , 1991, 6, 407.	1.2	233
24	Simulation and theory of two-phase flow in porous media. <i>Physical Review A</i> , 1992, 46, 7680-7699.	1.0	233
25	Network extraction from sandstone and carbonate pore space images. <i>Journal of Petroleum Science and Engineering</i> , 2007, 56, 219-231.	2.1	220
26	Multi-scale multi-dimensional microstructure imaging of oil shale pyrolysis using X-ray micro-tomography, automated ultra-high resolution SEM, MAPS Mineralogy and FIB-SEM. <i>Applied Energy</i> , 2017, 202, 628-647.	5.1	219
27	Generalized network modeling: Network extraction as a coarse-scale discretization of the void space of porous media. <i>Physical Review E</i> , 2017, 96, 013312.	0.8	213
28	Signature of Non-Fickian Solute Transport in Complex Heterogeneous Porous Media. <i>Physical Review Letters</i> , 2011, 107, 204502.	2.9	199
29	Predictions of non-Fickian solute transport in different classes of porous media using direct simulation on pore-scale images. <i>Physical Review E</i> , 2013, 87, 013011.	0.8	199
30	Comparison of residual oil cluster size distribution, morphology and saturation in oil-wet and water-wet sandstone. <i>Journal of Colloid and Interface Science</i> , 2012, 375, 187-192.	5.0	198
31	A New Model of Trapping and Relative Permeability Hysteresis for All Wettability Characteristics. <i>SPE Journal</i> , 2008, 13, 277-288.	1.7	197
32	Three-dimensional mixed-wet random pore-scale network modeling of two- and three-phase flow in porous media. I. Model description. <i>Physical Review E</i> , 2005, 71, 026301.	0.8	195
33	Pore-scale imaging of trapped supercritical carbon dioxide in sandstones and carbonates. <i>International Journal of Greenhouse Gas Control</i> , 2014, 22, 1-14.	2.3	191
34	Three-dimensional modeling of three phase imbibition and drainage. <i>Advances in Water Resources</i> , 1998, 21, 121-143.	1.7	189
35	Pore-scale modeling and continuous time random walk analysis of dispersion in porous media. <i>Water Resources Research</i> , 2006, 42, .	1.7	188
36	Effects of Wettability on Three-Phase Flow in Porous Media. <i>Journal of Physical Chemistry B</i> , 2000, 104, 3833-3845.	1.2	184

#	ARTICLE	IF	CITATIONS
37	Design of carbon dioxide storage in aquifers. International Journal of Greenhouse Gas Control, 2009, 3, 195-205.	2.3	178
38	Physically-based network modeling of multiphase flow in intermediate-wet porous media. Journal of Petroleum Science and Engineering, 1998, 20, 117-125.	2.1	168
39	Pore-scale modeling of longitudinal dispersion. Water Resources Research, 2004, 40, .	1.7	166
40	Micromodel Observation of the Role of Oil Layers in Three-Phase Flow. Transport in Porous Media, 1997, 26, 277-297.	1.2	160
41	Predictive network modeling of single-phase non-Newtonian flow in porous media. Journal of Colloid and Interface Science, 2003, 264, 256-265.	5.0	155
42	Pore-scale modeling: Effects of wettability on waterflood oil recovery. Journal of Petroleum Science and Engineering, 2010, 71, 169-178.	2.1	155
43	The Imaging of Dynamic Multiphase Fluid Flow Using Synchrotron-Based X-ray Microtomography at Reservoir Conditions. Transport in Porous Media, 2015, 110, 1-24.	1.2	153
44	Dynamic Three-Dimensional Pore-Scale Imaging of Reaction in a Carbonate at Reservoir Conditions. Environmental Science & Technology, 2015, 49, 4407-4414.	4.6	153
45	Automatic measurement of contact angle in pore-space images. Advances in Water Resources, 2017, 109, 158-169.	1.7	153
46	Wettability in complex porous materials, the mixed-wet state, and its relationship to surface roughness. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 8901-8906.	3.3	153
47	Pore space reconstruction of vuggy carbonates using microtomography and multiple-point statistics. Water Resources Research, 2007, 43, .	1.7	149
48	An Empirical Model for Three-Phase Relative Permeability. SPE Journal, 2000, 5, 435-445.	1.7	148
49	Measurement of aperture distribution, capillary pressure, relative permeability, and in situ saturation in a rock fracture using computed tomography scanning. Water Resources Research, 2001, 37, 649-662.	1.7	147
50	Modelling stress-dependent permeability in fractured rock including effects of propagating and bending fractures. International Journal of Rock Mechanics and Minings Sciences, 2013, 57, 100-112.	2.6	147
51	In situ characterization of mixed-wettability in a reservoir rock at subsurface conditions. Scientific Reports, 2017, 7, 10753.	1.6	147
52	Pore-scale imaging of geological carbon dioxide storage under in situ conditions. Geophysical Research Letters, 2013, 40, 3915-3918.	1.5	142
53	The impact of porous media heterogeneity on non-Darcy flow behaviour from pore-scale simulation. Advances in Water Resources, 2016, 95, 329-340.	1.7	137
54	Dynamics of snap-off and pore-filling events during two-phase fluid flow in permeable media. Scientific Reports, 2017, 7, 5192.	1.6	135

#	ARTICLE	IF	CITATIONS
55	Advances in carbon capture, utilization and storage. <i>Applied Energy</i> , 2020, 278, 115627.	5.1	135
56	Pore Scale Modeling of Rate Effects in Imbibition. <i>Transport in Porous Media</i> , 2000, 40, 295-322.	1.2	134
57	Capillary trapping in sandstones and carbonates: Dependence on pore structure. <i>Water Resources Research</i> , 2012, 48, .	1.7	133
58	Pore-scale intermittent velocity structure underpinning anomalous transport through 3D porous media. <i>Geophysical Research Letters</i> , 2014, 41, 6184-6190.	1.5	131
59	Stochastic Seismic Waveform Inversion Using Generative Adversarial Networks as a Geological Prior. <i>Mathematical Geosciences</i> , 2020, 52, 53-79.	1.4	127
60	Insights into non-Fickian solute transport in carbonates. <i>Water Resources Research</i> , 2013, 49, 2714-2728.	1.7	126
61	Imaging of oil layers, curvature and contact angle in a mixed-wet and a water-wet carbonate rock. <i>Water Resources Research</i> , 2016, 52, 1716-1728.	1.7	124
62	Macroscopic parameters from simulations of pore scale flow. <i>Physical Review A</i> , 1990, 42, 4780-4787.	1.0	123
63	Automatic method for estimation of in situ effective contact angle from X-ray micro tomography images of two-phase flow in porous media. <i>Journal of Colloid and Interface Science</i> , 2017, 496, 51-59.	5.0	123
64	Microstructural imaging and characterization of oil shale before and after pyrolysis. <i>Fuel</i> , 2017, 197, 562-574.	3.4	123
65	Three-phase flow and gravity drainage in porous media. <i>Transport in Porous Media</i> , 1995, 20, 77-103.	1.2	122
66	CO2 injection impairment due to halite precipitation. <i>Energy Procedia</i> , 2009, 1, 3507-3514.	1.8	122
67	Simultaneous oil recovery and residual gas storage: A pore-level analysis using in situ X-ray micro-tomography. <i>Fuel</i> , 2013, 103, 905-914.	3.4	122
68	Dynamic fluid connectivity during steady-state multiphase flow in a sandstone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 8187-8192.	3.3	121
69	X-ray tomography measurements of power-law cluster size distributions for the nonwetting phase in sandstones. <i>Physical Review E</i> , 2010, 82, 056315.	0.8	119
70	Pore-by-pore capillary pressure measurements using X-ray microtomography at reservoir conditions: Curvature, snap-off, and remobilization of residual CO <sub>2</sub> . <i>Water Resources Research</i> , 2014, 50, 8760-8774.	1.7	119
71	Effects of Heterogeneity and Wetting on Relative Permeability Using Pore Level Modeling. <i>SPE Journal</i> , 1997, 2, 70-87.	1.7	115
72	Hydrocarbon Drainage along Corners of Noncircular Capillaries. <i>Journal of Colloid and Interface Science</i> , 1997, 187, 11-21.	5.0	114

#	ARTICLE	IF	CITATIONS
73	Reservoir condition imaging of reactive transport in heterogeneous carbonates using fast synchrotron tomography – Effect of initial pore structure and flow conditions. <i>Chemical Geology</i> , 2016, 428, 15-26.	1.4	114
74	Stochastic Reconstruction of an Oolitic Limestone by Generative Adversarial Networks. <i>Transport in Porous Media</i> , 2018, 125, 81-103.	1.2	112
75	Pore-scale modeling of transverse dispersion in porous media. <i>Water Resources Research</i> , 2007, 43, .	1.7	111
76	Development of a pore network simulation model to study nonaqueous phase liquid dissolution. <i>Water Resources Research</i> , 2000, 36, 439-454.	1.7	110
77	Capillary-Dominated Fluid Displacement in Porous Media. <i>Annual Review of Fluid Mechanics</i> , 2019, 51, 429-449.	10.8	109
78	Pore Level Modeling of the Effects of Wettability. <i>SPE Journal</i> , 1997, 2, 494-510.	1.7	104
79	Simulating Flow in Heterogeneous Systems Using Streamtubes and Streamlines. <i>SPE Reservoir Engineering</i> , 1996, 11, 5-12.	0.5	103
80	Numerical study of the effects of particle shape and polydispersity on permeability. <i>Physical Review E</i> , 2009, 80, 021304.	0.8	103
81	Pore-scale modelling and sensitivity analyses of hydrogen-brine multiphase flow in geological porous media. <i>Scientific Reports</i> , 2021, 11, 8348.	1.6	103
82	Effect of fracture aperture variations on the dispersion of contaminants. <i>Water Resources Research</i> , 1999, 35, 55-63.	1.7	99
83	Simulation of counter-current imbibition in water-wet fractured reservoirs. <i>Journal of Petroleum Science and Engineering</i> , 2006, 50, 21-39.	2.1	99
84	Minimal surfaces in porous media: Pore-scale imaging of multiphase flow in an altered-wettability Bentheimer sandstone. <i>Physical Review E</i> , 2019, 99, 063105.	0.8	98
85	Three-Phase Relative Permeability of Water-Wet, Oil-Wet, and Mixed-Wet Sandpacks. <i>SPE Journal</i> , 2000, 5, 82-91.	1.7	97
86	Modelling capillary trapping using finite-volume simulation of two-phase flow directly on micro-CT images. <i>Advances in Water Resources</i> , 2015, 83, 102-110.	1.7	97
87	Effect of spreading coefficient on the distribution of light non-aqueous phase liquid in the subsurface. <i>Journal of Contaminant Hydrology</i> , 1997, 25, 1-19.	1.6	96
88	Dynamic network modeling of two-phase drainage in porous media. <i>Physical Review E</i> , 2005, 71, 016308.	0.8	96
89	Simulation of Flow and Dispersion on Pore-Space Images. <i>SPE Journal</i> , 2012, 17, 1131-1141.	1.7	96
90	Multiscale Description of Shale Pore Systems by Scanning SAXS and WAXS Microscopy. <i>Energy &amp; Fuels</i> , 2016, 30, 10282-10297.	2.5	92

#	ARTICLE	IF	CITATIONS
91	Quantification of sub-resolution porosity in carbonate rocks by applying high-salinity contrast brine using X-ray microtomography differential imaging. <i>Advances in Water Resources</i> , 2016, 96, 306-322.	1.7	92
92	Streamline-based simulation of solute transport. <i>Water Resources Research</i> , 1999, 35, 3061-3078.	1.7	91
93	Thermally Induced Wettability Alteration To Improve Oil Recovery in Fractured Reservoirs. <i>SPE Reservoir Evaluation and Engineering</i> , 2001, 4, 179-186.	1.1	90
94	Streamline-based simulation of carbon dioxide storage in a North Sea aquifer. <i>Water Resources Research</i> , 2006, 42, .	1.7	90
95	Capillary-Trapping Capacity of Sandstones and Sandpacks. <i>SPE Journal</i> , 2011, 16, 778-783.	1.7	90
96	Deep learning in pore scale imaging and modeling. <i>Earth-Science Reviews</i> , 2021, 215, 103555.	4.0	90
97	Network modeling of multiphase flow in fractures. <i>Advances in Water Resources</i> , 2001, 24, 409-421.	1.7	89
98	Three-dimensional mixed-wet random pore-scale network modeling of two- and three-phase flow in porous media. II. Results. <i>Physical Review E</i> , 2005, 71, 026302.	0.8	89
99	Experimental measurement of air-water interfacial area during gravity drainage and secondary imbibition in porous media. <i>Water Resources Research</i> , 2000, 36, 885-890.	1.7	87
100	Numerical Modelling of Sub-pore Scale Events in Two-Phase Flow Through Porous Media. <i>Transport in Porous Media</i> , 2014, 101, 191-213.	1.2	87
101	Imaging and Measurement of Pore-scale Interfacial Curvature to Determine Capillary Pressure Simultaneously With Relative Permeability. <i>Water Resources Research</i> , 2018, 54, 7046-7060.	1.7	87
102	A Streamline-Based 3D Field-Scale Compositional Reservoir Simulator. , 1997, , .		86
103	Measurement of Nonwetting-Phase Trapping in Sandpacks. <i>SPE Journal</i> , 2010, 15, 274-281.	1.7	86
104	Wetting boundary condition for the color-gradient lattice Boltzmann method: Validation with analytical and experimental data. <i>Advances in Water Resources</i> , 2018, 116, 56-66.	1.7	84
105	X-ray Microtomography of Intermittency in Multiphase Flow at Steady State Using a Differential Imaging Method. <i>Water Resources Research</i> , 2017, 53, 10274-10292.	1.7	83
106	Analytic Analysis for Oil Recovery During Counter-Current Imbibition in Strongly Water-Wet Systems. <i>Transport in Porous Media</i> , 2005, 58, 173-189.	1.2	82
107	Pore-scale simulation of carbonate dissolution in micro-CT images. <i>Journal of Geophysical Research: Solid Earth</i> , 2016, 121, 558-576.	1.4	81
108	Pore-scale simulation of NMR response. <i>Journal of Petroleum Science and Engineering</i> , 2009, 67, 168-178.	2.1	80

#	ARTICLE	IF	CITATIONS
109	Pore-scale network modeling of Ellis and Herschel-Bulkley fluids. Journal of Petroleum Science and Engineering, 2008, 60, 105-124.	2.1	77
110	A numerical model of two-phase flow at the micro-scale using the volume-of-fluid method. Journal of Computational Physics, 2018, 357, 159-182.	1.9	77
111	The Effect of Wettability on Three-Phase Relative Permeability. Transport in Porous Media, 2000, 39, 347-366.	1.2	76
112	Prediction of wettability variation and its impact on flow using pore- to reservoir-scale simulations. Journal of Petroleum Science and Engineering, 2003, 39, 231-246.	2.1	76
113	Streamline-based dual-porosity simulation of reactive transport and flow in fractured reservoirs. Water Resources Research, 2004, 40, .	1.7	76
114	Predictive Pore-Scale Modeling of Single and Multiphase Flow. Transport in Porous Media, 2005, 58, 23-41.	1.2	76
115	The Effect of Mixed Wettability on Pore-Scale Flow Regimes Based on a Flooding Experiment in Ketton Limestone. Geophysical Research Letters, 2019, 46, 3225-3234.	1.5	76
116	Network Modeling of Three-Phase Flow in Porous Media. SPE Journal, 1998, 3, 86-97.	1.7	75
117	Implicit flux limiting schemes for petroleum reservoir simulation. Journal of Computational Physics, 1992, 102, 194-210.	1.9	74
118	A fast method to equilibrate carbon dioxide with brine at high pressure and elevated temperature including solubility measurements. Journal of Supercritical Fluids, 2012, 62, 55-59.	1.6	73
119	Pore-Scale Modelling of Rate Effects in Waterflooding. Transport in Porous Media, 2010, 83, 151-169.	1.2	72
120	In situ characterization of immiscible three-phase flow at the pore scale for a water-wet carbonate rock. Advances in Water Resources, 2018, 121, 446-455.	1.7	72
121	Validation of model predictions of pore-scale fluid distributions during two-phase flow. Physical Review E, 2018, 97, 053104.	0.8	72
122	The impact of wettability and connectivity on relative permeability in carbonates: A pore network modeling analysis. Water Resources Research, 2012, 48, .	1.7	71
123	Residual CO <sub>2</sub> Trapping in Indiana Limestone. Environmental Science & Technology, 2013, 47, 227-233.	4.6	71
124	A thermodynamically consistent characterization of wettability in porous media using high-resolution imaging. Journal of Colloid and Interface Science, 2019, 552, 59-65.	5.0	69
125	Development of artificial neural network models for predicting water saturation and fluid distribution. Journal of Petroleum Science and Engineering, 2009, 68, 197-208.	2.1	68
126	A review of the phenomenon of counter-current spontaneous imbibition: Analysis and data interpretation. Journal of Petroleum Science and Engineering, 2019, 180, 456-470.	2.1	68



#	ARTICLE	IF	CITATIONS
127	Immiscible Displacements and Capillary Trapping in CO2 Storage. Energy Procedia, 2011, 4, 4969-4976.	1.8	67
128	Streamline Tracing on Curvilinear Structured and Unstructured Grids. SPE Journal, 2002, 7, 139-148.	1.7	66
129	Dynamic reservoir-condition microtomography of reactive transport in complex carbonates: Effect of initial pore structure and initial brine pH. Geochimica Et Cosmochimica Acta, 2017, 204, 267-285.	1.6	66
130	4D in situ synchrotron X-ray tomographic microscopy and laser-based heating study of oil shale pyrolysis. Applied Energy, 2019, 235, 1468-1475.	5.1	66
131	Artificial neural networks workflow and its application in the petroleum industry. Neural Computing and Applications, 2012, 21, 409-421.	3.2	65
132	The Role of Local Instabilities in Fluid Invasion into Permeable Media. Scientific Reports, 2017, 7, 444.	1.6	65
133	Reservoir Modeling for Flow Simulation by Use of Surfaces, Adaptive Unstructured Meshes, and an Overlapping-Control-Volume Finite-Element Method. SPE Reservoir Evaluation and Engineering, 2015, 18, 115-132.	1.1	64
134	Modeling Oil Recovery in Mixed-Wet Rocks: Pore-Scale Comparison Between Experiment and Simulation. Transport in Porous Media, 2019, 127, 393-414.	1.2	64
135	Pore-scale X-ray imaging with measurement of relative permeability, capillary pressure and oil recovery in a mixed-wet micro-porous carbonate reservoir rock. Fuel, 2020, 268, 117018.	3.4	64
136	Predictions of dynamic changes in reaction rates as a consequence of incomplete mixing using pore scale reactive transport modeling on images of porous media. Journal of Contaminant Hydrology, 2015, 179, 171-181.	1.6	63
137	Dynamic imaging of oil shale pyrolysis using synchrotron X-ray microtomography. Geophysical Research Letters, 2016, 43, 6799-6807.	1.5	63
138	Analysis of counter-current imbibition with gravity in weakly water-wet systems. Journal of Petroleum Science and Engineering, 2005, 48, 94-104.	2.1	62
139	Multirate-Transfer Dual-Porosity Modeling of Gravity Drainage and Imbibition. SPE Journal, 2007, 12, 77-88.	1.7	62
140	Coupled generative adversarial and auto-encoder neural networks to reconstruct three-dimensional multi-scale porous media. Journal of Petroleum Science and Engineering, 2020, 186, 106794.	2.1	61
141	4D multi-scale imaging of reactive flow in carbonates: Assessing the impact of heterogeneity on dissolution regimes using streamlines at multiple length scales. Chemical Geology, 2018, 481, 27-37.	1.4	60
142	Analytical Solutions for Spontaneous Imbibition: Fractional-Flow Theory and Experimental Analysis. SPE Journal, 2016, 21, 2308-2316.	1.7	59
143	A generalized streamline method to predict reservoir flow. Petroleum Geoscience, 1996, 2, 259-269.	0.9	58
144	Changes in Pore Structure and Connectivity Induced by CO2 Injection in Carbonates: A Combined Pore-Scale Approach. Energy Procedia, 2013, 37, 5367-5378.	1.8	58

#	ARTICLE	IF	CITATIONS
145	Pore occupancy, relative permeability and flow intermittency measurements using X-ray micro-tomography in a complex carbonate. <i>Advances in Water Resources</i> , 2019, 129, 56-69.	1.7	58
146	Pore Scale Observations of Trapped CO <sub>2</sub> in Mixed-Wet Carbonate Rock: Applications to Storage in Oil Fields. <i>Environmental Science &amp; Technology</i> , 2016, 50, 10282-10290.	4.6	57
147	Generalized network modeling of capillary-dominated two-phase flow. <i>Physical Review E</i> , 2018, 97, 023308.	0.8	57
148	The effect of wettability on capillary trapping in carbonates. <i>Advances in Water Resources</i> , 2016, 90, 36-50.	1.7	56
149	Nested gridding and streamline-based simulation for fast reservoir performance prediction. <i>Annals of Software Engineering</i> , 1999, 3, 295-320.	0.5	55
150	General Transfer Functions for Multiphase Flow in Fractured Reservoirs. <i>SPE Journal</i> , 2008, 13, 289-297.	1.7	55
151	Reaction Rates in Chemically Heterogeneous Rock: Coupled Impact of Structure and Flow Properties Studied by X-ray Microtomography. <i>Environmental Science &amp; Technology</i> , 2017, 51, 4108-4116.	4.6	55
152	A Physically Based Model of Dissolution of Nonaqueous Phase Liquids in the Saturated Zone. <i>Transport in Porous Media</i> , 2000, 39, 227-255.	1.2	54
153	Role of geomechanically grown fractures on dispersive transport in heterogeneous geological formations. <i>Physical Review E</i> , 2011, 84, 056301.	0.8	53
154	An improved pore-network model including viscous coupling effects using direct simulation by the lattice Boltzmann method. <i>Advances in Water Resources</i> , 2017, 100, 26-34.	1.7	53
155	Measurements of non-wetting phase trapping applied to carbon dioxide storage. <i>International Journal of Greenhouse Gas Control</i> , 2010, 4, 283-288.	2.3	52
156	Reservoir-condition pore-scale imaging of dolomite reaction with supercritical CO <sub>2</sub> acidified brine: Effect of pore-structure on reaction rate using velocity distribution analysis. <i>International Journal of Greenhouse Gas Control</i> , 2018, 68, 99-111.	2.3	52
157	Efficient chemical equilibrium calculations for geochemical speciation and reactive transport modelling. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 131, 301-322.	1.6	51
158	Pore-scale numerical simulation of low salinity water flooding using the lattice Boltzmann method. <i>Journal of Colloid and Interface Science</i> , 2020, 566, 444-453.	5.0	51
159	Effects of wettability and pore-level displacement on hydrocarbon trapping. <i>Advances in Water Resources</i> , 2008, 31, 503-512.	1.7	50
160	Pore-to-field simulation of single-phase transport using continuous time random walks. <i>Advances in Water Resources</i> , 2008, 31, 1527-1539.	1.7	50
161	Three-phase threshold capillary pressures in noncircular capillary tubes with different wettabilities including contact angle hysteresis. <i>Physical Review E</i> , 2004, 70, 061603.	0.8	49
162	Pore-Scale Dissolution by CO <sub>2</sub> Saturated Brine in a Multimineral Carbonate at Reservoir Conditions: Impact of Physical and Chemical Heterogeneity. <i>Water Resources Research</i> , 2019, 55, 3171-3193.	1.7	49

#	ARTICLE	IF	CITATIONS
163	Streamline-Based Dual Porosity Simulation of Fractured Reservoirs. , 2003, , .		48
164	Multiphase Flow Characteristics of Heterogeneous Rocks From $\text{CO}_2$ Storage Reservoirs in the United Kingdom. Water Resources Research, 2018, 54, 729-745.	1.7	48
165	Predictive Theory for Viscous Fingering in Compositional Displacement. SPE Reservoir Engineering, 1994, 9, 73-80.	0.5	47
166	Determination of Water-Oil Interfacial Area during 3-Phase Gravity Drainage in Porous Media. Journal of Colloid and Interface Science, 2000, 221, 308-312.	5.0	47
167	Anomalous transport in heterogeneous media demonstrated by streamline-based simulation. Geophysical Research Letters, 2003, 30, .	1.5	47
168	Comparison of deterministic with stochastic fracture models in water-flooding numerical simulations. AAPG Bulletin, 2009, 93, 1633-1648.	0.7	47
169	Analysis of Imbibition in Mixed-Wet Rocks Using Pore-Scale Modeling. SPE Journal, 2005, 10, 466-474.	1.7	46
170	Multiphase flow predictions from carbonate pore space images using extracted network models. Water Resources Research, 2008, 44, .	1.7	46
171	Simulation of multiphase flow in fractured reservoirs using a fracture-only model with transfer functions. Computational Geosciences, 2010, 14, 527-538.	1.2	46
172	Dynamics of enhanced gas trapping applied to $\text{CO}_2$ storage in the presence of oil using synchrotron X-ray micro tomography. Applied Energy, 2020, 259, 114136.	5.1	46
173	Pore-scale dynamics and the multiphase Darcy law. Physical Review Fluids, 2020, 5, .	1.0	46
174	Field observations of a capillary fringe before and after a rainy season. Journal of Contaminant Hydrology, 2000, 44, 103-118.	1.6	44
175	Reactive transport modelling of geologic $\text{CO}_2$ sequestration in saline aquifers: The influence of pure $\text{CO}_2$ and of mixtures of $\text{CO}_2$ with $\text{CH}_4$ on the sealing capacity of cap rock at $37^\circ\text{C}$ and 100bar. Chemical Geology, 2014, 367, 39-50.	1.4	43
176	On the Structure and Flow Processes in the Capillary Fringe of Phreatic Aquifers. Transport in Porous Media, 1997, 28, 159-180.	1.2	42
177	Predictive Pore-Scale Network Modeling. , 2003, , .		42
178	Streamline-Based Simulation of Non-Newtonian Polymer Flooding. SPE Journal, 2010, 15, 895-905.	1.7	42
179	Three-dimensional streamline-based simulation of non-isothermal two-phase flow in heterogeneous porous media. Computers and Fluids, 2014, 103, 116-131.	1.3	42
180	Interface control volume finite element method for modelling multi-phase fluid flow in highly heterogeneous and fractured reservoirs. Journal of Computational Physics, 2015, 298, 41-61.	1.9	42

#	ARTICLE	IF	CITATIONS
181	A Sensitivity Study of the Effect of Image Resolution on Predicted Petrophysical Properties. <i>Transport in Porous Media</i> , 2015, 110, 157-169.	1.2	40
182	How to predict viscous fingering in three component flow. <i>Transport in Porous Media</i> , 1993, 12, 207-236.	1.2	39
183	Comparison of streamline-based and grid-based dual porosity simulation. <i>Journal of Petroleum Science and Engineering</i> , 2004, 43, 129-137.	2.1	39
184	Numerical Simulation of Oil Recovery After Cross-Linked Polymer Flooding. <i>Journal of Canadian Petroleum Technology</i> , 2009, 48, 37-41.	2.3	39
185	Pore-scale network simulation of NMR response in two-phase flow. <i>Journal of Petroleum Science and Engineering</i> , 2010, 72, 1-9.	2.1	39
186	Microscale solute transport and precipitation in complex rock during drying. <i>Geophysical Research Letters</i> , 2014, 41, 8369-8376.	1.5	39
187	Measurement of Three Phase Relative Permeability during Gravity Drainage using CT. , 1998, , .		38
188	Pore-scale Simulation of Water Alternate Gas Injection. <i>Transport in Porous Media</i> , 2007, 66, 259-286.	1.2	38
189	Pore-Scale Modeling of Three-Phase Flow in Mixed-Wet Systems. , 2002, , .		37
190	Dipping open aquifersâ€™The effect of top-surface topography and heterogeneity on CO2 storage efficiency. <i>International Journal of Greenhouse Gas Control</i> , 2013, 17, 318-331.	2.3	37
191	Laboratory investigation of capillary trapping under mixedâ€™wet conditions. <i>Water Resources Research</i> , 2013, 49, 4311-4319.	1.7	37
192	Estimation of relative permeability and capillary pressure from mass imbibition experiments. <i>Advances in Water Resources</i> , 2018, 115, 88-94.	1.7	37
193	Pore-scale imaging with measurement of relative permeability and capillary pressure on the same reservoir sandstone sample under water-wet and mixed-wet conditions. <i>Advances in Water Resources</i> , 2020, 146, 103786.	1.7	37
194	Multicomponent mass transfer across water films during hydrocarbon gas injection. <i>Chemical Engineering Science</i> , 2003, 58, 2377-2388.	1.9	36
195	Prediction of Wettability Variation Within an Oil/Water Transition Zone and Its Impact on Production. <i>SPE Journal</i> , 2005, 10, 185-195.	1.7	36
196	Polymer flooding design and optimization under economic uncertainty. <i>Journal of Petroleum Science and Engineering</i> , 2014, 124, 46-59.	2.1	36
197	Experimental and Analytical Investigation of Spontaneous Imbibition in Water-Wet Carbonates. <i>Transport in Porous Media</i> , 2016, 115, 189-207.	1.2	36
198	Spatial Correlation of Contact Angle and Curvature in Poreâ€™Space Images. <i>Water Resources Research</i> , 2018, 54, 6133-6152.	1.7	36

#	ARTICLE	IF	CITATIONS
199	Validating the Generalized Pore Network Model Using Micro-CT Images of Two-Phase Flow. <i>Transport in Porous Media</i> , 2019, 130, 405-424.	1.2	36
200	Three-phase flow and wettability effects in triangular capillaries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 155, 259-276.	2.3	35
201	The architectural design of smart ventilation and drainage systems in termite nests. <i>Science Advances</i> , 2019, 5, eaat8520.	4.7	35
202	Wettability effects in three-phase gravity drainage. <i>Journal of Petroleum Science and Engineering</i> , 1998, 20, 203-211.	2.1	34
203	Dual Mesh Method for Upscaling in Waterflood Simulation. <i>Transport in Porous Media</i> , 2004, 55, 71-89.	1.2	34
204	Partial dissolution of carbonate rock grains during reactive CO <sub>2</sub> -saturated brine injection under reservoir conditions. <i>Advances in Water Resources</i> , 2018, 122, 27-36.	1.7	34
205	A Rigorous Pore-to-Field-Scale Simulation Method for Single-Phase Flow Based on Continuous-Time Random Walks. <i>SPE Journal</i> , 2009, 14, 88-94.	1.7	33
206	Remobilization of Residual Non-Aqueous Phase Liquid in Porous Media by Freeze~Thaw Cycles. <i>Environmental Science &amp; Technology</i> , 2011, 45, 3473-3478.	4.6	33
207	Continuum~scale characterization of solute transport based on pore~scale velocity distributions. <i>Geophysical Research Letters</i> , 2015, 42, 7537-7545.	1.5	33
208	Analytical and numerical investigations of spontaneous imbibition in porous media. <i>Water Resources Research</i> , 2016, 52, 7284-7310.	1.7	33
209	The Impact of Pore Structure Heterogeneity, Transport, and Reaction Conditions on Fluid~Fluid Reaction Rate Studied on Images of Pore Space. <i>Transport in Porous Media</i> , 2016, 115, 215-237.	1.2	33
210	Intermittent fluid connectivity during two-phase flow in a heterogeneous carbonate rock. <i>Physical Review E</i> , 2019, 100, 043103.	0.8	33
211	Quantification of Nonlinear Multiphase Flow in Porous Media. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL090477.	1.5	33
212	A functional relation for field-scale nonaqueous phase liquid dissolution developed using a pore network model. <i>Journal of Contaminant Hydrology</i> , 2001, 48, 89-119.	1.6	32
213	Streamline-based simulation of advective~dispersive solute transport. <i>Advances in Water Resources</i> , 2004, 27, 913-924.	1.7	32
214	Analytical and numerical analysis of oil recovery by gravity drainage. <i>Journal of Petroleum Science and Engineering</i> , 2006, 54, 55-69.	2.1	32
215	A robust and efficient numerical method for multiphase equilibrium calculations: Application to CO <sub>2</sub> ~brine~rock systems at high temperatures, pressures and salinities. <i>Advances in Water Resources</i> , 2013, 62, 409-430.	1.7	32
216	In situ pore-scale analysis of oil recovery during three-phase near-miscible CO <sub>2</sub> injection in a water-wet carbonate rock. <i>Advances in Water Resources</i> , 2019, 134, 103432.	1.7	32

#	ARTICLE	IF	CITATIONS
217	Pore-Scale Imaging and Analysis of Wettability Order, Trapping and Displacement in Three-Phase Flow in Porous Media with Various Wettabilities. <i>Transport in Porous Media</i> , 2021, 140, 59-84.	1.2	32
218	Time-of-Flight Distributions and Breakthrough Curves in Heterogeneous Porous Media Using a Pore-Scale Streamline Tracing Algorithm. <i>Transport in Porous Media</i> , 2015, 109, 317-336.	1.2	31
219	Pore-scale mechanisms of CO <sub>2</sub> storage in oilfields. <i>Scientific Reports</i> , 2020, 10, 8534.	1.6	31
220	Elliptic Regions and Stable Solutions for Three-Phase flow in Porous Media. <i>Transport in Porous Media</i> , 2002, 48, 249-269.	1.2	30
221	Behavior of Nonaqueous Phase Liquids in Fractured Porous Media under Two-Phase Flow Conditions. <i>Transport in Porous Media</i> , 2000, 38, 189-203.	1.2	29
222	Criteria for three-fluid configurations including layers in a pore with nonuniform wettability. <i>Water Resources Research</i> , 2007, 43, .	1.7	29
223	Visualization and quantification of capillary drainage in the pore space of laminated sandstone by a porous plate method using differential imaging X-ray microtomography. <i>Water Resources Research</i> , 2017, 53, 7457-7468.	1.7	29
224	Design of foam-assisted carbon dioxide storage in a North Sea aquifer using streamline-based simulation. <i>International Journal of Greenhouse Gas Control</i> , 2015, 33, 113-121.	2.3	28
225	Pore-space structure and average dissolution rates: A simulation study. <i>Water Resources Research</i> , 2016, 52, 7198-7212.	1.7	28
226	Direct Numerical Simulation of Pore-Scale Trapping Events During Capillary-Dominated Two-Phase Flow in Porous Media. <i>Transport in Porous Media</i> , 2021, 138, 443-458.	1.2	28
227	Scaling structure of viscous fingering. <i>Physical Review A</i> , 1988, 37, 3935-3941.	1.0	27
228	Comparisons of Empirical Viscous-Fingering Models and Their Calibration for Heterogeneous Problems. <i>SPE Reservoir Engineering</i> , 1992, 7, 195-203.	0.5	27
229	Measurements of Non-Wetting Phase Trapping Applied to Carbon Dioxide Storage. <i>Energy Procedia</i> , 2009, 1, 3173-3180.	1.8	27
230	Robust optimisation of CO <sub>2</sub> sequestration strategies under geological uncertainty using adaptive sparse grid surrogates. <i>Computational Geosciences</i> , 2014, 18, 763-778.	1.2	27
231	Pore-by-pore modeling, analysis, and prediction of two-phase flow in mixed-wet rocks. <i>Physical Review E</i> , 2020, 102, 023302.	0.8	27
232	Verifying Pore Network Models of Imbibition in Rocks Using Time-Resolved Synchrotron Imaging. <i>Water Resources Research</i> , 2020, 56, e2019WR026587.	1.7	27
233	Analytical Solutions to Multiphase First-Contact Miscible Models with Viscous Fingering. <i>Transport in Porous Media</i> , 2006, 64, 339-373.	1.2	26
234	A chemical kinetics algorithm for geochemical modelling. <i>Applied Geochemistry</i> , 2015, 55, 46-61.	1.4	26

#	ARTICLE	IF	CITATIONS
235	Pore-scale imaging of displacement patterns in an altered-wettability carbonate. Chemical Engineering Science, 2021, 235, 116464.	1.9	26
236	Theoretical Analysis of Three Phase Flow Experiments in Porous Media. , 1996, , .		25
237	Open or closed? A discussion of the mistaken assumptions in the Economides pressure analysis of carbon sequestration. Journal of Petroleum Science and Engineering, 2010, 74, 107-110.	2.1	25
238	Dynamics of fluid displacement in mixed-wet porous media. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2020, 476, 20200040.	1.0	25
239	Pore-scale characterization of carbon dioxide storage at immiscible and near-miscible conditions in altered-wettability reservoir rocks. International Journal of Greenhouse Gas Control, 2021, 105, 103232.	2.3	25
240	Pore-scale imaging and analysis of low salinity waterflooding in a heterogeneous carbonate rock at reservoir conditions. Scientific Reports, 2021, 11, 15063.	1.6	25
241	Polymer adsorption and electron binding on rough and fractal surfaces. Macromolecules, 1989, 22, 1458-1466.	2.2	24
242	Determination of finger shape using the dynamic capillary pressure. Water Resources Research, 2000, 36, 2781-2785.	1.7	24
243	Quantification of Uncertainty and Best Practice in Computing Interfacial Curvature from Complex Pore Space Images. Materials, 2019, 12, 2138.	1.3	24
244	Droplet and Percolation Network Interactions in a Fuel Cell Gas Diffusion Layer. Journal of the Electrochemical Society, 2020, 167, 084506.	1.3	24
245	Advances in multiscale numerical and experimental approaches for multiphysics problems in porous media. Advances in Geo-Energy Research, 2021, 5, 233-238.	3.1	24
246	The human exposome and health in the Anthropocene. International Journal of Epidemiology, 2021, 50, 378-389.	0.9	24
247	Theory of Viscous Fingering in Two Phase, Three Component Flow. SPE Advanced Technology Series, 1994, 2, 52-60.	0.2	23
248	Dynamics of water injection in an oil-wet reservoir rock at subsurface conditions: Invasion patterns and pore-filling events. Physical Review E, 2020, 102, 023110.	0.8	23
249	Time-resolved synchrotron X-ray micro-tomography datasets of drainage and imbibition in carbonate rocks. Scientific Data, 2018, 5, 180265.	2.4	23
250	Pore-Scale Modeling of Three-Phase Flow and the Effects of Wettability. , 2000, , .		22
251	Constraints on Contact Angles for Multiple Phases in Thermodynamic Equilibrium. Journal of Colloid and Interface Science, 2001, 239, 281-282.	5.0	22
252	Streamline-Based Method With Full-Physics Forward Simulation for History-Matching Performance Data of a North Sea Field. SPE Journal, 2003, 8, 171-180.	1.7	22

#	ARTICLE	IF	CITATIONS
253	A three-phase four-component streamline-based simulator to study carbon dioxide storage. Computational Geosciences, 2009, 13, 493-509.	1.2	22
254	A study to investigate viscous coupling effects on the hydraulic conductance of fluid layers in two-phase flow at the pore level. Journal of Colloid and Interface Science, 2018, 522, 299-310.	5.0	22
255	Real-Time Imaging Reveals Distinct Pore-Scale Dynamics During Transient and Equilibrium Subsurface Multiphase Flow. Water Resources Research, 2020, 56, e2020WR028287.	1.7	22
256	Pore-scale imaging of asphaltene-induced pore clogging in carbonate rocks. Fuel, 2021, 283, 118871.	3.4	22
257	NONWETTING PHASE RESIDUAL SATURATION IN SAND PACKS. Journal of Porous Media, 2010, 13, 591-599.	1.0	22
258	Pore-Scale Modeling of Multiphase Flow in Fractures and Matrix/Fracture Transfer. SPE Journal, 2001, 6, 126-136.	1.7	20
259	Compressible Streamline-Based Simulation With Changes in Oil Composition. SPE Reservoir Evaluation and Engineering, 2009, 12, 963-973.	1.1	20
260	Capillary Trapping in Water-Wet Sandstones: Coreflooding Experiments and Pore-Network Modeling. , 2010, , .		20
261	Reservoir Modeling for Flow Simulation Using Surfaces, Adaptive Unstructured Meshes and Control-Volume-Finite-Element Methods. , 2013, , .		19
262	The impact of capillary backpressure on spontaneous counter-current imbibition in porous media. Advances in Water Resources, 2017, 107, 405-420.	1.7	19
263	Mechanisms controlling fluid breakup and reconnection during two-phase flow in porous media. Physical Review E, 2019, 100, 043115.	0.8	19
264	Using energy balance to determine pore-scale wettability. Journal of Colloid and Interface Science, 2020, 576, 486-495.	5.0	19
265	Impact of Reservoir Conditions on CO <sub>2</sub> -brine Relative Permeability in Sandstones. Energy Procedia, 2014, 63, 5577-5585.	1.8	18
266	Prediction of three-phase oil relative permeability through a sigmoid-based model. Journal of Petroleum Science and Engineering, 2015, 126, 190-200.	2.1	18
267	New type of pore-snap-off and displacement correlations in imbibition. Journal of Colloid and Interface Science, 2022, 609, 384-392.	5.0	18
268	Screening in multifractal growth. Physical Review A, 1989, 39, 3591-3596.	1.0	17
269	Quantifying uncertainty in reservoir performance using streamtubes. Mathematical Geosciences, 1996, 28, 843-856.	0.9	17
270	Prediction of wettability variation and its impact on waterflooding using pore-to reservoir-scale simulation. , 2002, , .		17



#	ARTICLE	IF	CITATIONS
271	An exact particle tracking algorithm for advective-dispersive transport in networks with complete mixing at nodes. <i>Water Resources Research</i> , 2006, 42, .	1.7	17
272	Polymer Flooding Design and Optimization Under Uncertainty. , 2011, , .		17
273	In Situ Characterization of Three-Phase Flow in Mixed-Wet Porous Media Using Synchrotron Imaging. <i>Water Resources Research</i> , 2020, 56, e2020WR027873.	1.7	17
274	Evaluation of methods using topology and integral geometry to assess wettability. <i>Journal of Colloid and Interface Science</i> , 2020, 576, 99-108.	5.0	17
275	An Empirical Model for Three-Phase Relative Permeability. , 1999, , .		16
276	Topological Analysis of Foams and Tetrahedral Structures. <i>Advanced Engineering Materials</i> , 2009, 11, 169-176.	1.6	16
277	Three-phase measurements of oil and gas trapping in sand packs. <i>Advances in Water Resources</i> , 2009, 32, 1535-1542.	1.7	16
278	Statistical scaling of pore-scale Lagrangian velocities in natural porous media. <i>Physical Review E</i> , 2014, 90, 023013.	0.8	16
279	Determination of contact angles for three-phase flow in porous media using an energy balance. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 283-290.	5.0	16
280	The development of intermittent multiphase fluid flow pathways through a porous rock. <i>Advances in Water Resources</i> , 2021, 150, 103868.	1.7	16
281	A hybrid of statistical and conditional generative adversarial neural network approaches for reconstruction of 3D porous media (ST-CGAN). <i>Advances in Water Resources</i> , 2021, 158, 104064.	1.7	16
282	Design of Simultaneous Enhanced Oil Recovery and Carbon Dioxide Storage With Potential Application to Offshore Trinidad. <i>SPE Journal</i> , 2013, 18, 345-354.	1.7	15
283	Modelling of multispecies reactive transport on pore-space images. <i>Advances in Water Resources</i> , 2019, 127, 192-208.	1.7	15
284	Pore-scale analysis of formation damage; A review of existing digital and analytical approaches. <i>Advances in Colloid and Interface Science</i> , 2021, 288, 102345.	7.0	15
285	<i>Operando</i> Liquid Pressure Determination in Polymer Electrolyte Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34003-34011.	4.0	15
286	Predictive Pore-Scale Modeling of Single and Multiphase Flow. , 2005, , 23-41.		14
287	Enhanced solubility trapping of CO <sub>2</sub> in fractured reservoirs. <i>Energy Procedia</i> , 2011, 4, 4961-4968.	1.8	14
288	An Experimental Study of Three-Phase Trapping in Sand Packs. <i>Transport in Porous Media</i> , 2014, 103, 421-436.	1.2	14

#	ARTICLE	IF	CITATIONS
289	Pore-by-Pore Modelling, Validation and Prediction of Waterflooding in Oil-Wet Rocks Using Dynamic Synchrotron Data. <i>Transport in Porous Media</i> , 2021, 138, 285-308.	1.2	14
290	Accurate Calibration of Empirical Viscous Fingering Models. <i>Oil &amp; Gas Science &amp; Technology</i> , 1991, 46, 311-324.	0.2	14
291	Experimental study of electrical heating to enhance oil production from oil-wet carbonate reservoirs. <i>Fuel</i> , 2022, 324, 124559.	3.4	14
292	Control of Numerical Dispersion in Streamline-Based Simulations of Augmented Waterflooding. <i>SPE Journal</i> , 2013, 18, 1102-1111.	1.7	13
293	Dynamic fluid configurations in steady-state two-phase flow in Bentheimer sandstone. <i>Physical Review E</i> , 2021, 103, 013110.	0.8	13
294	Minimal Surfaces in Porous Materials: X-Ray Image-Based Measurement of the Contact Angle and Curvature in Gas Diffusion Layers to Design Optimal Performance of Fuel Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 4613-4621.	2.5	13
295	Predicting the Impact of Non-Newtonian Rheology on Relative Permeability Using Pore-Scale Modeling. , 2004, , .		12
296	Dynamic Pore-scale Imaging of Reactive Transport in Heterogeneous Carbonates at Reservoir Conditions. <i>Energy Procedia</i> , 2014, 63, 5503-5511.	1.8	12
297	Statistical Scaling of Geometric Characteristics in Millimeter Scale Natural Porous Media. <i>Transport in Porous Media</i> , 2014, 101, 465-475.	1.2	12
298	Low-Salinity Waterflood Simulation: Mechanistic and Phenomenological Models. , 2015, , .		12
299	Reservoir Condition Pore-scale Imaging of Multiple Fluid Phases Using X-ray Microtomography. <i>Journal of Visualized Experiments</i> , 2015, , .	0.2	12
300	Optimization of image quality and acquisition time for lab-based X-ray microtomography using an iterative reconstruction algorithm. <i>Advances in Water Resources</i> , 2018, 115, 112-124.	1.7	12
301	Mechanisms of Microscopic Displacement During Enhanced Oil Recovery in Mixed-Wet Rocks Revealed Using Direct Numerical Simulation. <i>Transport in Porous Media</i> , 2019, 130, 731-749.	1.2	12
302	Calibration of astigmatic particle tracking velocimetry based on generalized Gaussian feature extraction. <i>Advances in Water Resources</i> , 2019, 124, 1-8.	1.7	12
303	Predictive Modeling of Relative Permeability Using a Generalized Equation of State. <i>SPE Journal</i> , 2021, 26, 191-205.	1.7	12
304	Assessment of CO <sub>2</sub> geological storage capacity of saline aquifers under the North Sea. <i>International Journal of Greenhouse Gas Control</i> , 2021, 111, 103463.	2.3	12
305	Analysis of Injectivity Decline in Some Offshore Water Injectors. , 2014, , .		11
306	Towards Predicting Multi-Phase Flow in Porous Media Using Digital Rock Physics: Workflow to Test the Predictive Capability of Pore-Scale Modeling. , 2015, , .		11

#	ARTICLE	IF	CITATIONS
307	Deformation bands and their impact on fluid flow: Insights from geometrical modelling and multi-scale flow simulations in sandstones. <i>Journal of Structural Geology</i> , 2020, 141, 104215.	1.0	11
308	Model-free classification of X-ray scattering signals applied to image segmentation. <i>Journal of Applied Crystallography</i> , 2018, 51, 1378-1386.	1.9	11
309	Disconnected Gas Transport in Steady-State Three-Phase Flow. <i>Water Resources Research</i> , 2021, 57, e2021WR031147.	1.7	11
310	Effect of Composition on Waterblocking for Multicomponent Gasfloods. , 2002, , .		10
311	Three-phase flow displacement dynamics and Haines jumps in a hydrophobic porous medium. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2020, 476, 20200671.	1.0	10
312	A Streamline-Based Method for Assisted History Matching Applied to. <i>SPE Journal</i> , 2004, 9, 437-449.	1.7	9
313	Modelling and upscaling of transport in carbonates during dissolution: Validation and calibration with NMR experiments. <i>Journal of Contaminant Hydrology</i> , 2018, 212, 85-95.	1.6	9
314	Poromechanical controls on spontaneous imbibition in earth materials. <i>Scientific Reports</i> , 2021, 11, 3328.	1.6	9
315	A New Waterflood Initialization Protocol With Wettability Alteration for Pore-Scale Multiphase Flow Experiments. <i>Petrophysics</i> , 2019, 60, 264-272.	0.2	9
316	Nonlinear multiphase flow in hydrophobic porous media. <i>Journal of Fluid Mechanics</i> , 2022, 934, .	1.4	9
317	Pore-scale imaging of asphaltene deposition with permeability reduction and wettability alteration. <i>Fuel</i> , 2022, 316, 123202.	3.4	9
318	Pore Level Modelling of Three Phase Flow in Porous Media. , 1995, , cp-107-00023.		8
319	Simulation of Flow and Dispersion on Pore-Space Images. , 2010, , .		8
320	A segregated flow scheme to control numerical dispersion for multi-component flow simulations. <i>Computational Geosciences</i> , 2012, 16, 335-350.	1.2	8
321	Large-scale Invasion Percolation with Trapping for Upscaling Capillary-Controlled Darcy-scale Flow. <i>Transport in Porous Media</i> , 2018, 121, 479-506.	1.2	8
322	Pore-scale Imaging and Characterization of Hydrocarbon Reservoir Rock Wettability at Subsurface Conditions Using X-ray Microtomography. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	8
323	Geometry of multifractal systems. <i>Physical Review A</i> , 1989, 39, 2780-2782.	1.0	7
324	Drainage Capillary Pressure Distribution and Fluid Displacement in a Heterogeneous Laminated Sandstone. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093604.	1.5	7

#	ARTICLE	IF	CITATIONS
325	An Introduction to Subsurface CO2 Storage. RSC Energy and Environment Series, 2019, , 238-295.	0.2	7
326	Quantitative determination of the threshold pressure for a discontinuous phase to pass through a constriction using microscale simulation. International Journal of Multiphase Flow, 2022, 153, 104107.	1.6	7
327	Red Noise in Steady-State Multiphase Flow in Porous Media. Water Resources Research, 2022, 58, .	1.7	7
328	Dynamics of screening in multifractal growth. Physical Review A, 1990, 41, 582-589.	1.0	6
329	Pore-Scale Modeling of Multiphase Flow in Fractures and Matrix/Fracture Transfer. , 1999, , .		6
330	Control of Numerical Dispersion in Simulations of Augmented Waterflooding. , 2010, , .		6
331	Capillary Trapping in Carbonate Rocks. , 2010, , .		6
332	Wastewater filtration and re-use: An alternative water source for London. Science of the Total Environment, 2012, 437, 173-184.	3.9	6
333	Calculating Three-Phase Relative Permeabilities Using Network Modeling. , 1996, , .		6
334	Generalized network modelling of two-phase flow in a water-wet and mixed-wet reservoir sandstone: Uncertainty and validation with experimental data. Advances in Water Resources, 2022, 164, 104194.	1.7	6
335	Pore-scale processes in tertiary low salinity waterflooding in a carbonate rock: Micro-dispersions, water film growth, and wettability change. Journal of Colloid and Interface Science, 2022, 628, 486-498.	5.0	6
336	Measurement and Prediction of Effective Diffusivities through Spreading and Nonspreading Oils in Unsaturated Porous Media. Environmental Science & Technology, 1999, 33, 2879-2884.	4.6	5
337	A Streamline-Based Method for Assisted History Matching Applied to an Arabian Gulf Field. , 2003, , .		5
338	Optimizing Oil Recovery and Carbon Dioxide Storage in Heavy Oil Reservoirs. , 2010, , .		5
339	Design of Simultaneous Enhanced Oil Recovery and Carbon Dioxide Storage Applied to a Heavy Oil Field Offshore Trinidad. , 2011, , .		5
340	Early-Time 1D Analysis of Shale-Oil and -Gas Flow. SPE Journal, 2016, 21, 1254-1262.	1.7	5
341	Multispecies Reactive Transport in a Microporous Rock: Impact of Flow Heterogeneity and Reversibility of Reaction. Water Resources Research, 2020, 56, e2020WR027317.	1.7	5
342	A continuous time random walk method to predict dissolution in porous media based on validation of experimental NMR data. Advances in Water Resources, 2021, 149, 103847.	1.7	5

#	ARTICLE	IF	CITATIONS
343	Hydrodynamic force distribution on a fractal cluster. <i>Physical Review A</i> , 1989, 39, 5801-5806.	1.0	4
344	Advective transport in percolation clusters. <i>Physical Review E</i> , 2007, 75, 011124.	0.8	4
345	Coreflood Measurements of CO <sub>2</sub> Trapping. , 2011, , .		4
346	An Efficient Optimisation Technique Using Adaptive Spectral High-Dimensional Model Representation: Application to CO <sub>2</sub> Sequestration Strategies. , 2015, , .		4
347	Three-Phase Flow Visualization and Characterization for a Mixed-Wet Carbonate Rock. , 2018, , .		4
348	Analytic Analysis for Oil Recovery During Counter-Current Imbibition in Strongly Water-Wet Systems. , 2005, , 173-189.		4
349	Characterization of Water Transport in Porous Building Materials Based on an Analytical Spontaneous Imbibition Model. <i>Transport in Porous Media</i> , 2022, 143, 417-432.	1.2	4
350	A family of exponents from a fractal model of viscous fingering and DLA. <i>Journal of Physics A</i> , 1987, 20, 5961-5969.	1.6	3
351	2D dynamic pore-scale network model of imbibition. <i>Developments in Water Science</i> , 2004, 55, 71-82.	0.1	3
352	Analysis of Imbibition in Mixed-Wet Rocks Using Pore-Scale Modeling. , 2004, , .		3
353	Reservoir-Condition Pore-Scale Imaging Of Supercritical Carbon Dioxide. , 2013, , .		3
354	Reservoir Condition Pore Scale Imaging of the Capillary Trapping of CO <sub>2</sub> . <i>Energy Procedia</i> , 2014, 63, 5427-5434.	1.8	3
355	Solutions to Equations for Multiphase Flow. , 2016, , 402-436.		3
356	Dynamic Pore-scale Reservoir-condition Imaging of Reaction in Carbonates Using Synchrotron Fast Tomography. <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	3
357	In situ Wettability Measurement in a Carbonate Reservoir Rock at High Temperature and Pressure. , 2017, , .		3
358	A salinity cut-off method to control numerical dispersion in low-salinity waterflooding simulation. <i>Journal of Petroleum Science and Engineering</i> , 2020, 184, 106586.	2.1	3
359	Residual CO <sub>2</sub> Saturation Distributions in Rock Samples Measured by X-Ray CT. , 0, , 381-388.		3
360	Influence of Micro-Computed Tomography Image Resolution on Petrophysical Properties. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
361	Rapid evaluation of the impact of heterogeneity on miscible gas injection. Geological Society Special Publication, 1995, 84, 133-142.	0.8	2
362	A New Streamline Method for Evaluating Uncertainty in Small-Scale, Two-Phase Flow Properties. SPE Journal, 2003, 8, 32-40.	1.7	2
363	Generating a capillary saturation-height function to predict hydrocarbon saturation using artificial neural networks. Petroleum Geoscience, 2010, 16, 77-85.	0.9	2
364	Imbibition and Trapping. , 2016, , 115-187.		2
365	iSCAL for Complete Rock Characterization: Using Pore-Scale Imaging to Determine Relative Permeability and Capillary Pressure. , 2019, , .		2
366	Wettability Characterization from Pore-Scale Images Using Topology and Energy Balance with Implications for Recovery and Storage. , 2021, , .		2
367	Flow in Porous Media in the Energy Transition. Engineering, 2022, 14, 10-14.	3.2	2
368	Fluid " Fluid Interfacial Area and Its Impact on Relative Permeability - A Pore Network Modeling Study. , 2022, , .		2
369	Effects of CO2 Storage in Saline Aquifers on Groundwater Supplies. , 2010, , .		1
370	Low Salinity Waterflooding: From Single Well Chemical Tracer Test Interpretation to Sector Model Forecast Scenarios. , 2016, , .		1
371	Interfacial Curvature and Contact Angle. , 0, , 1-16.		1
372	Predictive Modeling of Relative Permeability using a Generalized Equation-of-State. , 2020, , .		1
373	Local Capillary Pressure Estimation Based on Curvature of the Fluid Interface " Validation with Two-Phase Direct Numerical Simulations. E3S Web of Conferences, 2020, 146, 04003.	0.2	1
374	Pore-Scale Imaging of Tertiary Low Salinity Waterflooding in a Heterogeneous Carbonate Rock at Reservoir Conditions. , 2021, , .		1
375	Crossflow effects on low salinity displacement in stratified heterogeneity. Journal of Petroleum Science and Engineering, 2022, 208, 109565.	2.1	1
376	A Framework for History Matching Using Local Optimization in Streamline Defined Regions. , 2004, , .		1
377	A Multiscale Methodology for Simulating Miscible Gas Injection Projects Applied to a North African Oil Field. , 2004, , .		0
378	Editorial for the January 2012 Issue of Transport in Porous Media. Transport in Porous Media, 2012, 91, 3-3.	1.2	0

#	ARTICLE	IF	CITATIONS
379	Preface: Special Issue in Honor of Harvey Scherâ€™s 80th Birthday. Transport in Porous Media, 2016, 115, 209-214.	1.2	0
380	Porous Media and Fluid Displacement. , 0, , 17-72.		0
381	Primary Drainage. , 0, , 73-114.		0
382	Wettability and Displacement Paths. , 0, , 188-218.		0
383	Navier-Stokes Equations, Darcy's Law and Multiphase Flow. , 0, , 219-314.		0
384	Relative Permeability. , 0, , 315-353.		0
385	Three-Phase Flow. , 0, , 354-401.		0
386	The Decomposition of Volumetric Sweep Efficiency and Its Utility. , 2019, , .		0
387	Acknowledgement of Reviewers for 2020. Transport in Porous Media, 2021, 137, 283-286.	1.2	0
388	Determination of Air-Water Interfacial Area for Drainage and Imbibition in Unsaturated Porous Media. , 1999, , .		0
389	A Hubbert Analysis on Natural Gas Production of the Top Producers. How the Carbon Budget Is Affected Under Unconstrained Extraction. , 0, , .		0