

# Marijke Hopman-Rock

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/657134/publications.pdf>

Version: 2024-02-01

42  
papers

2,334  
citations

279798

23  
h-index

302126

39  
g-index

43  
all docs

43  
docs citations

43  
times ranked

3844  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance-based physical function in older community-dwelling persons: a systematic review of instruments. <i>Age and Ageing</i> , 2012, 41, 712-721.	1.6	272
2	Prevention of onset and progression of basic ADL disability by physical activity in community dwelling older adults: A meta-analysis. <i>Ageing Research Reviews</i> , 2013, 12, 329-338.	10.9	266
3	Determinants of physical activity and exercise in healthy older adults: A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 142.	4.6	241
4	The Effects of Exercise on Cognition in Older Adults With and Without Cognitive Decline: A Systematic Review. <i>Clinical Journal of Sport Medicine</i> , 2008, 18, 486-500.	1.8	233
5	Clinimetric review of motion sensors in children and adolescents. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 670-680.	5.0	203
6	Older persons afraid of falling reduce physical activity to prevent outdoor falls. <i>Preventive Medicine</i> , 2007, 44, 260-264.	3.4	112
7	The effects of an exercise program for older adults with osteoarthritis of the hip. <i>Journal of Rheumatology</i> , 2005, 32, 1106-13.	2.0	100
8	Activities of daily living in older community-dwelling persons: a systematic review of psychometric properties of instruments. <i>Ageing Clinical and Experimental Research</i> , 2019, 31, 917-925.	2.9	73
9	Predicting older adults' maintenance in exercise participation using an integrated social psychological model. <i>Health Education Research</i> , 2006, 21, 1-14.	1.9	72
10	The Effects of Physical Therapists'™ Guidance on Improvement in a Strength-Training Program for the Frail Elderly. <i>Journal of Aging and Physical Activity</i> , 2005, 13, 5-22.	1.0	61
11	Adherence to Exercise Programs and Determinants of Maintenance in Older Adults With Mild Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 32-46.	1.0	56
12	The effect of walking and vitamin B supplementation on quality of life in community-dwelling adults with mild cognitive impairment: a randomized, controlled trial. <i>Quality of Life Research</i> , 2007, 16, 1137-1146.	3.1	51
13	The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. , 1999, 14, 633-642.		47
14	Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. <i>Journal of Rheumatology</i> , 2005, 32, 543-9.	2.0	42
15	Development and validation of the Observation List for early signs of Dementia (OLD). <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 406-414.	2.7	37
16	Accelerometer-measured sedentary behaviour and physical activity of inpatients with severe mental illness. <i>Psychiatry Research</i> , 2017, 254, 67-74.	3.3	37
17	Population physical activity behaviour change: A review for the European College of Sport Science. <i>European Journal of Sport Science</i> , 2012, 12, 367-383.	2.7	36
18	Feasibility and Effectiveness of a Walking Program for Community-Dwelling Older Adults with Mild Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 398-415.	1.0	35

#	ARTICLE	IF	CITATIONS
19	The FARE: A new way to express Falls Risk among older persons including physical activity as a measure of Exposure. <i>Preventive Medicine</i> , 2010, 50, 143-147.	3.4	32
20	Falls incidence underestimates the risk of fall-related injuries in older age groups: a comparison with the FARE (Falls risk by Exposure). <i>Age and Ageing</i> , 2012, 41, 190-195.	1.6	31
21	Development and Evaluation of "Aging Well and Healthily" A Health-Education and Exercise Program for Community-Living Older Adults. <i>Journal of Aging and Physical Activity</i> , 2002, 10, 364-381.	1.0	29
22	The Theory of Planned Behavior and Physical Activity Change: Outcomes of the Aging Well and Healthily Intervention Program for Older Adults. <i>Journal of Aging and Physical Activity</i> , 2017, 25, 438-445.	1.0	28
23	Fragility, fear of falling, physical activity and falls among older persons: Some theoretical considerations to interpret mediation. <i>Preventive Medicine</i> , 2008, 46, 612-614.	3.4	25
24	Effect of running therapy on depression (EFFORT-D). Design of a randomised controlled trial in adult patients [ISRCTN 1894]. <i>BMC Public Health</i> , 2012, 12, 50.	2.9	25
25	Dropout from Exercise Programs for Seniors: A Prospective Cohort Study. <i>Journal of Aging and Physical Activity</i> , 2005, 13, 409-421.	1.0	24
26	Subgrouping and Targeted Exercise Programmes for knee and hip Osteoarthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2017, 7, e018971.	1.9	19
27	Entry Correlates and Motivations of Older Adults Participating in Organized Exercise Programs. <i>Journal of Aging and Physical Activity</i> , 2008, 16, 342-354.	1.0	18
28	EFFORT-D: results of a randomised controlled trial testing the Effect of running therapy on depression. <i>BMC Psychiatry</i> , 2019, 19, 170.	2.6	16
29	The 24-h distribution of falls and person's hours of physical activity in the home are strongly associated among community-dwelling older persons. <i>Preventive Medicine</i> , 2008, 46, 605-608.	3.4	15
30	Dissemination and Implementation of "Aging Well and Healthily" A Health-Education and Exercise Program for Older Adults. <i>Journal of Aging and Physical Activity</i> , 2002, 10, 382-395.	1.0	14
31	Determinants of participation in a health education and exercise program on television. <i>Preventive Medicine</i> , 2005, 41, 232-239.	3.4	14
32	Physical Activity, Physical Disability, and Osteoarthritic Pain in Older Adults. <i>Journal of Aging and Physical Activity</i> , 1996, 4, 324-337.	1.0	13
33	A novel method to promote physical activity among older adults in residential care: an exploratory field study on implicit social norms. <i>BMC Geriatrics</i> , 2017, 17, 8.	2.7	13
34	Personality traits as predictors of exercise treatment adherence in major depressive disorder: lessons from a randomised clinical trial. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 380-386.	2.4	10
35	Assessment of readiness to change in patients with osteoarthritis. Development and application of a new questionnaire. <i>Clinical Rehabilitation</i> , 2005, 19, 290-299.	2.2	8
36	Response Conversion for Improving Comparability of International Physical Activity Data. <i>Journal of Physical Activity and Health</i> , 2012, 9, 29-38.	2.0	7

#	ARTICLE	IF	CITATIONS
37	Changes in disability in older adults with generalized radiographic osteoarthritis: A complex relationship with physical activity. <i>Musculoskeletal Care</i> , 2017, 15, 364-372.	1.4	7
38	Development and preliminary validation of an Observation List for detecting mental disorders and social Problems in the elderly in primary and home care (OLP). <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 755-764.	2.7	6
39	EFFORT-D study process evaluation: challenges in conducting a trial into the effects of running therapy in patients with major depressive disorder. <i>Annals of General Psychiatry</i> , 2018, 17, .	2.7	5
40	The impact on health services utilization in a replication study of two self-management programmes for osteoarthritis of the knee and hip. <i>Primary Health Care Research and Development</i> , 2008, 9, .	1.2	1
41	Neighbourhood Characteristics Predict Walking Among Dutch Elderly. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S198.	0.4	0
42	What Are the Predictors of Self-Reported Change in Physical Activity in Older Adults with Knee or Hip Osteoarthritis?. <i>International Journal of Behavioral Medicine</i> , 2022, , 1.	1.7	0