
## Marijke Hopman-Rock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/657134/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	What Are the Predictors of Self-Reported Change in Physical Activity in Older Adults with Knee or Hip Osteoarthritis?. International Journal of Behavioral Medicine, 2022, , 1.	1.7	0
2	Personality traits as predictors of exercise treatment adherence in major depressive disorder: lessons from a randomised clinical trial. International Journal of Psychiatry in Clinical Practice, 2020, 24, 380-386.	2.4	10
3	EFFORT-D: results of a randomised controlled trial testing the EFFect of running therapy on depression. BMC Psychiatry, 2019, 19, 170.	2.6	16
4	Activities of daily living in older community-dwelling persons: a systematic review of psychometric properties of instruments. Aging Clinical and Experimental Research, 2019, 31, 917-925.	2.9	73
5	EFFORT-D study process evaluation: challenges in conducting a trial into the effects of running therapy in patients with major depressive disorder. Annals of General Psychiatry, 2018, 17, .	2.7	5
6	A novel method to promote physical activity among older adults in residential care: an exploratory field study on implicit social norms. BMC Geriatrics, 2017, 17, 8.	2.7	13
7	Changes in disability in older adults with generalized radiographic osteoarthritis: A complex relationship with physical activity. Musculoskeletal Care, 2017, 15, 364-372.	1.4	7
8	Accelerometer-measured sedentary behaviour and physical activity of inpatients with severe mental illness. Psychiatry Research, 2017, 254, 67-74.	3.3	37
9	The Theory of Planned Behavior and Physical Activity Change: Outcomes of the Aging Well and Healthily Intervention Program for Older Adults. Journal of Aging and Physical Activity, 2017, 25, 438-445.	1.0	28
10	Subgrouping and TargetEd Exercise pRogrammes for knee and hip OsteoArthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. BMJ Open, 2017, 7, e018971.	1.9	19
11	Development and preliminary validation of an Observation List for detecting mental disorders and social Problems in the elderly in primary and home care (OLP). International Journal of Geriatric Psychiatry, 2016, 31, 755-764.	2.7	6
12	Prevention of onset and progression of basic ADL disability by physical activity in community dwelling older adults: A meta-analysis. Ageing Research Reviews, 2013, 12, 329-338.	10.9	266
13	Performance-based physical function in older community-dwelling persons: a systematic review of instruments. Age and Ageing, 2012, 41, 712-721.	1.6	272
14	Population physical activity behaviour change: A review for the European College of Sport Science. European Journal of Sport Science, 2012, 12, 367-383.	2.7	36
15	Adherence to Exercise Programs and Determinants of Maintenance in Older Adults With Mild Cognitive Impairment. Journal of Aging and Physical Activity, 2012, 20, 32-46.	1.0	56
16	Response Conversion for Improving Comparability of International Physical Activity Data. Journal of Physical Activity and Health, 2012, 9, 29-38.	2.0	7
17	Falls incidence underestimates the risk of fall-related injuries in older age groups: a comparison with the FARE (Falls risk by Exposure). Age and Ageing, 2012, 41, 190-195.	1.6	31
18	Effect of running therapy on depression (EFFORT-D). Design of a randomised controlled trial in adult patients [ISRCTN 1894]. BMC Public Health, 2012, 12, 50.	2.9	25

#	Article	IF	CITATIONS
19	Determinants of physical activity and exercise in healthy older adults: A systematic review. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 142.	4.6	241
20	The FARE: A new way to express FAlls Risk among older persons including physical activity as a measure of Exposure. Preventive Medicine, 2010, 50, 143-147.	3.4	32
21	Feasibility and Effectiveness of a Walking Program for Community-Dwelling Older Adults with Mild Cognitive Impairment. Journal of Aging and Physical Activity, 2009, 17, 398-415.	1.0	35
22	Fragility, fear of falling, physical activity and falls among older persons: Some theoretical considerations to interpret mediation. Preventive Medicine, 2008, 46, 612-614.	3.4	25
23	The 24-h distribution of falls and person–hours of physical activity in the home are strongly associated among community-dwelling older persons. Preventive Medicine, 2008, 46, 605-608.	3.4	15
24	The impact on health services utilization in a replication study of two self-management programmes for osteoarthritis of the knee and hip. Primary Health Care Research and Development, 2008, 9, .	1.2	1
25	Entry Correlates and Motivations of Older Adults Participating in Organized Exercise Programs. Journal of Aging and Physical Activity, 2008, 16, 342-354.	1.0	18
26	The Effects of Exercise on Cognition in Older Adults With and Without Cognitive Decline: A Systematic Review. Clinical Journal of Sport Medicine, 2008, 18, 486-500.	1.8	233
27	Older persons afraid of falling reduce physical activity to prevent outdoor falls. Preventive Medicine, 2007, 44, 260-264.	3.4	112
28	The effect of walking and vitamin B supplementation on quality of life in community-dwelling adults with mild cognitive impairment: a randomized, controlled trial. Quality of Life Research, 2007, 16, 1137-1146.	3.1	51
29	Clinimetric review of motion sensors in children and adolescents. Journal of Clinical Epidemiology, 2006, 59, 670-680.	5.0	203
30	Predicting older adults' maintenance in exercise participation using an integrated social psychological model. Health Education Research, 2006, 21, 1-14.	1.9	72
31	The Effects of Physical Therapists' Guidance on Improvement in a Strength-Training Program for the Frail Elderly. Journal of Aging and Physical Activity, 2005, 13, 5-22.	1.0	61
32	Dropout from Exercise Programs for Seniors: A Prospective Cohort Study. Journal of Aging and Physical Activity, 2005, 13, 409-421.	1.0	24
33	Assessment of readiness to change in patients with osteoarthritis. Development and application of a new questionnaire. Clinical Rehabilitation, 2005, 19, 290-299.	2.2	8
34	Determinants of participation in a health education and exercise program on television. Preventive Medicine, 2005, 41, 232-239.	3.4	14
35	Neighbourhood Characteristics Predict Walking Among Dutch Elderly. Medicine and Science in Sports and Exercise, 2005, 37, S198.	0.4	0
36	Self-management in osteoarthritis of hip or knee: a randomized clinical trial in a primary healthcare setting. Journal of Rheumatology, 2005, 32, 543-9.	2.0	42

#	Article	IF	CITATIONS
37	The effects of an exercise program for older adults with osteoarthritis of the hip. Journal of Rheumatology, 2005, 32, 1106-13.	2.0	100
38	Dissemination and Implementation of "Aging Well and Healthilyâ€ı A Health-Education and Exercise Program for Older Adults. Journal of Aging and Physical Activity, 2002, 10, 382-395.	1.0	14
39	Development and Evaluation of "Aging Well and Healthily― A Health-Education and Exercise Program for Community-Living Older Adults. Journal of Aging and Physical Activity, 2002, 10, 364-381.	1.0	29
40	Development and validation of the Observation List for early signs of Dementia (OLD). International Journal of Geriatric Psychiatry, 2001, 16, 406-414.	2.7	37
41	The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. , 1999, 14, 633-642.		47
42	Physical Activity, Physical Disability, and Osteoarthritic Pain in Older Adults. Journal of Aging and Physical Activity, 1996, 4, 324-337.	1.0	13