

# Jonathan W Godt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6576472/publications.pdf>

Version: 2024-02-01

65  
papers

7,643  
citations

101543

36  
h-index

128289

60  
g-index

90  
all docs

90  
docs citations

90  
times ranked

5312  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | When hazard avoidance is not an option: lessons learned from monitoring the postdisaster Oso landslide, USA. <i>Landslides</i> , 2021, 18, 2993-3009.   | 5.4 | 3         |
| 2  | Evaluation of techniques for mitigating snowmelt infiltration-induced landsliding in a highway embankment. <i>Engineering Geology</i> , 2021, 291, 106240.  | 6.3 | 6         |
| 3  | Progress and Lessons Learned from Responses to Landslide Disasters. <i>ICL Contribution To Landslide Disaster Risk Reduction</i> , 2021, , 85-111.  | 0.3 | 2         |
| 4  | Principles for collaborative risk communication: Reducing landslide losses in Puerto Rico. <i>Journal of Emergency Management</i> , 2021, 19, 41-61.  | 0.3 | 7         |
| 5  | Landslides across the USA: occurrence, susceptibility, and data limitations. <i>Landslides</i> , 2020, 17, 2271-2285.   | 5.4 | 55        |
| 6  | Hydrological Behavior of an Infiltration-Induced Landslide in Colorado, USA. <i>Geofluids</i> , 2019, 2019, 1-14.   | 0.7 | 9         |
| 7  | Bayesian analysis of the impact of rainfall data product on simulated slope failure for North Carolina locations. <i>Computational Geosciences</i> , 2019, 23, 495-522.                               | 2.4 | 12        |
| 8  | Variability in soil-water retention properties and implications for physics-based simulation of landslide early warning criteria. <i>Landslides</i> , 2018, 15, 1265-1277.                            | 5.4 | 23        |
| 9  | Strong variation in weathering of layered rock maintains hillslope-scale strength under high precipitation. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 1183-1194.                       | 2.5 | 13        |
| 10 | The size, distribution, and mobility of landslides caused by the 2015 Mw7.8 Gorkha earthquake, Nepal. <i>Geomorphology</i> , 2018, 301, 121-138.  | 2.6 | 294       |
| 11 | Field and Laboratory Hydraulic Characterization of Landslide-Prone Soils in the Oregon Coast Range and Implications for Hydrologic Simulation. <i>Vadose Zone Journal</i> , 2018, 17, 1-15.           | 2.2 | 11        |
| 12 | Improving Near-Real-Time Coseismic Landslide Models: Lessons Learned from the 2016 Kaikōura, New Zealand, Earthquake. <i>Bulletin of the Seismological Society of America</i> , 2018, 108, 1649-1664. | 2.3 | 48        |
| 13 | Landslides Triggered by the 14 November 2016 Mw7.8 Kaikōura Earthquake, New Zealand. <i>Bulletin of the Seismological Society of America</i> , 2018, 108, 1630-1648.                                  | 2.3 | 149       |
| 14 | Tropical Storm-Induced Landslide Potential Using Combined Field Monitoring and Numerical Modeling. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2018, 144, .              | 3.0 | 15        |
| 15 | Effect of Hydraulic Hysteresis on Stability of Infinite Slopes under Steady Infiltration. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2017, 143, .                       | 3.0 | 40        |
| 16 | Presentation and Analysis of a Worldwide Database of Earthquake-Induced Landslide Inventories. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1991-2015.                        | 2.8 | 170       |
| 17 | Evolution of Strain Localization in Variable-Width Three-Dimensional Unsaturated Laboratory-Scale Cut Slopes. <i>Journal of Engineering Mechanics - ASCE</i> , 2017, 143, .                           | 2.9 | 2         |
| 18 | Application and evaluation of a rapid response earthquake-triggered landslide model to the 25 April 2015 Mw 7.8 Gorkha earthquake, Nepal. <i>Tectonophysics</i> , 2017, 714-715, 173-187.             | 2.2 | 53        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Landslides caused by the Mw7.8 Kaikōura earthquake and the immediate response. Bulletin of the New Zealand Society for Earthquake Engineering, 2017, 50, 106-116.  | 0.5  | 38        |
| 20 | VARIABILITY IN SOIL-WATER RETENTION PROPERTIES AND IMPLICATIONS FOR PHYSICS-BASED SIMULATION OF LANDSLIDE EARLY WARNING CRITERIA. , 2017, , .  |      | 0         |
| 21 | Geomorphological control on variably saturated hillslope hydrology and slope instability. Water Resources Research, 2016, 52, 4590-4607.   | 4.2  | 18        |
| 22 | Elucidating the role of vegetation in the initiation of rainfall-induced shallow landslides: Insights from an extreme rainfall event in the Colorado Front Range. Geophysical Research Letters, 2016, 43, 9084-9092. | 4.0  | 62        |
| 23 | The influence of vegetation on debris-flow initiation during extreme rainfall in the northern Colorado Front Range. Geology, 2016, 44, 823-826.  | 4.4  | 41        |
| 24 | Application of a process-based shallow landslide hazard model over a broad area in Central Italy. Landslides, 2016, 13, 1197-1214.   | 5.4  | 21        |
| 25 | APPLICATION AND TESTING OF A COUPLED HYDROMECHANICAL MODEL OF HILLSLOPE HYDROLOGIC RESPONSE AND SLOPE STABILITY, MUKILTEO, WA. , 2016, , .   |      | 0         |
| 26 | Controls on the breach geometry and flood hydrograph during overtopping of noncohesive earthen dams. Water Resources Research, 2015, 51, 6701-6724.  | 4.2  | 50        |
| 27 | Landslide mobility and hazards: implications of the 2014 Oso disaster. Earth and Planetary Science Letters, 2015, 412, 197-208.  | 4.4  | 302       |
| 28 | High-rate injection is associated with the increase in U.S. mid-continent seismicity. Science, 2015, 348, 1336-1340.   | 12.6 | 460       |
| 29 | Coseismic landslides reveal near-surface rock strength in a high-relief, tectonically active setting. Geology, 2015, 43, 11-14.  | 4.4  | 81        |
| 30 | Improving predictive power of physically based rainfall-induced shallow landslide models: a probabilistic approach. Geoscientific Model Development, 2014, 7, 495-514.   | 3.6  | 127       |
| 31 | Hysteresis and Uncertainty in Soil Water-Retention Curve Parameters. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2014, 140, .   | 3.0  | 129       |
| 32 | Interrelations among the Soil-Water Retention, Hydraulic Conductivity, and Suction-Stress Characteristic Curves. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2014, 140, .                       | 3.0  | 31        |
| 33 | Evaluating a Slope-Stability Model for Shallow Rain-Induced Landslides Using Gage and Satellite Data. , 2014, , 431-436.   |      | 1         |
| 34 | Experimental Test of Theory for the Stability of Partially Saturated Vertical Cut Slopes. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2014, 140, .  | 3.0  | 14        |
| 35 | Plenary: Progress in Regional Landslide Hazard Assessment—Examples from the USA. , 2014, , 21-36.  |      | 1         |
| 36 | New insights into debris-flow hazards from an extraordinary event in the Colorado Front Range. GSA Today, 2014, 24, 4-10.  | 2.0  | 260       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Hysteresis of Unsaturated Hydromechanical Properties of a Silty Soil. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2013, 139, 507-510.  | 3.0  | 54        |
| 38 | Stability of infinite slopes under transient partially saturated seepage conditions. Water Resources Research, 2012, 48, .  | 4.2  | 64        |
| 39 | Analysis of rainfallâ€­induced slope instability using a field of local factor of safety. Water Resources Research, 2012, 48, .   | 4.2  | 83        |
| 40 | Comparison of Soil Thickness in a Zero-Order Basin in the Oregon Coast Range Using a Soil Probe and Electrical Resistivity Tomography. Journal of Geotechnical and Geoenvironmental Engineering - ASCE, 2012, 138, 1470-1482. | 3.0  | 10        |
| 41 | Direction of unsaturated flow in a homogeneous and isotropic hillslope. Water Resources Research, 2011, 47, .   | 4.2  | 26        |
| 42 | Positive feedback and momentum growth during debris-flow entrainment of wet bed sediment. Nature Geoscience, 2011, 4, 116-121.  | 12.9 | 432       |
| 43 | Early warning of rainfall-induced shallow landslides and debris flows in the USA. Landslides, 2010, 7, 259-272.   | 5.4  | 427       |
| 44 | Estimating the timing and location of shallow rainfallâ€­induced landslides using a model for transient, unsaturated infiltration. Journal of Geophysical Research, 2010, 115, .  | 3.3  | 268       |
| 45 | A closedâ€­form equation for effective stress in unsaturated soil. Water Resources Research, 2010, 46, .  | 4.2  | 559       |
| 46 | Modified Direct Shear Apparatus for Unsaturated Sands at Low Suction and Stress. Geotechnical Testing Journal, 2010, 33, 286-298.   | 1.0  | 18        |
| 47 | Basalâ€­topographic control of stationary ponds on a continuously moving landslide. Earth Surface Processes and Landforms, 2009, 34, 264-279.   | 2.5  | 46        |
| 48 | Did the Zipingpu Reservoir trigger the 2008 Wenchuan earthquake?. Geophysical Research Letters, 2009, 36, .   | 4.0  | 99        |
| 49 | Landsliding in partially saturated materials. Geophysical Research Letters, 2009, 36, .   | 4.0  | 175       |
| 50 | Ferguson rock slide buries California State Highway near Yosemite National Park. Landslides, 2008, 5, 331-337.  | 5.4  | 14        |
| 51 | Modeling the spatial distribution of landslideâ€­prone colluvium and shallow groundwater on hillslopes of Seattle, WA. Earth Surface Processes and Landforms, 2008, 33, 123-141.  | 2.5  | 22        |
| 52 | Modeling landslide recurrence in Seattle, Washington, USA. Engineering Geology, 2008, 102, 227-237.   | 6.3  | 87        |
| 53 | Transient deterministic shallow landslide modeling: Requirements for susceptibility and hazard assessments in a GIS framework. Engineering Geology, 2008, 102, 214-226.   | 6.3  | 256       |
| 54 | Initiation conditions for debris flows generated by runoff at Chalk Cliffs, central Colorado. Geomorphology, 2008, 96, 270-297.   | 2.6  | 231       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Infinite slope stability under steady unsaturated seepage conditions. <i>Water Resources Research</i> , 2008, 44, .  | 4.2 | 318       |
| 56 | A prototype system for forecasting landslides in the Seattle, Washington, area. , 2008, , .  |     | 23        |
| 57 | Modeling rainfall Conditions for Shallow landsliding in Seattle, Washington. , 2008, , .   |     | 23        |
| 58 | Numerical modeling of rainfall thresholds for shallow landsliding in the Seattle, Washington, area. , 2008, , .  |     | 15        |
| 59 | Investigation and hazard assessment of the 2003 and 2007 Staircase Falls rock falls, Yosemite National Park, California, USA. <i>Natural Hazards and Earth System Sciences</i> , 2008, 8, 421-432.                                     | 3.6 | 39        |
| 60 | Alpine debris flows triggered by a 28 July 1999 thunderstorm in the central Front Range, Colorado. <i>Geomorphology</i> , 2007, 84, 80-97.   | 2.6 | 140       |
| 61 | Drainage effects on the transient, near-surface hydrologic response of a steep hillslope to rainfall: implications for slope stability, Edmonds, Washington, USA. <i>Natural Hazards and Earth System Sciences</i> , 2006, 6, 343-355. | 3.6 | 7         |
| 62 | Modeling regional initiation of rainfall-induced shallow landslides in the eastern Umbria Region of central Italy. <i>Landslides</i> , 2006, 3, 181-194.   | 5.4 | 208       |
| 63 | Rainfall characteristics for shallow landsliding in Seattle, Washington, USA. <i>Earth Surface Processes and Landforms</i> , 2006, 31, 97-110.   | 2.5 | 218       |
| 64 | Regional landslide-hazard assessment for Seattle, Washington, USA. <i>Landslides</i> , 2005, 2, 266-279.   | 5.4 | 106       |
| 65 | Seasonal movement of the Slumgullion landslide determined from Global Positioning System surveys and field instrumentation, July 1998â€“March 2002. <i>Engineering Geology</i> , 2003, 68, 67-101.                                     | 6.3 | 203       |