

Andrew Rhodes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6576626/publications.pdf>

Version: 2024-02-01

237
papers

62,285
citations

4955

84
h-index

1345

223
g-index

251
all docs

251
docs citations

251
times ranked

50241
citing authors

#	ARTICLE	IF	CITATIONS
1	Short-term mortality of patients ≥80 years old admitted to European intensive care units: an international observational study. <i>British Journal of Anaesthesia</i> , 2022, 129, 58-66.	1.5	3
2	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. <i>Critical Care Medicine</i> , 2021, 49, e219-e234.	0.4	289
3	The Surviving Sepsis Campaign: Research Priorities for Coronavirus Disease 2019 in Critical Illness. <i>Critical Care Medicine</i> , 2021, 49, 598-622.	0.4	49
4	The relationship between adrenocortical candidate gene expression and clinical response to hydrocortisone in patients with septic shock. <i>Intensive Care Medicine</i> , 2021, 47, 974-983.	3.9	12
5	Postoperative continuous positive airway pressure to prevent pneumonia, re-intubation, and death after major abdominal surgery (PRISM): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1221-1230.	5.2	29
6	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021, 49, e1063-e1143.	0.4	927
7	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021, 49, 1974-1982.	0.4	209
8	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021, 47, 1181-1247.	3.9	1,503
9	The General Data Protection Regulation and its effect on epidemiological and observational research. <i>Lancet Respiratory Medicine</i> , 2020, 8, 23-24.	5.2	12
10	Dynamic Arterial Elastance During Experimental Endotoxic Septic Shock: A Potential Marker of Cardiovascular Efficiency. <i>Frontiers in Physiology</i> , 2020, 11, 562824.	1.3	2
11	β-Lactam antimicrobial pharmacokinetics and target attainment in critically ill patients aged 1 day to 90 years: the ABDose study. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3625-3634.	1.3	13
12	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020, 46, 1696-1706.	3.9	23
13	Septic Shock: A Genomewide Association Study and Polygenic Risk Score Analysis. <i>Twin Research and Human Genetics</i> , 2020, 23, 204-213.	0.3	9
14	Plasma Cortisol, Aldosterone, and Ascorbic Acid Concentrations in Patients with Septic Shock Do Not Predict Treatment Effect of Hydrocortisone on Mortality. A Nested Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 700-707.	2.5	7
15	Managing ICU surge during the COVID-19 crisis: rapid guidelines. <i>Intensive Care Medicine</i> , 2020, 46, 1303-1325.	3.9	281
16	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). <i>Intensive Care Medicine</i> , 2020, 46, 854-887.	3.9	1,536
17	Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19). <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 782.	3.8	3,597
18	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). <i>Critical Care Medicine</i> , 2020, 48, e440-e469.	0.4	816

#	ARTICLE	IF	CITATIONS
19	Treatment variables associated with outcome in emergency department patients with suspected sepsis. <i>Annals of Intensive Care</i> , 2020, 10, 136.	2.2	8
20	The surviving sepsis campaign: basic/translational science research priorities. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 31.	0.9	10
21	Time of Day and its Association with Risk of Death and Chance of Discharge in Critically Ill Patients: A Retrospective Study. <i>Scientific Reports</i> , 2019, 9, 12533.	1.6	6
22	Perioperative Haemodynamics. <i>Lessons From the ICU</i> , 2019, , 107-115.	0.1	0
23	Effect of a Resuscitation Strategy Targeting Peripheral Perfusion Status vs Serum Lactate Levels on 28-Day Mortality Among Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 654.	3.8	471
24	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. <i>Critical Care</i> , 2019, 23, 360.	2.5	35
25	Hydrocortisone Compared with Placebo in Patients with Septic Shock Satisfying the Sepsis-3 Diagnostic Criteria and APROCCHSS Study Inclusion Criteria. <i>Anesthesiology</i> , 2019, 131, 1292-1300.	1.3	12
26	The REDS score: a new scoring system to risk-stratify emergency department suspected sepsis: a derivation and validation study. <i>BMJ Open</i> , 2019, 9, e030922.	0.8	14
27	Scaling beta-lactam antimicrobial pharmacokinetics from early life to old age. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 316-346.	1.1	14
28	Rebuttal From Drs Levy, Rhodes, and Evans. <i>Chest</i> , 2019, 155, 19-20.	0.4	5
29	COUNTERPOINT: Should the Surviving Sepsis Campaign Guidelines Be Retired? No. <i>Chest</i> , 2019, 155, 14-17.	0.4	15
30	Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. <i>British Journal of Surgery</i> , 2019, 106, e73-e80.	0.1	13
31	International Clinical Practice Guidelines. , 2018, , 97-111.		0
32	The Surviving Sepsis Campaign Bundle: 2018 update. <i>Intensive Care Medicine</i> , 2018, 44, 925-928.	3.9	797
33	Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 797-808.	13.9	661
34	The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2018, 120, 146-155.	1.5	92
35	Atraumatic versus conventional lumbar puncture needles: a systematic review and meta-analysis. <i>Lancet</i> , The, 2018, 391, 1197-1204.	6.3	126
36	The Surviving Sepsis Campaign Bundle: 2018 Update. <i>Critical Care Medicine</i> , 2018, 46, 997-1000.	0.4	522

#	ARTICLE	IF	CITATIONS
37	Surviving sepsis campaign: research priorities for sepsis and septic shock. Intensive Care Medicine, 2018, 44, 1400-1426.	3.9	159
38	Surviving Sepsis Campaign: Research Priorities for Sepsis and Septic Shock. Critical Care Medicine, 2018, 46, 1334-1356.	0.4	102
39	Sepsis and septic shock. Lancet, The, 2018, 392, 75-87.	6.3	1,205
40	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Intensive Care Medicine, 2017, 43, 304-377.	3.9	4,590
41	Sepsis: frontiers in supportive care, organisation and research. Intensive Care Medicine, 2017, 43, 496-508.	3.9	62
42	Clinical guidelines. European Journal of Anaesthesiology, 2017, 34, 329-331.	0.7	16
43	Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. Intensive Care Medicine, 2017, 43, 971-979.	3.9	108
44	Effects of arterial load variations on dynamic arterial elastance: an experimental study. British Journal of Anaesthesia, 2017, 118, 938-946.	1.5	29
45	Omega-3 supplementation in patients with sepsis: a systematic review and meta-analysis of randomized trials. Annals of Intensive Care, 2017, 7, 58.	2.2	41
46	The authors reply. Critical Care Medicine, 2017, 45, e113-e114.	0.4	0
47	Cardiac Troponin Release is Associated with Biomarkers of Inflammation and Ventricular Dilatation During Critical Illness. Shock, 2017, 47, 702-708.	1.0	41
48	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Critical Care Medicine, 2017, 45, 486-552.	0.4	2,336
49	Hemodynamic Effect of Different Doses of Fluids for a Fluid Challenge: A Quasi-Randomized Controlled Study. Critical Care Medicine, 2017, 45, e161-e168.	0.4	85
50	Vasopressin <i>versus</i> Norepinephrine in Patients with Vasoplegic Shock after Cardiac Surgery. Anesthesiology, 2017, 126, 85-93.	1.3	237
51	Fixed minimum volume resuscitation: Pro. Intensive Care Medicine, 2017, 43, 1678-1680.	3.9	6
52	Ability and efficiency of an automatic analysis software to measure microvascular parameters. Journal of Clinical Monitoring and Computing, 2017, 31, 669-676.	0.7	28
53	The Prevention of Respiratory Insufficiency after Surgical Management (PRISM) Trial. Report of the protocol for a pragmatic randomized controlled trial of CPAP to prevent respiratory complications and improve survival following major abdominal surgery. Minerva Anestesiologica, 2017, 83, 175-182.	0.6	16
54	What is the impact of the fluid challenge technique on diagnosis of fluid responsiveness? A systematic review and meta-analysis. Critical Care, 2017, 21, 207.	2.5	85

#	ARTICLE	IF	CITATIONS
55	Weekends affect mortality risk and chance of discharge in critically ill patients: a retrospective study in the Austrian registry for intensive care. <i>Critical Care</i> , 2017, 21, 223.	2.5	18
56	Statistical analysis plan for the Adjunctive Corticosteroid Treatment in Critically Ill Patients with Septic Shock (ADRENAL) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017, 19, 183-191.	0.0	2
57	Trans-oral Vestibular Endocrine Surgery. <i>Annals of Surgery</i> , 2016, 264, e13-e16.	2.1	79
58	Pharmacodynamic Analysis of a Fluid Challenge. <i>Critical Care Medicine</i> , 2016, 44, 880-891.	0.4	103
59	Long-Term Quality of Life Among Survivors of Severe Sepsis: Analyses of Two International Trials*. <i>Critical Care Medicine</i> , 2016, 44, 1461-1467.	0.4	205
60	Less invasive hemodynamic monitoring in critically ill patients. <i>Intensive Care Medicine</i> , 2016, 42, 1350-1359.	3.9	212
61	How to treat post-operative complications: An evidence-based approach. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2016, 30, 229-236.	1.7	1
62	The efficacy and safety of prokinetic agents in critically ill patients receiving enteral nutrition: a systematic review and meta-analysis of randomized trials. <i>Critical Care</i> , 2016, 20, 259.	2.5	104
63	Evaluation of clinical practice in perioperative patient blood management. <i>British Journal of Anaesthesia</i> , 2016, 117, 610-616.	1.5	37
64	Effect of Perioperative Goal-Directed Hemodynamic Resuscitation Therapy on Outcomes Following Cardiac Surgery. <i>Critical Care Medicine</i> , 2016, 44, 724-733.	0.4	124
65	Swedish surgical outcomes study (SweSOS). <i>European Journal of Anaesthesiology</i> , 2016, 33, 317-325.	0.7	24
66	The Intensive Care Global Study on Severe Acute Respiratory Infection (IC-GLOSSARI): a multicenter, multinational, 14-day inception cohort study. <i>Intensive Care Medicine</i> , 2016, 42, 817-828.	3.9	19
67	Migrant crisis in Europe: implications for intensive care specialists. <i>Intensive Care Medicine</i> , 2016, 42, 249-251.	3.9	6
68	The UK joint specialist societies guideline on the diagnosis and management of acute meningitis and meningococcal sepsis in immunocompetent adults. <i>Journal of Infection</i> , 2016, 72, 405-438.	1.7	143
69	Preoperative abnormalities in serum sodium concentrations are associated with higher in-hospital mortality in patients undergoing major surgery. <i>British Journal of Anaesthesia</i> , 2016, 116, 63-69.	1.5	38
70	Is prolonged infusion of piperacillin/tazobactam and meropenem in critically ill patients associated with improved pharmacokinetic/pharmacodynamic and patient outcomes? An observation from the Defining Antibiotic Levels in Intensive care unit patients (DALI) cohort. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 196-207.	1.3	129
71	Transient stop-flow arm arterial-venous equilibrium pressure measurement: determination of precision of the technique. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 55-61.	0.7	19
72	Optimisation of the High-Risk Surgical Patient. , 2016, , 143-151.		0

#	ARTICLE	IF	CITATIONS
73	Variation in haemodynamic monitoring for major surgery in European nations: secondary analysis of the EuSOS dataset. <i>Perioperative Medicine (London, England)</i> , 2015, 4, 8.	0.6	30
74	Transfusion Requirements in Surgical Oncology Patients. <i>Anesthesiology</i> , 2015, 122, 29-38.	1.3	187
75	Nonelective surgery at night and in-hospital mortality. <i>European Journal of Anaesthesiology</i> , 2015, 32, 477-485.	0.7	25
76	Internal emergency department validation of the simplified MISSED score. <i>European Journal of Emergency Medicine</i> , 2015, 22, 321-326.	0.5	7
77	Fluid bolus therapy. <i>Current Opinion in Critical Care</i> , 2015, 21, 388-394.	1.6	51
78	In Response. <i>Anesthesia and Analgesia</i> , 2015, 121, 1400-1402.	1.1	2
79	Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12. <i>Critical Care</i> , 2015, 19, 224.	2.5	167
80	Pharmacokinetic variability and exposures of fluconazole, anidulafungin, and caspofungin in intensive care unit patients: Data from multinational Defining Antibiotic Levels in Intensive care unit (DALI) patients Study. <i>Critical Care</i> , 2015, 19, 33.	2.5	108
81	The Surviving Sepsis Campaign bundles and outcome: results from the International Multicentre Prevalence Study on Sepsis (the IMPReSS study). <i>Intensive Care Medicine</i> , 2015, 41, 1620-1628.	3.9	323
82	Effects of fluid administration on arterial load in septic shock patients. <i>Intensive Care Medicine</i> , 2015, 41, 1247-1255.	3.9	93
83	Point prevalence of surgical checklist use in Europe: relationship with hospital mortality. <i>British Journal of Anaesthesia</i> , 2015, 114, 801-807.	1.5	35
84	Surviving Sepsis Campaign. <i>Critical Care Medicine</i> , 2015, 43, 3-12.	0.4	444
85	Standards for definitions and use of outcome measures for clinical effectiveness research in perioperative medicine. <i>European Journal of Anaesthesiology</i> , 2015, 32, 88-105.	0.7	559
86	The Impact of Hospital and ICU Organizational Factors on Outcome in Critically Ill Patients. <i>Critical Care Medicine</i> , 2015, 43, 519-526.	0.4	170
87	The Use of Pulse Pressure Variation and Stroke Volume Variation in Spontaneously Breathing Patients to Assess Dynamic Arterial Elastance and to Predict Arterial Pressure Response to Fluid Administration. <i>Anesthesia and Analgesia</i> , 2015, 120, 76-84.	1.1	65
88	Should cost considerations be included in medical decisions? Not so sure. <i>Intensive Care Medicine</i> , 2015, 41, 1844-1846.	3.9	5
89	American Society of Anesthesiologists Score: still useful after 60 years? Results of the EuSOS Study. <i>Revista Brasileira De Terapia Intensiva</i> , 2015, 27, 105-12.	0.1	18
90	Hemodynamic optimization in severe trauma: a systematic review and meta-analysis. <i>Revista Brasileira De Terapia Intensiva</i> , 2014, 26, 397-406.	0.1	3

#	ARTICLE	IF	CITATIONS
91	Perioperative Haemodynamic Optimisation. Journal of the Turkish Anaesthesiology & Intensive Care Society - JTAICS, 2014, 42, 56-65.	0.1	3
92	A Cost-Effectiveness Analysis of Postoperative Goal-Directed Therapy for High-Risk Surgical Patients*. Critical Care Medicine, 2014, 42, 1194-1203.	0.4	49
93	Consensus on circulatory shock and hemodynamic monitoring. Task force of the European Society of Intensive Care Medicine. Intensive Care Medicine, 2014, 40, 1795-1815.	3.9	1,240
94	Cost-Effectiveness in Goal-Directed Therapy: Are the Dollars Spent Worth the Value?. Journal of Cardiothoracic and Vascular Anesthesia, 2014, 28, 1660-1666.	0.6	7
95	Dynamic arterial elastance as a predictor of arterial pressure response to fluid administration: a validation study. Critical Care, 2014, 18, 626.	2.5	74
96	Goal-Directed Therapy. Anesthesia and Analgesia, 2014, 119, 516-518.	1.1	12
97	How many intensive care beds are enough?. Intensive Care Medicine, 2014, 40, 451-452.	3.9	9
98	Variability in protein binding of teicoplanin and achievement of therapeutic drug monitoring targets in critically ill patients: Lessons from the DALI Study. International Journal of Antimicrobial Agents, 2014, 43, 423-430.	1.1	48
99	Cardiac complications associated with goal-directed therapy in high-risk surgical patients: a meta-analysis. British Journal of Anaesthesia, 2014, 112, 648-659.	1.5	115
100	DALI: Defining Antibiotic Levels in Intensive Care Unit Patients: Are Current β -Lactam Antibiotic Doses Sufficient for Critically Ill Patients?. Clinical Infectious Diseases, 2014, 58, 1072-1083.	2.9	843
101	Surviving Sepsis Campaign: association between performance metrics and outcomes in a 7.5-year study. Intensive Care Medicine, 2014, 40, 1623-1633.	3.9	209
102	Reply to Rhodes et al. Clinical Infectious Diseases, 2014, 59, 907-908.	2.9	2
103	Abdominal infections in the intensive care unit: characteristics, treatment and determinants of outcome. BMC Infectious Diseases, 2014, 14, 420.	1.3	88
104	Risk factors for target non-attainment during empirical treatment with β -lactam antibiotics in critically ill patients. Intensive Care Medicine, 2014, 40, 1340-1351.	3.9	147
105	Does contemporary vancomycin dosing achieve therapeutic targets in a heterogeneous clinical cohort of critically ill patients? Data from the multinational DALI study. Critical Care, 2014, 18, R99.	2.5	87
106	Preoperative anaemia is associated with poor clinical outcome in non-cardiac surgery patients. British Journal of Anaesthesia, 2014, 113, 416-423.	1.5	330
107	Hospital mortality of adults admitted to Intensive Care Units in hospitals with and without Intermediate Care Units: a multicentre European cohort study. Critical Care, 2014, 18, 551.	2.5	154
108	Perioperative and intensive care management of the surgical patient. , 2014, , 298-306.		0

#	ARTICLE	IF	CITATIONS
109	Changes in the mean systemic filling pressure during a fluid challenge in postsurgical intensive care patients. <i>Intensive Care Medicine</i> , 2013, 39, 1299-1305.	3.9	102
110	Preface. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2013, 27, 789.	1.4	0
111	Mortality after surgery in Europe – Authors' reply. <i>Lancet, The</i> , 2013, 381, 370-371.	6.3	9
112	Goal-directed therapy in cardiac surgery: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2013, 110, 510-517.	1.5	197
113	Impact of arterial load on the agreement between pulse pressure analysis and esophageal Doppler. <i>Critical Care</i> , 2013, 17, R113.	2.5	41
114	High lactate levels are predictors of major complications after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 455-460.	0.4	126
115	Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. <i>Intensive Care Medicine</i> , 2013, 39, 165-228.	3.9	3,906
116	Mortality after surgery in Ireland – Authors' reply. <i>Lancet, The</i> , 2013, 382, 2063-2064.	6.3	2
117	Can surgical outcomes be prevented by postoperative admission to critical care?. <i>Critical Care</i> , 2013, 17, 110.	2.5	7
118	Provision of critical care services for the obstetric population. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2013, 27, 803-809.	1.4	16
119	– Matching Michigan™: a 2-year stepped interventional programme to minimise central venous catheter-blood stream infections in intensive care units in England. <i>BMJ Quality and Safety</i> , 2013, 22, 110-123.	1.8	266
120	The MISSED score, a new scoring system to predict Mortality In Severe Sepsis in the Emergency Department. <i>European Journal of Emergency Medicine</i> , 2013, 21, 1.	0.5	19
121	Surviving Sepsis Campaign. <i>Critical Care Medicine</i> , 2013, 41, 580-637.	0.4	6,362
122	Raised serum cardiac troponin I concentrations predict hospital mortality in intensive care unit patients. <i>British Journal of Anaesthesia</i> , 2012, 109, 219-224.	1.5	37
123	Outcomes from implementing early goal-directed therapy for severe sepsis and septic shock. <i>European Journal of Emergency Medicine</i> , 2012, 19, 235-240.	0.5	32
124	Less-invasive approaches to perioperative haemodynamic optimization. <i>Current Opinion in Critical Care</i> , 2012, 18, 377-384.	1.6	15
125	Outcomes of the Surviving Sepsis Campaign in intensive care units in the USA and Europe: a prospective cohort study. <i>Lancet Infectious Diseases, The</i> , 2012, 12, 919-924.	4.6	447
126	The Berlin definition of ARDS: an expanded rationale, justification, and supplementary material. <i>Intensive Care Medicine</i> , 2012, 38, 1573-1582.	3.9	1,112

#	ARTICLE	IF	CITATIONS
127	Mortality after surgery in Europe: a 7 day cohort study. <i>Lancet, The</i> , 2012, 380, 1059-1065.	6.3	1,614
128	Risk factors for acute organ failure in intensive care unit patients who receive respiratory support in the absence of non-respiratory organ failure: an international prospective cohort study. <i>Critical Care</i> , 2012, 16, R61.	2.5	7
129	Cell-free DNA and outcome in sepsis. <i>Critical Care</i> , 2012, 16, 170.	2.5	33
130	The variability of critical care bed numbers in Europe. <i>Intensive Care Medicine</i> , 2012, 38, 1647-1653.	3.9	529
131	Clinical review: Goal-directed therapy-what is the evidence in surgical patients? The effect on different risk groups. <i>Critical Care</i> , 2012, 17, 209.	2.5	275
132	Drotrecogin Alfa (Activated) in Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2012, 366, 2055-2064.	13.9	1,112
133	Severity assessment tools in ICU patients with 2009 Influenza A (H1N1) pneumonia. <i>Clinical Microbiology and Infection</i> , 2012, 18, 1040-1048.	2.8	31
134	DALI: Defining Antibiotic Levels in Intensive care unit patients: a multi-centre point of prevalence study to determine whether contemporary antibiotic dosing for critically ill patients is therapeutic. <i>BMC Infectious Diseases</i> , 2012, 12, 152.	1.3	47
135	Acute Respiratory Distress Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2526-33.	3.8	6,995
136	Physiology of Urine Volume. , 2012, , 1732-1734.		1
137	PRAM (Pressure Recording Analytical Method). , 2012, , 1803-1803.		0
138	Pulse-temperature Dissociation. , 2012, , 1934-1934.		0
139	MODS Scores: Which One Should I Use?. , 2012, , 7-22.		0
140	Prospectively defined indicators to improve the safety and quality of care for critically ill patients: a report from the Task Force on Safety and Quality of the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2012, 38, 598-605.	3.9	224
141	Intensive care medicine: finding its way in the "European labyrinth" reply to Van Aken et al.. <i>Intensive Care Medicine</i> , 2012, 38, 1076-1077.	3.9	0
142	Standardised drug labelling in intensive care: results of an international survey among ESICM members. <i>Intensive Care Medicine</i> , 2012, 38, 1298-1305.	3.9	8
143	Obituary - David Bennett. <i>Critical Care</i> , 2012, 16, 122.	2.5	2
144	Prática de terapia intensiva: um problema global. <i>Revista Brasileira De Terapia Intensiva</i> , 2012, 24, 322-325.	0.1	26

#	ARTICLE	IF	CITATIONS
145	Tracking changes in cardiac output: methodological considerations for the validation of monitoring devices. , 2012, , 209-216.		0
146	Goal-directed haemodynamic therapy during elective total hip arthroplasty under regional anaesthesia. Critical Care, 2011, 15, R132.	2.5	141
147	Clinical review: Update on hemodynamic monitoring - a consensus of 16. Critical Care, 2011, 15, 229.	2.5	326
148	Candida bloodstream infections in intensive care units: Analysis of the extended prevalence of infection in intensive care unit study*. Critical Care Medicine, 2011, 39, 665-670.	0.4	342
149	From the bedside to the bench: How to improve the care of critically ill pregnant patients with influenza*. Critical Care Medicine, 2011, 39, 1199-1200.	0.4	2
150	EuSOS: European Surgical Outcomes Study. European Journal of Anaesthesiology, 2011, 28, 454-456.	0.7	20
151	A Systematic Review and Meta-Analysis on the Use of Preemptive Hemodynamic Intervention to Improve Postoperative Outcomes in Moderate and High-Risk Surgical Patients. Anesthesia and Analgesia, 2011, 112, 1392-1402.	1.1	1,328
152	What is a fluid challenge?. Current Opinion in Critical Care, 2011, 17, 290-295.	1.6	170
153	Use of early corticosteroid therapy on ICU admission in patients affected by severe pandemic (H1N1)v influenzaAA infection. Intensive Care Medicine, 2011, 37, 272-283.	3.9	188
154	Improving the quality of training programs in intensive care: a view from the ESICM. Intensive Care Medicine, 2011, 37, 377-379.	3.9	17
155	Pulse pressure: more than 100Âyears of changes in stroke volume. Intensive Care Medicine, 2011, 37, 898-900.	3.9	4
156	Unblinding plan of PROWESS-SHOCK trial. Intensive Care Medicine, 2011, 37, 1384-1385.	3.9	10
157	Reply to Petros et al.: Early steroid therapy for patients with H1N1 influenza A virus infection. Intensive Care Medicine, 2011, 37, 1565-1565.	3.9	0
158	Epidemiology and outcome following post-surgical admission to critical care. Intensive Care Medicine, 2011, 37, 1466-1472.	3.9	51
159	Recommendations on basic requirements for intensive care units: structural and organizational aspects. Intensive Care Medicine, 2011, 37, 1575-87.	3.9	256
160	ICU structures and organization: putting together all the pieces of a very complex puzzle. Intensive Care Medicine, 2011, 37, 1569-1571.	3.9	13
161	Intensive care medicine: finding its way in the â€œEuropean labyrinthâ€. Intensive Care Medicine, 2011, 37, 1907-1912.	3.9	18
162	Evidence should not be viewed in isolation. Critical Care Medicine, 2010, 38, S528-S533.	0.4	5

#	ARTICLE	IF	CITATIONS
163	Chapter 6. Protection of patients and staff during a pandemic. <i>Intensive Care Medicine</i> , 2010, 36, 45-54.	3.9	13
164	Triaging for adult critical care in the event of overwhelming need. <i>Intensive Care Medicine</i> , 2010, 36, 1076-1082.	3.9	25
165	Goal-directed therapy in high-risk surgical patients: a 15-year follow-up study. <i>Intensive Care Medicine</i> , 2010, 36, 1327-1332.	3.9	158
166	Statistical analysis plan of PROWESS SHOCK study. <i>Intensive Care Medicine</i> , 2010, 36, 1972-1973.	3.9	16
167	C-reactive protein as a predictor of outcome after discharge from the intensive care: a prospective observational study. <i>British Journal of Anaesthesia</i> , 2010, 105, 318-325.	1.5	37
168	Is Invasive Hemodynamic Monitoring Useful in Sepsis?. , 2010, , 178-181.		0
169	Assessing and grading congestion in acute heart failure: a scientific statement from the Acute Heart Failure Committee of the Heart Failure Association of the European Society of Cardiology and endorsed by the European Society of Intensive Care Medicine. <i>European Journal of Heart Failure</i> , 2010, 12, 423-433.	2.9	593
170	Intensive care medicine: a specialty coming to LIFE. <i>Lancet, The</i> , 2010, 376, 1275-1276.	6.3	16
171	Assessing Agreement in Cardiac Output Monitoring Validation Studies. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010, 24, 741.	0.6	3
172	Thirty years of critical care medicine. <i>Critical Care</i> , 2010, 14, 311.	2.5	41
173	Pulse pressure analysis: to make a long story short. <i>Critical Care</i> , 2010, 14, 175.	2.5	9
174	Optimization of the High-Risk Surgical Patient. , 2010, , 107-111.		0
175	Idiopathic pulmonary fibrosis associated with pulmonary vein thrombosis: a case report. <i>Cases Journal</i> , 2009, 2, 9156.	0.4	28
176	Lithium dilution cardiac output measurement in the critically ill patient: determination of precision of the technique. <i>Intensive Care Medicine</i> , 2009, 35, 498-504.	3.9	670
177	The PROWESS SHOCK trial: reply to Paramesh et al.. <i>Intensive Care Medicine</i> , 2009, 35, 385-385.	3.9	0
178	Tracking changes in cardiac output: methodological considerations for the validation of monitoring devices. <i>Intensive Care Medicine</i> , 2009, 35, 1801-1808.	3.9	107
179	Patient safety in intensive care medicine: the Declaration of Vienna. <i>Intensive Care Medicine</i> , 2009, 35, 1667-1672.	3.9	89
180	The ongoing H1N1 flu pandemic and the intensive care community: challenges, opportunities, and the duties of scientific societies and intensivists. <i>Intensive Care Medicine</i> , 2009, 35, 2005-2008.	3.9	26

#	ARTICLE	IF	CITATIONS
181	Modelling the impact of an influenza A/H1N1 pandemic on critical care demand from early pathogenicity data: the case for sentinel reporting. <i>Anaesthesia</i> , 2009, 64, 937-941.	1.8	48
182	Characterisation of 5-HT _{3C} , 5-HT _{3D} and 5-HT _{3E} receptor subunits: evolution, distribution and function. <i>Journal of Neurochemistry</i> , 2009, 108, 384-396.	2.1	88
183	Bench-to-bedside review: The importance of the precision of the reference technique in method comparison studies with specific reference to the measurement of cardiac output. <i>Critical Care</i> , 2009, 13, 201.	2.5	287
184	Validation of continuous cardiac output technologies: consensus still awaited. <i>Critical Care</i> , 2009, 13, 159.	2.5	18
185	Clinical review: Goal-directed therapy in high risk surgical patients. <i>Critical Care</i> , 2009, 13, 231.	2.5	112
186	The ongoing enigma of tight glucose control. <i>Lancet</i> , The, 2009, 373, 520-521.	6.3	6
187	Design, conduct, analysis and reporting of a multi-national placebo-controlled trial of activated protein C for persistent septic shock. <i>Intensive Care Medicine</i> , 2008, 34, 1935-1947.	3.9	85
188	A prospective study to evaluate the accuracy of pulse power analysis to monitor cardiac output in critically ill patients. <i>BMC Anesthesiology</i> , 2008, 8, 3.	0.7	37
189	Overview of emerging pharmacologic agents for acute heart failure syndromes. <i>European Journal of Heart Failure</i> , 2008, 10, 201-213.	2.9	39
190	Practical recommendations for prehospital and early in-hospital management of patients presenting with acute heart failure syndromes. <i>Critical Care Medicine</i> , 2008, 36, S129-S139.	0.4	240
191	The pulmonary artery catheter: In medio virtus. <i>Critical Care Medicine</i> , 2008, 36, 3093-3096.	0.4	133
192	Minimally invasive cardiac output monitoring. <i>Current Opinion in Critical Care</i> , 2008, 14, 322-326.	1.6	212
193	Assessment of Cardiac Filling and Blood Flow. , 2008, , 39-52.		1
194	Right ventricular dysfunction. <i>Current Opinion in Internal Medicine</i> , 2007, 6, 579-587.	1.5	8
195	Methodologies for assessing agreement between two methods of clinical measurement: are we as good as we think we are?. <i>Current Opinion in Critical Care</i> , 2007, 13, 294-296.	1.6	19
196	Procedures, Techniques, and Minimally Invasive Monitoring in Intensive Care Medicine, Fourth Edition. <i>Critical Care</i> , 2007, 11, 316.	2.5	1
197	The incidence of myocardial injury following post-operative Goal Directed Therapy. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 10.	0.7	11
198	The European Society of Intensive Care Medicine (ESICM) and the Surviving Sepsis Campaign (SSC). <i>Intensive Care Medicine</i> , 2007, 33, 423-425.	3.9	10

#	ARTICLE	IF	CITATIONS
199	Haemodynamic monitoring in acute heart failure. <i>Heart Failure Reviews</i> , 2007, 12, 105-111.	1.7	8
200	What role does the right side of the heart play in circulation?. <i>Critical Care</i> , 2006, 10, S5.	2.5	26
201	Plasma DNA concentration as a predictor of mortality and sepsis in critically ill patients. <i>Critical Care</i> , 2006, 10, R60.	2.5	196
202	Identification and characterisation of the high-risk surgical population in the United Kingdom. <i>Critical Care</i> , 2006, 10, R81.	2.5	517
203	PRECISION AND RELIABILITY OF CONTINUOUS MEASUREMENT OF CARDIAC OUTPUT FROM THE PULMONARY ARTERY CATHETER IN HAEMODYNAMICALLY UNSTABLE PATIENTS.. <i>Critical Care Medicine</i> , 2006, 34, A59.	0.4	0
204	New technologies for measuring cardiac output: the future?. <i>Current Opinion in Critical Care</i> , 2005, 11, 224-226.	1.6	21
205	Temperature measurement: comparison of non-invasive methods used in adult critical care. <i>Journal of Clinical Nursing</i> , 2005, 14, 632-639.	1.4	68
206	Opportunities to Replace the Use of Animals in Sepsis Research. <i>ATLA Alternatives To Laboratory Animals</i> , 2005, 33, 641-648.	0.7	3
207	Executive summary of the guidelines on the diagnosis and treatment of acute heart failure: The Task Force on Acute Heart Failure of the European Society of Cardiology. <i>European Heart Journal</i> , 2005, 26, 384-416.	1.0	1,114
208	Early goal-directed therapy after major surgery reduces complications and duration of hospital stay. A randomised, controlled trial [ISRCTN38797445]. <i>Critical Care</i> , 2005, 9, R687.	2.5	632
209	Changes in central venous saturation after major surgery, and association with outcome. <i>Critical Care</i> , 2005, 9, R694.	2.5	200
210	Clinical review: how to optimize management of high-risk surgical patients. <i>Critical Care</i> , 2004, 8, 503.	2.5	23
211	Central Venous and Mixed Venous Oxygen Saturations in the Surviving Sepsis Campaign Guidelines: The authors reply. <i>Critical Care Medicine</i> , 2004, 32, 1627-1628.	0.4	0
212	Early goal-directed therapy: An evidence-based review. <i>Critical Care Medicine</i> , 2004, 32, S448-S450.	0.4	82
213	A computer program for interpreting pulmonary artery catheterization data: results of the European HEMODYN Resident Study. <i>Intensive Care Medicine</i> , 2003, 29, 735-741.	3.9	15
214	The pulmonary artery catheter. <i>Clinical Medicine</i> , 2002, 2, 101-104.	0.8	3
215	Pulmonary artery catheter. <i>Current Opinion in Critical Care</i> , 2002, 8, 251-256.	1.6	29
216	The recognition of a sick patient. <i>Clinical Medicine</i> , 2002, 2, 95-98.	0.8	5

#	ARTICLE	IF	CITATIONS
217	Nitric Oxide and Prostacyclin in Acute Interstitial Pneumonia. <i>Journal of the Royal Society of Medicine</i> , 2002, 95, 35-37.	1.1	0
218	A randomised, controlled trial of the pulmonary artery catheter in critically ill patients. <i>Intensive Care Medicine</i> , 2002, 28, 256-264.	3.9	292
219	Improving post-operative morbidity and mortality. <i>Intensivmedizin Und Notfallmedizin</i> , 2002, 39, 571-577.	0.2	4
220	Acid-base physiology: the "traditional" and the "modern" approaches. <i>Anaesthesia</i> , 2002, 57, 348-356.	1.8	103
221	Characterization of an N-terminal secreted domain of the type-1 human metabotropic glutamate receptor produced by a mammalian cell line. <i>Journal of Neurochemistry</i> , 2002, 80, 346-353.	2.1	18
222	The strong ion gap does not have prognostic value in critically ill patients in a mixed medical/surgical adult ICU. <i>Intensive Care Medicine</i> , 2002, 28, 864-869.	3.9	175
223	Nitric oxide and prostacyclin in acute interstitial pneumonia. <i>Journal of the Royal Society of Medicine</i> , 2002, 95, 35-37.	1.1	1
224	The generation and characterisation of antagonist RNA aptamers to MCP-1. <i>FEBS Letters</i> , 2001, 506, 85-90.	1.3	31
225	Base excess and lactate as prognostic indicators for patients admitted to intensive care. <i>Intensive Care Medicine</i> , 2001, 27, 74-83.	3.9	346
226	Unsuspected cardiac tamponade following insertion of a haemodialysis catheter: a normal chest radiograph does not exclude a complication. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 719-721.	0.4	9
227	A prospective study of gastric mucosal ischaemia in paracetamol-induced acute liver failure. <i>Intensive Care Medicine</i> , 2000, 26, 1268-1271.	3.9	7
228	The Generation and Characterization of Antagonist RNA Aptamers to Human Oncostatin M. <i>Journal of Biological Chemistry</i> , 2000, 275, 28555-28561.	1.6	59
229	Continuous haemofiltration in acute renal failure. <i>Lancet</i> , The, 2000, 356, 1441-1442.	6.3	5
230	A prospective study of the use of a dobutamine stress test to identify outcome in patients with sepsis, severe sepsis, or septic shock. <i>Critical Care Medicine</i> , 1999, 27, 2361-2366.	0.4	122
231	Routine blood-gas analysis and gastric tonometry: a reappraisal. <i>Lancet</i> , The, 1997, 350, 413.	6.3	8
232	Tracheal dilatation complicating prolonged tracheal intubation. <i>Anaesthesia</i> , 1997, 52, 70-72.	1.8	5
233	Method of Humidifying Inspired Gas Influences the Type of Ventilator-Associated Pneumonia. <i>Anesthesiology</i> , 1996, 85, 689.	1.3	2
234	Early acute hepatitis with parenteral amiodarone: a toxic effect of the vehicle?. <i>Gut</i> , 1993, 34, 565-566.	6.1	61

#	ARTICLE	IF	CITATIONS
235	Gene Inhibition of HIV-1 Replication.. Annals of the New York Academy of Sciences, 1992, 660, 274-275.	1.8	4
236	Inhibition of heterologous strains of HIV by antisense RNA. Aids, 1991, 5, 145-152.	1.0	39
237	Goal directed therapy in the perioperative setting: what is the evidence?. , 0, , 197-202.		0