## Oleksiy Kovtun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/657762/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	FCHO controls AP2's initiating role in endocytosis through a PtdIns(4,5)P <sub>2</sub> -dependent switch. Science Advances, 2022, 8, eabn2018.	10.3	14
2	Cavin1 intrinsically disordered domains are essential for fuzzy electrostatic interactions and caveola formation. Nature Communications, 2021, 12, 931.	12.8	24
3	Structural basis for VPS34 kinase activation by Rab1 and Rab5 on membranes. Nature Communications, 2021, 12, 1564.	12.8	50
4	Architecture and mechanism of metazoan retromer:SNX3 tubular coat assembly. Science Advances, 2021, 7, .	10.3	44
5	Architecture of the AP2/clathrin coat on the membranes of clathrin-coated vesicles. Science Advances, 2020, 6, eaba8381.	10.3	75
6	Structure of the membrane-assembled retromer coat determined by cryo-electron tomography. Nature, 2018, 561, 561-564.	27.8	169
7	A variable undecad repeat domain in cavin1 regulates caveola formation and stability. EMBO Reports, 2018, 19, .	4.5	23
8	Cavin family proteins and the assembly of caveolae. Journal of Cell Science, 2015, 128, 1269-1278.	2.0	181
9	A phosphoinositide-binding cluster in cavin1 acts as a molecular sensor for cavin1 degradation. Molecular Biology of the Cell, 2015, 26, 3561-3569.	2.1	26
10	Structural Basis for Different Phosphoinositide Specificities of the PX Domains of Sorting Nexins Regulating G-protein Signaling. Journal of Biological Chemistry, 2014, 289, 28554-28568.	3.4	43
11	Structural Insights into the Organization of the Cavin Membrane Coat Complex. Developmental Cell, 2014, 31, 405-419.	7.0	79
12	Isolation and Structural and Pharmacological Characterization of α-Elapitoxin-Dpp2d, an Amidated Three Finger Toxin from Black Mamba Venom. Biochemistry, 2014, 53, 3758-3766.	2.5	23
13	The Vps35 <scp>D620N</scp> Mutation Linked to Parkinson's Disease Disrupts the Cargo Sorting Function of Retromer. Traffic, 2014, 15, 230-244.	2.7	186
14	Single-molecule analysis reveals self assembly and nanoscale segregation of two distinct cavin subcomplexes on caveolae. ELife, 2013, 3, e01434.	6.0	114
15	Subunit Organisation of In Vitro Reconstituted HOPS and CORVET Multisubunit Membrane Tethering Complexes. PLoS ONE, 2013, 8, e81534.	2.5	17
16	Leishmania cell-free protein expression system. Methods, 2011, 55, 58-64.	3.8	80
17	Structural and thermodynamic analysis of the GFP:GFPâ€nanobody complex. Protein Science, 2010, 19, 2389-2401.	7.6	317
18	Towards the Construction of Expressed Proteomes Using a Leishmania tarentolae Based Cell-Free Expression System. PLoS ONE, 2010, 5, e14388.	2.5	35

#	Article	IF	CITATIONS
19	Species-independent translational leaders facilitate cell-free expression. Nature Biotechnology, 2009, 27, 747-752.	17.5	132
20	The leader sequence of tobacco mosaic virus RNA devoid of Watson–Crick secondary structure possesses a cooperatively melted, compact conformation. Biochemical and Biophysical Research Communications, 2007, 358, 368-372.	2.1	12
21	Mutation analysis of the functional role of amino acid residues in domain IV of elongation factor G. Molecular Biology, 2006, 40, 764-769.	1.3	2