

Yasuhiko Kitadai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6579414/publications.pdf>

Version: 2024-02-01

144
papers

6,500
citations

50276

46
h-index

71685

76
g-index

146
all docs

146
docs citations

146
times ranked

7355
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Dose Alcohol-Induced Inhibition of Mouse Orthotopically Transplanted Tumors Is Associated with T-Cell Response. <i>Pathobiology</i> , 2023, 90, 22-30.	3.8	0
2	Promoting mechanism of serum amyloid a family expression in mouse intestinal epithelial cells. <i>PLoS ONE</i> , 2022, 17, e0264836.	2.5	2
3	Investigation of endoscopic findings in nine cases of <i>Helicobacter suis</i> -infected gastritis complicated by gastric mucosa-associated lymphoid tissue lymphoma. <i>Helicobacter</i> , 2022, 27, e12887.	3.5	9
4	CLINICOPATHOLOGICAL CHARACTERISTICS OF EARLY GASTRIC CANCER DISCOVERED AFTER HELICOBACTER PYLORI ERADICATION IN RELATION TO THE PERIOD AFTER ERADICATION AND HISTOLOGICAL TYPE. <i>Gastrointestinal Endoscopy</i> , 2022, 95, AB474.	1.0	0
5	Clinical significance of immunohistochemical lymphovascular evaluation to determine additional surgery after endoscopic submucosal dissection for colorectal T1 carcinoma. <i>International Journal of Colorectal Disease</i> , 2021, 36, 949-958.	2.2	14
6	Genomic Landscape of Early-stage Colorectal Neoplasia Developing From the Ulcerative Colitis Mucosa in the Japanese Population. <i>Inflammatory Bowel Diseases</i> , 2021, 27, 686-696.	1.9	5
7	Stromal reaction inhibitor and immune-checkpoint inhibitor combination therapy attenuates excluded-type colorectal cancer in a mouse model. <i>Cancer Letters</i> , 2021, 498, 111-120.	7.2	5
8	Gastric mucosa-associated lymphoid tissue lymphoma in conjunction with multiple lymphomatous polyposis in the context of <i>Helicobacter pylori</i> and <i>Helicobacter suis</i> superinfection. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 478-483.	0.8	7
9	Involvement of non- <i>Helicobacter pylori</i> <i>Helicobacter</i> infections in <i>Helicobacter pylori</i> -negative gastric MALT lymphoma pathogenesis and efficacy of eradication therapy. <i>Gastric Cancer</i> , 2021, 24, 937-945.	5.3	22
10	Effect of educational lecture on the diagnostic accuracy of Japan NBI Expert Team classification for colorectal lesions. <i>BMC Gastroenterology</i> , 2021, 21, 110.	2.0	1
11	Clinical usefulness of combination therapy with polidocanol injection and argon plasma coagulation for gastric antral vascular ectasia. <i>JGH Open</i> , 2021, 5, 465-469.	1.6	1
12	Mesenchymal stem cells induce tumor stroma formation and epithelial-mesenchymal transition through SPARC expression in colorectal cancer. <i>Oncology Reports</i> , 2021, 45, .	2.6	10
13	Genomic analysis for the prediction of prognosis in small-bowel cancer. <i>PLoS ONE</i> , 2021, 16, e0241454.	2.5	3
14	Role of tumor-associated macrophages at the invasive front in human colorectal cancer progression. <i>Cancer Science</i> , 2021, 112, 2692-2704.	3.9	26
15	Sodium bicarbonate ingestion mitigates the heat-induced hyperventilation and reduction in cerebral blood velocity during exercise in the heat. <i>Journal of Applied Physiology</i> , 2021, 131, 1617-1628.	2.5	1
16	Clinical usefulness of linked color imaging for evaluation of endoscopic activity and prediction of relapse in ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1053-1061.	2.2	5
17	Risk of Bleeding after Colorectal Endoscopic Resection in Patients with Continued Warfarin Use Compared to Heparin Replacement: A Propensity Score Matching Analysis. <i>Gastroenterology Research and Practice</i> , 2021, 2021, 1-11.	1.5	1
18	Fatty change of the liver microenvironment influences the metastatic potential of colorectal cancer. <i>International Journal of Experimental Pathology</i> , 2020, 101, 162-170.	1.3	11

#	ARTICLE	IF	CITATIONS
19	<i>Helicobacter suis</i> infection is associated with nodular gastritis-like appearance of gastric mucosa-associated lymphoid tissue lymphoma. <i>Cancer Medicine</i> , 2019, 8, 4370-4379.	2.8	21
20	Potential of <i>Helicobacter pylori</i> -uninfected signet ring cell carcinoma to invade the submucosal layer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1955-1962.	2.8	10
21	A Questionnaire Survey on the Sequence of Events Prior to Undergoing Colonoscopy: The Influence of the Behavioral Response after a Fecal Occult Blood Test on the Early Detection of Colorectal Cancer. <i>Internal Medicine</i> , 2019, 58, 1541-1547.	0.7	1
22	Early-stage serrated adenocarcinomas are divided into several molecularly distinct subtypes. <i>PLoS ONE</i> , 2019, 14, e0211477.	2.5	2
23	Anti- <i>Helicobacter pylori</i> therapy in localized gastric mucosa-associated lymphoid tissue lymphoma: A prospective, nationwide, multicenter study in Japan. <i>Helicobacter</i> , 2018, 23, e12474.	3.5	20
24	Watch-and-wait policy versus rituximab-combined chemotherapy in Japanese patients with intestinal follicular lymphoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1461-1468.	2.8	23
25	Expression of cytosolic malic enzyme (ME1) is associated with disease progression in human oral squamous cell carcinoma. <i>Cancer Science</i> , 2018, 109, 2036-2045.	3.9	36
26	Silencing of Discoidin Domain Receptor-1 (DDR1) Concurrently Inhibits Multiple Steps of Metastasis Cascade in Gastric Cancer. <i>Translational Oncology</i> , 2018, 11, 575-584.	3.7	29
27	Mesenchymal Stem Cells Induce Epithelial to Mesenchymal Transition in Colon Cancer Cells through Direct Cell-to-Cell Contact. <i>Neoplasia</i> , 2017, 19, 429-438.	5.3	58
28	Combination therapy using molecularly-targeted drugs modulates tumor microenvironment and impairs tumor growth in renal cell carcinoma. <i>Cancer Medicine</i> , 2017, 6, 2308-2320.	2.8	12
29	Choline Deficiency Causes Colonic Type II Natural Killer T (NKT) Cell Loss and Alleviates Murine Colitis under Type I NKT Cell Deficiency. <i>PLoS ONE</i> , 2017, 12, e0169681.	2.5	14
30	Gasdermin C Is Upregulated by Inactivation of Transforming Growth Factor β 2 Receptor Type II in the Presence of Mutated Apc, Promoting Colorectal Cancer Proliferation. <i>PLoS ONE</i> , 2016, 11, e0166422.	2.5	151
31	Regression of Cecal MALT Lymphoma after Antibiotic Treatment in a Patient with <i>Helicobacter pylori</i> Infection. <i>Internal Medicine</i> , 2016, 55, 135-139.	0.7	3
32	<i>ADH1B</i> and <i>ALDH2</i> are associated with metachronous SCC after endoscopic submucosal dissection of esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2016, 5, 1397-1404.	2.8	27
33	Multikinase inhibitor regorafenib inhibits the growth and metastasis of colon cancer with abundant stroma. <i>Cancer Science</i> , 2016, 107, 601-608.	3.9	43
34	mTOR and PDGF Pathway Blockade Inhibits Liver Metastasis of Colorectal Cancer by Modulating the Tumor Microenvironment. <i>American Journal of Pathology</i> , 2015, 185, 399-408.	3.8	36
35	The significance of lymphatic space invasion and its association with vascular endothelial growth factor-C expression in ovarian cancer. <i>Clinical and Experimental Metastasis</i> , 2015, 32, 789-798.	3.3	7
36	Combining Molecular Targeted Drugs to Inhibit Both Cancer Cells and Activated Stromal Cells in Gastric Cancer. <i>Neoplasia</i> , 2013, 15, 1391-1399.	5.3	30

#	ARTICLE	IF	CITATIONS
37	Stroma-directed imatinib therapy impairs the tumor-promoting effect of bone marrow-derived mesenchymal stem cells in an orthotopic transplantation model of colon cancer. <i>International Journal of Cancer</i> , 2013, 132, 813-823.	5.1	66
38	MicroRNA-155 is a predictive marker for survival in patients with clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2013, 20, 468-477.	1.0	45
39	Long-term clinical outcome of gastric MALT lymphoma after eradication of <i>Helicobacter pylori</i> : a multicentre cohort follow-up study of 420 patients in Japan. <i>Cut</i> , 2012, 61, 507-513.	12.1	256
40	Su1484 Significance of Endoscopic Mucosal Healing on the Leukocytapheresis Therapy in the Patients With Ulcerative Colitis. <i>Gastrointestinal Endoscopy</i> , 2012, 75, AB348.	1.0	0
41	Primary gastrointestinal follicular lymphoma involving the duodenal second portion is a distinct entity: A multicenter, retrospective analysis in Japan. <i>Cancer Science</i> , 2011, 102, 1532-1536.	3.9	118
42	Anti-stromal therapy with imatinib inhibits growth and metastasis of gastric carcinoma in an orthotopic nude mouse model. <i>International Journal of Cancer</i> , 2011, 128, 2050-2062.	5.1	53
43	Stroma-Directed Molecular Targeted Therapy in Gastric Cancer. <i>Cancers</i> , 2011, 3, 4245-4257.	3.7	7
44	Cancer-Stromal Cell Interaction and Tumor Angiogenesis in Gastric Cancer. <i>Cancer Microenvironment</i> , 2010, 3, 109-116.	3.1	62
45	Mesenchymal stem cells enhance growth and metastasis of colon cancer. <i>International Journal of Cancer</i> , 2010, 127, 2323-2333.	5.1	244
46	Expression of platelet-derived growth factor (PDGF)- β and PDGF-receptor β^2 is associated with lymphatic metastasis in human gastric carcinoma. <i>Cancer Science</i> , 2010, 101, 1984-1989.	3.9	68
47	Potential role for vascular endothelial growth factor- β as an autocrine factor for human gastric carcinoma cells. <i>Cancer Science</i> , 2010, 101, 2121-2127.	3.9	10
48	Angiogenesis and Lymphangiogenesis of Gastric Cancer. <i>Journal of Oncology</i> , 2010, 2010, 1-8.	1.3	46
49	Cheilitis granulomatosa as an early manifestation of Crohn's disease. <i>Clinical Journal of Gastroenterology</i> , 2009, 2, 190-193.	0.8	1
50	Antibodies to <i>Helicobacter pylori</i> and CagA protein are associated with the response to antibacterial therapy in patients with <i>H. pylori</i> -positive <i>API2</i> -negative gastric MALT lymphoma. <i>Cancer Science</i> , 2009, 100, 1075-1081.	3.9	24
51	PREDICTIVE VALUE OF ENDOSCOPY AND ENDOSCOPIC ULTRASONOGRAPHY FOR REGRESSION OF GASTRIC DIFFUSE LARGE B-CELL LYMPHOMAS AFTER <i>HELICOBACTER PYLORI</i> ERADICATION. <i>Digestive Endoscopy</i> , 2009, 21, 219-227.	2.3	24
52	Targeting the EGFR, VEGFR, and PDGFR on colon cancer cells and stromal cells is required for therapy. <i>Clinical and Experimental Metastasis</i> , 2008, 25, 477-489.	3.3	36
53	Rapid progression of Epstein-Barr-virus-positive gastric diffuse large B-cell lymphoma during chemoradiotherapy: a case report. <i>Clinical Journal of Gastroenterology</i> , 2008, 1, 105-109.	0.8	3
54	Intratumoral Heterogeneity for Expression of Tyrosine Kinase Growth Factor Receptors in Human Colon Cancer Surgical Specimens and Orthotopic Tumors. <i>American Journal of Pathology</i> , 2008, 172, 358-366.	3.8	33

#	ARTICLE	IF	CITATIONS
55	Vascular Endothelial Growth Factor C Stimulates Progression of Human Gastric Cancer via Both Autocrine and Paracrine Mechanisms. <i>Clinical Cancer Research</i> , 2008, 14, 7205-7214.	7.0	67
56	Presence of poorly differentiated component correlated with submucosal invasion in the early diffuse-type gastric cancer. <i>Hepato-Gastroenterology</i> , 2008, 55, 2264-8.	0.5	2
57	Zonal Heterogeneity for Gene Expression in Human Pancreatic Carcinoma. <i>Cancer Research</i> , 2007, 67, 7597-7604.	0.9	51
58	Inhibition of Epidermal Growth Factor Receptor and Vascular Endothelial Growth Factor Receptor Phosphorylation on Tumor-Associated Endothelial Cells Leads to Treatment of Orthotopic Human Colon Cancer in Nude Mice. <i>Neoplasia</i> , 2007, 9, 1066-1077.	5.3	40
59	DNA demethylation of vascular endothelial growth factor-C is associated with gene expression and its possible involvement of lymphangiogenesis in gastric cancer. <i>International Journal of Cancer</i> , 2007, 120, 1689-1695.	5.1	23
60	Cavernous hemangioma in the ascending colon treated by endoscopic mucosal resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 280-281.	2.8	15
61	Immune Response to CagA Protein is Associated with Improved Platelet Count After Helicobacter pylori Eradication in Patients with Idiopathic Thrombocytopenic Purpura. <i>Helicobacter</i> , 2007, 12, 36-42.	3.5	55
62	Basis of Decreased Risk of Gastric Cancer in Severe Atrophic Gastritis with Eradication of Helicobacter pylori. <i>Digestive Diseases and Sciences</i> , 2007, 52, 232-239.	2.3	15
63	Targeting the Expression of Platelet-Derived Growth Factor Receptor by Reactive Stroma Inhibits Growth and Metastasis of Human Colon Carcinoma. <i>American Journal of Pathology</i> , 2006, 169, 2054-2065.	3.8	93
64	A case of Crohn's disease with hydronephrosis caused by ureteropelvic junction obstruction. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 1015-1018.	1.6	4
65	Epstein-Barr virus involvement is a predictive factor for the resistance to chemoradiotherapy of gastric diffuse large cell lymphoma. <i>Cancer Science</i> , 2006, 97, 163-166.	3.9	30
66	Expression of activated platelet-derived growth factor receptor in stromal cells of human colon carcinomas is associated with metastatic potential. <i>International Journal of Cancer</i> , 2006, 119, 2567-2574.	5.1	88
67	Plasticity in Urokinase-Type Plasminogen Activator Receptor (uPAR) Display in Colon Cancer Yields Metastable Subpopulations Oscillating in Cell Surface uPAR Density Implications in Tumor Progression. <i>Cancer Research</i> , 2006, 66, 7957-7967.	0.9	14
68	Genetic and pathologic characteristics of gastrointestinal stromal tumors in extragastric lesions. <i>International Journal of Molecular Medicine</i> , 2006, 18, 1067-71.	4.0	4
69	Relationship between histopathological features and type V pit pattern determined by magnifying videocolonoscopy in early colorectal carcinoma. <i>Digestive Endoscopy</i> , 2005, 17, 117-122.	2.3	13
70	A combination of the Helicobacter pylori stool antigen test and urea breath test is useful for clinical evaluation of eradication therapy: A multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 1241-1245.	2.8	16
71	Quantitative analysis of lymphangiogenic markers for predicting metastasis of human gastric carcinoma to lymph nodes. <i>International Journal of Cancer</i> , 2005, 115, 388-392.	5.1	64
72	A single nucleotide polymorphism in the MMP-9 promoter affects tumor progression and invasive phenotype of gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2005, 131, 19-25.	2.5	109

#	ARTICLE	IF	CITATIONS
73	Infliximab Therapy for Crohn's Disease in a Patient with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2005, 50, 163-166.	2.3	81
74	Simultaneous Inhibition of EGFR, VEGFR, and Platelet-Derived Growth Factor Receptor Signaling Combined with Gemcitabine Produces Therapy of Human Pancreatic Carcinoma and Prolongs Survival in an Orthotopic Nude Mouse Model. <i>Cancer Research</i> , 2005, 65, 10371-10380.	0.9	96
75	Monocyte Chemoattractant Protein-1 Transfection Induces Angiogenesis and Tumorigenesis of Gastric Carcinoma in Nude Mice via Macrophage Recruitment. <i>Clinical Cancer Research</i> , 2005, 11, 7629-7636.	7.0	117
76	A Single Nucleotide Polymorphism in the 5' UTR of the <i>EGF</i> Gene Is Associated with Occurrence and Malignant Progression of Gastric Cancer. <i>Pathobiology</i> , 2005, 72, 133-138.	3.8	58
77	Expression of p53 Protein in Esophageal Squamous Cell Carcinoma: Relation to Hypoxia-Inducible Factor-1 α , Angiogenesis and Apoptosis. <i>Pathobiology</i> , 2005, 72, 179-185.	3.8	9
78	Expression of vascular endothelial growth factor (VEGF)-C and VEGF-D in early gastric carcinoma: correlation with clinicopathological parameters. <i>Cancer Letters</i> , 2005, 226, 85-90.	7.2	39
79	Involvement of proinflammatory cytokines IL-1 β and IL-6 in progression of human gastric carcinoma. <i>Anticancer Research</i> , 2005, 25, 709-13.	1.1	83
80	Frequent Loss of <i>RUNX3</i> Expression by Promoter Hypermethylation in Gastric Carcinoma. <i>Pathobiology</i> , 2004, 71, 137-143.	3.8	68
81	Chromosomal and microsatellite instability in sporadic gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 756-760.	2.8	30
82	Expression of VEGF β and VEGF δ at the invasive edge correlates with lymph node metastasis and prognosis of patients with colorectal carcinoma. <i>Cancer Science</i> , 2004, 95, 32-39.	3.9	138
83	Mutation of the von Hippel-Lindau (VHL) gene in human colorectal carcinoma: Association with cytoplasmic accumulation of hypoxia-inducible factor (HIF)-1 α . <i>Cancer Science</i> , 2004, 95, 149-153.	3.9	29
84	Magnifying Colonoscopic Features of Ulcerative Colitis Reflect Histologic Inflammation. <i>Inflammatory Bowel Diseases</i> , 2004, 10, 737-744.	1.9	33
85	A single nucleotide polymorphism in the MMP-1 promoter is correlated with histological differentiation of gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 259-265.	2.5	37
86	Frequent epigenetic inactivation of <i>RIZ1</i> by promoter hypermethylation in human gastric carcinoma. <i>International Journal of Cancer</i> , 2004, 110, 212-218.	5.1	55
87	Epigenetic inactivation of <i>SOCS-1</i> by CpG island hypermethylation in human gastric carcinoma. <i>International Journal of Cancer</i> , 2004, 112, 1003-1009.	5.1	106
88	Clinicopathologic and endoscopic features of colorectal serrated adenoma: differences between polypoid and superficial types. <i>Gastrointestinal Endoscopy</i> , 2004, 59, 213-219.	1.0	82
89	Initial Experience of High-Frequency Ultrasound Probe Sonography Using a Multi-Bending Scope. <i>Gastrointestinal Endoscopy</i> , 2004, 59, P221.	1.0	0
90	Initial experience with catheter probe US when using a multibending endoscope. <i>Gastrointestinal Endoscopy</i> , 2004, 59, 889-894.	1.0	2

#	ARTICLE	IF	CITATIONS
91	Expression of human telomerase reverse transcriptase mRNA in esophageal cancers and precancerous lesions. <i>Oncology Reports</i> , 2004, 11, 51-5.	2.6	7
92	Angiogenic switch occurs during the precancerous stage of human esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2004, 11, 315-9.	2.6	25
93	Frequent loss of heterozygosity on chromosome 10p14-p15 in esophageal dysplasia and squamous cell carcinoma. <i>Oncology Reports</i> , 2004, 12, 333-7.	2.6	2
94	Single nucleotide polymorphism in the hypoxia-inducible factor-1alpha gene in colorectal carcinoma. <i>Oncology Reports</i> , 2004, 12, 1033-7.	2.6	40
95	Effects of aged garlic extract (AGE) on colorectal adenomas: a double-blinded study. <i>Hiroshima Journal of Medical Sciences</i> , 2004, 53, 39-45.	0.1	51
96	Significance of an exaggerated meal-stimulated gastrin response in pathogenesis of <i>Helicobacter pylori</i> -negative duodenal ulcer. <i>Digestive Diseases and Sciences</i> , 2003, 48, 644-651.	2.3	15
97	Expression of thrombospondin-1 is correlated with microvessel density in gastric carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 563-568.	2.8	26
98	The promoter methylation status of the DNA repair gene O 6 -methylguanine-DNA methyltransferase in ulcerative colitis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 518-523.	2.8	28
99	Expression of hypoxia-inducible factor-1 α is associated with tumor vascularization in human colorectal carcinoma. <i>International Journal of Cancer</i> , 2003, 105, 176-181.	5.1	141
100	Is apoptosis in antral mucosa correlated with serum nitrite concentration in Japanese <i>Helicobacter pylori</i> -infected patients?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 498-504.	2.8	10
101	p53 expression, K-ras gene mutation and microsatellite instability in gastric B-cell lymphomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1047-1053.	2.8	4
102	Prevalence of <i>Helicobacter pylori</i> resistance to clarithromycin and metronidazole determined by 23S ribosomal RNA and rdxA gene analyses in Hiroshima, Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1202-1207.	2.8	18
103	Endoscopic ultrasonography for assessment of medical treatment in patients with gastric mucosa-associated lymphoid tissue lymphoma. <i>Digestive Endoscopy</i> , 2003, 15, 174-178.	2.3	1
104	<i>Helicobacter pylori</i> infection influences expression of genes related to angiogenesis and invasion in human gastric carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 809-814.	2.1	77
105	Clinicopathologic Features and Endoscopic Resection of Early Primary Nonampullary Duodenal Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2003, 37, 381-386.	2.2	80
106	Small rectal carcinoid with lymph node metastasis diagnosed prior to treatment. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 195-197.	1.6	5
107	Hypoxia-inducible factor-1alpha expression and angiogenesis in gastrointestinal stromal tumor of the stomach. <i>Oncology Reports</i> , 2003, 10, 797-802.	2.6	63
108	Somatic mutation of mitochondrial DNA in <i>Helicobacter pylori</i> -associated chronic gastritis in patients with and without gastric cancer. <i>International Journal of Molecular Medicine</i> , 2003, 12, 169-74.	4.0	16

#	ARTICLE	IF	CITATIONS
109	Frequent loss of heterozygosity on chromosome 10p15, a putative telomerase repressor/senescence gene locus, in gastric cancer. <i>Oncology Reports</i> , 2003, 10, 1297-9.	2.6	4
110	Clinical significance of Fhit expression in development of colorectal carcinoma of various macroscopic types. <i>International Journal of Molecular Medicine</i> , 2003, 12, 437-42.	4.0	4
111	Somatic mutation in mitochondrial DNA and nuclear microsatellite instability in gastric cancer. <i>Oncology Reports</i> , 2003, 10, 1837-41.	2.6	15
112	Production of interleukin 15 by human colon cancer cells is associated with induction of mucosal hyperplasia, angiogenesis, and metastasis. <i>Clinical Cancer Research</i> , 2003, 9, 4802-10.	7.0	46
113	Codon 72 polymorphism in gastric cancer susceptibility in patients with <i>Helicobacter pylori</i> -associated chronic gastritis. <i>International Journal of Cancer</i> , 2002, 100, 304-308.	5.1	75
114	Monocyte chemoattractant protein-1 expression correlates with macrophage infiltration and tumor vascularity in human esophageal squamous cell carcinomas. <i>International Journal of Cancer</i> , 2002, 102, 220-224.	5.1	145
115	K-ras mutation in <i>Helicobacter pylori</i> -associated chronic gastritis in patients with and without gastric cancer. <i>International Journal of Cancer</i> , 2002, 97, 562-566.	5.1	73
116	Multiparametric in situ RNA Hybridization Analysis of Gastric Biopsies Predicts Lymph Node Metastasis in Patients with Gastric Carcinoma. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 1258-1265.	1.7	12
117	Clinical significance of angiogenesis in rectal carcinoid tumors. <i>Oncology Reports</i> , 2002, 9, 489-94.	2.6	13
118	Determining depth of invasion by VN pit pattern analysis in submucosal colorectal carcinoma. <i>Oncology Reports</i> , 2002, 9, 1005-8.	2.6	21
119	Clinicopathologic features and endoscopic treatment of superficially spreading colorectal neoplasms larger than 20 mm. <i>Gastrointestinal Endoscopy</i> , 2001, 54, 62-66.	1.0	347
120	Reduction in the incidence of <i>Helicobacter pylori</i> -associated carcinoma in Japanese young adults. <i>Oncology Reports</i> , 2001, 8, 633-6.	2.6	9
121	A low 13 C-urea breath test value is associated with increased risk of gastric cancer. <i>Journal of Gastroenterology</i> , 2001, 36, 601-605.	5.1	10
122	Angiogenesis at the site of deepest penetration predicts lymph node metastasis of submucosal colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 2001, 44, 1129-1136.	1.3	36
123	Clinicopathological features of gastric mucosa-associated lymphoid tissue lymphoma: A comparison with diffuse large B-cell lymphoma without a mucosa-associated lymphoid tissue lymphoma component. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 734-739.	2.8	28
124	Clinicopathological significance of vascular endothelial growth factor (VEGF)-C in human esophageal squamous cell carcinomas. <i>International Journal of Cancer</i> , 2001, 93, 662-666.	5.1	173
125	B-Cell monoclonality in <i>Helicobacter pylori</i> -associated chronic atrophic gastritis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 438, 232-237.	2.8	20
126	Promoter Methylation Status of the DNA Repair Genes <i>hMLH1</i> and <i>MGMT</i> in Gastric Carcinoma and Metaplastic Mucosa. <i>Pathobiology</i> , 2001, 69, 143-149.	3.8	36

#	ARTICLE	IF	CITATIONS
127	Enhanced tumorigenicity of insulinoma by X-irradiation of the gastric regions in Sprague-Dawley male rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000, 15, 766-770.	2.8	7
128	Electrocautery snare resection stimulates cellular proliferation of residual colorectal tumor. <i>Diseases of the Colon and Rectum</i> , 2000, 43, 1107-1115.	1.3	36
129	Overexpression of human telomerase RNA is an early event in oesophageal carcinogenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1999, 434, 483-487.	2.8	38
130	In situ mRNA Hybridization Technique for Analysis of Human Telomerase RNA in Gastric Precancerous and Cancerous Lesions. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1187-1194.	1.7	33
131	Expression of vascular endothelial growth factor in human gastric carcinomas. <i>Pathology International</i> , 1998, 48, 499-506.	1.3	63
132	Co-expression of osteopontin and CD44v9 in gastric cancer. <i>International Journal of Cancer</i> , 1998, 79, 127-132.	5.1	168
133	Correlation of Ratio of Serum Pepsinogen I and II With Prevalence of Gastric Cancer and Adenoma in Japanese Subjects. <i>American Journal of Gastroenterology</i> , 1998, 93, 1090-1096.	0.4	119
134	Intratumoral heterogeneity and inverse correlation between expression of E-cadherin and collagenase type IV in human gastric carcinomas. <i>Differentiation</i> , 1996, 60, 119-127.	1.9	29
135	Increased expression of p34cdc2 and its kinase activity in human gastric and colonic carcinomas. <i>International Journal of Cancer</i> , 1993, 53, 36-41.	5.1	102
136	Expression of P-cadherin in gastric carcinomas and its reduction in tumor progression. <i>International Journal of Cancer</i> , 1993, 54, 49-52.	5.1	36
137	Aberrant expression of c-met mRNA in human gastric carcinomas. <i>International Journal of Cancer</i> , 1993, 55, 72-75.	5.1	105
138	Expression of Amphiregulin, a Novel Gene of the Epidermal Growth Factor Family, in Human Gastric Carcinomas. <i>Japanese Journal of Cancer Research</i> , 1993, 84, 879-884.	1.7	46
139	Expression of growth factors and their receptors in human esophageal carcinomas: regulation of expression by epidermal growth factor and transforming growth factor ?. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993, 119, 401-407.	2.5	52
140	Gastric emptying and bezoars in Japanese. <i>Digestive Diseases and Sciences</i> , 1993, 38, 1422-1425.	2.3	9
141	The level of a transcription factor Sp1 is correlated with the expression of EGF receptor in human gastric carcinomas. <i>Biochemical and Biophysical Research Communications</i> , 1992, 189, 1342-1348.	2.1	57
142	Frequent amplification of the c-met gene in scirrhous type stomach cancer. <i>Biochemical and Biophysical Research Communications</i> , 1992, 189, 227-232.	2.1	322
143	p53 point mutations in primary human gastric carcinomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 1992, 119, 67-70.	2.5	75
144	Effects of tyrosine kinase inhibitor, erbstatin, on cell growth and growth-factor/receptor gene expression in human gastric carcinoma cells. <i>International Journal of Cancer</i> , 1991, 47, 938-942.	5.1	18