

Jaak Kals

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6580548/publications.pdf>

Version: 2024-02-01

68
papers

1,507
citations

304743

22
h-index

330143

37
g-index

68
all docs

68
docs citations

68
times ranked

2550
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomics of Arterial Stiffness. <i>Metabolites</i> , 2022, 12, 370.	2.9	10
2	Listeria monocytogenes infectious abdominal aortic aneurysm: Case report and review of the literature. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 800-804.	0.5	2
3	Effect of Half-Marathon Running on Arterial Stiffness and Blood Biomarkers in High-Level and Recreational Male Athletes. <i>Journal of Sports Science and Medicine</i> , 2021, 20, 548-556.	1.6	2
4	Metabolomic Profile of Abdominal Aortic Aneurysm. <i>Metabolites</i> , 2021, 11, 555.	2.9	7
5	Five-year survival after elective open and endovascular aortic aneurysm repair. <i>Scandinavian Journal of Surgery</i> , 2021, , 145749692110487.	2.6	2
6	The Role of RIPIC in Preventing Organ Damage, Inflammation, and Oxidative Stress during Lower Limb DSA: A Randomised Controlled Trial. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-15.	4.0	5
7	The Cost-Effectiveness of Abdominal Aortic Aneurysm Screening in Estonia. <i>Value in Health Regional Issues</i> , 2020, 22, 1-6.	1.2	3
8	Remote Ischaemic Preconditioning Attenuates Cardiac Biomarkers During Vascular Surgery: A Randomised Clinical Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 301-308.	1.5	9
9	Remote ischaemic preconditioning influences the levels of acylcarnitines in vascular surgery: a randomised clinical trial. <i>Nutrition and Metabolism</i> , 2020, 17, 76.	3.0	3
10	Metabolomic Signature of Amino Acids, Biogenic Amines and Lipids in Blood Serum of Patients with Severe Osteoarthritis. <i>Metabolites</i> , 2020, 10, 323.	2.9	21
11	Atenololâ€™s Inferior Ability to Reduce Central vs Peripheral Blood Pressure Can Be Explained by the Combination of Its Heart Rate-Dependent and Heart Rate-Independent Effects. <i>International Journal of Hypertension</i> , 2020, 2020, 1-8.	1.3	2
12	Remote Ischaemic Preconditioning Reduces Kidney Injury Biomarkers in Patients Undergoing Open Surgical Lower Limb Revascularisation: A Randomised Trial. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-8.	4.0	8
13	The Effect of Remote Ischaemic Preconditioning on Arterial Stiffness in Patients Undergoing Vascular Surgery: A Randomised Clinical Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 868-875.	1.5	15
14	Remote Ischaemic Preconditioning Attenuates Kidney Injury Perioperatively in Patients Undergoing Surgical Lower Limb Revascularisation. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e391-e392.	1.5	1
15	Effects of Remote Ischaemic Preconditioning on Arterial Stiffness in Patients Undergoing Lower Limb Angiographic Procedures: A Randomised Clinical Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 875-882.	1.5	8
16	Oxidative Stress Parameters and Its Associations With Arterial Stiffness in Competitive Powerlifting Athletes After 12-Week Supervised Strength Training. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 1816-1822.	2.1	11
17	Metabolomic Profile of Patients with Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e69-e70.	1.5	0
18	Heart rate reduction decreases central blood pressure in sick sinus syndrome patients with a permanent cardiac pacemaker. <i>Journal of Human Hypertension</i> , 2018, 32, 377-384.	2.2	3

#	ARTICLE	IF	CITATIONS
19	Medium- and long-chain acylcarnitines are associated with osteoarthritis severity and arterial stiffness in end-stage osteoarthritis patients: a case-control study. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1211-1218.	1.9	21
20	Mortality After Elective and Ruptured Abdominal Aortic Aneurysm Surgical Repair: 12-Year Single-Center Experience of Estonia. <i>Scandinavian Journal of Surgery</i> , 2018, 107, 152-157.	2.6	24
21	Inverse relations of serum phosphatidylcholines and lysophosphatidylcholines with vascular damage and heart rate in patients with atherosclerosis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 44-52.	2.6	69
22	P77 TARGETED LIPIDOMICS OF ARTERIAL STIFFNESS AND HEMODYNAMICS IN ATHEROSCLEROSIS. <i>Artery Research</i> , 2018, 24, 101.	0.6	0
23	Are acylcarnitines new biomarkers for OA?. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S194-S195.	1.3	0
24	Metabolic factors and oxidative stress in osteoarthritis: a case-control study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 520-526.	1.2	32
25	Severity of Osteoarthritis Is Associated with Increased Arterial Stiffness. <i>International Journal of Rheumatology</i> , 2016, 2016, 1-7.	1.6	17
26	Metabolomic profiles of lipid metabolism, arterial stiffness and hemodynamics in male coronary artery disease patients. <i>IJC Metabolic & Endocrine</i> , 2016, 11, 13-18.	0.5	15
27	The acute effects of passive heat exposure on arterial stiffness, oxidative stress, and inflammation. <i>Medicina (Lithuania)</i> , 2016, 52, 211-216.	2.0	14
28	Increased arterial stiffness in patients with end-stage osteoarthritis: a case-control study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 335.	1.9	8
29	Early Biomarkers of Renal Damage in Relation to Arterial Stiffness and Inflammation in Male Coronary Artery Disease Patients. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 488-497.	2.0	12
30	Response to Aboyans, et al.: Estimation of pulse wave velocity in patients with peripheral artery disease: a word of caution. <i>Hypertension Research</i> , 2016, 39, 618-619.	2.7	0
31	Association Between Fibulin-1 and Aortic Augmentation Index in Male Patients with Peripheral Arterial Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 51, 76-82.	1.5	12
32	Increased carotid artery intima-media thickness and myeloperoxidase level in children with newly diagnosed juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 180.	3.5	25
33	Metabolomic characteristics of arterial stiffness in patients with peripheral arterial disease. <i>Atherosclerosis</i> , 2015, 241, e150-e151.	0.8	0
34	Metabolomic signature of arterial stiffness in male patients with peripheral arterial disease. <i>Hypertension Research</i> , 2015, 38, 840-846.	2.7	36
35	Low dialysate potassium and central arterial pressure waveform. <i>Upsala Journal of Medical Sciences</i> , 2015, 120, 207-212.	0.9	1
36	Effects of Heat Acclimation on Changes in Oxidative Stress and Inflammation Caused by Endurance Capacity Test in the Heat. <i>Oxidative Medicine and Cellular Longevity</i> , 2014, 2014, 1-8.	4.0	23

#	ARTICLE	IF	CITATIONS
37	Value of haemodynamic profiling to the response of antihypertensive therapy. <i>Artery Research</i> , 2014, 8, 189.	0.6	3
38	Angiotensin II receptor blocker telmisartan attenuates aortic stiffening and remodelling in STZ-diabetic rats. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 57.	2.7	17
39	Prognostic Impact of Arterial Stiffness in Patients with Symptomatic Peripheral Arterial Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 48, 308-315.	1.5	35
40	Heat acclimation increases arterial elasticity in young men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 922-927.	1.9	4
41	Vitamin D reduces deposition of advanced glycation end-products in the aortic wall and systemic oxidative stress in diabetic rats. <i>Diabetes Research and Clinical Practice</i> , 2013, 100, 243-249.	2.8	71
42	Effect of vitamin D on aortic remodeling in streptozotocin-induced diabetes. <i>Cardiovascular Diabetology</i> , 2012, 11, 58.	6.8	52
43	Structural and biochemical characteristics of arterial stiffness in patients with atherosclerosis and in healthy subjects. <i>Hypertension Research</i> , 2012, 35, 1032-1037.	2.7	17
44	Nebivolol and metoprolol: long-term effects on inflammation and oxidative stress in essential hypertension. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 427-432.	1.2	28
45	Oxidative stress status in homeless people. <i>Oxidants and Antioxidants in Medical Science</i> , 2012, 1, 35.	0.2	1
46	Association between asymmetric dimethylarginine and indices of vascular function in patients with essential hypertension. <i>Blood Pressure</i> , 2011, 20, 111-116.	1.5	17
47	Effects of a long-term military mission on arterial stiffness, inflammation markers, and vitamin D level. <i>International Journal of Cardiology</i> , 2011, 151, 106-107.	1.7	3
48	Aortic Stiffness and Vitamin D are Independent Markers of Aortic Calcification in Patients with Peripheral Arterial Disease and in Healthy Subjects. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011, 42, 689-695.	1.5	48
49	Differential Effects of Nebivolol and Metoprolol on Central Aortic Pressure and Left Ventricular Wall Thickness. <i>Hypertension</i> , 2011, 57, 1122-1128.	2.7	135
50	Î22-microglobulin, a novel biomarker of peripheral arterial disease, independently predicts aortic stiffness in these patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 257-263.	1.2	34
51	Association of Osteoprotegerin With Aortic Stiffness in Patients With Symptomatic Peripheral Artery Disease and in Healthy Subjects. <i>American Journal of Hypertension</i> , 2010, 23, 586-591.	2.0	34
52	Effects of a synbiotic product on blood antioxidative activity in subjects colonized with <i>Helicobacter pylori</i> . <i>Letters in Applied Microbiology</i> , 2009, 48, 797-800.	2.2	23
53	Arterial stiffness, carotid artery intima-media thickness and plasma myeloperoxidase level in children with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009, 84, 168-173.	2.8	85
54	Ten Years Experience of Treating Aorto-Femoral Bypass Graft Infection with Venous Allografts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008, 36, 432-437.	1.5	28

#	ARTICLE	IF	CITATIONS
55	Antioxidant UPF1 attenuates myocardial stunning in isolated rat hearts. <i>International Journal of Cardiology</i> , 2008, 125, 133-135.	1.7	18
56	Inflammation and oxidative stress are associated differently with endothelial function and arterial stiffness in healthy subjects and in patients with atherosclerosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 594-601.	1.2	43
57	Association between arterial elasticity, C-reactive protein and maximal oxygen consumption in well-trained cadets during three days extreme physical load: a pilot study. <i>Physiological Measurement</i> , 2008, 29, 429-437.	2.1	13
58	Arterial elasticity is associated with endothelial vasodilatory function and asymmetric dimethylarginine level in healthy subjects. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007, 67, 536-544.	1.2	10
59	Augmentation index and carotid intima-media thickness are differently related to age, C-reactive protein and oxidized low-density lipoprotein. <i>Journal of Hypertension</i> , 2007, 25, 819-825.	0.5	38
60	Effects of stimulation of nitric oxide synthesis on large artery stiffness in patients with peripheral arterial disease. <i>Atherosclerosis</i> , 2006, 185, 368-374.	0.8	20
61	Impact of Oxidative Stress on Arterial Elasticity in Patients with Atherosclerosis. <i>American Journal of Hypertension</i> , 2006, 19, 902-908.	2.0	47
62	The relationship between inflammation and arterial stiffness in patients with essential hypertension. <i>International Journal of Cardiology</i> , 2006, 112, 46-51.	1.7	47
63	Evaluation of the functional efficacy of an antioxidative probiotic in healthy volunteers. <i>Nutrition Journal</i> , 2005, 4, 22.	3.4	122
64	An antioxidant tetrapeptide UPF1 in rats has a neuroprotective effect in transient global brain ischemia. <i>Neuroscience Letters</i> , 2004, 370, 45-50.	2.1	15
65	High-sensitivity C-reactive protein affects central haemodynamics and augmentation index in apparently healthy persons. <i>Journal of Hypertension</i> , 2004, 22, 1133-1139.	0.5	58
66	Is Elective Abdominal Aortic Aneurysm Repair Accompanied by High Grade Oxidative Stress?. <i>Scandinavian Journal of Surgery</i> , 2003, 92, 206-209.	2.6	4
67	Exposure of rats to hyperoxia enhances relaxation of isolated aortic rings and reduces infarct size of isolated hearts. <i>Acta Physiologica Scandinavica</i> , 2002, 175, 271-277.	2.2	16
68	<p></p>The effect of pre-seasonal strength training on central hemodynamics and cardiac function in elite powerlifting athletes<p></p>. <i>Research Reports in Clinical Cardiology</i> , 0, Volume 10, 33-41.	0.2	0